

Индивидуальный проект. Первый этап

Операционные системы

Ищенко Ирина Олеговна


25 февраля 2023

Российский университет дружбы народов, Москва, Россия

- Ищенко Ирина Олеговна
- НПИбд-01-22

Размещение на Github pages заготовки для персонального сайта.

Выполнение индивидуального проекта



hugo_0.110.0_windows-amd64.zip	16.6 MB	Jan 17
hugo_0.110.0_windows-arm64.zip	15.2 MB	Jan 17
hugo_extended_0.110.0_darwin-universal.tar.gz	34.8 MB	Jan 17
hugo_extended_0.110.0_Linux-64bit.tar.gz	17.4 MB	Jan 17
hugo_extended_0.110.0_linux-amd64.deb	18.2 MB	Jan 17

Рис. 1: Установка hugo

Create a new repository from starter-hugo-academic

The new repository will start with the same files and folders as [wowchemy/starter-hugo-academic](#).

Owner *

Repository name *

 ioithenko /

Great repository names are short and memorable. Need inspiration? How about [friendly-invention](#)?

Description (optional)

☒ Public



Anyone on the internet can see this repository. You choose who can commit.

☐ Private



You choose who can see and commit to this repository.

☐ Include all branches

Copy all branches from [wowchemy/starter-hugo-academic](#) and not just `main`.

 You are creating a public repository in your personal account.

Create repository from template

Рис. 2: Создание репозитория

```
2023-02-24 23:31:22 (5,03 MB/s) - «go1.17.5.linux-amd64.tar.gz» сохранён [134808667/134808667]

[ioithenko@ioithenko blog]$ sudo tar -C /usr/local -xzf go1.17.5.linux-amd64.tar.gz
[sudo] пароль для ioithenko:
[ioithenko@ioithenko blog]$ export GOROOT=/usr/local/go
[ioithenko@ioithenko blog]$ export GOPATH=$HOME/go
[ioithenko@ioithenko blog]$ export PATH=$GOPATH/bin:$GOROOT/bin:$PATH
[ioithenko@ioithenko blog]$ source ~/.bashrc
[ioithenko@ioithenko blog]$ go version
go version go1.17.5 linux/amd64
[ioithenko@ioithenko blog]$
```

Рис. 3: go

Использование hugo и hugo server

```
[ioithenko@ioithenko blog]$ ~/bin/hugo
Start building sites ...
hugo v0.110.0-e32a493b7826d02763c3b79623952e625402b168+extended linux/amd64 BuildDate=2023-01-17T12:16:09Z VendorInfo=gohugoio
```

	EN
Pages	55
Paginator pages	0
Non-page files	16
Static files	9
Processed images	37
Aliases	15
Sitemaps	1
Cleaned	0

```
Total in 7944 ms
[ioithenko@ioithenko blog]$ ls
```

Рис. 4: hugo





Рис. 5: Шаблон сайта

Удаление welcome page



```
mc [ioithenko@ioithenko]:~/work/blog/content
_index.md [B---] 33 L: [ 3+18 21/285] *(460 /8946b) 0058 0x03A [*][X]
title:
date: 2022-10-24
type: landing

sections:
- block: hero
  content:
    title: Hugo Academic Theme
    image:
    filename: hero-academic.png
    cta:
      label: '**Get Started**'
      url: https://wowchemy.com/templates/
    cta_alt:
      label: Ask a question
      url: https://discord.gg/z8wNYzb
    cta_note:
      label: >-
      <div style="text-shadow: none;"><a class="github-button" href="https:/
    text: |-
      **Generated by Wowchemy - the FREE, Hugo-based open source website build
```

1Помощь 2Сох-ть 3Блок 4Замена 5Копия 6Пер-ть 7Поиск 8Уда-ть 9МенюMC10Выход

Рис. 6: Удаление Welcome page

Create a new repository


A repository contains all project files, including the revision history. Already have a project repository elsewhere? [Import a repository.](#)

Repository template

Start your repository with a template repository's contents.

No template ▾

Owner *

 ioithenko ▾

Repository name *

/ ioithenko.github.io ✓

Great repository names are short and memorable. Need inspiration? How about **shiny-potato**?

Description (optional)



Public

Anyone on the internet can see this repository. You choose who can commit.



Private

You choose who can see and commit to this repository.

Initialize this repository with:

Skip this step if you're importing an existing repository.

Рис. 7: Новый репозиторий

```
[ioithenko@ioithenko ioithenko.github.io]$ git checkout -b main
Переключились на новую ветку «main»
[ioithenko@ioithenko ioithenko.github.io]$ touch README.md
[ioithenko@ioithenko ioithenko.github.io]$ git add .
[ioithenko@ioithenko ioithenko.github.io]$ git commit -am 'add a file'
[main (корневой коммит) e4fb383] add a file
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 README.md
[ioithenko@ioithenko ioithenko.github.io]$ git push
Перечисление объектов: 3, готово.
Подсчет объектов: 100% (3/3), готово.
Запись объектов: 100% (3/3), 236 байтов | 236.00 КиБ/с, готово.
Всего 3 (изменений 0), повторно использовано 0 (изменений 0), повторно использовано пакетов 0
To github.com:ioithenko/ioithenko.github.io.git
 * [new branch]      main -> main
```

Рис. 8: Создание ветки

```
[ioithenko@ioithenko blog]$ git submodule add -b main git@github.com:ioithenko/i  
oithenko.github.io.git public  
Adding existing repo at 'public' to the index  
[ioithenko@ioithenko blog]$ ~/bin/hugo
```

Рис. 9: Добавление субмодуля




Рис. 10: Сайт

Вывод

В результате выполнения первого этапа я разместила на Github pages заготовку для персонального сайта.