

Group Select

- 0) Copy and paste the data from PoliticalCandidate.txt
- 1) Display the records in the candidate table such that first name, last name and dob appear as one single column with a column alias named (full information). Place a comma as a separator between each field. Also make sure that you upper case the first letter of both the first and last name. (Use the concat function or the || symbols) e.g. John, James, 01 Feb 90



2) Display the name and age of each of the candidates. (You have to calculate the age using the various date functions based on date of birth)



played	
	splay the last name of all the candidates. Make sure that no duplicate T DISTINCT lname FROM candidate;
LNAME	
greeenr	
jennet	
Green	
mama	
gran	
Display the	e first name of all the candidates who are greater than 40 years old
46	Display the first name of all the candidates who are great
46 47 SEL	e first name of all the candidates who are greater than 40 years old Display the first name of all the candidates who are great ECT fname FROM candidate WHERE MONTHS_BETWEEN(sysdate, dob
46 47 SEL 10	Display the first name of all the candidates who are great
46 47 SEL	Display the first name of all the candidates who are great
46 47 SEL FNAME	Display the first name of all the candidates who are great
46 47 SEL FNAME abraham abraham	Display the first name of all the candidates who are great
46 47 SEL FNAME abraham abraham cheryl	Display the first name of all the candidates who are great

5) Display the first name of all the candidates whose salary is null, as well as salaries that are between 20,000 and 40,000
Display the first name of all the candidates whose salary is null, as well as salaries that are I SELECT fname FROM candidate WHERE salary IS NULL OR salary BETWEEN 20000 AND 40000;
FNAME abraham abraham cheryl albert
6) Display the first name of all the candidates that begin with the character 'C' regardless of case and are older than 40 years old
Display the first name of all the candidates that begin with the character 'C' regardless of case and a SELECT fname FROM candidate WHERE UPPER(fname) LIKE 'C%' AND MONTHS_BETWEEN(sysdate, dob)/12 > 40; FNAME chervl