

Finding, Understanding and Learning: Making Information Discovery Tasks Useful for Children and Teachers

Ion Madrazo Azpiazu
Computer Science Dept.
Boise State University
Boise, Idaho, USA
ionmadrazo@boisestate.edu

Nevena Dragovic
Computer Science Dept.
Boise State University
Boise, Idaho, USA
nevenadragovic@boisestate.edu

Maria Soledad Pera
Computer Science Dept.
Boise State University
Boise, Idaho, USA
solepera@boisestate.edu

ABSTRACT

In this paper we present our ongoing efforts on the development of YouUnderstood.me (YUM), an enhanced web search environment tailored to children ages 6 to 15. YUM, which is based on a popular search engine, aims to foster learning through the retrieval of materials that not only satisfy the information needs of its users but also match their reading abilities. YUM facilitates information discovery for both teachers and students by (i) recognizing users' search intent, (ii) providing query suggestions, (iii) retrieving suitable resources, in terms of text complexity, and (iv) tracking students' feedback on the complexity of the resources. In order to showcase the need for this type of environment, we present an initial assessment conducted on YUM and well-known (children-oriented) search engines using queries generated by K-9 students.

CCS Concepts

•Information systems → Personalization; •Social and professional topics → Children;

Keywords

Search as Learning; Children; Readability; Personalization

1. INTRODUCTION

The use of Web technologies is increasingly becoming a relevant and valuable asset for children's education [11], both because it enhances the class environment and it introduces children, from early stages of their lives, into today's information society [17]. Unfortunately, incorporating technology with more traditional activities into early childhood education is not a trivial task [3]. Children use search engines on a daily basis to locate materials that can help them with different academic tasks, from finding information for a class to discovering the meaning of a word [11]. While their use for the enhancement of learning tasks is very common, they are not designed with children in mind, and thus a number of issues arise when used by this audience [8]. An important barrier is showcased by the fact that search engines are not always successful in understanding children's information needs, expressed in long natural language or ambiguous

queries [1]. Other prominent issue is evidenced by the survey conducted by Bilal et al. [1], which identifies that out of 300 results retrieved in response to queries posted by 7 graders, only one matched the students' reading levels. This is concerning, since it is hard for children to comprehend texts with readability levels that do not match their own. Given that children, as web users, "differ widely in their reading proficiency and ability to understand vocabulary, depending on factors such as age, educational background, and topic interest or expertise" [2], it is imperative to tailor the complexity of the retrieved results to the specific needs of each child, and not just generalize based on a label, such as age or grade. As reported by Lennon and Burdick [13], reading for learning takes place when the reader comprehends 75% of a text. This represents an appropriate balance that allows the reader to positively understand the text, while also finding challenges in the reading process that will motivate him to improve his skills [13]. Therefore, unless the retrieved resources match the reading skills of the corresponding user, reading for learning, and learning as final goal, as a part of the online information seeking process cannot take place.

As a response to issues that affect the information discovery process, we discuss our ongoing efforts to develop a web search environment designed to help K-9¹ students in finding adequate resources through online searches. We focus on children, ages 6 to 15, since this age range identifies children from their initial search experiences through their "graduation" to adult search tools. YouUnderstood.me (YUM) aims to enhance search engines so that they can be used as a tool to facilitate learning, rather than just retrieving information. The main goal of YUM is to improve the information seeking process and increase children's comprehension of retrieved materials by combining diverse functionalities to overcome search engines deficiencies encountered by children. YUM makes the information retrieval process effective and efficient by (i) taking advantage of readability formulas, a popular search engine, a search intent module, and a query recommendation tool as well as (ii) providing each student with a personal account, and (iii) keeping track of feedback given by students to previously retrieved resources, which enables YUM to update the estimated reading level² of each student over time. Teachers can also benefit from YUM, as they have access to the constantly evolving reading levels of their students, which allows them to better adapt classes' materials and pace.

The novelty of YUM lays on creating an environment based on existing search engines that not only serves students in formulating queries to retrieve resources relevant to their infor-

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than ACM must be honored. Abstracting with credit is permitted. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from permissions@acm.org.

WOODSTOCK '97 El Paso, Texas USA

© 2016 ACM. ISBN 123-4567-24-567/08/06...\$15.00

DOI: 10.475/123.4

¹K-9 refers to grades prior to high school sophomores in the education systems in countries such as USA or Canada.

²We consider a reading level of a student to be the maximum readability level of texts he can understand.

mation discovery tasks, but also ensures that those resources have appropriate reading levels. YUM builds a bridge to establish a direct relationship between teachers and students, where teachers can follow the progress in readability levels among the students and further foster the learning process.

In the next sections we present a brief overview of YUM and its applicability, as well as, an initial analysis of (children-oriented) search engines conducted over a sample of queries written by children, which will be made public to the research community.

2. RELATED WORK

A number of studies have targeted the issue of search personalization [2, 6, 10, 20]. The authors in [6, 20] argue for the need to personalize search results to satisfy diverse users’ needs and preferences. However, while they focus the personalization strategy on parameters such as authority of web pages or atypical search sessions, we focus on parameters that can aid the learning acquisition process, i.e., readability levels of retrieved results. Personalization based on readability has also been explored [2, 10]. While Collins et al. [2] demonstrate, based on the results of an extensive query-log analysis, that readability is a valuable signal for relevance of retrieved resources, Jatowt et al. [10] highlight the need for suitable readability levels on resources retrieved as a result of queries on complex topic formulated by non-experts. We agree on the importance of readability in personalizing web searches, which is why YUM is designed to present its users resources they can read and understand.

Our efforts to create a search environment that addresses issues K-9 students encounter while conducting information seeking tasks are further encouraged by the conclusions reported by Huumerdeman and Kamps [9], who argue in favor of the need to connect literacy and search engines. While a number of search engines have been developed to aid children, they are not optimal to conduct information discovery tasks for learning purposes, as discussed in [8] and Section 4. The closest environment to the one we propose is the one described in [19]. However, the application proposed by Usta et al. [19] only offers grade level filtering, which is a limitation, since students’ reading abilities are not static and may differ even among children in the same class [18]. In addition, their environment is not based on known search engines, which children tend to favor [1]. To the best of our knowledge, YUM is the only education-oriented environment that considers readability levels as well as queries that potentially lead to the retrieval of child-targeted resources to aid K-9 students in completing successful information seeking tasks.

3. YOUUNDESTOOD.ME

YUM is an online environment built around a search engine, which aims to make the search process valuable for children. As opposed to similar environments [19], YUM is not meant to be treated as a new, child-oriented search engine, since studies [1] show that children prefer popular search engines. Instead, YUM acts as an intermediate layer between the child and an existing search engine (Google Safe Search), to facilitate the interaction between the two of them. For doing so, YUM puts into practice strategies oriented to address issues children face when using popular search engines, as well as strategies that can enhance the search experience to foster learning. A description of the mentioned strategies is provided below.

Search Intent. Children tend to write natural language queries, instead of short, keyword-based ones that search engines usually expect [16] making children unable to successfully complete information seeking tasks. In addition,

children also tend to misspell words, but not necessarily in the same fashion as average users. For example, children commonly repeat letters in a word to emphasize it, such as in “faaaast”, which can cause search engines to misunderstand the intended meaning of the word. YUM leverages our previous work, i.e., QuIK [4], which is a search intent module designed for children. QuIK addresses common patterns in each query Q written by a child including, but not limited to, diminutives, emphasis, children trendy terms or children specific misspellings, and transforms Q into a new keyword query capturing the information expressed by the child in a way that can be easier for search engines to comprehend.

Query Suggestion. Even if a search intent module can identify the most likely intent for each query, children have different interests and needs, which is why when dealing with ambiguous queries, it is only each specific child who knows the purpose of his search. With this in mind, YUM takes advantage of our previously-developed ReQuIK [5], a query recommender tailored to children, and provides alternatives for the initial query that the child can select to better inform the search process. ReQuIK is based on a multi-criteria strategy that examines traits commonly associated with children and suggests queries that (i) are associated with children topics, (ii) lead to the retrieval of resources with levels of readability matching those of the K-9 audience, and (iii) are diverse.

Filtering by Readability. Even when the search engine has understood the intent of a child query and retrieves results that match the information needs expressed by the user, the suitability of the retrieved resources is still not assured. K-9 students find difficult to understand documents containing complex or technical vocabulary. For example, if a child is looking for information about chemistry, retrieving a scientific publication would not be adequate, while retrieving information from an elementary chemistry book would. If the retrieved documents are too complex, children may not succeed in completing their information discovery tasks. In order to avoid this situation, YUM incorporates a filtering strategy based on readability levels. This strategy ensures that the retrieved documents match, to a degree, the reading ability of each individual user. YUM allows users to go through a one-time process where they can select their grade level, which is originally used as a target to eliminate resources that are not within half a grade level above or below the grade of the corresponding student. For estimating the readability of retrieved resources, YUM uses the Flesh-Kincaid readability formula [7]. While we expect to develop our own readability formula in the future, we initially selected this formula given that it is considered an standard by educators and institutions for measuring readability.

Tracking. K-9 students have diverse reading abilities, which can differ even in same grade class, and progressively improve over time [18]. Consequently, a one-size-fits-all strategy is not applicable for conducting successful information-seeking tasks that lead to the retrieval of resources individual users can understand. YUM employs an adaptive strategy that allows its users to provide optional feedback specifying whether the resources retrieved were “Too Easy”, “OK” or “Too complex” for them. The feedback is used to update the reading skills of its users over time. We treat the problem of predicting the current readability level of users as a constraint satisfaction problem, where each feedback provided by a student generates a constraint that needs to be satisfied by the readability of the student. For example, a student s giving a feedback of “Too complex” to a document of readability level 5 would generate the constraint $r_s < 5$, stating that the readability r_s of s should be lower than 5. As showed in Equation 1, the predicted readability for s is the one that maximizes the amount of constraints satisfied.

$$r_s = \arg \max_r \sum_{c_i \in C} \begin{cases} w_{c_i} & \text{if } r \text{ satisfies } c_i \\ 0 & \text{otherwise} \end{cases} \quad (1)$$

where $r \in R = \{0, 0.5, \dots, 8.5, 9\}$ represents possible readability values within half-grade intervals and C is the set of constraints created based on the feedback provided by s on retrieved resources. According to reports in [2], users' reading proficiency needs to be estimated based on both current and past searching process. Thus, Equation 1 considers the timestamp of each constraint c_i to favor constraints created more recently and discard the ones created outside the current academic year. For doing so, it considers w_{c_i} which is a weight that captures the recentness on c_i , ranging from 9 to 1, depending on the number of months that have passed since c_i was created. Initially, YUM defines two base constraints that represent one grade of deviation from the current readability of the student: $r_s < p_s + 0.5$ and $r_s > p_s - 0.5$, where p_s represents the prior readability of s based either on the grade level selected the first time YUM is used or the r_s value for the previous academic year. These constraints give YUM a starting level, that will be adjusted as the student uses the environment.

3.1 YUM for teachers

Teachers can also benefit from using YUM within the class environment. Work setting standards have changed from a vertical structure, to an horizontal structure, where each individual is expected to collaborate with others and solve important problems using identification, searching, synthesizing, and communication skills [14]. Given this change, education plans oriented to meet the new requirements of the current industry, such as the Common Core State Standards Initiative (CCSS), have been developed. CCSS requests educators to make an emphasis on higher level thinking during reading and focus on the acquisition of skills such as research and comprehension using digital tools, including search engines [14]. Furthermore, studies showcase the benefit of in-class exercises such as exploratory talks, where students are asked to solve a problem in groups discussing information found on resources obtained using a search engine [12]. Unfortunately, teachers might not be able to propose such a task to their students and lead discussions, if students have problems using search engines, whether that be struggling to find the right queries or not being able to understand the retrieved documents. YUM can help teachers overcome those issues so that they can focus on the discussion, rather than the manner in which students should formulate queries or the type of results they access. Furthermore, YUM can serve as a monitoring tool that allows teachers to check students' progress, based on the resources they have retrieved and their provided feedback in terms of complexity. We believe that YUM can not only facilitate learning when children use it for their information discovery assignments, but it can also help teachers within the classroom environment by addressing the challenge of seamlessly integrating technology to perform everyday classroom activities [3, 12].

4. INITIAL STUDY

YUM is more than a search engine for children. Instead, it is an enhanced web environment that incorporates features oriented towards facilitating and fostering learning as a result of conducting successful information seeking tasks online. In this initial assessment we expand on the analysis framework presented in [8] to demonstrate the need for environments such as YUM. For doing so, we examine a number of popular search engines oriented to children³ as well as Google, given

that children tend to prefer it over others [1].

Due to the lack of benchmarks available for evaluating search-related tools focused on young users, we collected our own sample of queries written by children. This sample includes 300 unique queries written by 50 children between the ages of 6 and 15. For creating it, we asked various K-9 teachers in the Idaho (USA) area to propose their students an information discovery task for which the students had to create queries. We submitted these queries to each of the aforementioned search engines and examined their respective retrieved resources as well as the challenges children need to overcome when using these engines. We discuss below details pertaining to each of the aspects considered for our assessment and present an overview of our initial findings in Table 1.

Inability to retrieve resources. Children are known to struggle when composing queries, often creating queries that are not what search engines expect [16]. Based on our assessment using children queries, we observed that for 21% of the queries, (child-oriented) search engines considered in this analysis did not retrieve any results, as of opposed to the 12% for which YUM could not retrieve resources. In a more in-depth manual analysis we discovered that the reason behind this difference mostly laid on the long length and the natural language structure of those queries.

Readability. The readability level of resources retrieved in response to a child query is also a relevant aspect to explore to quantify the success of a search from a reading for learning perspective. We computed the average readability level of the top-N results retrieved in response to children queries. Given that "children are known to systematically go through retrieved resources and rarely judge retrieved information sources" [16] we computed the readability scores reported in Table 1 based on the top-3 documents retrieved in response to each query. For measuring the readability level of the retrieved resources, we selected the Flesch formula [7], as it is considered an standard nationwide. Recall that YUM filters our retrieved resources that have a complexity level within ± 0.5 deviation from the reading level of each user, assuring that retrieved resources can be comprehended by its users. Therefore, we only computed the average readability levels of resources retrieved in response to queries posted on (child-oriented) search engines. As shown in Table 1, the readability levels of retrieved resources are on average above 10, and even one of the search engines (SafeSearchKids) retrieved resources that average 15.6, in terms of readability levels.

General experience. The quality of a search engine is not only determined by its retrieved results, the general search environment is also important [8]. The majority of the engines are based on Google Safe Search which filters vulgar and explicit materials. YUM goes a step further and also filter results based on text complexity. We also observed that the presence of ads was recurrent among the search engines considered in this study. These ads were usually indistinguishable from relevant retrieved resources, which can be confusing, and more importantly, advertised products unsuitable for children. For example, we found ads that referred to drug rehabilitation programs or anti-aging products among results retrieved by SafeSearchKids in response to queries such as "frozen characters". In addition, we noticed that platform adaptability was an issue for some of the search engines, since they showed poor support for small screens, such as the ones from phones or tablets, making it hard for a child to use the same system in all platforms. This supposes a significant drawback, given that 71% of children frequently access the internet through a tablet [15]. Finally, most of the search engines showed no or poor support for helping

³Kiddle.co, KidRex.org, SafeSearchKids.com and Gogoolin-

| | YUM | Google | Kiddle | KidRex | Safe Search Kids | Gogooligans |
|-------------------------------|-----------------------|----------------------------------|-----------------------------------|--------|----------------------|----------------------------------|
| Inability to retrieve results | 12% | 17% | 21% | 21% | 21% | 42% (Cannot handle questions) |
| Average readability (Flesch) | Chosen by the user | 12.4 | 12.8 | 10.6 | 15.6 | 11.6 |
| Non adequate contents | None | Ads not for children | Ads related to submitted query | None | Non- filtered ads | Ads filtered for children |
| Mobile friendly | Yes | Yes | Yes | No | Poor adaptation | No |
| Query suggestions | Yes | Yes, but for general audience | No | No | No | Yes |

Table 1: Comparison of search environments using 300 queries written by K-9 children

children improve their queries. Google and Gogooligans suggested query reformulations while typing. However, these suggestions were not tailored to children or did not go beyond dictionary based auto completion. YUM meets the three criteria described, by excluding ads, being adaptable to smaller screens and supporting children to improve their queries by providing suggestions or using the most likely search intent.

5. CONCLUSIONS

In this paper we presented YUM, an online environment that addresses issues children face when using popular search engines to conduct information seeking tasks. YUM can facilitate the learning that can occur while reading resources that are retrieved as a result of a child-initiated search. As part of our ongoing research efforts, we leverage the use of popular search engines, search intent and query suggestion modules we have developed, a readability-based filtering strategy, and a novel tracking strategy, to enhance the search-for-learning tasks conducted online and informing teachers of the progress of their students, in term of reading and comprehension. We conducted an initial assessment using queries written by K-9 children and demonstrated the need for environments such as YUM. We plan to extend YUM by implementing a number of enhancements. We are aware that the Flesch formula currently used in YUM may not be precise enough. Therefore, we will build our own readability assessment tool, which will go beyond counting terms and syllables, and instead will consider web-page specific metadata as well as in-depth language information, such as syntax and semantics. We will also explore different filtering strategies based on web page authority and the level of maturity of the content retrieved, so that retrieved resources are more suitable to children. We also plan to explore and incorporate new ways of collaborative searching between students and teachers, which could further enhance the learning while searching tasks. Finally, we will conduct a more in-depth study to better understand, quantify, and showcase the correlation between learning and information discovery tasks conducted using enhanced web search environments. Since the developmental stages and information needs of K-9 children are broad, we will conduct these studies based on more specific age ranges, such as 6-8 and 9-12.

6. REFERENCES

- [1] D. Bilal and M. Boehm. Towards new methodologies for assessing relevance of information retrieval from web search engines on children’s queries. *Qualitative and Quantitative Methods in Libraries*, 1:93–100, 2013.
- [2] K. Collins-Thompson, P. N. Bennett, R. W. White, S. de la Chica, and D. Sontag. Personalizing web search results by reading level. In *CIKM*, pages 403–412, 2011.
- [3] S. Danby. Going online: young children and teachers accessing knowledge through web interactions. *Educating Young Children: Learning and Teaching in the Early Childhood Years*, 19(3):30, 2013.
- [4] N. Dragovic, I. Madrazo, and M. S. Pera. “is sven seven?”: A search intent module for children. In *ACM SIGIR*, 2016.
- [5] N. Dragovic, I. Madrazo, and M. S. Pera. A multi-criteria strategy to recommend queries for children. In *Under review*, 2016.
- [6] C. Eickhoff, K. Collins-Thompson, P. N. Bennett, and S. Dumais. Personalizing atypical web search sessions. In *WSDM*, pages 285–294. ACM, 2013.
- [7] R. Flesch. A new readability yardstick. *Journal of Applied Psychology*, 32(3):221, 1948.
- [8] T. Gossen, J. Hempel, and A. Nürnberger. Find it if you can: usability case study of search engines for young users. *Personal and Ubiquitous Computing*, 17(8):1593–1603, 2013.
- [9] H. C. Huurdeman and J. Kamps. Supporting the process: Adapting search systems to search stages. In *Information Literacy: Moving Toward Sustainability*, pages 394–404. Springer, 2015.
- [10] A. Jatowt, K. Akamatsu, N. Pattanasri, and K. Tanaka. Towards more readable web: measuring readability of web pages based on link structure. *ACM SIGWEB Newsletter*, (Winter):4, 2012.
- [11] S. Knight. Finding knowledge—what is it to ‘know’ when we search? 2014 <http://goo.gl/LQEhXc>.
- [12] S. Knight and N. Mercer. The role of exploratory talk in classroom search engine tasks. *Technology, Pedagogy and Education*, 24(3):303–319, 2015.
- [13] C. Lennon and H. Burdick. The lexile framework as an approach for reading measurement and success. *Electronic publication on* <https://goo.gl/WiPlsj>, 2004.
- [14] D. J. Leu, E. Forzani, C. Burlingame, J. Kulikowich, N. Sedransk, J. Coiro, and C. Kennedy. Assessing and preparing students for the 21st century with common core state standards. <http://goo.gl/wdbTB6>, pages 219–236, 2013.
- [15] Ofcom. Children and parents: Media use and attitudes report. 2014 <http://goo.gl/g6x9ph>.
- [16] S. Y. Rieh, K. Collins-Thompson, P. Hansen, and H.-J. Lee. Towards searching as a learning process: A review of current perspectives and future directions. *Journal of Information Science*, 42(1):19–34, 2016.
- [17] A. Sadaf, T. J. Newby, and P. A. Ertmer. Exploring pre-service teachers’ beliefs about using web 2.0 technologies in k-12 classroom. *Computers & Education*, 59(3):937–945, 2012.
- [18] T. Shin, M. L. Davison, J. D. Long, C.-K. Chan, and D. Heistad. Exploring gains in reading and mathematics achievement among regular and exceptional students using growth curve modeling. *Learning and Individual Differences*, 23:92–100, 2013.
- [19] A. Usta, I. S. Altıngövdü, I. B. Vidinli, R. Özcan, and Ö. Ulusoy. How k-12 students search for learning?: analysis of an educational search engine log. In *ACM SIGIR*, pages 1151–1154, 2014.
- [20] H. Wang, X. He, M.-W. Chang, Y. Song, R. W. White, and W. Chu. Personalized ranking model adaptation for web search. In *ACM SIGIR*, pages 323–332, 2013.