

IOPscience Accessibility Conformance Report

International Edition

(Based on VPAT® Version 2.4)

Name of Product/Version: iopscience.iop.org

Report Date: 03 September 2020

Product Description: Academic journal repository

Contact Information: terry.hulbert@ioppublishing.org

Evaluation Methods Used: Testing is based on general product knowledge and testing with assistive technologies

Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included In Report
Web Content Accessibility Guidelines 2.0	Level A (Yes) Level AA (Yes) Level AAA (Yes)
Web Content Accessibility Guidelines 2.1	Level A (Yes) Level AA (Yes) Level AAA (Yes)

Standard/Guideline	Included In Report
Revised Section 508 standards published January 18, 2017 and corrected January 22, 2018	(Yes)
EN 301 549 Accessibility requirements suitable for public procurement of ICT products and services in Europe , - V3.1.1 (2019-11)	(Yes)

Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially Supports:** Some functionality of the product does not meet the criterion.
- **Does Not Support:** The majority of product functionality does not meet the criterion.
- **Not Applicable:** The criterion is not relevant to the product.
- **Not Evaluated:** The product has not been evaluated against the criterion. This can be used only in WCAG 2.0 Level AAA.

WCAG 2.x Report

Tables 1 and 2 also document conformance with:

- EN 301 549: Chapter 9 - Web, Sections 10.1-10.4 of Chapter 10 - Non-Web documents, and Sections 11.1-11.4 and 11.8.2 of Chapter 11 - Non-Web Software (open and closed functionality), and Sections 12.1.2 and 12.2.4 of Chapter 12 – Documentation
- Revised Section 508: Chapter 5 – 501.1 Scope, 504.2 Content Creation or Editing, and Chapter 6 – 602.3 Electronic Support Documentation.

Note: When reporting on conformance with the WCAG 2.x Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the [WCAG 2.0 Conformance Requirements](#).

Table 1: Success Criteria, Level A

Notes:

Criteria	Conformance Level	Remarks and Explanations
<u>1.1.1 Non-text Content</u> (Level A) Also applies to: EN 301 549 Criteria 9.1.1.1 (Web) Revised Section 508 501 (Web)	Supports	We are confident that all our templated pages on the website fulfill the requirements of this criterion, but we are currently working on updating content which has been produced through our content management system. Some images within third-party advertising elements do not have alternative text descriptions. As this content is controlled by the third-party, ICT is not able to rectify this.
<u>1.2.1 Audio-only and Video-only (Prerecorded)</u> (Level A) Also applies to: EN 301 549 Criteria 9.1.2.1 (Web) Revised Section 508 501 (Web)	Supports	Video abstracts embedded in journal papers, provided by authors of journal papers, come with separate text transcript file. Occasionally we will publish video or audio content provided by third parties. This may not always meet accessibility requirements.
<u>1.2.2 Captions (Prerecorded)</u> (Level A) Also applies to: EN 301 549 Criteria 9.1.2.2 (Web) Revised Section 508 501 (Web)	Partially supports	We use a variety of embedded video players to display content. YouTube: supports Brightcove: supports BrightTALK: Does not support
<u>1.2.3 Audio Description or Media Alternative (Prerecorded)</u> (Level A) Also applies to: EN 301 549 Criteria 9.1.2.3 (Web) Revised Section 508	Partially supports	Video abstracts embedded in journal papers, provided by authors of journal papers, come with separate text transcript file. Occasionally we will publish video or audio content

Criteria	Conformance Level	Remarks and Explanations
501 (Web)		provided by third parties. This may not always meet accessibility requirements.
<u>1.3.1 Info and Relationships</u> (Level A) Also applies to: EN 301 549 Criteria 9.1.3.1 (Web) Revised Section 508 501 (Web)	Supports	The IOPscience platform is structured using semantic HTML patterns and has integrated Aria attributes where applicable. We are aware that on some older pages there may be instances of incorrect heading levels being used. We are working to update this. All new content that is generated will follow the correct heading structure as defined in the WCAG 2.1 guidelines.
<u>1.3.2 Meaningful Sequence</u> (Level A) Also applies to: EN 301 549 Criteria 9.1.3.2 (Web) Revised Section 508 501 (Web)	Supports	Content is structured to read top to bottom, to match the reading behavior of assistive technologies. If the order of items is manipulated, this is done on a visual level only.
<u>1.3.3 Sensory Characteristics</u> (Level A) Also applies to: EN 301 549 Criteria 9.1.3.3 (Web) Revised Section 508 501 (Web)	Supports	We only use 'sensory characteristics' as supplement to text labelling
<u>1.4.1 Use of Color</u> (Level A) Also applies to: EN 301 549 Criteria 9.1.4.1 (Web) Revised Section 508 501 (Web)	Supports	Where color is used to convey information, it is also provided in the text.
<u>1.4.2 Audio Control</u> (Level A) Also applies to: EN 301 549 Criteria 9.1.4.2 (Web)	Supports	No web pages include audio that automatically plays.

Criteria	Conformance Level	Remarks and Explanations
Revised Section 508 501 (Web)		
2.1.1 Keyboard (Level A) Also applies to: EN 301 549 Criteria 9.2.1.1 (Web) Revised Section 508 501 (Web)	Supports	IOPscience is built to make sure all actions available by mouse input are also available by keyboard input. Specific timings for individual keystrokes are not required.
2.1.2 No Keyboard Trap (Level A) Also applies to: EN 301 549 Criteria 9.2.1.2 (Web) Revised Section 508 501 (Web)	Supports	Only standard exit methods are used.
2.1.4 Character Key Shortcuts (Level A 2.1 only) Also applies to: EN 301 549 Criteria 9.2.1.4 (Web) Revised Section 508 – Does not apply	Supports	IOPscience does not implement keyboard shortcuts
2.2.1 Timing Adjustable (Level A) Also applies to: EN 301 549 Criteria 9.2.2.1 (Web) Revised Section 508 501 (Web)	Supports	No time limits are set by the content.
2.2.2 Pause, Stop, Hide (Level A) Also applies to: EN 301 549 Criteria 9.2.2.2 (Web) Revised Section 508 501 (Web)	Supports	The only existence of blinking information on the website is animated adverts within third-party advertising software. This is beyond the control of ICT and is controlled by the content provider.
2.3.1 Three Flashes or Below Threshold (Level A) Also applies to:	Supports	No content flashes more than three times in any one second period.

Criteria	Conformance Level	Remarks and Explanations
EN 301 549 Criteria 9.2.3.1 (Web) Revised Section 508 501 (Web)		
<u>2.4.1 Bypass Blocks</u> (Level A) Also applies to: EN 301 549 Criteria 9.2.4.1 (Web) Revised Section 508 501 (Web)	Supports	Where content is content is repeated across multiple web pages, a bypass block is provided. These bypass blocks only accessible through keyboard input.
<u>2.4.2 Page Titled</u> (Level A) Also applies to: EN 301 549 Criteria 9.2.4.2 (Web) Revised Section 508 501 (Web)	Supports	All pages include a relevant title using the HTML title element.
<u>2.4.3 Focus Order</u> (Level A) Also applies to: EN 301 549 Criteria 9.2.4.3 (Web) Revised Section 508 501 (Web)	Supports	HTML is always constructed in a linear fashion; therefore, the focus order of elements preserves meaning and operability.
<u>2.4.4 Link Purpose (In Context)</u> (Level A) Also applies to: EN 301 549 Criteria 9.2.4.4 (Web) Revised Section 508 501 (Web)	Partially supports	The majority of links provide a clear purpose from link text alone. Where we are required to preserve specific link text for presentation purposes, hidden text accessible to assistive technologies is included to provide context. Know issues: A small number of anchor links on book and article content pages do not have a clear purpose from link text alone. We are working to rectify this.
<u>2.5.1 Pointer Gestures</u> (Level A 2.1 only)	Supports	No content relies on multipoint or path-based gestures.

Criteria	Conformance Level	Remarks and Explanations
Also applies to: EN 301 549 Criteria 9.2.5.1 (Web) Revised Section 508 – Does not apply		
2.5.2 Pointer Cancellation (Level A 2.1 only) Also applies to: EN 301 549 Criteria 9.2.5.2 (Web) Revised Section 508 – Does not apply	Supports	No such functionality exists that can be operated using a single pointer.
2.5.3 Label in Name (Level A 2.1 only) Also applies to: EN 301 549 Criteria 9.2.5.3 (Web) Revised Section 508 – Does not apply	Supports	Additional context for visible labels is provided in the form of hidden text or by using the 'aria-label', 'aria-labelledby' and 'aria-describedby' attributes.
2.5.4 Motion Actuation (Level A 2.1 only) Also applies to: EN 301 549 Criteria 9.2.5.4 (Web) Revised Section 508 – Does not apply	Supports	No functionality is operated by device motion or user motion.
3.1.1 Language of Page (Level A) Also applies to: EN 301 549 Criteria 9.3.1.1 (Web) Revised Section 508 501 (Web)	Supports	Language attributes are included in HTML.
3.2.1 On Focus (Level A) Also applies to: EN 301 549 Criteria 9.3.2.1 (Web) Revised Section 508 501 (Web)	Supports	On focus is not used to initiate a change of context.
3.2.2 On Input (Level A) Also applies to:	Partially supports	When navigating IOPscience and changing a user interface component, the context of said component

Criteria	Conformance Level	Remarks and Explanations
EN 301 549 Criteria 9.3.2.2 (Web) Revised Section 508 501 (Web)		only changes on submission. Exception: On some search results pages, we have a 'select' drop-down item, which can change the order, or the number of results items displayed on the page. This drop-down returns its action as soon as the user has selected an item. There is no submit button. These items have an explanation of the expected results before the form item.
3.3.1 Error Identification (Level A) Also applies to: EN 301 549 Criteria 9.3.3.1 (Web) Revised Section 508 501 (Web)	Supports	If a user creates an input error, the webpage will highlight via text what elements of the form have an issue.
3.3.2 Labels or Instructions (Level A) Also applies to: EN 301 549 Criteria 9.3.3.2 (Web) Revised Section 508 501 (Web)	Supports	A text label either proceeds or follows any form element. This either states the entry element required in the form or instructs the user as to how to interact with the element. We use semantic grouping for related form controls, by using a structure of fieldset and legend elements.
4.1.1 Parsing (Level A) Also applies to: EN 301 549 Criteria 9.4.1.1 (Web) Revised Section 508 501 (Web)	Supports	HTML is always used according to specification, by ensuring opening and closing tags are used, id attributes are unique, and elements do not contain duplicate attributes.
4.1.2 Name, Role, Value (Level A) Also applies to: EN 301 549 Criteria	Supports	A combination of standard text, HTML attributes and Aria attributes are used to communicate the Name, Role and Value of user interface components.

Criteria	Conformance Level	Remarks and Explanations
9.4.1.2 (Web) Revised Section 508 501 (Web)		

Table 2: Success Criteria, Level AA

Notes:

Criteria	Conformance Level	Remarks and Explanations
<u>1.2.4 Captions (Live)</u> (Level AA) Also applies to: EN 301 549 Criteria 9.1.2.4 (Web) Revised Section 508 501 (Web)	Does not support	We have very few live video or audio events. At present, we don't provide any transcript or captions for these.
<u>1.2.5 Audio Description (Prerecorded)</u> (Level AA) Also applies to: EN 301 549 Criteria 9.1.2.5 (Web) Revised Section 508 501 (Web)	Partially supports	Audio descriptions are not available by default, but can be requested by contacting customerservices@ioppublishing.org
<u>1.3.4 Orientation</u> (Level AA 2.1 only) Also applies to: EN 301 549 Criteria 9.1.3.4 (Web) Revised Section 508 – Does not apply	Supports	The layout and operation of the content will adapt to the orientation of the display device.
<u>1.3.5 Identify Input Purpose</u> (Level AA 2.1 only) Also applies to: EN 301 549 Criteria 9.1.3.5 (Web) Revised Section 508 – Does not apply	Does not support	We are currently working on updating our forms to fulfill this criterion by including autocomplete functionality.
<u>1.4.3 Contrast (Minimum)</u> (Level AA)	Supports	Where necessary, our branding colours have been

Criteria	Conformance Level	Remarks and Explanations
Also applies to: EN 301 549 Criteria 9.1.4.3 (Web) Revised Section 508 501 (Web)		adjusted to achieve a contrast ratio of at least 4.5:1. Some brand assets are included on web pages and we are aware that they do not meet the required contrast ratio. We are unable to rectify this as we must follow the presentation guidelines of the content providers.
1.4.4 Resize text (Level AA) Also applies to: EN 301 549 Criteria 9.1.4.4 (Web) Revised Section 508 501 (Web)	Supports	Text is fully resizable.
1.4.5 Images of Text (Level AA) Also applies to: EN 301 549 Criteria 9.1.4.5 (Web) Revised Section 508 501 (Web)	Supports	The majority of images do not contain text, but we are in the process of identifying those that have and are working to update them as required. Images of text sometimes appear in advertising from third-party software. These images are controlled by the content provider and out of the control of ICT.
1.4.10 Reflow (Level AA 2.1 only) Also applies to: EN 301 549 Criteria 9.1.4.10 (Web) Revised Section 508 – Does not apply	Supports	For elements of the user interface that fix to the top or bottom of the screen, such as content download buttons, we use vertical media queries to unfix them if the screen does not have a sufficient amount of vertical space.
1.4.11 Non-text Contrast (Level AA 2.1 only) Also applies to: EN 301 549 Criteria 9.1.4.11 (Web) Revised Section 508 – Does not apply	Supports	We give our icons the same contrast treatment as text on the page. We use a custom focus indicator to help better highlight the elements in focus.
1.4.12 Text Spacing (Level AA 2.1 only) Also applies to:	Supports	We have recently switched to using system only fonts on pages and have increased general font-size and line-

Criteria	Conformance Level	Remarks and Explanations
EN 301 549 Criteria 9.1.4.12 (Web) Revised Section 508 – Does not apply		height to improve readability.
1.4.13 Content on Hover or Focus (Level AA 2.1 only)		
Also applies to: EN 301 549 Criteria 9.1.4.13 (Web) Revised Section 508 – Does not apply	Supports	Tooltips can be accessed and dismissed via mouse and/or keyboard input.
2.4.5 Multiple Ways (Level AA)		
Also applies to: EN 301 549 Criteria 9.2.4.5 (Web) Revised Section 508 501 (Web)	Supports	Multiple methods of page navigation are available including: 1. Site-wide navigation links 2. Related content links 3. Search 4. Site map
2.4.6 Headings and Labels (Level AA)		
Also applies to: EN 301 549 Criteria 9.2.4.6 (Web) Revised Section 508 501 (Web)	Supports	All headings are descriptive of their following content.
2.4.7 Focus Visible (Level AA)		
Also applies to: EN 301 549 Criteria 9.2.4.7 (Web) Revised Section 508 501 (Web)	Supports	The majority of interactive elements have a suitable focus indicator. Known issues: 1. Some adverts do not display a focus indicator when focused. These adverts are served using a third-party service which is out of our control.
3.1.2 Language of Parts (Level AA)		
Also applies to: EN 301 549 Criteria 9.3.1.2 (Web) Revised Section 508 501 (Web)	Supports	The language of text is identified in the HTML, with the relevant language codes.

Criteria	Conformance Level	Remarks and Explanations
<u>3.2.3 Consistent Navigation</u> (Level AA) Also applies to: EN 301 549 Criteria 9.3.2.3 (Web) Revised Section 508 501 (Web)	Supports	Our navigational mechanisms follow the same template from page to page.
<u>3.2.4 Consistent Identification</u> (Level AA) Also applies to: EN 301 549 Criteria 9.3.2.4 (Web) Revised Section 508 501 (Web)	Supports	Pages and the components within them follow a consistent design from page to page.
<u>3.3.3 Error Suggestion</u> (Level AA) Also applies to: EN 301 549 Criteria 9.3.3.3 (Web) Revised Section 508 501 (Web)	Partially supports	Know issues: The search function in the top navigation component on the website currently does not provide error messaging for incorrect inputs. We are working to rectify this.
<u>3.3.4 Error Prevention (Legal, Financial, Data)</u> (Level AA) Also applies to: EN 301 549 Criteria 9.3.3.4 (Web) Revised Section 508 501 (Web)	Supports	IOPscience does not include any functionality for legal or financial transactions to occur. For our content alerting system, users have the ability to edit their preferences as desired, by adding, modifying or deleting alerts.
<u>4.1.3 Status Messages</u> (Level AA 2.1 only) Also applies to: EN 301 549 Criteria 9.4.1.3 (Web) Revised Section 508 – Does not apply	Supports	Status messages are provided for both success and failure situations, to give the user suitable feedback.

Table 3: Success Criteria, Level AAA

Notes:

Criteria	Conformance Level	Remarks and Explanations
1.2.6 Sign Language (Prerecorded) (Level AAA) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Does not support	We currently do not offer sign language interpretation for prerecorded audio. We may be able to provide additional support at customerservices@iopublishing.org
1.2.7 Extended Audio Description (Prerecorded) (Level AAA) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Partially supports	In some of our time coded transcriptions there is extended descriptions to describe audible or silent moments in the video.
1.2.8 Media Alternative (Prerecorded) (Level AAA) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Supports	A text transcript for videos is provided.
1.2.9 Audio-only (Live) (Level AAA) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Supports	IOPscience do not broadcast live audio.
1.3.6 Identify Purpose (Level AAA 2.1 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Supports	IOPscience uses ARIA landmarks to identify regions of the page
1.4.6 Contrast (Enhanced) (Level AAA) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Does not support	We can only commit to achieving <i>1.4.3 Contrast (Minimum)</i> – Level AA compliance due to the restrictions on colours in the IOPscience brand.
1.4.7 Low or No Background Audio (Level AAA) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Does not support	We cannot guarantee that non-speech sounds are at least 20 decibels lower than speech in all audio content.
1.4.8 Visual Presentation (Level AAA) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Does not support	We do not offer custom functionality to allow users to manipulate the presentation of text content.
1.4.9 Images of Text (No Exception) (Level AAA) EN 301 549 Criteria – Does not apply	Supports	The majority of images do not contain text, but we are in the process of identifying those that have and are

Criteria	Conformance Level	Remarks and Explanations
Revised Section 508 – Does not apply		working to update them as required. Images of text sometimes appear in advertising from third-party software. These images are controlled by the content provider and out of the control of ICT.
2.1.3 Keyboard (No Exception) (Level AAA) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Supports	IOPscience is built to make sure all actions available by mouse input are also available by keyboard input. Specific timings for individual keystrokes are not required.
2.2.3 No Timing (Level AAA) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Supports	Timing is not an essential part of any event or activity on IOPscience.
2.2.4 Interruptions (Level AAA) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Supports	IOPscience does not include any interrupting mechanisms.
2.2.5 Re-authenticating (Level AAA) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Supports	There are not any situations in which a user can be involved in an extended period of activity, so this is not a risk.
2.2.6 Timeouts (Level AAA 2.1 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Supports	IOPscience does not use any timeout mechanisms.
2.3.2 Three Flashes (Level AAA) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Supports	No content flashes more than three times in any one second period.
2.3.3 Animation from Interactions (Level AAA 2.1 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Supports	The only animations triggered by interaction are hover states on links and buttons, that uses a very small amount of motion.
2.4.8 Location (Level AAA) EN 301 549 Criteria – Does not apply	Partially supports	A site map is available, but it is not accessible from every single web page.

Criteria	Conformance Level	Remarks and Explanations
Revised Section 508 – Does not apply		
2.4.9 Link Purpose (Link Only) (Level AAA) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Partially supports	The majority of links provide a clear purpose from link text alone. Where we are required to preserve specific link text for presentation purposes, hidden text accessible to assistive technologies is included to provide context. Know issues: A small number of anchor links on book and article content pages do not have a clear purpose from link text alone. We are working to rectify this.
2.4.10 Section Headings (Level AAA) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Supports	We use headers across the site to delineate content types.
2.5.5 Target Size (Level AAA 2.1 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Supports	All targets for pointer inputs are of a sufficient size.
2.5.6 Concurrent Input Mechanisms (Level AAA 2.1 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Supports	IOPscience does not restrict the use of input modalities.
3.1.3 Unusual Words (Level AAA) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Partially supports	We will often use a link with an overlay to display explanation of technical terms.
3.1.4 Abbreviations (Level AAA) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Partially supports	We often provide an ‘<abbr>’ tag to explain an abbreviation, or use a link with an overlay to display the explanation.
3.1.5 Reading Level (Level AAA) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Does not support	Due to the nature of IOPscience content, it often requires a higher reading ability. We currently do not provide alternate versions of content for lower reading abilities.

Criteria	Conformance Level	Remarks and Explanations
		For additional support please contact customerservices@iopublishing.org
3.1.6 Pronunciation (Level AAA) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Does not support	IOPscience does not provide a pronunciation mechanism.
3.2.5 Change on Request (Level AAA) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Supports	Any interactions that trigger a change of context are initiated by user request.
3.3.5 Help (Level AAA) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Partially supports	Placeholder text is included in form fields to help describe the expected input, and where necessary we included text instructions at the beginning of forms. Known issues: 1. The search form in the top navigation component does not describe the expected input format 2. Forms do not have spellchecking enabled through HTML attributes
3.3.6 Error Prevention (All) (Level AAA) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply	Partially supports	Known issues: 1. The search form in the top navigation does not check for input errors. We are working to rectify this.

Revised Section 508 Report

Notes:

Chapter 3: [Functional Performance Criteria \(FPC\)](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
302.1 Without Vision	Supports	The IOPscience user interface is constructed using semantic HTML and integrating ARIA attributes where applicable, to help provide support for a variety of assistive technologies such as screen readers.
302.2 With Limited Vision	Supports	The website supports the use of assistive technology and provides the ability, through the user's web browser or operating system to increase the font size.
302.3 Without Perception of Color	Supports	The IOPscience user interface avoids using colour alone to distinguish specific information as this is handled at a grammatical level, in the HTML.
302.4 Without Hearing	Partially Supports	Hearing is not necessary to navigate the core content of the website. Where there is video or audio content, the majority of this is provided with a transcript alongside.
302.5 With Limited Hearing	Partially Supports	Hearing is not necessary to navigate the core content of the website.

Criteria	Conformance Level	Remarks and Explanations
		Where there is video or audio content, the majority of this is provided with a transcript alongside.
302.6 Without Speech	Supports	Speech input is not required
302.7 With Limited Manipulation	Supports	The user interface is designed to support keyboard navigation for non-mouse users. For touch navigation on devices that support it, elements are designed to be large enough to not require very precise movements.
302.8 With Limited Reach and Strength	Supports	Does not rely on specific reach or strength to be operated.
302.9 With Limited Language, Cognitive, and Learning Abilities	Partially Supports	Content is presented in a clean and logical layout, with plenty of space to avoid overloading of information on screen. Due to the nature of the content, many abbreviations and acronyms are present within it. We are working to make sure that where necessary, descriptions for abbreviations and acronyms are provided.

Chapter 4: [Hardware](#)

Notes: This section has been removed. IOPscience does not provide hardware.

Chapter 5: [Software](#)

Notes: This section has been removed. IOPscience does not provide software.

Chapter 6: [Support Documentation and Services](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
601.1 Scope		
<u>602 Support Documentation</u>		
602.2 Accessibility and Compatibility Features	Partially Supports	We are currently working on expanding our documentation to provide more detail on how to navigate specific content types, such as tabs. Accessibility statement: https://iopscience.iop.org/page/accessibility Support provided via email at customerservices@iopublishing.org
602.3 Electronic Support Documentation	See WCAG 2.x section	See information in WCAG 2.x section
602.4 Alternate Formats for Non-Electronic Support Documentation	Supports	Support provided via email at customerservices@iopublishing.org
<u>603 Support Services</u>		
603.2 Information on Accessibility and Compatibility Features	Supports	Accessibility statement: https://iopscience.iop.org/page/accessibility Support provided via email at customerservices@iopublishing.org
603.3 Accommodation of Communication Needs	Supports	Support provided via email at customerservices@iopublishing.org

EN 301 549 Report

Notes:

Chapter 4: **Functional Performance Statements (FPS)**

Notes:

Criteria	Conformance Level	Remarks and Explanations
4.2.1 Usage without vision	Supports	The IOPscience user interface is constructed using semantic HTML and integrating ARIA attributes where applicable, to help provide support for a variety of assistive technologies such as screen readers.
4.2.2 Usage with limited vision	Supports	The website supports the use of assistive technology and provides the ability, through the user's web browser or operating system to increase the font size.
4.2.3 Usage without perception of colour	Supports	The IOPscience user interface avoids using colour alone to distinguish specific information as this is handled at a grammatical level, in the HTML.
4.2.4 Usage without hearing	Partially Supports	Hearing is not necessary to navigate the core content of the website. Where there is video or audio content, the majority of this is provided with a transcript alongside.
4.2.5 Usage with limited hearing	Partially Supports	Hearing is not necessary to navigate the core content of the website. Where there is video or audio content, the

Criteria	Conformance Level	Remarks and Explanations
		majority of this is provided with a transcript alongside.
4.2.6 Usage with no or limited vocal capability	Supports	Speech input is not required
4.2.7 Usage with limited manipulation or strength	Supports	The user interface is designed to support keyboard navigation for non-mouse users. For touch navigation on devices that support it, elements are designed to be large enough to not require very precise movements. Does not rely on specific strength to be operated.
4.2.8 Usage with limited reach	Supports	Does not rely on specific reach to be operated.
4.2.9 Minimize photosensitive seizure triggers	Support	We do not display any content with a high flashing or flicker rate.
4.2.10 Usage with limited cognition, language or learning	Partially Supports	Content is presented in a clean and logical layout, with plenty of space to avoid overloading of information on screen. Due to the nature of the content, many abbreviations and acronyms are present within it. We are working to make sure that where necessary, descriptions for abbreviations and acronyms are provided.
4.2.11 Privacy	Not applicable	We do not provide any custom accessibility features that would impact user privacy. IOPscience is built to cooperate with third-party accessibility software and hardware, and it is up to these components to decide how they handle privacy.

Chapter 5: Generic Requirements

Notes: This section has been removed, as none of the criteria apply to IOPscience.

Chapter 6: ICT with Two-Way Voice Communication

Notes: This section has been removed, as none of the criteria apply to IOPscience.

Chapter 7: ICT with Video Capabilities

Notes:

Criteria	Conformance Level	Remarks and Explanations
7.1 Caption processing technology		
7.1.1 Captioning playback	Partially supports	We use a variety of embedded video players to display content. YouTube: supports Brightcove: supports BrightTALK: Does not support
7.1.2 Captioning synchronization	Partially supports	We use a variety of embedded video players to display content. YouTube: supports Brightcove: supports BrightTALK: Does not support
7.1.3 Preservation of captioning	Not applicable	Captions are not preserved as we rely on third-party video players to display content with captions.
7.1.4 Captions characteristics	Does not support	It is not possible to adapt the display of captions.
7.1.5 Spoken subtitles	Does not support	Spoken output of captions is not available.
7.2.1 Audio description playback	Does not support	There is not a mechanism to select and play audio descriptions on video players.

Criteria	Conformance Level	Remarks and Explanations
7.2.2 Audio description synchronization	Does not support	There is not a mechanism to select and play audio descriptions on video players.
7.2.3 Preservation of audio description	Does not support	There is not a mechanism to select and play audio descriptions on video players.
7.3 User controls for captions and audio description	Does not support	We use a variety of embedded video players to display content. YouTube: supports Brightcove: supports BrightTALK: Does not support

Chapter 8: Hardware

Notes: This section has been removed. IOPscience does not provide hardware.

Chapter 9: Web (see [WCAG 2.x section](#))

Notes:

Chapter 10: Non-Web Software

Notes: This section has been removed, as none of the criteria apply to IOPscience.

Chapter 11: Software

Notes: This section has been removed. IOPscience does not provide software.

Chapter 12: Documentation and Support Services

Notes:

Criteria	Conformance Level	Remarks and Explanations
12.1 Product documentation		
12.1.1 Accessibility and compatibility features	Partially Supports	We are currently working on expanding our

Criteria	Conformance Level	Remarks and Explanations
		documentation to provide more detail on how to navigate specific content types, such as tabs. Accessibility statement: https://iopscience.iop.org/page/accessibility Support provided via email at customerservices@iopublishing.org
12.1.2 Accessible documentation	See WCAG 2.x section	See information in WCAG 2.x section
12.2 Support Services		
12.2.2 Information on accessibility and compatibility features	Supports	Accessibility statement: https://iopscience.iop.org/page/accessibility Support provided via email at customerservices@iopublishing.org
12.2.3 Effective communication	Supports	
12.2.4 Accessible documentation	See WCAG 2.x section	See information in WCAG 2.x section

Chapter 13: [ICT Providing Relay or Emergency Service Access](#)

Notes: This section has been removed. IOPscience does not provide relay or emergency service access.

Legal Disclaimer (Company)

This document is provided for informational purposes only. IOP Publishing Ltd makes no warranties, expressed or implied. The information contained in this document represents the current view of IOP Publishing Ltd on the issues discussed as at the date of publication. Because IOP Publishing Limited must respond to changing market conditions, it should not be interpreted to contain any commitment and IOP Publishing Ltd cannot guarantee the accuracy of any information presented after the date of publication. You are directed to the terms of its website disclaimer available at <https://iopscience.iop.org/page/disclaimer> which shall be deemed to form part of this document as though set out expressly within it.