

Python

<http://programming.dojo.net.nz/python>

言語道場

```
for i in range(1, 101):  
    if i % 15 == 0:  
        print "FizzBuzz"  
    elif i % 3 == 0:  
        print "Fizz"  
    elif i % 5 == 0:  
        print "Buzz"  
    else:  
        print i
```



Imperative

Object Oriented

Dynamic Typing

Cross Platform

Web Development

Network Development


Game Development

Application Development



<http://programming.dojo.net.nz/scratch>

言語道場



Fixed Function

Visual Programming

Cross Platform

Rich Media

Share Online

Educational

Game Development

Animation

Ruby

<http://programming.dojo.net.nz/ruby>

言語道場

```
1. upto(100) do |n|  
  print "Fizz" if a = (n % 3).zero?  
  print "Buzz" if b = (n % 5).zero?  
  print n unless (a || b)  
  print "\n"  
end
```



Imperative

Object Oriented

Dynamic Typing

Cross Platform

Web Development

Network Development

Game Development

Application Development

C

<http://programming.dojo.net.nz/c>

言語道場

```
#include <stdio.h>

int main (void)
{
    int i;
    for (i = 1; i <= 100; i++)
    {
        if (!(i % 15))
            printf("FizzBuzz\n");
        else if (!(i % 3))
            printf("Fizz\n");
        else if (!(i % 5))
            printf("Buzz\n");
        else
            printf("%d\n", i);
    }
    return 0;
}
```



Imperative

Procedural

Pervasive

Statically Typed

High Performance

Operating Systems
Development

Game Development

Embedded Development

Java

<http://programming.dojo.net.nz/java>

言語道場

```
public class FizzBuzz
{
    public static void main (String[] args)
    {
        for (int i= 1; i <= 100; i++)
        {
            if (i % 15 == 0) {
                System.out.println("FizzBuzz");
            } else if (i % 3 == 0) {
                System.out.println("Fizz");
            } else if (i % 5 == 0) {
                System.out.println("Buzz");
            } else {
                System.out.println(i);
            }
        }
    }
}
```



Imperative

Object Oriented

Cross Platform

Statically Typed

Business Oriented

Networked Applications

Embedded Development

Application Development

C#

<http://programming.dojo.net.nz/c-sharp>

言語道場

```
using System;

namespace FizzBuzz
{
    class Program
    {
        static void Main(string[] args)
        {
            for (int i = 1; i <= 100; i++)
            {
                string output = "";
                if (i % 3 == 0) output += "Fizz";
                if (i % 5 == 0) output += "Buzz";
                if (String.IsNullOrEmpty(output))
                    output = i.ToString();
                Console.WriteLine(output);
            }
        }
    }
}
```



Imperative

Object Oriented

Multi-Paradigm

.NET Framework

Business Oriented

Networked Applications

Game Development

Application Development

Scheme

<http://programming.dojo.net.nz/scheme>

言語道場

```
(do ((i 1 (+ i 1))) ((> i 100))
  (display
    (cond
      ((= 0 (modulo i 15)) "FizzBuzz")
      ((= 0 (modulo i 3))  "Fizz")
      ((= 0 (modulo i 5))  "Buzz")
      (else                i)))
  (newline))
```



Functional

Homoiconic

Cross Platform

Dynamically Typed

Minimalist

Information Processing

Web Development

Academic Research

Basic

<http://programming.dojo.net.nz/basic>

言語道場

```
FOR A = 1 TO 100
  IF A MOD 15 = 0 THEN
    PRINT "FizzBuzz"
  ELSE IF A MOD 3 = 0 THEN
    PRINT "Fizz"
  ELSE IF A MOD 5 = 0 THEN
    PRINT "Buzz"
  ELSE
    PRINT A
  END IF
NEXT A
```



Unstructured

Procedural

Dynamically Typed

Many Implementations

Simple Semantics

Web Development

Application Development

Game Development