# Python

http://programming.dojo.net.nz/python

```
for i in xrange(1, 101):
    if i % 15 == 0:
        print "FizzBuzz"
    elif i % 3 == 0:
        print "Fizz"
    elif i % 5 == 0:
        print "Buzz"
    else:
        print i
```

Imperative Object Oriented Dynamic Typing Cross Platform

Web Development Network Development Game Development Application Development



http://programming.dojo.net.nz/ruby

```
1.upto(100) do |n|
  print "Fizz" if a = (n % 3).zero?
  print "Buzz" if b = (n % 5).zero?
  print n unless (a || b)
  print "\n"
end
```

Imperative Object Oriented Dynamic Typing Cross Platform

Web Development Network Development Game Development Application Development

#### http://programming.dojo.net.nz/c

```
#include <stdio.h>
int main (void)
{
    int i;
    for (i = 1; i <= 100; i++)
    {
        if (!(i % 15))
            printf ("FizzBuzz\n");
        else if (!(i % 3))
            printf ("Fizz\n");
        else if (!(i % 5))
            printf ("Buzz\n");
        else
            printf ("%d\n", i);
    return 0;
}
```

Imperative Procedural Legacy Statically Typed

High Performance Operating Systems
Development Game Development Embedded Development

# Java

http://programming.dojo.net.nz/java

```
public class FizzBuzz {
  public static void main (String[] args) {
    for (int i= 1; i <= 100; i++) {
      if (i % 15 == 0) {
         System.out.println("FizzBuzz");
      } else if (i % 3 == 0) {
         System.out.println("Fizz");
      } else if (i % 5 == 0) {
         System.out.println("Buzz");
      } else {
         System.out.println(i);
      }
    }
}</pre>
```

Imperative Object Oriented Cross Platform Statically Typed

Business Oriented Networked Applications Embedded Development Application Development

## Scheme

http://programming.dojo.net.nz/scheme

Functional Homoiconic Cross Platform Dynamically Typed

Minimalist Information Processing Web Development Academic Research

This poster is part of a series of posters about computer programming languages. More information can be found at: http://programming.dojo.net.nz/posters-2010

## Basic

http://programming.dojo.net.nz/basic

```
FOR A = 1 TO 100

IF A MOD 15 = 0 THEN

PRINT "FizzBuzz"

ELSE IF A MOD 3 = 0 THEN

PRINT "Fizz"

ELSE IF A MOD 5 = 0 THEN

PRINT "Buzz"

ELSE

PRINT A

END IF

NEXT A
```

Unstructured Procedural Dynamically Typed Many Implementations

Simple Semantics Web Development Application Development Game Development