Jumbotron

Jumbotron

❖ .jumbotron, jumbotron-fluid

Bootstrap Tutorial

Bootstrap is the most popular HTML, CSS, and JS framework for developing responsive, mobile-first projects on the web.

```
<div class="jumbotron">
   <h1>Bootstrap Tutorial</h1>
   Bootstrap is the most popular HTML, CSS...
</div>
</div>
</div class="jumbotron jumbotron-fluid">
   <div class="container">
        <h1>Bootstrap Tutorial</h1>
        Bootstrap is the most popular HTML, CSS...
   </div>
</div>
```

❖ .alert

- o .alert-success
- o .alert-info
- o .alert-warning
- o .alert-danger
- o .alert-primary
- o .alert-secondary
- o .alert-light
- o .alert-dark

Success! This alert box indicates a successful or positive action.

×

```
<div class="alert alert-success">
   <strong>Success!</strong> Indicates a successful or positive action.
</div>
```

❖ .alert-link

Success! You should read this message.

```
<div class="alert alert-success">
    <strong>Success!</strong> You should
    <a href="#" class="alert-link">read this message</a>.
</div>
```

❖ .alert-dismissible

- ㅇ 경고 메시지 닫기
- o .alert-dismissible 클래스를 alert 컨테이너에 추가
- o class = "close" 및 data-dismiss="alert"
 - 링크 또는 버튼 요소에 추가 → 이를 클릭하면 경고 상자가 사라짐


Success! This alert box could indicate a successful or positive action.


×


❖ .fade .show

o fading 닫기 애니메이션

<div class="alert alert-danger alert-dismissible fade show">







❖ .btn

- o .btn-primary
- o .btn-secondary
- o .btn-success
- o .btn-info
- o .btn-warning
- o .btn-danger
- o .btn-dark
- o .btn-light
- o .btn-link

.btn

```
Basic Primary Secondary Success Info Warning Danger Dark Light Link
```

```
<button type="button" class="btn">Basic</button>
<button type="button" class="btn btn-primary">Primary</button>
<button type="button" class="btn btn-secondary">Secondary</button>
<button type="button" class="btn btn-success">Success</button>
<button type="button" class="btn btn-info">Info</button>
<button type="button" class="btn btn-warning">Warning</button>
<button type="button" class="btn btn-danger">Danger</button>
<button type="button" class="btn btn-dark">Dank</button>
<button type="button" class="btn btn-light">Light</button>
<button type="button" class="btn btn-light">Light</button>
<button type="button" class="btn btn-light">Light</button>
<button type="button" class="btn btn-link">Link</button>
</button>
```

❖ <a>, <button>, <input> 요소에 적용

```
<a href="#" class="btn btn-info" role="button">Link Button</a>
<button type="button" class="btn btn-info">Button</button>
<input type="button" class="btn btn-info" value="Input Button">
<input type="submit" class="btn btn-info" value="Submit Button">
```

❖ .btn-outline-*

```
Primary Secondary Success Info Warning Danger Dark Light
```

```
<button type="button" class="btn btn-outline-primary">Primary</button>
<button type="button" class="btn btn-outline-secondary">Secondary</button>
<button type="button" class="btn btn-outline-success">Success</button>
<button type="button" class="btn btn-outline-info">Info</button>
<button type="button" class="btn btn-outline-warning">Warning</button>
<button type="button" class="btn btn-outline-danger">Danger</button>
<button type="button" class="btn btn-outline-dark">Dark</button>
<button type="button" class="btn btn-outline-dark">Dark</button>
<button type="button" class="btn btn-outline-light text-dark">Light</button>
<button type="button" class="btn btn-outline-light text-dark">Light</button></button>
```

❖ .btn-lg, .btn-sm

o 버튼 크기 지정

```
Large Default Small
```

```
<button type="button" class="btn btn-primary btn-lg">Large</button>
<button type="button" class="btn btn-primary">Default</button>
<button type="button" class="btn btn-primary btn-sm">Small</button>
```

❖ .btn-block

Full-Width Button

```
<button type="button" class="btn btn-primary btn-block">
   Full-Width Button
```

❖ . .active/.disabled

```
<button type="button" class="btn btn-primary">Primary Button
<button type="button" class="btn btn-primary active">
    Active Primary</button>
<button type="button" class="btn btn-primary" disabled>
    Disabled Primary</button>
<a href="#" class="btn btn-primary disabled">Disabled Link</a>
```

spinner

- o .spinner-border
- o .spinner-border-sm
- o .spinner-grow
- o .spinner-grow-sm



```
<button class="btn btn-primary">
  <span class="spinner-border spinner-border-sm"></span>
</button>
<button class="btn btn-primary">
  <span class="spinner-border spinner-border-sm"></span>
  Loading..
</button>
<button class="btn btn-primary" disabled>
  <span class="spinner-border spinner-border-sm"></span>
  Loading..
</button>
<button class="btn btn-primary" disabled>
  <span class="spinner-grow spinner-grow-sm"></span>
  Loading..
</button>
```

❖ .btn-group

```
Apple Samsung Sony
```

```
<div class="btn-group">
  <button type="button" class="btn btn-primary">Apple</button>
  <button type="button" class="btn btn-primary">Samsung</button>
  <button type="button" class="btn btn-primary">Sony</button>
  </div>
```

.btn-group-lg, .btn-group-sm

Large Buttons:

```
Apple Samsung Sony
```

Default Buttons:

```
Apple Samsung Sony
```

Small Buttons:

```
Apple Samsung Sony
```

```
<div class="btn-group btn-group-lg">
    <button type="button" class="btn btn-primary">Apple</button>
    <button type="button" class="btn btn-primary">Samsung</button>
    <button type="button" class="btn btn-primary">Sony</button>
</div>


<div class="btn-group btn-group-sm">
    <button type="button" class="btn btn-primary">Apple</button>
    <button type="button" class="btn btn-primary">Samsung</button>
    <button type="button" class="btn btn-primary">Sony</button>
    <button type="button" class="btn btn-primary">Sony</button>
</div>
```

❖ .btn-group-vertical


Apple Samsung Sony

```
<div class="btn-group-vertical">
  <button type="button" class="btn btn-primary">Apple</button>
  <button type="button" class="btn btn-primary">Samsung</button>
  <button type="button" class="btn btn-primary">Sony</button>
  </div>
```


dropdown



vertical dropdown



❖ split 버튼



Button Groups Side by Side



❖ .badge

Example heading New

```
<h1>
   Example heading <span class="badge badge-secondary">New</span>
</h1>
```

❖ .badge-*

```
Primary Secondary Success Danger Warning Info Light Dark
```

```
<span class="badge badge-primary">Primary</span>
<span class="badge badge-secondary">Secondary</span>
<span class="badge badge-success">Success</span>
<span class="badge badge-danger">Danger</span>
<span class="badge badge-warning">Warning</span>
<span class="badge badge-info">Info</span>
<span class="badge badge-light">Light</span>
<span class="badge badge-dark">Dark</span></span class="badge badge-dark">Dark</span>
```

❖ .badge-pill

```
Primary Secondary Success Danger Warning Info Light Dark
```

```
<span class="badge badge-pill badge-primary">Primary</span>
<span class="badge badge-pill badge-secondary">Secondary</span>
<span class="badge badge-pill badge-success">Success</span>
<span class="badge badge-pill badge-danger">Danger</span>
<span class="badge badge-pill badge-warning">Warning</span>
<span class="badge badge-pill badge-info">Info</span>
<span class="badge badge-pill badge-light">Light</span>
<span class="badge badge-pill badge-light">Danger</span>
<span class="badge badge-pill bad
```

❖ 요소 안의 badge

```
Messages 4
```

```
<button type="button" class="btn btn-primary">
  Messages <span class="badge badge-light">4</span>
</button>
```

.progress, .progress-bar

```
<div class="progress">
  <div class="progress-bar" style="width:70%"></div>
</div>
```

❖ 높이 설정

```
<div class="progress" style="height:20px">
     <div class="progress-bar" style="width:40%;height:20px"></div>
</div>
```

❖ 라벨 설정

70%

```
<div class="progress">
     <div class="progress-bar" style="width:70%">70%</div>
</div>
```

❖ 색상 설정 : .bg-*

.progress-bar-striped

o Striped Progress Bars

```
<div class="progress">
  <div class="progress-bar progress-bar-striped" style="width:40%"></div>
</div>
```

.progress-bar-animated

o Animated Progress Bar

```
<div class="progress-bar progress-bar-striped progress-bar-animated"
style="width:40%"></div>
```

Progress Bar

Multiple Progress Bars

Free Space Danger <div class="progress"> <div class="progress-bar bg-success" style="width:40%"> Free Space </div> <div class="progress-bar bg-warning" style="width:10%"> Warning </div> <div class="progress-bar bg-danger" style="width:20%"> Danger </div> </div>

.spinner-border



```
<div class="spinner-border text-muted"></div>
<div class="spinner-border text-primary"></div>
<div class="spinner-border text-success"></div>
<div class="spinner-border text-info"></div>
<div class="spinner-border text-warning"></div>
<div class="spinner-border text-danger"></div>
<div class="spinner-border text-danger"></div>
<div class="spinner-border text-secondary"></div>
<div class="spinner-border text-dark"></div>
<div class="spinner-border text-dark"></div>
<div class="spinner-border text-light"></div></div></div></div>
```

❖ .spinner-grow



```
<div class="spinner-grow text-muted"></div>
<div class="spinner-grow text-primary"></div>
<div class="spinner-grow text-success"></div>
<div class="spinner-grow text-info"></div>
<div class="spinner-grow text-warning"></div>
<div class="spinner-grow text-danger"></div>
<div class="spinner-grow text-secondary"></div>
<div class="spinner-grow text-dark"></div>
<div class="spinner-grow text-dark"></div>
<div class="spinner-grow text-dark"></div></div></div></div></div>
```

❖ .spinner-border-sm, .spinner-grow-sm

 \bigcirc_2 .

```
<div class="spinner-border"></div>
<div class="spinner-border spinner-border-sm"></div>
<div class="spinner-grow spinner-grow-sm"></div>
```

❖ 버튼 내에서 사용하기



```
<button class="btn btn-primary">
  <span class="spinner-border spinner-border-sm"></span>
</button>
<button class="btn btn-primary">
  <span class="spinner-border spinner-border-sm"></span>
  Loading..
</button>
<button class="btn btn-primary" disabled>
  <span class="spinner-border spinner-border-sm"></span>
  Loading..
</button>
<button class="btn btn-primary" disabled>
  <span class="spinner-grow spinner-grow-sm"></span>
  Loading..
</button>
```

❖ .pagination, .page-item, .page-link

```
Prev 1 2 3 Next
```

❖ .pagination-lg, .pagination-sm

```
        Prev
        1
        2
        3
        Next

        Prev
        1
        2
        3
        Next
```

```
<a class="page-link" href="#">Prev</a>
 <a class="page-link" href="#">1</a>
 <a class="page-link" href="#">2</a>
 <a class="page-link" href="#">3</a>
 <a class="page-link" href="#">Next</a>
<a class="page-link" href="#">Prev</a>
 <a class="page-link" href="#">1</a>
 <a class="page-link" href="#">2</a>
 <a class="page-link" href="#">3</a>
 <a class="page-link" href="#">Next</a>
```


❖ .active



.disabled

```
Prev 1 2 3 Next
```

❖ 정렬



Previous 1 2 3 Next

Previous 1 2 3 Next

```
<!-- Default (left-aligned) -->
...
<!-- Center-aligned -->
...
<!-- Right-aligned -->
...
```

***** Breadcrumbs

```
Photos / Summer 2017 / Italy / Rome
```

```
     <a href="#">Photos</a>
     class="breadcrumb-item"><a href="#">Summer 2017</a>
     class="breadcrumb-item"><a href="#">Italy</a>
     class="breadcrumb-item">Rome
```

❖ .list-group, .list-group-item

```
First item

Second item

Third item
```

```
    First item
    cli class="list-group-item">Second item
    cli class="list-group-item">Third item
```

❖ .ative

```
Active item

Second item

Third item
```

```
    Active item
    cli class="list-group-item">Second item
    cli class="list-group-item">Third item
```

❖ .list-group-item-action: 링크 아이템

```
First item

Second item

Third item
```

```
<div class="list-group">
    <a href="#" class="list-group-item list-group-item-action">
        First item</a>
    <a href="#" class="list-group-item list-group-item-action">
        Second item</a>
    <a href="#" class="list-group-item list-group-item-action">
        Third item</a>
</div>
```

❖ .disabled

```
Disabled item

Disabled item

Third item
```

```
<div class="list-group">
    <a href="#" class="list-group-item disabled">Disabled item</a>
    <a href="#" class="list-group-item disabled">Disabled item</a>
    <a href="#" class="list-group-item">Third item</a>
</div>
```

.list-group-flush

```
First item

Second item

Third item

Fourth item
```

```
    First item
    Second item
    Third item
    Fourth item

<
```

❖ .list-group-horizontal

First item	Second item	Third item	Fourth item

❖ List Group with Badges

```
Inbox
Ads
50
Junk
```

```
align-items-center">Inbox
  <span class="badge badge-primary badge-pill">12</span>
 align-items-center">Ads
  <span class="badge badge-primary badge-pill">50</span>
align-items-center">Junk
  <span class="badge badge-primary badge-pill">99</span>
```