

Sensor review | evidence for the next collection decision

Three station summaries show different directions of change.

12 readings

**per station
3 stations**

The pattern is descriptive—not an explanation.
Use it to guide data requests, not to infer a
sensor effect.

What the summaries contain—and what they do not


AVAILABLE

- Stations A, B and C
- 12 readings per station
- Baseline and follow-up summaries
- Values in arbitrary units

MISSING

- Raw readings and timestamps
- Calibration records
- Matched environmental conditions
- Uncertainty and independent replication

Follow-up values rise at B, dip at A, and edge up at C



A 18 → 16
B 17 → 24
C 18 → 19

Ordering only; no causal inference.

The observed ordering is clear; its cause is not

DESCRIPTIVE SIGNAL

Station B has the largest follow-up summary (24). A is lower at follow-up; C changes little.

INTERPRETATION BOUNDARY

We cannot tell whether differences reflect sensor behavior, timing, environment, calibration, or sampling.

Limitations change what we can responsibly conclude

NO RAW SERIES

Cannot assess spread, pairing, outliers or time pattern.

NO CALIBRATION / CONTEXT

Cannot verify measurement comparability or account for conditions.

NO UNCERTAINTY / REPLICATION

Cannot quantify precision or generalize beyond these summaries.

Therefore: descriptive comparison only; no confidence intervals or causal claim.

Next step: close evidence gaps before interpreting change

- 1 Request** Calibration certificates, original timestamped readings, units and matched conditions.
- 2 Review** Inspect raw data; determine whether readings are paired and document exclusions.
- 3 Assess** Compare paired readings where valid; quantify uncertainty and check replication.
- 4 Decide** Revisit causal interpretation only after the measurement and design gaps are addressed.