# API https://api.politie.nl

All methods: GET

All parameters: query parameters (\* indicates required parameter)

Responses Content type: application/json

#### available uri's:

- 1. /v4/gezocht
- 2. /v4/wijkagenten
- 3. /v4/nieuws
- 4. /v4/politiebureaus
- 5. /v4/politiebureaus/all
- 6. /v4/nieuws/lokaal
- 7. /v4/gezocht/gezochtepersonen
- 8. /v4/gezocht/nationaleopsporingslijst
- 9. /v4/gezocht/eigenaargezocht
- 10. /v4/gezocht/dossiers
- 11. /v4/vermist
- 12. /v4/vermist/vermistekinderen
- 13. /v4/vermist/vermistevolwassenen
- 14. /v4/vermist/ongeidentificeerd
- 15. /v4/urgentpolitiebericht

#### **Description of use:**

# 1. /v4/gezocht

Search APB's. Use consecutive methods to retrieve APB's of a specialized type. Results are sorted on descending date (newest first).

# **Parameters**

uid (string)

Uid of document or page

language (string)

Select objects in given (valid) language. Defaults to 'nl'.

Default value: nl

query (string)

Terms to query for. Length of the query is limited to 100 characters.

lat (string)

Latitude of the GPS coordinate used for search.

Ion (string)

Longitude of the GPS coordinate used for search.

radius (string)

Radius in kilometer around the given GPS coordinate to search for objects. Allowed values are: 0.5, 2.0, 5.0 (default), 10.0 and 25.0.

Default value: 5.0

maxnumberofitems (string)

Maximum number of objects to return. Allowed values are 10 (default) and 25.

Default value: 10

offset (string)

Offset of the first object in this set (skipped items). This value must a multiple of maxnumberofitems.

Default value: 0

#### Example

 $\underline{https://api.politie.nl/v4/gezocht?language=nl\&lat=53.1511173\&lon=6.756634599999984\&radius=5.0\&maxnumber \\ \underline{ofitems=10\&offset=0}$ 

# Responses

```
Example Value
Model
{
 "iterator": {
  "last": true,
  "offset": 0
 },
 "opsporingsberichten": [
    "name": "string",
    "displayName": "string",
    "path": "string",
    "primaryNodeTypeName": "string",
    "leaf": true,
    "links": [
       "rel": "string",
       "type": "string",
       "href": "string",
       "title": "string"
     }
    ],
    "canonicalHandleUuid": "string",
    "localizedName": "string",
    "uid": "string",
    "publicatieDatum": "string",
    "url": "string",
    "translations": [
       "language": "string",
       "id": "string"
     }
    ],
    "titel": "string",
    "zaaknummer": "string",
    "afbeeldingen": [
       "url": "string",
       "altText": "string"
     }
    ],
    "introductie": "string",
    "documentType": "string",
```

```
"omschrijving": "string",
"meerAfbeeldingen": [
  "url": "string",
  "altText": "string"
 }
"urlTipformulier": "string",
"locaties": [
  "latitude": 0,
  "longitude": 0
 }
],
"verdachteRepresentation": {
 "opgelost": true,
 "update": "string",
 "vraag": "string",
 "videos": [
    "alineaType": "string",
    "url": "string",
    "captionTitle": "string",
    "captionSubTitle": "string"
  }
 ],
 "datumDelict": "string",
 "plaatsDelict": "string",
 "signalementen": [
    "titel": "string",
    "afbeelding": {
     "url": "string",
     "altText": "string"
   },
    "persoonskenmerken": [
       "label": "string",
       "waarde": "string"
   ]
  }
 ],
 "slachtoffer": true
"voortvluchtigeRepresentation": {
 "opgelost": true,
 "update": "string",
 "vraag": "string",
 "videos": [
    "alineaType": "string",
    "url": "string",
    "captionTitle": "string",
    "captionSubTitle": "string"
  }
 "laatsteVerblijfplaats": "string",
```

```
"persoonskenmerken": [
        "label": "string",
        "waarde": "string"
      }
     ]
    },
    "gestolenGevondenRepresentation": {
     "opgelost": true,
     "update": "string",
     "vraag": "string",
     "videos": [
        "alineaType": "string",
        "url": "string",
        "captionTitle": "string",
        "captionSubTitle": "string"
      }
     ],
     "datumDelict": "string",
     "plaatsDelict": "string"
    "dossierRepresentation": {
     "datumDelict": "string",
     "plaatsDelict": "string",
      "zaakContent": [
        "alineaType": "string"
     ],
     "slachtoffer": true
  }
 ]
}
204: No results found
400: Invalid parameter
Example Value
Model
 "code": 0,
 "type": "string",
 "message": "string",
 "invalidFields": [
  "string"
 ]
}
```

# 2. /v4/wijkagenten

Search local officers in the near vicinity of a given GPS coordinate. Results are sorted on ascending distance from the coordinate. If no data is found within the given radius, the radius is expanded (up to 25 km) until data is found.

#### **Parameters**

language (string)

```
Select objects in given (valid) language. Defaults to 'nl'.
Default value: nl
lat * (string)
Latitude of the GPS coordinate used for search.
Ion * (string)
Longitude of the GPS coordinate used for search.
radius (string)
Radius in kilometer around the given GPS coordinate to search for objects. Allowed values are: 0.5, 2.0, 5.0
(default), 10.0 and 25.0.
Default value: 5.0
maxnumberofitems (string)
Maximum number of objects to return. Allowed values are 10 (default) and 25.
Default value: 10
offset (string)
Offset of the first object in this set (skipped items). This value must a multiple of maxnumberofitems.
Default value: 0
```

#### Example

 $\frac{\text{https://api.politie.nl/v4/wijkagenten?language=nl\&lat=53.1511173\&lon=6.756634599999984\&radius=5.0\&maxnumberofitems=10\&offset=0}{\text{mberofitems=10\&offset=0}}$ 

#### Responses

```
Example Value
Model
{
 "iterator": {
  "last": true.
   "offset": 0
 "wijkagenten": [
    "name": "string",
    "displayName": "string",
    "path": "string",
    "primaryNodeTypeName": "string",
    "leaf": true,
    "links": [
       "rel": "string",
       "type": "string",
       "href": "string",
       "title": "string"
     }
    ],
    "canonicalHandleUuid": "string",
    "localizedName": "string",
    "uid": "string",
    "publicatieDatum": "string",
    "url": "string",
    "translations": [
```

```
{
       "language": "string",
      "id": "string"
     }
    ],
    "naam": "string",
    "afbeelding": {
     "url": "string",
     "altText": "string"
    "telefoon": "string",
    "twitter": {
     "accountNaam": "string",
     "list": "string",
     "title": "string"
    },
    "facebookUrl": "string",
    "werkgebied": "string",
    "extraInformatie": "string",
    "locaties": [
       "latitude": 0,
      "longitude": 0
    ],
    "werkgebiedPolygoon": "string",
    "instagramUrl": "string"
 ]
204: No results found
400: Invalid parameter
Example Value
Model
 "code": 0,
 "type": "string",
 "message": "string",
 "invalidFields": [
  "string"
}
```

# 3. /v4/nieuws

Search news messages. The resultsets contains all messages. Use nieuws/lokaal to retrieve local news only. Results are sorted on descending date (newest first). A maximum of 200 messages is returned.

# **Parameters**

```
uid (string)
Uid of document or page

language (string)
Select objects in given (valid) language. Defaults to 'nl'.
Default value: nl

query (string)
```

Terms to query for. Length of the query is limited to 100 characters.

#### fromdate (string)

Select only messages newer than given date (including). Dateformat is YYYYMMDD.

#### todate (string)

Select only messages older than given date (including). Dateformat is YYYYMMDD.

#### lat (string)

Latitude of the GPS coordinate used for search.

#### Ion (string)

Longitude of the GPS coordinate used for search.

#### radius (string)

Radius in kilometer around the given GPS coordinate to search for objects. Allowed values are: 0.5, 2.0, 5.0 (default), 10.0 and 25.0.

Default value: 5.0

#### maxnumberofitems (string)

Maximum number of objects to return. Allowed values are 10 (default) and 25.

Default value: 10

#### offset (string)

Offset of the first object in this set (skipped items). This value must a multiple of maxnumberofitems.

Default value: 0

# Example

 $\underline{\text{https://api.politie.nl/v4/nieuws?language=nl&query=drie\%20personen\&radius=5.0\&maxnumberofitems=10\&offset=0}$ 

# Responses

```
Example Value
Model
 "iterator": {
  "last": true,
  "offset": 0
 },
 "nieuwsberichten": [
    "name": "string",
    "displayName": "string",
    "path": "string",
    "primaryNodeTypeName": "string",
    "leaf": true,
    "links": [
       "rel": "string",
       "type": "string",
      "href": "string",
       "title": "string"
     }
    ],
    "canonicalHandleUuid": "string",
    "localizedName": "string",
```

```
"uid": "string",
    "publicatieDatum": "string",
    "url": "string",
    "translations": [
       "language": "string",
       "id": "string"
     }
    ],
    "titel": "string",
    "introductie": "string",
    "gebied": "string",
    "alineas": [
       "alineaType": "string"
     }
    ],
    "afbeelding": {
     "url": "string",
      "altText": "string"
    },
    "locaties": [
       "latitude": 0,
       "longitude": 0
    "urlTipformulier": "string",
    "uidTipformulier": "string"
 ]
204: No results found
400: Invalid parameter
Example Value
Model
 "code": 0,
 "type": "string",
 "message": "string",
 "invalidFields": [
  "string"
}
```

# 4. /v4/politiebureaus

Search police stations in the near vicinity of a given GPS coordinate. Results are sorted on ascending distance from the coordinate... If no data is found within the given radius, the radius is expanded (up to 25 km) until data is found.

#### **Parameters**

```
lat * (string)
Latitude of the GPS coordinate used for search.

lon * (string)
```

Longitude of the GPS coordinate used for search.

# Radius (string)

Radius in kilometer around the given GPS coordinate to search for objects. Allowed values are: 0.5, 2.0, 5.0, 10.0 and 25.0. Default value: 5.0

# Maxnumberofitems (string)

Maximum number of objects to return. Allowed values are 10 and 25. Default value: 10

#### Offset (string)

Offset of the first object in this set (skipped items). This value must a multiple of maxnumberofitems.

Default value: 0

## Example

 $\underline{\text{https://api.politie.nl/politiebureaus/v1?lat=53.1511173\&lon=6.756634599999984\&radius=5.0\&maxnumberofitems}\\ \underline{=10\&offset=0}$ 

#### Responses

```
Example Value
Model
 "iterator": {
  "last": true,
   "offset": 0
 "politiebureaus": [
    "name": "string",
    "displayName": "string",
    "path": "string",
    "primaryNodeTypeName": "string",
    "leaf": true,
    "links": [
       "rel": "string",
       "type": "string",
       "href": "string",
       "title": "string"
     }
    ],
    "canonicalHandleUuid": "string",
    "localizedName": "string",
    "uid": "string",
    "publicatieDatum": "string",
    "url": "string",
    "translations": [
       "language": "string",
       "id": "string"
     }
    ],
    "naam": "string",
    "bezoekadres": {
     "postAdres": "string",
     "postcode": "string",
```

```
"plaats": "string"
    "postadres": {
     "postAdres": "string",
     "postcode": "string",
     "plaats": "string"
    "openingstijden": "string",
    "telefoonnummer": "string",
    "faxnummer": "string",
    "twitterUrl": "string",
    "facebookUrl": "string",
    "extraInformatie": "string",
    "afbeelding": {
     "url": "string",
     "altText": "string"
    },
    "locatie": [
       "latitude": 0,
      "longitude": 0
     }
   ]
  }
 ]
204: No results found
400: Invalid parameter:
Example Value
Model
{
 "code": 0,
 "type": "string",
 "message": "string",
 "invalidFields": [
  "string"
}
```

# 5. /v4/politiebureaus/all

Retrieve all police stations currently operational. Results are unsorted. Items are returned in chunks of max 100.

# **Parameters**

Offset (string)

Offset of the first object in this set (skipped items). This value must a multiple of 100. Default value: 0

# Example

https://api.politie.nl/v4/politiebureaus/all?offset=0

# Responses

```
Example Value
Model
 "iterator": {
  "last": true,
  "offset": 0
 "politiebureaus": [
    "name": "string",
    "displayName": "string",
    "path": "string",
    "primaryNodeTypeName": "string",
    "leaf": true,
    "links": [
       "rel": "string",
       "type": "string",
       "href": "string",
       "title": "string"
     }
    ],
    "canonicalHandleUuid": "string",
    "localizedName": "string",
    "uid": "string",
    "publicatieDatum": "string",
    "url": "string",
    "translations": [
       "language": "string",
       "id": "string"
     }
    ],
    "naam": "string",
    "bezoekadres": {
     "postAdres": "string",
     "postcode": "string",
     "plaats": "string"
    "postadres": {
     "postAdres": "string",
     "postcode": "string",
     "plaats": "string"
    "openingstijden": "string",
    "telefoonnummer": "string",
    "faxnummer": "string",
    "twitterUrl": "string",
    "facebookUrl": "string",
    "extraInformatie": "string",
    "afbeelding": {
     "url": "string",
     "altText": "string"
    },
    "locatie": [
       "latitude": 0,
```

```
"longitude": 0
    }
   ]
  }
]
204: No results found
400: Invalid parameter:
Example Value
Model
{
 "code": 0,
 "type": "string",
 "message": "string",
 "invalidFields": [
  "string"
 ]
}
    6. /v4/nieuws/lokaal
Search local news messages. The resultsets contains local messages. Use nieuws to retrieve all news. Results
are sorted on descending date (newest first). A maximum of 200 messages is returned.
Parameters
language (string)
Select objects in given (valid) language. Defaults to 'nl'.
Default value: nl
query (string)
Terms to query for. Length of the query is limited to 100 characters.
fromdate (string)
Select only messages newer than given date (including). Dateformat is YYYYMMDD.
todate (string)
Select only messages older than given date (including). Dateformat is YYYYMMDD.
lat * (string)
Latitude of the GPS coordinate used for search.
Ion * (string)
Longitude of the GPS coordinate used for search.
radius (string)
Radius in kilometer around the given GPS coordinate to search for objects. Allowed values are: 0.5, 2.0, 5.0
(default), 10.0 and 25.0.
Default value: 5.0
```

maxnumberofitems (string)

Default value: 10

offset (string)

Default value: 0

Maximum number of objects to return. Allowed values are 10 (default) and 25.

Offset of the first object in this set (skipped items). This value must a multiple of maxnumberofitems.

# Example

 $\underline{\text{https://api.politie.nl/v4/nieuws/lokaal?language=nl\&lat=53.15\&lon=6.75\&radius=5.0\&maxnumberofitems=10\&offse}\\ \underline{\text{t=0}}$ 

# Responses

```
Example Value
Model
{
 "iterator": {
  "last": true,
   "offset": 0
 },
 "nieuwsberichten": [
    "name": "string",
    "displayName": "string",
    "path": "string",
    "primaryNodeTypeName": "string",
    "leaf": true,
    "links": [
       "rel": "string",
       "type": "string",
       "href": "string",
       "title": "string"
     }
    ],
    "canonicalHandleUuid": "string",
    "localizedName": "string",
    "uid": "string",
    "publicatieDatum": "string",
    "url": "string",
    "translations": [
       "language": "string",
       "id": "string"
     }
    ],
    "titel": "string",
    "introductie": "string",
    "gebied": "string",
    "alineas": [
     {
       "alineaType": "string"
     }
    ],
    "afbeelding": {
     "url": "string",
      "altText": "string"
    },
    "locaties": [
       "latitude": 0,
       "longitude": 0
```

```
],
    "urlTipformulier": "string",
    "uidTipformulier": "string"
  }
 ]
204: No results found
400: Invalid parameter
Example Value
Model
{
 "code": 0.
 "type": "string",
 "message": "string",
 "invalidFields": [
  "string"
 ]
}
```

#### 7. /v4/gezocht/gezochtepersonen

Search all APB's on persons. Results can be fugitives and wanted persons. Most wanted persons are not included in this list and can be retrieved using the method 'gezocht/nationaleopsporingslijst'. Results are sorted on descending date (newest first).

#### **Parameters**

language (string)

Select objects in given (valid) language. Defaults to 'nl'.

Default value : nl

query (string)

Terms to query for. Length of the query is limited to 100 characters.

lat (string)

Latitude of the GPS coordinate used for search.

Ion (string)

Longitude of the GPS coordinate used for search.

radius (string)

Radius in kilometer around the given GPS coordinate to search for objects. Allowed values are: 0.5, 2.0, 5.0 (default), 10.0 and 25.0.

Default value: 5.0

maxnumberofitems (string)

Maximum number of objects to return. Allowed values are 10 (default) and 25.

Default value: 10

offset (string)

Offset of the first object in this set (skipped items). This value must a multiple of maxnumberofitems.

Default value: 0

#### Example

 $\underline{\text{https://api.politie.nl/v4/gezocht/gezochtepersonen?language=nl\&radius=5.0\&maxnumberofitems=10\&offset=0}\\$ 

# Responses

```
Example Value
Model
{
 "iterator": {
  "last": true,
  "offset": 0
 },
 "opsporingsberichten": [
    "name": "string",
    "displayName": "string",
    "path": "string",
    "primaryNodeTypeName": "string",
    "leaf": true,
    "links": [
     {
       "rel": "string",
       "type": "string",
       "href": "string",
       "title": "string"
     }
    ],
    "canonicalHandleUuid": "string",
    "localizedName": "string",
    "uid": "string",
    "publicatieDatum": "string",
    "url": "string",
    "translations": [
     {
       "language": "string",
       "id": "string"
     }
    ],
    "titel": "string",
    "zaaknummer": "string",
    "afbeeldingen": [
       "url": "string",
       "altText": "string"
     }
    ],
    "introductie": "string",
    "documentType": "string",
    "omschrijving": "string",
    "meerAfbeeldingen": [
     {
       "url": "string",
       "altText": "string"
     }
    ],
    "urlTipformulier": "string",
    "locaties": [
       "latitude": 0,
       "longitude": 0
```

```
],
"verdachteRepresentation": {
 "opgelost": true,
 "update": "string",
 "vraag": "string",
 "videos": [
    "alineaType": "string",
    "url": "string",
    "captionTitle": "string",
    "captionSubTitle": "string"
 ],
 "datumDelict": "string",
 "plaatsDelict": "string",
 "signalementen": [
  {
    "titel": "string",
    "afbeelding": {
     "url": "string",
     "altText": "string"
    "persoonskenmerken": [
      "label": "string",
      "waarde": "string"
   ]
 ],
 "slachtoffer": true
"voortvluchtigeRepresentation": {
 "opgelost": true,
 "update": "string",
 "vraag": "string",
 "videos": [
    "alineaType": "string",
    "url": "string",
    "captionTitle": "string",
    "captionSubTitle": "string"
 ],
 "laatsteVerblijfplaats": "string",
 "persoonskenmerken": [
    "label": "string",
    "waarde": "string"
  }
 ]
},
"gestolenGevondenRepresentation": {
 "opgelost": true,
 "update": "string",
 "vraag": "string",
 "videos": [
  {
```

```
"alineaType": "string",
        "url": "string",
        "captionTitle": "string",
        "captionSubTitle": "string"
     "datumDelict": "string",
     "plaatsDelict": "string"
    "dossierRepresentation": {
     "datumDelict": "string",
     "plaatsDelict": "string",
     "zaakContent": [
      {
        "alineaType": "string"
      }
     ],
     "slachtoffer": true
   }
  }
 ]
204: No results found
400: Invalid parameter
Example Value
Model
{
 "code": 0,
 "type": "string",
 "message": "string",
 "invalidFields": [
  "string"
 ]
}
    8. /v4/gezocht/nationaleopsporingslijst
Search most wanted fugitives APB's. Results are sorted on descending date (newest first).
Parameters
language (string)
Select objects in given (valid) language. Defaults to 'nl'.
Default value : nl
query (string)
Terms to query for. Length of the query is limited to 100 characters.
Latitude of the GPS coordinate used for search.
Ion (string)
Longitude of the GPS coordinate used for search.
```

Radius in kilometer around the given GPS coordinate to search for objects. Allowed values are: 0.5, 2.0, 5.0

(default), 10.0 and 25.0. Default value : 5.0 maxnumberofitems (string)

Maximum number of objects to return. Allowed values are 10 (default) and 25.

Default value: 10

offset (string)

Offset of the first object in this set (skipped items). This value must a multiple of maxnumberofitems.

Default value: 0

## Example

 $\underline{\text{https://api.politie.nl/v4/gezocht/nationaleopsporingslijst?language=nl\&radius=5.0\&maxnumberofitems=10\&offset=10}\\$ 

## Responses

```
Example Value
Model
{
 "iterator": {
  "last": true,
  "offset": 0
 },
 "opsporingsberichten": [
    "name": "string",
    "displayName": "string",
    "path": "string",
    "primaryNodeTypeName": "string",
    "leaf": true,
    "links": [
       "rel": "string",
       "type": "string",
       "href": "string",
       "title": "string"
     }
    ],
    "canonicalHandleUuid": "string",
    "localizedName": "string",
    "uid": "string",
    "publicatieDatum": "string",
    "url": "string",
    "translations": [
       "language": "string",
       "id": "string"
     }
    ],
    "titel": "string",
    "zaaknummer": "string",
    "afbeeldingen": [
       "url": "string",
       "altText": "string"
     }
    ],
    "introductie": "string",
    "documentType": "string",
```

```
"omschrijving": "string",
"meerAfbeeldingen": [
  "url": "string",
  "altText": "string"
 }
"urlTipformulier": "string",
"locaties": [
  "latitude": 0,
  "longitude": 0
 }
],
"verdachteRepresentation": {
 "opgelost": true,
 "update": "string",
 "vraag": "string",
 "videos": [
    "alineaType": "string",
    "url": "string",
    "captionTitle": "string",
    "captionSubTitle": "string"
  }
 ],
 "datumDelict": "string",
 "plaatsDelict": "string",
 "signalementen": [
    "titel": "string",
    "afbeelding": {
     "url": "string",
     "altText": "string"
   },
    "persoonskenmerken": [
       "label": "string",
       "waarde": "string"
   ]
  }
 ],
 "slachtoffer": true
"voortvluchtigeRepresentation": {
 "opgelost": true,
 "update": "string",
 "vraag": "string",
 "videos": [
    "alineaType": "string",
    "url": "string",
    "captionTitle": "string",
    "captionSubTitle": "string"
  }
 "laatsteVerblijfplaats": "string",
```

```
"persoonskenmerken": [
        "label": "string",
        "waarde": "string"
      }
     ]
    },
    "gestolenGevondenRepresentation": {
     "opgelost": true,
     "update": "string",
     "vraag": "string",
     "videos": [
      {
        "alineaType": "string",
        "url": "string",
        "captionTitle": "string",
        "captionSubTitle": "string"
      }
     ],
     "datumDelict": "string",
     "plaatsDelict": "string"
    "dossierRepresentation": {
     "datumDelict": "string",
     "plaatsDelict": "string",
     "zaakContent": [
        "alineaType": "string"
     ],
     "slachtoffer": true
  }
 ]
204: No results found
400: Invalid parameter
Example Value
Model
{
 "code": 0,
 "type": "string",
 "message": "string",
 "invalidFields": [
  "string"
 ]
}
```

#### 9. /v4/gezocht/eigenaargezocht

Search APB's on stolen and recovered goods. Results are sorted on descending date (newest first).

# Parameters

```
language (string)
```

Select objects in given (valid) language. Defaults to 'nl'.

Default value : nl

query (string)

Terms to query for. Length of the query is limited to 100 characters.

```
lat (string)
```

Latitude of the GPS coordinate used for search.

#### Ion (string)

Longitude of the GPS coordinate used for search.

#### radius (string)

Radius in kilometer around the given GPS coordinate to search for objects. Allowed values are: 0.5, 2.0, 5.0 (default), 10.0 and 25.0.

Default value: 5.0

#### maxnumberofitems (string)

Maximum number of objects to return. Allowed values are 10 (default) and 25.

Default value: 10

# offset (string)

Offset of the first object in this set (skipped items). This value must a multiple of maxnumberofitems.

Default value: 0

#### Example

https://api.politie.nl/v4/gezocht/eigenaargezocht?language=nl&radius=5.0&maxnumberofitems=10&offset=0

#### Responses

```
Example Value
Model
 "iterator": {
  "last": true,
  "offset": 0
 },
 "opsporingsberichten": [
    "name": "string",
    "displayName": "string",
    "path": "string",
    "primaryNodeTypeName": "string",
    "leaf": true,
    "links": [
       "rel": "string",
       "type": "string",
       "href": "string",
       "title": "string"
     }
    ],
    "canonicalHandleUuid": "string",
    "localizedName": "string",
    "uid": "string",
    "publicatieDatum": "string",
    "url": "string",
    "translations": [
       "language": "string",
```

```
"id": "string"
 }
],
"titel": "string",
"zaaknummer": "string",
"afbeeldingen": [
  "url": "string",
  "altText": "string"
 }
],
"introductie": "string",
"documentType": "string",
"omschrijving": "string",
"meerAfbeeldingen": [
 {
  "url": "string",
  "altText": "string"
 }
],
"urlTipformulier": "string",
"locaties": [
  "latitude": 0,
  "longitude": 0
 }
],
"verdachteRepresentation": {
 "opgelost": true,
 "update": "string",
 "vraag": "string",
 "videos": [
    "alineaType": "string",
    "url": "string",
    "captionTitle": "string",
    "captionSubTitle": "string"
  }
 ],
 "datumDelict": "string",
 "plaatsDelict": "string",
 "signalementen": [
    "titel": "string",
    "afbeelding": {
     "url": "string",
     "altText": "string"
   },
    "persoonskenmerken": [
       "label": "string",
       "waarde": "string"
   ]
  }
 "slachtoffer": true
},
```

```
"voortvluchtigeRepresentation": {
     "opgelost": true,
     "update": "string",
     "vraag": "string",
     "videos": [
        "alineaType": "string",
        "url": "string",
        "captionTitle": "string",
        "captionSubTitle": "string"
     ],
     "laatsteVerblijfplaats": "string",
      "persoonskenmerken": [
        "label": "string",
        "waarde": "string"
      }
     ]
    },
    "gestolenGevondenRepresentation": {
     "opgelost": true,
     "update": "string",
     "vraag": "string",
     "videos": [
        "alineaType": "string",
        "url": "string",
        "captionTitle": "string",
        "captionSubTitle": "string"
      }
     "datumDelict": "string",
     "plaatsDelict": "string"
    },
    "dossierRepresentation": {
     "datumDelict": "string",
     "plaatsDelict": "string",
      "zaakContent": [
        "alineaType": "string"
      }
     ],
     "slachtoffer": true
 ]
204: No results found
400: Invalid parameter
Example Value
Model
 "code": 0,
 "type": "string",
 "message": "string",
```

```
"invalidFields": [
    "string"
]
```

#### 10. /v4/gezocht/dossiers

Search case files. Results are sorted on descending date (newest first).

#### **Parameters**

language (string)

Select objects in given (valid) language. Defaults to 'nl'.

Default value : nl

query (string)

Terms to query for. Length of the query is limited to 100 characters.

lat (string)

Latitude of the GPS coordinate used for search.

Ion (string)

Longitude of the GPS coordinate used for search.

radius (string)

Radius in kilometer around the given GPS coordinate to search for objects. Allowed values are: 0.5, 2.0, 5.0 (default), 10.0 and 25.0.

Default value: 5.0

maxnumberofitems (string)

Maximum number of objects to return. Allowed values are 10 (default) and 25.

Default value: 10

offset (string)

Offset of the first object in this set (skipped items). This value must a multiple of maxnumberofitems.

Default value: 0

#### Example

https://api.politie.nl/v4/gezocht/dossiers?language=nl&radius=5.0&maxnumberofitems=10&offset=0

#### Responses

```
"rel": "string",
  "type": "string",
  "href": "string",
  "title": "string"
 }
],
"canonicalHandleUuid": "string",
"localizedName": "string",
"uid": "string",
"publicatieDatum": "string",
"url": "string",
"translations": [
  "language": "string",
  "id": "string"
 }
],
"titel": "string",
"zaaknummer": "string",
"afbeeldingen": [
  "url": "string",
  "altText": "string"
],
"introductie": "string",
"documentType": "string",
"omschrijving": "string",
"meerAfbeeldingen": [
  "url": "string",
  "altText": "string"
 }
"urlTipformulier": "string",
"locaties": [
  "latitude": 0,
  "longitude": 0
 }
"verdachteRepresentation": {
 "opgelost": true,
 "update": "string",
 "vraag": "string",
 "videos": [
    "alineaType": "string",
    "url": "string",
    "captionTitle": "string",
    "captionSubTitle": "string"
  }
 "datumDelict": "string",
 "plaatsDelict": "string",
 "signalementen": [
    "titel": "string",
```

```
"afbeelding": {
     "url": "string",
     "altText": "string"
    "persoonskenmerken": [
      "label": "string",
      "waarde": "string"
   ]
  }
 ],
 "slachtoffer": true
},
"voortvluchtigeRepresentation": {
 "opgelost": true,
 "update": "string",
 "vraag": "string",
 "videos": [
    "alineaType": "string",
    "url": "string",
    "captionTitle": "string",
    "captionSubTitle": "string"
  }
 ],
 "laatsteVerblijfplaats": "string",
 "persoonskenmerken": [
  {
    "label": "string",
    "waarde": "string"
 ]
},
"gestolenGevondenRepresentation": {
 "opgelost": true,
 "update": "string",
 "vraag": "string",
 "videos": [
    "alineaType": "string",
    "url": "string",
    "captionTitle": "string",
    "captionSubTitle": "string"
 ],
 "datumDelict": "string",
 "plaatsDelict": "string"
},
"dossierRepresentation": {
 "datumDelict": "string",
 "plaatsDelict": "string",
 "zaakContent": [
    "alineaType": "string"
  }
 "slachtoffer": true
```

```
}
  }
204: No results found
400: Invalid parameter
Example Value
Model
 "code": 0,
 "type": "string",
 "message": "string",
 "invalidFields": [
  "string"
 ]
}
    11. /v4/vermist
Search missing persons (without unidentified persons). Use consecutive methods to retrieve missing children,
adults or unidentified persons. Results are sorted on descending date (newest first).
Parameters
```

uid (string)

Uid of document or page

language (string)

Select objects in given (valid) language. Defaults to 'nl'.

Default value: nl

query (string)

Terms to query for. Length of the query is limited to 100 characters.

lat (string)

Latitude of the GPS coordinate used for search.

Ion (string)

Longitude of the GPS coordinate used for search.

radius (string)

Radius in kilometer around the given GPS coordinate to search for objects. Allowed values are: 0.5, 2.0, 5.0 (default), 10.0 and 25.0.

Default value: 5.0

maxnumberofitems (string)

Maximum number of objects to return. Allowed values are 10 (default) and 25.

Default value: 10

offset (string)

Offset of the first object in this set (skipped items). This value must a multiple of maxnumberofitems.

Default value: 0

#### Example

https://api.politie.nl/v4/vermist?language=nl&radius=5.0&maxnumberofitems=10&offset=0

# Responses

```
Example Value
Model
{
 "iterator": {
  "last": true,
  "offset": 0
 },
 "vermisten": [
    "name": "string",
    "displayName": "string",
    "path": "string",
    "primaryNodeTypeName": "string",
    "leaf": true,
    "links": [
     {
       "rel": "string",
       "type": "string",
       "href": "string",
       "title": "string"
     }
    ],
    "canonicalHandleUuid": "string",
    "localizedName": "string",
    "uid": "string",
    "publicatieDatum": "string",
    "url": "string",
    "translations": [
     {
       "language": "string",
       "id": "string"
     }
    ],
    "documentType": "string",
    "titel": "string",
    "zaaknummer": "string",
    "vermistSinds": "string",
    "laatstGezienIn": "string",
    "afbeeldingen": [
       "url": "string",
       "altText": "string"
    ],
    "signalementen": [
       "titel": "string",
       "afbeelding": {
        "url": "string",
        "altText": "string"
       },
       "persoonskenmerken": [
         "label": "string",
         "waarde": "string"
```

```
]
     }
    ],
    "introductie": "string",
    "omschrijving": "string",
    "vragen": "string",
    "meerAfbeeldingen": [
      "url": "string",
      "altText": "string"
    ],
    "locaties": [
     {
      "latitude": 0,
      "longitude": 0
     }
    ],
    "videos": [
      "alineaType": "string",
      "url": "string",
      "captionTitle": "string",
      "captionSubTitle": "string"
     }
   ],
    "uwTip": "string",
    "urlTipformulier": "string"
]
204: No results found
400: Invalid parameter
Example Value
Model
 "code": 0,
 "type": "string",
 "message": "string",
 "invalidFields": [
  "string"
 ]
}
     12. /v4/vermist/vermistekinderen
Search missing children. Results are sorted on descending date (newest first).
Parameters
language (string)
Select objects in given (valid) language. Defaults to 'nl'.
Default value: nl
```

Terms to query for. Length of the query is limited to 100 characters.

Latitude of the GPS coordinate used for search.

lat (string)

```
Ion (string)
```

Longitude of the GPS coordinate used for search.

## radius (string)

Radius in kilometer around the given GPS coordinate to search for objects. Allowed values are: 0.5, 2.0, 5.0 (default), 10.0 and 25.0.

Default value: 5.0

#### maxnumberofitems (string)

Maximum number of objects to return. Allowed values are 10 (default) and 25.

Default value: 10

#### offset (string)

Offset of the first object in this set (skipped items). This value must a multiple of maxnumberofitems.

Default value: 0

#### Example

 $\underline{https://api.politie.nl/v4/vermist/vermistekinderen?language=nl\&radius=5.0\&maxnumberofitems=10\&offset=0$ 

#### Responses

```
Example Value
Model
 "iterator": {
  "last": true,
  "offset": 0
 },
 "vermisten": [
    "name": "string",
    "displayName": "string",
    "path": "string",
    "primaryNodeTypeName": "string",
    "leaf": true,
    "links": [
       "rel": "string",
       "type": "string",
       "href": "string",
       "title": "string"
     }
    ],
    "canonicalHandleUuid": "string",
    "localizedName": "string",
    "uid": "string",
    "publicatieDatum": "string",
    "url": "string",
    "translations": [
     {
       "language": "string",
       "id": "string"
     }
    "documentType": "string",
```

```
"titel": "string",
    "zaaknummer": "string",
    "vermistSinds": "string",
    "laatstGezienIn": "string",
    "afbeeldingen": [
       "url": "string",
       "altText": "string"
     }
    "signalementen": [
     {
       "titel": "string",
       "afbeelding": {
        "url": "string",
        "altText": "string"
       },
       "persoonskenmerken": [
         "label": "string",
         "waarde": "string"
      ]
    "introductie": "string",
    "omschrijving": "string",
    "vragen": "string",
    "meerAfbeeldingen": [
       "url": "string",
       "altText": "string"
     }
    ],
    "locaties": [
       "latitude": 0,
       "longitude": 0
    "videos": [
       "alineaType": "string",
       "url": "string",
       "captionTitle": "string",
       "captionSubTitle": "string"
     }
    ],
    "uwTip": "string",
    "urlTipformulier": "string"
  }
204: No results found
400: Invalid parameter
```

Example Value

]

```
Model
 "code": 0,
 "type": "string",
 "message": "string",
 "invalidFields": [
  "string"
 ]
}
    13. /v4/vermist/vermistevolwassenen
Search missing adults. Results are sorted on descending date (newest first).
Parameters
language (string)
Select objects in given (valid) language. Defaults to 'nl'.
Default value: nl
query (string)
Terms to query for. Length of the query is limited to 100 characters.
lat (string)
Latitude of the GPS coordinate used for search.
Ion (string)
Longitude of the GPS coordinate used for search.
radius (string)
Radius in kilometer around the given GPS coordinate to search for objects. Allowed values are: 0.5, 2.0, 5.0
(default), 10.0 and 25.0.
Default value: 5.0
```

# maxnumberofitems (string)

Maximum number of objects to return. Allowed values are 10 (default) and 25.

Default value: 10

offset (string)

Offset of the first object in this set (skipped items). This value must a multiple of maxnumberofitems.

Default value: 0

# Example

#### Responses

```
Example Value
Model
{
    "iterator": {
        "last": true,
        "offset": 0
    },
    "vermisten": [
        {
            "name": "string",
            "displayName": "string",
            "path": "string",
```

```
"primaryNodeTypeName": "string",
"leaf": true,
"links": [
  "rel": "string",
  "type": "string",
  "href": "string",
  "title": "string"
 }
],
"canonicalHandleUuid": "string",
"localizedName": "string",
"uid": "string",
"publicatieDatum": "string",
"url": "string",
"translations": [
  "language": "string",
  "id": "string"
 }
"documentType": "string",
"titel": "string",
"zaaknummer": "string",
"vermistSinds": "string",
"laatstGezienIn": "string",
"afbeeldingen": [
  "url": "string",
  "altText": "string"
 }
"signalementen": [
  "titel": "string",
  "afbeelding": {
    "url": "string",
    "altText": "string"
  "persoonskenmerken": [
     "label": "string",
     "waarde": "string"
 }
],
"introductie": "string",
"omschrijving": "string",
"vragen": "string",
"meerAfbeeldingen": [
  "url": "string",
  "altText": "string"
 }
"locaties": [
 {
```

```
"latitude": 0,
      "longitude": 0
     }
    ],
    "videos": [
      "alineaType": "string",
      "url": "string",
      "captionTitle": "string",
      "captionSubTitle": "string"
   ],
    "uwTip": "string",
    "urlTipformulier": "string"
  }
 ]
204: No results found
400: Invalid parameter
Example Value
Model
 "code": 0,
 "type": "string",
 "message": "string",
 "invalidFields": [
  "string"
 ]
}
    14. /v4/vermist/ongeidentificeerd
Search unidentified persons. Results are sorted on descending date (newest first).
Parameters
uid (string)
Uid of document or page
language (string)
Select objects in given (valid) language. Defaults to 'nl'.
Default value: nl
query (string)
Terms to query for. Length of the query is limited to 100 characters.
Latitude of the GPS coordinate used for search.
Ion (string)
Longitude of the GPS coordinate used for search.
radius (string)
Radius in kilometer around the given GPS coordinate to search for objects. Allowed values are: 0.5, 2.0, 5.0
(default), 10.0 and 25.0.
Default value: 5.0
```

maxnumberofitems (string)

Maximum number of objects to return. Allowed values are 10 (default) and 25.

Default value: 10

offset (string)

Offset of the first object in this set (skipped items). This value must a multiple of maxnumberofitems.

Default value: 0

#### Example

https://api.politie.nl/v4/vermist/ongeidentificeerd?language=nl&radius=5.0&maxnumberofitems=10&offset=0

# Responses

```
Example Value
Model
{
 "iterator": {
  "last": true,
   "offset": 0
 },
 "ongeidentificeerden": [
    "name": "string",
    "displayName": "string",
    "path": "string",
    "primaryNodeTypeName": "string",
    "leaf": true,
    "links": [
       "rel": "string",
       "type": "string",
       "href": "string",
       "title": "string"
     }
    ],
    "canonicalHandleUuid": "string",
    "localizedName": "string",
    "uid": "string",
    "publicatieDatum": "string",
    "url": "string",
    "translations": [
       "language": "string",
       "id": "string"
     }
    ],
    "titel": "string",
    "zaaknummer": "string",
    "gevondenOpDatum": "string",
    "vindplaats": "string",
    "afbeeldingen": [
       "url": "string",
       "altText": "string"
     }
    ],
    "signalementen": [
     {
```

```
"titel": "string",
       "afbeelding": {
        "url": "string",
        "altText": "string"
       "persoonskenmerken": [
         "label": "string",
         "waarde": "string"
      ]
     }
    ],
    "introductie": "string",
    "omschrijving": "string",
    "vragen": "string",
    "meerAfbeeldingen": [
       "url": "string",
      "altText": "string"
     }
    ],
    "locaties": [
      "latitude": 0,
      "longitude": 0
     }
    ],
    "videos": [
       "alineaType": "string",
      "url": "string",
      "captionTitle": "string",
       "captionSubTitle": "string"
     }
    "uwTip": "string",
    "urlTipformulier": "string",
    "blurlmage": true
 ]
204: No results found
400: Invalid parameter
Example Value
Model
 "code": 0,
 "type": "string",
 "message": "string",
 "invalidFields": [
  "string"
 ]
```

{

}

Shows max. one urgent APB when issued, for broadcast e.g. on TV.

#### **Parameters**

language (string)
Select objects in given (valid) language. Defaults to 'nl'.
Default value : nl

#### Example

https://api.politie.nl/v4/urgentpolitiebericht?language=nl

#### Responses

```
Example Value
Model
 "iterator": {
  "last": true,
  "offset": 0
 },
 "opsporingsberichten": [
  {
    "name": "string",
    "displayName": "string",
    "path": "string",
    "primaryNodeTypeName": "string",
    "leaf": true,
    "links": [
       "rel": "string",
       "type": "string",
       "href": "string",
       "title": "string"
    ],
    "canonicalHandleUuid": "string",
    "localizedName": "string",
    "uid": "string",
    "publicatieDatum": "string",
    "url": "string",
    "translations": [
       "language": "string",
       "id": "string"
     }
    "titel": "string",
    "zaaknummer": "string",
    "afbeeldingen": [
       "url": "string",
       "altText": "string"
     }
    ],
    "introductie": "string",
    "documentType": "string",
    "omschrijving": "string",
```

```
"meerAfbeeldingen": [
  "url": "string",
  "altText": "string"
"urlTipformulier": "string",
"locaties": [
  "latitude": 0,
  "longitude": 0
 }
],
"verdachteRepresentation": {
 "opgelost": true,
 "update": "string",
 "vraag": "string",
 "videos": [
    "alineaType": "string",
    "url": "string",
    "captionTitle": "string",
    "captionSubTitle": "string"
 ],
 "datumDelict": "string",
 "plaatsDelict": "string",
 "signalementen": [
  {
    "titel": "string",
    "afbeelding": {
     "url": "string",
     "altText": "string"
    "persoonskenmerken": [
       "label": "string",
       "waarde": "string"
   ]
  }
 "slachtoffer": true
"voortvluchtigeRepresentation": {
 "opgelost": true,
 "update": "string",
 "vraag": "string",
 "videos": [
  {
    "alineaType": "string",
    "url": "string",
    "captionTitle": "string",
    "captionSubTitle": "string"
  }
 "laatsteVerblijfplaats": "string",
 "persoonskenmerken": [
```

```
{
        "label": "string",
        "waarde": "string"
      }
     ]
    "gestolenGevondenRepresentation": {
     "opgelost": true,
     "update": "string",
     "vraag": "string",
     "videos": [
      {
        "alineaType": "string",
        "url": "string",
        "captionTitle": "string",
        "captionSubTitle": "string"
      }
     ],
     "datumDelict": "string",
     "plaatsDelict": "string"
    "dossierRepresentation": {
     "datumDelict": "string",
     "plaatsDelict": "string",
     "zaakContent": [
        "alineaType": "string"
     ],
     "slachtoffer": true
   }
 ]
204: No results found
400: Invalid parameter
Example Value
Model
 "code": 0,
 "type": "string",
 "message": "string",
 "invalidFields": [
  "string"
 ]
}
```