

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report Options...

Check by text input ▼ ☐ css

```
{% extends "base.html" %}

{% load crispy_forms_tags %}
{% load i18n %}

{% block head_title %}{% trans "Signup" %}{% endblock %}

{% block content %}

<div class="container container-account h-100">
  <div class="row align-items-center h-100">
    <div class="col-xs-12 col-12 col-md-6 mx-auto">
      <div class="card">
        <div class="card-body px-4">
          <h2 class="card-title text-center display-4">{% trans "Sign Up" %}</h2>
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** Consider adding a `lang` attribute to the `html` start tag to declare the language of this document.

[From line 1, column 1; to line 1, column 25](#)

```
{% extends "base.html" %}↵↵{% 1
```

For further guidance, consult [Declaring the overall language of a page](#) and [Choosing language tags](#).

If the HTML checker has misidentified the language of this document, please [file an issue report](#) or [send e-mail to report the problem](#).

2. **Error** Non-space characters found without seeing a doctype first. Expected `<!DOCTYPE html>`.

[From line 1, column 1; to line 1, column 25](#)

```
{% extends "base.html" %}↵↵{% 1
```

3. **Error** Element `head` is missing a required instance of child element `title`.

[From line 1, column 1; to line 1, column 25](#)

```
{% extends "base.html" %}↵↵{% 1
```

Content model for element `head`:

If the document is [an iframe srcdoc document](#) or if title information is available from a higher-level protocol: Zero or more elements of [metadata content](#), of which no more than one is a [title](#) element and no more than one is a [base](#) element.

Otherwise: One or more elements of [metadata content](#), of which exactly one is a [title](#) element and no more than one is a [base](#) element.

4. **Error** Bad value `{{ login_url }}` for attribute `href` on element `a`: Illegal character in path segment: `{` is not allowed.

[From line 16, column 77; to line 16, column 102](#)

```
en please <a href="{{ login_url }}">sign i
```

5. **Error** Bad value `{% url 'account_signup' %}` for attribute `action` on element `form`: Illegal character in path segment: `{` is not allowed.

[From line 17, column 21; to line 17, column 108](#)

```
<form class="signup" id="signup_form" method="post" action="{% url 'account_signup' %}">↵
```

6. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 21, column 25; to line 21, column 115](#)

```
<input type="hidden" name="{{ redirect_field_name }}" value="{{ redirect_field_value }}" />
```

Document checking completed.

Source

```
1. {% extends "base.html" %}↵
2. ↵
3. {% load crispy_forms_tags %}↵
4. {% load i18n %}↵
5. ↵
6. {% block head_title %}{% trans "Signup" %}{% endblock %}↵
7. ↵
8. {% block content %}↵
9. ↵
10. <div class="container container-account h-100">↵
11.     <div class="row align-items-center h-100">↵
12.         <div class="col-xs-12 col-12 col-md-6 mx-auto">↵
13.             <div class="card">↵
14.                 <div class="card-body px-4">↵
15.                     <h2 class="card-title text-center display-4">{% trans "Sign Up" %}</h2>↵
16.                     <p>{% blocktrans %}Already have an account? Then please <a href="{{ login_url }}">sign in</a>.{%
endblocktrans %}</p>↵
17.                     <form class="signup" id="signup_form" method="post" action="{% url 'account_signup' %}">↵
18.                         {% csrf_token %}↵
19.                         {{ form | crispy }}↵
20.                         {% if redirect_field_value %}↵
21.                         <input type="hidden" name="{{ redirect_field_name }}" value="{{ redirect_field_value }}" />↵
22.                         {% endif %}↵
23.                         <button type="submit">{% trans "Sign Up" %} &raquo;</button>↵
24.                     </form>↵
25.                 </div>↵
26.             </div>↵
27.         </div>↵
28.     </div>↵
29. </div>↵
30. {% endblock %}
```

Used the HTML parser.

Total execution time 9 milliseconds.

