# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☑ source ☐ outline ☐ image report

Options…

Check by text input ☐ css

```
{% extends 'base.html' %}
{% block content %}

<div class="container container-account h-100">
    <h2 class="text-center pt-4">My Booking History</h2>
    <div class="row align-items-center h-100">
        {% for appointment in appointments %}
        <div class="col-md-6 my-3 mx-auto">
            <div class="card">
                <div class="card-body text-center">
                    <h3 class="card-title">Cut, Colour and Blow-Dry</h3>
                    <p>Date: {{ appointment.date}}</p>
                    <p>Time: {{ appointment.time}}</p>
                    <a href="/edit/{{ appointment.id }}" class="btn btn-
custom">Edit</a>
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** **Consider adding a** `lang` **attribute to the** `html` **start tag to declare the language of this document.**

   From line 1, column 1; to line 1, column 25

   {% extends 'base.html' %}↵{% bl

   For further guidance, consult Declaring the overall language of a page and Choosing language tags.

   If the HTML checker has misidentified the language of this document, please file an issue report or send e-mail to report the problem.

2. **Error** **Non-space characters found without seeing a doctype first. Expected** `<!DOCTYPE html>`**.**

   From line 1, column 1; to line 1, column 25

   {% extends 'base.html' %}↵{% bl

3. **Error** **Element** head **is missing a required instance of child element** `title`.

From line 1, column 1; to line 1, column 25

```
{% extends 'base.html' %}↵{% bl
```

Content model for element head:

If the document is an iframe srcdoc document or if title information is available from a higher-level protocol: Zero or more elements of metadata content, of which no more than one is a `title` element and no more than one is a `base` element.

Otherwise: One or more elements of metadata content, of which exactly one is a `title` element and no more than one is a `base` element.

4. **Error** **Bad value** `/edit/{{ appointment.id }}` **for attribute** `href` **on element** a **: Illegal character in path segment:** `{` **is not allowed.**

From line 14, column 21; to line 14, column 80

```
        <a href="/edit/{{ appointment.id }}" class="btn btn-custom">Edit</
```

5. **Error** **Bad value** `/cancel/{{ appointment.id }}` **for attribute** `href` **on element** a **: Illegal character in path segment:** `{` **is not allowed.**

From line 15, column 21; to line 15, column 82

```
        <a href="/cancel/{{ appointment.id }}" class="btn btn-custom">Cancel
```

Document checking completed.

Source

```
1.  {% extends 'base.html' %}↵
2.  {% block content %}↵
3.  ↵
4.  <div class="container container-account h-100">↵
5.      <h2 class="text-center pt-4">My Booking History</h2>↵
6.      <div class="row align-items-center h-100">↵
7.          {% for appointment in appointments %}↵
8.          <div class="col-md-6 my-3 mx-auto">↵
9.              <div class="card">↵
10.                 <div class="card-body text-center">↵
11.                     <h3 class="card-title">Cut, Colour and Blow-Dry</h3>↵
12.                     <p>Date: {{ appointment.date}}</p>↵
13.                     <p>Time: {{ appointment.time}}</p>↵
14.                     <a href="/edit/{{ appointment.id }}" class="btn btn-custom">Edit</a>↵
15.                     <a href="/cancel/{{ appointment.id }}" class="btn btn-custom">Cancel</a>↵
16.                 </div>↵
17.             </div>↵
18.         </div>↵
19.         {% empty %}↵
20.         <div class="col-12 my-3 mx-auto">↵
21.             <p class="text-center">You have not booked any appointments yet</p>↵
22.         </div>↵
23.         {% endfor%}↵
24.     </div>↵
```

```
25.  </div>↵
26.  {% endblock content %}
```

Used the HTML parser.

Total execution time 4 milliseconds.