

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report

Options...

Check by text input ☐ CSS

```
<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <!-- Bootstrap CSS -->
  <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@4.6.2/dist/css/bootstrap.min.css"
      integrity="sha384-
x0olHFLEh07PJGoPkLv1IbcEPTNtaed2xpHsD9ESMhqIYd0nLMwNLD69Npy4HI+N"
crossorigin="anonymous">
  <link rel="stylesheet" href="{% static 'css/style.css' %}">
  <!--Font Awesome-->
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Error** Bad value `{% static 'css/style.css' %}` for attribute `href` on element `link`: Illegal character in path segment: `{` is not allowed.

[From line 11, column 5; to line 11, column 63](#)

```
ous">↵    <link rel="stylesheet" href="{% static 'css/style.css' %}">↵    <
```

2. **Error** Bad value `{% url 'home' %}` for attribute `href` on element `a`: Illegal character in path segment: `{` is not allowed.

[From line 31, column 25; to line 31, column 79](#)

```
<a class="nav-link text-white" href="{% url 'home' %}">Home<s
```

3. **Error** Text not allowed in element `ul` in this context.

[From line 34, column 1; to line 34, column 50](#)

```
</li>↵                                {% if user.is_authenticated %}<↵
```

Content model for element `ul`:

Zero or more [li](#) and [script-supporting](#) elements.

- Error** Bad value {% url 'my_profile' %} for attribute href on element [a](#): Illegal character in path segment: { is not allowed.
- [From line 36, column 25; to line 36, column 85](#)
- ```
Appoin
```

```
<a class="nav-link text-white" href="{% url 'my_profile'
%}">Appoin
```

- Error** Bad value `{% url 'account_logout' %}` for attribute `href` on element `a`: Illegal character in path segment: `{` is not allowed.
- [From line 39, column 25; to line 39, column 89](#)
- ```
<a class="nav-link text-white" href="{% url 'account_logout' %}">Logout
```

```
<a class="nav-link text-white" href="{% url 'account_logout'
%}">Logout
```

- Error** Bad value `{% url 'book' %}` for attribute `href` on element `a`:
Illegal character in path segment: `{` is not allowed.
- [From line 42, column 25; to line 42, column 90](#)
- ```
Book N
```

```
<a href="{% url 'book' %}" class="btn btn-primary align-self-
end">Book N
```

- Error** Text not allowed in element `u1` in this context.
- [From line 44, column 1; to line 44, column 30](#)
- ```
</li><                                {% else %}<
```
- Content model for element `u1`:
- Zero or more [li](#) and [script-supporting](#) elements.

```
</li>↵                                {% else %}↵
```

Zero or more [li](#) and [script-supporting](#) elements.

- Error** Bad value {% url 'account_signup' %} for attribute href on element : Illegal character in path segment: { is not allowed.
- [From line 46, column 25; to line 46, column 89](#)
- ```
Sign U
```

```
<a class="nav-link text-white" href="{% url 'account_signup'
%}">Sign U
```

- Error** Bad value {% url 'account\_login' %} for attribute href on element [a](#): Illegal character in path segment: { is not allowed.
- [From line 49, column 25; to line 49, column 88](#)
- ```
<a class="nav-link text-white" href="{% url 'account_login' %}">Login<
```

```
<a class="nav-link text-white" href="{% url 'account_login'
%}">Login<
```

- Error** Text not allowed in element `ul` in this context.
- [From line 51, column 1; to line 51, column 31](#)
- ```
↵ {% endif %}↵
.....
```

```
↵ {% endif %}↵
```

Content model for element [u1](#):

Zero or more [li](#) and [script-supporting](#) elements.

Document checking completed.

## Source

```
1. <!DOCTYPE html>↵
2. <html lang="en">↵
3. ↵
4. <head>↵
5. <meta charset="UTF-8">↵
6. <meta http-equiv="X-UA-Compatible" content="IE=edge">↵
7. <meta name="viewport" content="width=device-width, initial-scale=1.0">↵
8. <!-- Bootstrap CSS -->↵
9. <link rel="stylesheet"
href="https://cdn.jsdelivrivr.net/npm/bootstrap@4.6.2/dist/css/bootstrap.min.css"
↵
10. integrity="sha384-
x0OlHFLEh07PJGoPkLv1IbcEPTNtaed2xpHsD9ESMhqIYd0nLMwNLD69Npy4HI+N"
crossorigin="anonymous">↵
11. <link rel="stylesheet" href="{% static 'css/style.css' %}">↵
12. <!-- Font Awesome -->↵
13. <script src="https://kit.fontawesome.com/7e3e16c427.js"
crossorigin="anonymous"></script>↵
14. <title>Eleganza Hair Salon </title>↵
15. </head>↵
16. ↵
17. <body>↵
18. <header>↵
19. <!-- bootstrap navbar -->↵
20. <nav class="navbar navbar-expand-lg fixed-top navbar-light bg-black">↵
21. Eleganza↵
22. <button class="navbar-toggler bg-light" type="button" data-
toggle="collapse"↵
23. data-target="#navbarTogglerDemo02" aria-
controls="navbarTogglerDemo02" aria-expanded="false"↵
24. aria-label="Toggle navigation">↵
25. ↵
26. </button>↵
27. ↵
28. <div class="collapse navbar-collapse justify-content-end"
id="navbarTogglerDemo02">↵
29. <ul class="navbar-nav mt-2 mt-lg-0">↵
30. <li class="nav-item active">↵
31. <a class="nav-link text-white" href="{% url 'home'
%}">Home<span↵
32. class="sr-only">(current)↵
33. ↵
34. {% if user.is_authenticated %}↵
35. <li class="nav-item">↵
36. <a class="nav-link text-white" href="{% url
'my_profile' %}">Appointments↵
37. ↵
38. <li class="nav-item">↵
39. <a class="nav-link text-white" href="{% url
'account_logout' %}">Logout↵
40. ↵
41. <li class="nav-item">↵
42. <a href="{% url 'book' %}" class="btn btn-primary
align-self-end">Book Now↵
43. ↵
44. {% else %}↵
45. <li class="nav-item">↵
46. <a class="nav-link text-white" href="{% url
'account_signup' %}">Sign Up↵
```

```

47. <↵
48. <li class="nav-item"><↵
49. <a class="nav-link text-white" href="{% url
'account_login' %}">Login<↵
50. <↵
51. {% endif %}<↵
52. <↵
53. </div><↵
54. </nav><↵
55. </header><↵
56. ↵
57. <!--↵
58. Messages↵
59. the code was adopted from CI I Think Therefore I Blog Project
tutorial↵
60. --><↵
61. <div class="container"><↵
62. <div class="row"><↵
63. <div class="col-12 text-center"><↵
64. {% for message in messages %}<↵
65. <div class="alert {{ message.tags }} alert-dismissible fade
show" id="msg" role="alert"><↵
66. {{ message }}<↵
67. </div><↵
68. {% endfor %}<↵
69. </div><↵
70. </div><↵
71. </div><↵
72. ↵
73. ↵
74. <!-- Main Content --><↵
75. {% block content %}<↵
76. {% endblock %}<↵
77. ↵
78. <!--↵
79. Footer code adopted from Material Design for Bootstrap↵
80. https://mdbootstrap.com/snippets/standard/mdbootstrap/2885120?
view=side↵
81. --><↵
82. <footer class="text-white text-center bg-black"><↵
83. <!-- Grid container --><↵
84. <div class="container p-4"><↵
85. <!--Grid row--><↵
86. <div class="row mt-4"><↵
87. <!--Grid column--><↵
88. <div class="col-lg-4 col-md-12 mb-4 mb-md-0"><↵
89. <h5 class="logo rotate mb-4">Eleganza</h5><↵
90. <p class="text-uppercase"><↵
91. hair salon↵
92. </p><↵
93. <div class="mt-4"><↵
94. <!-- Facebook --><↵
95. <a class="btn btn-primary btn-lg"
href="https://www.facebook.com/"<↵
96. aria-label="Go to our twitter page (opens in new
tab)" target="_blank"><↵
97. <i class="fa-brands fa-facebook"></i><↵
98. <↵
99. <!-- Instagram --><↵
100. <a class="btn btn-primary btn-lg"
href="https://www.instagram.com/"<↵
101. aria-label="Go to our instagram page (opens in new
tab)" target="_blank"><↵
102. <i class="fa-brands fa-instagram"></i><↵
103. <↵
104. </div><↵
105. </div><↵
106. <!--Grid column--><↵
107. ↵
108. <!--Grid column--><↵
109. <div class="col-lg-4 col-md-6 mb-4 mb-md-0"><↵

```

```

110. <h5 class="text-uppercase mb-4 pb-1">Salon contact</h5>↵
111. <ul class="fa-ul" style="margin-left: 1.65em;">↵
112. <li class="mb-3">↵
113. <i class="fa-solid fa-house">
114. </i>1 Beauty↵
115. Street, Dublin↵
116. ↵
117. ↵
118. <li class="mb-3">↵
119. <i class="fa-solid fa-
envelope"></i>info@eleganzahairsalon.ie↵
120. ↵
121. <li class="mb-3">↵
122. <i class="fa-solid fa-phone">
123. </i>(01) 234 5678↵
124. ↵
125. ↵
126. ↵
127. </div>↵
128. <!--Grid column-->↵
129. <!--Grid column-->↵
130. <div class="col-lg-4 col-md-6 mb-4 mb-md-0">↵
131. <h5 class="text-uppercase mb-4">Opening hours</h5>↵
132. <table class="table text-center text-white">↵
133. <tbody>↵
134. <tr>↵
135. <td>Mon - Thu:</td>↵
136. <td>9am - 6pm</td>↵
137. </tr>↵
138. <tr>↵
139. <td>Fri - Sat:</td>↵
140. <td>8am - 7pm</td>↵
141. </tr>↵
142. <tr>↵
143. <td>Sunday:</td>↵
144. <td>Closed</td>↵
145. </tr>↵
146. </tbody>↵
147. </table>↵
148. </div>↵
149. <!--Grid column-->↵
150. </div>↵
151. <!--Grid row-->↵
152. </div>↵
153. <!-- Grid container -->↵
154. ↵
155. <!-- Copyright -->↵
156. <div class="text-center p-3">↵
157. © 2023 Copyright:↵
158. <p class="text-white">Eleganza Hair Salon</p>↵
159. </div>↵
160. <!-- Copyright -->↵
161. </footer>↵
162. ↵
163. <script
src="https://cdn.jsdelivr.net/npm/jquery@3.5.1/dist/jquery.slim.min.js"↵
164. integrity="sha384-
DfXdz2htPH0lsSSs5nCTpuj/zy4C+OGpamoFVy38MVBnE+IbbVYUew+OrCXaRkfj"
crossorigin="anonymous">↵
165. </script>↵
166. <script
src="https://cdn.jsdelivr.net/npm/bootstrap@4.6.2/dist/js/bootstrap.bundle.min.
js"↵
167. integrity="sha384-
Fy6S3B9q64WdZWQiuU+q4/2Lc9npb8tCaSX9FK7E8HnRr0Jz8D60P9d05Vg3Q9ct"
crossorigin="anonymous">↵
168. </script>↵
169. <!--↵
170. JavaScript to dismiss message alert↵

```

```
171. from CI I Think Therefore I Blog Project tutorial↵
172. -->↵
173. <script>↵
174. setTimeout(function () {↵
175. let messages = document.getElementById('msg');↵
176. let alert = new bootstrap.Alert(messages);↵
177. alert.close();↵
178. }, 2500);↵
179. </script>↵
180. </body>↵
181. ↵
182. </html>
```

Used the HTML parser.

Total execution time 21 milliseconds.

---

[About this checker](#) • [Report an issue](#) • Version: 23.8.18