Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☑ source ☐ outline ☐ image report [Options…]

Check by [text input ▾] ☐ css

```
{% extends "base.html" %}

{% load crispy_forms_tags %}
{% load i18n %}
{% load account socialaccount %}

{% block head_title %}{% trans "Sign In" %}{% endblock %}

{% block content %}

<div class="container container-account h-100">
    <div class="row align-items-center h-100">
        <div class="col-xs-12 col-12 col-md-6 mx-auto">
            <div class="card">
                <div class="card-body px-4">
```

[Check]

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering]

1. **Warning** **Consider adding a** `lang` **attribute to the** `html` **start tag to declare the language of this document.**

   [From line 1, column 1; to line 1, column 25](#)

```
{% extends "base.html" %}↵↵{% l
```

For further guidance, consult Declaring the overall language of a page and Choosing language tags.

If the HTML checker has misidentified the language of this document, please file an issue report or send e-mail to report the problem.

2. **Error** **Non-space characters found without seeing a doctype first. Expected** `<!DOCTYPE html>`.

From line 1, column 1; to line 1, column 25
```
{% extends "base.html" %}↵↵{% l
```

3. **Error** **Element** `head` **is missing a required instance of child element** `title`.

From line 1, column 1; to line 1, column 25
```
{% extends "base.html" %}↵↵{% l
```
Content model for element head:

If the document is an iframe srcdoc document or if title information is available from a higher-level protocol: Zero or more elements of metadata content, of which no more than one is a `title` element and no more than one is a `base` element.

Otherwise: One or more elements of metadata content, of which exactly one is a `title` element and no more than one is a `base` element.

4. **Error** **Bad value** `{{ signup_url }}` **for attribute** `href` **on element** `a`: **Illegal character in path segment:** `{` **is not allowed.**

From line 18, column 25; to line 18, column 51
```
        <a href="{{ signup_url }}">sign u
```

5. **Error** **Bad value** `{% url 'account_login' %}` **for attribute** `action` **on element** `form`: **Illegal character in path segment:** `{` **is not allowed.**

From line 19, column 21; to line 19, column 89
```
        <form class="login" method="POST" action="{% url 'account_login' %}">↵
```

6. **Info** **Trailing slash on void elements has no effect and interacts badly with unquoted attribute values.**

```
            <input type="hidden" name="{{ redirect_field_name }}" value="{{ redirect_field_value }}" />↵
```

Document checking completed.

Source

```
 1.  {% extends "base.html" %}↵
 2.  ↵
 3.  {% load crispy_forms_tags %}↵
 4.  {% load i18n %}↵
 5.  {% load account socialaccount %}↵
 6.  ↵
 7.  {% block head_title %}{% trans "Sign In" %}{% endblock %}↵
 8.  ↵
 9.  {% block content %}↵
10.  ↵
11.  <div class="container container-account h-100">↵
12.      <div class="row align-items-center h-100">↵
13.          <div class="col-xs-12 col-12 col-md-6 mx-auto">↵
14.              <div class="card">↵
15.                  <div class="card-body px-4">↵
16.                      <h2 class="card-title text-center display-4">{% trans "Sign In" %}</h2>↵
17.                      <p>{% blocktrans %}If you have not created an account yet, then please↵
18.                          <a href="{{ signup url }}">sign up</a> first.{% endblocktrans %}</p>↵
19.                      <form class="login" method="POST" action="{% url 'account_login' %}">↵
20.                          {% csrf_token %}↵
21.                          {{ form | crispy }}↵
22.                          {% if redirect_field_value %}↵
23.                          <input type="hidden" name="{{ redirect_field_name }}" value="{{ redirect_field_value }}" />↵
24.                          {% endif %}↵
25.                          <button type="submit">{% trans "Sign In" %}</button>↵
26.                      </form>↵
27.                  </div>↵
28.              </div>↵
29.          </div>↵
30.      </div>↵
31.  </div>↵
32.  {% endblock %}
```

Used the HTML parser.

Total execution time 8 milliseconds.