Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☑ source ☐ outline ☐ image report [Options...]

Check by [text input ▾] ☐ CSS

```
{% extends "base.html" %}

{% load i18n %}

{% block head_title %}{% trans "Sign Out" %}{% endblock %}

{% block content %}

<div class="container container-account h-100">
    <div class="row align-items-center h-100">
        <div class="col-xs-12 col-12 col-md-6 mx-auto">
            <div class="card">
                <div class="card-body px-4">
                    <h2 class="card-title text-center display-4">{% trans "Sign Out" %}</h2>
                    <p>{% trans 'Are you sure you want to sign out?' %}</p>
```

[Check]

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering]

1. **Warning** Consider adding a `lang` attribute to the `html` start tag to declare the language of this document.

   From line 1, column 1; to line 1, column 25

```
{% extends "base.html" %}↵↵{% l
```

For further guidance, consult [Declaring the overall language of a page](#) and [Choosing language tags](#).

If the HTML checker has misidentified the language of this document, please [file an issue report](#) or [send e-mail to report the problem](#).

2. **Error** **Non-space characters found without seeing a doctype first. Expected** `<!DOCTYPE html>`.

   [From line 1, column 1; to line 1, column 25](#)

   ```
   {% extends "base.html" %}↵↵{% l
   ```

3. **Error** **Element** `head` **is missing a required instance of child element** `title`.

   [From line 1, column 1; to line 1, column 25](#)

   ```
   {% extends "base.html" %}↵↵{% l
   ```

   Content model for element [head](#):

   > If the document is [an `iframe srcdoc` document](#) or if title information is available from a higher-level protocol: Zero or more elements of [metadata content](#), of which no more than one is a `title` element and no more than one is a `base` element.

   > Otherwise: One or more elements of [metadata content](#), of which exactly one is a `title` element and no more than one is a `base` element.

4. **Error** **Bad value** `{% url 'account_logout' %}` **for attribute** `action` **on element** [form](#): **Illegal character in path segment:** `{` **is not allowed.**

   [From line 16, column 21; to line 16, column 76](#)

   ```
           <form method="post" action="{% url 'account_logout' %}">↵
   ```

5. **Info** **Trailing slash on void elements** [has no effect](#) **and** [interacts badly with unquoted attribute values](#).

   [From line 19, column 25; to line 19, column 115](#)

   ```
           <input type="hidden" name="{{ redirect_field_name }}" value="{{ redirect_field_value }}" />↵
   ```

Document checking completed.

Source

1. `{% extends "base.html" %}`↵
2. ↵
3. `{% load i18n %}`↵
4. ↵
5. `{% block head_title %}{% trans "Sign Out" %}{% endblock %}`↵
6. ↵
7. `{% block content %}`↵
8. ↵
9. `<div class="container container-account h-100">`↵
10. `    <div class="row align-items-center h-100">`↵
11. `        <div class="col-xs-12 col-12 col-md-6 mx-auto">`↵
12. `            <div class="card">`↵
13. `                <div class="card-body px-4">`↵
14. `                    <h2 class="card-title text-center display-4">{% trans "Sign Out" %}</h2>`↵
15. `                    <p>{% trans 'Are you sure you want to sign out?' %}</p>`↵
16. `                    <form method="post" action="{% url 'account_logout' %}">`↵
17. `                        {% csrf_token %}`↵
18. `                        {% if redirect field value %}`↵
19. `                        <input type="hidden" name="{{ redirect_field_name }}" value="{{ redirect_field_value }}" />`↵
20. `                        {% endif %}`↵
21. `                        <button type="submit">{% trans 'Sign Out' %}</button>`↵
22. `                    </form>`↵
23. `                </div>`↵
24. `            </div>`↵
25. `        </div>`↵
26. `    </div>`↵
27. `</div>`↵
28. ↵
29. `{% endblock %}`

Used the HTML parser.

Total execution time 7 milliseconds.