

# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report

Options...

Check by 

text input

☐ css

```
{% extends 'base.html' %}
{% block content %}

<div class="container container-account h-100">
  <h2 class="text-center pt-4">500 Error</h2>
  <div class="row align-items-center h-100">
    <div class="col-12 col-lg-6 my-3 mx-auto">
      <div class="card">
        <div class="card-body text-center">
          <p>Oops! Something went wrong.</p>
          <p>Click<a href="{% url 'home' %}"> here </a>to go back</p>
        </div>
      </div>
    </div>
  </div>
</div>
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

- Warning** Consider adding a `lang` attribute to the `html` start tag to declare the language of this document.

[From line 1, column 1; to line 1, column 25](#)

```
{% extends 'base.html' %}↔{% b1
```

For further guidance, consult [Declaring the overall language of a page](#) and [Choosing language tags](#).

If the HTML checker has misidentified the language of this document, please [file an issue report](#) or [send e-mail to report the problem](#).

- Error** Non-space characters found without seeing a doctype first. Expected

```
<!DOCTYPE html>.
```

[From line 1, column 1; to line 1, column 25](#)

```
{% extends 'base.html' %}↔{% b1
```

3. **Error** Element `head` is missing a required instance of child element `title`.

[From line 1, column 1; to line 1, column 25](#)

```
{% extends 'base.html' %}↵{% bl
```

Content model for element `head`:

If the document is [an iframe srcdoc document](#) or if title information is available from a higher-level protocol: Zero or more elements of [metadata content](#), of which no more than one is a [title](#) element and no more than one is a [base](#) element.

Otherwise: One or more elements of [metadata content](#), of which exactly one is a [title](#) element and no more than one is a [base](#) element.

4. **Error** Bad value `{% url 'home' %}` for attribute `href` on element `a`:

**Illegal character in path segment:** `{` is not allowed.

[From line 11, column 29; to line 11, column 55](#)

```
<p>Click<a href="{% url 'home' %}"> here
```

Document checking completed.

## Source

```
1. {% extends 'base.html' %}↵
2. {% block content %}↵
3. ↵
4. <div class="container container-account h-100">↵
5.     <h2 class="text-center pt-4">500 Error</h2>↵
6.     <div class="row align-items-center h-100">↵
7.         <div class="col-12 col-lg-6 my-3 mx-auto">↵
8.             <div class="card">↵
9.                 <div class="card-body text-center">↵
10.                     <p>Oops! Something went wrong.</p>↵
11.                     <p>Click<a href="{% url 'home' %}"> here </a>to go
12. back</p>↵
13.                 </div>↵
14.             </div>↵
15.         </div>↵
16.     </div>↵
17. {% endblock content %}
```

Used the HTML parser.

Total execution time 4 milliseconds.