UNIVERSITY OF MUMBAI
TY B.Sc. INFORMATION TECHNOLOGY PRACTICAL EXAMINATION
SEMESTER VI
INFORMATION SECURITY (USIT6P2)

Seat No: _____ Max. Marks: 50

1. Create the following topology using static routing and **40**
   - Configure, apply and verify an ACL that will block HTTP access on R3
   - Configure, apply and verify an ACL that will block HTTPS access on R3.



Addressing Table

Device	Interface	IPv6 Address/Prefix	Default Gateway
Server	NIC	2001:DB8:1:10::30/64	FE80::1
R1	gig0/0	2001:DB8:1:10::1/64	FE80::1
	se0/1/0	2001:DB8:1:1::1/64	FE80::1
R2	se0/1/0	2001:DB8:1:1::2/64	FE80::2
	se0/1/1	2001:DB8:1:2::2/64	FE80::2
R3	gig0/0	2001:DB8:1:30::1/64	FE80::3
	gig0/1	2001:DB8:1:31::1/64	FE80::3
	se0/1/0	2001:DB8:1:2::1/64	FE80::3
PCA	NIC	2001:DB8:1:30::10/64	FE80::3
PCB	NIC	2001:DB8:1:31::11/64	FE80::3

2. Viva **5**
3. Journal **5**

UNIVERSITY OF MUMBAI
TY B.Sc. INFORMATION TECHNOLOGY PRACTICAL EXAMINATION
SEMESTER VI
INFORMATION SECURITY (USIT6P2)

Seat No: _____ Max. Marks: 50

1. Create the following topology and **40**
   - Configure OSPF MD5 authentication.
   - Configure NTP and configure routers to log messages to the Syslog Server



Addressing Table

Device	Interface	IP Address	Subnet Mask	Default Gateway
R1	gig0/0	192.168.1.1	255.255.255.0	N/A
	se0/1/0	10.1.1.1	255.255.255.252	N/A
R2	se0/1/0	10.1.1.2	255.255.255.252	N/A
	se0/1/1	10.2.2.2	255.255.255.252	N/A
R3	gig0/0	192.168.3.1	255.255.255.0	N/A
	se0/1/0	10.2.2.1	255.255.255.252	N/A
PC-A	NIC	192.168.1.5	255.255.255.0	192.168.1.1
PC-B	NIC	192.168.1.6	255.255.255.0	192.168.1.1
PC-C	NIC	192.168.3.5	255.255.255.0	192.168.3.1

2. Viva **5**

3. Journal **5**

UNIVERSITY OF MUMBAI
TY B.Sc. INFORMATION TECHNOLOGY PRACTICAL EXAMINATION
SEMESTER VI
INFORMATION SECURITY (USIT6P2)

Seat No: _____ **Max. Marks: 50**

1.	Create the following topology and ▪ Configure an ACL that will permit FTP and HTTP access on R1. ▪ Verify the ACL implementation. PC1 (Only FTP). PC2(Only HTTP)	**40**



Addressing Table

Device	Interface	IP Address	Subnet Mask	Default Gateway
R1	gig0/0	172.22.34.65	255.255.255.224	N/A
	gig0/1	172.22.34.97	255.255.255.240	N/A
	gig0/2	172.22.34.1	255.255.255.192	N/A
Server	NIC	172.22.34.62	255.255.255.192	172.22.34.1
PC1	NIC	172.22.34.66	255.255.255.224	172.22.34.65
PC2	NIC	172.22.34.98	255.255.255.240	172.22.34.97

2.	Viva	**5**
3.	Journal	**5**

UNIVERSITY OF MUMBAI
TY B.Sc. INFORMATION TECHNOLOGY PRACTICAL EXAMINATION
SEMESTER VI
INFORMATION SECURITY (USIT6P2)

Seat No: _____ **Max. Marks: 50**

1. Create the following topology and **40**
   - Configure basic ASA settings and interface security levels using CLI
   - Configure routing, address translation, and inspection policy using CLI.
   - Test connectivity to the ASA.



Addressing Table

Device	Interface	IP Address	Subnet Mask	Default Gateway
R1	gig0/0	209.165.200.225	255.255.255.248	N/A
	se0/1/0	10.1.1.1	255.255.255.252	N/A
R2	se0/1/0	10.1.1.2	255.255.255.252	N/A
	se0/1/1	10.2.2.2	255.255.255.252	N/A
R3	gig0/0	172.16.3.1	255.255.255.0	N/A
	se0/1/0	10.2.2.1	255.255.255.252	N/A
ASA	VLAN 1 (Et0/1)	192.168.1.1	255.255.255.0	N/A
ASA	VLAN 2 (Et0/0)	209.165.200.226	255.255.255.248	N/A
ASA	VLAN 3 (Et0/2)	192.168.2.1	255.255.255.0	N/A
DMZ Server	NIC	192.168.2.3	255.255.255.0	192.168.2.1
PC-B	NIC	192.168.1.3	255.255.255.0	192.168.1.1
PC-C	NIC	172.168.3.3	255.255.255.0	172.168.3.1

2. Viva **5**
3. Journal **5**

UNIVERSITY OF MUMBAI
TY B.Sc. INFORMATION TECHNOLOGY PRACTICAL EXAMINATION
SEMESTER VI
INFORMATION SECURITY (USIT6P2)

Seat No: _____ **Max. Marks: 50**

1.	Create the following topology and ▪ Connect a new redundant link between SW-1 and SW-2. ▪ Enable trunking and configure security on the trunk link. ▪ Create a new management VLAN (VLAN 20) and attach a management PC to that VLAN. ▪ Verify connectivity of the management PC to all switches. ▪ Implement an ACL to prevent outside users from accessing the management VLAN	**40**
2.	Viva	**5**
3.	Journal	**5**



Addressing Table

Devices	Interface	IP Address	Subnet Mask	Default Gateway
R1	gig0/1			
	se0/0/0	209.165.200.1	255.255.255.0	N/A
C2	NIC	192.168.10.1	255.255.255.0	192.168.10.100
C3	NIC	192.168.10.2	255.255.255.0	192.168.10.100
C4	NIC	192.168.5.1	255.255.255.0	192.168.5.100
D1	NIC	192.168.5.2	255.255.255.0	192.168.5.100
D2	NIC	192.168.5.3	255.255.255.0	192.168.5.100
D3	NIC	192.168.5.4	255.255.255.0	192.168.5.100
D4	NIC	192.168.10.3	255.255.255.0	192.168.10.100

UNIVERSITY OF MUMBAI
TY B.Sc. INFORMATION TECHNOLOGY PRACTICAL EXAMINATION
SEMESTER VI
INFORMATION SECURITY (USIT6P2)

Seat No: _____ **Max. Marks: 50**

1.	Create the following topology using static routing and ▪ Configure, apply and verify an ACL that will block ICMP access on R3	**40**



Addressing Table

Device	Interface	IPv6 Address/Prefix	Default Gateway
PC1	NIC	2001:DB8:1:10::10/64	FE80::1
PC2	NIC	2001:DB8:1:11::11/64	FE80::1
R1	gig0/0	2001:DB8:1:10::1/64	FE80::1
	gig0/1	2001:DB8:1:11::1/64	FE80::1
	se0/1/0	2001:DB8:1:1::1/64	FE80::1
R2	se0/1/0	2001:DB8:1:1::2/64	FE80::2
	se0/1/1	2001:DB8:1:2::2/64	FE80::2
R3	gig0/0	2001:DB8:1:30::1/64	FE80::3
	se0/1/0	2001:DB8:1:2::1/64	FE80::3
Server	NIC	2001:DB8:1:30::30/64	FE80::3

2.	Viva	**5**
3.	Journal	**5**

UNIVERSITY OF MUMBAI
TY B.Sc. INFORMATION TECHNOLOGY PRACTICAL EXAMINATION
SEMESTER VI
INFORMATION SECURITY (USIT6P2)

Seat No: _____ Max. Marks: 50

1.	Create the following topology and ▪ Configure OSPF MD5 authentication ▪ Configure a local user account on R1 and configure authenticate on the console and vty lines using local AAA. ▪ Verify local AAA authentication from the R1 console and the PC0 client and PC1 Client.  **Addressing Table**	**40**

Device	Interface	IP Address	Subnet Mask	Default Gateway
R1	gig0/0	192.168.1.1	255.255.255.0	N/A
PC0	NIC	192.168.1.2	255.255.255.0	192.168.1.1
PC1	NIC	192.168.1.3	255.255.255.0	192.168.1.1

2.	Viva	**5**
3.	Journal	**5**

UNIVERSITY OF MUMBAI
TY B.Sc. INFORMATION TECHNOLOGY PRACTICAL EXAMINATION
SEMESTER VI
INFORMATION SECURITY (USIT6P2)

Seat No: _____ Max. Marks: 50

1. Create the following topology and **40**

- Configure and verify R1 to support a site-to-site IPsec VPN with R3.



Addressing Table

Device	Interface	IP Address	Subnet Mask	Default Gateway
R1	gig0/0	192.168.1.1	255.255.255.0	N/A
	se0/1/0	10.1.1.2	255.255.255.252	N/A
R2	gig0/0	192.168.2.1	255.255.255.0	N/A
	se0/1/0	10.1.1.1	255.255.255.252	N/A
	se0/1/1	10.2.2.1	255.255.255.252	N/A
R3	gig0/0	192.168.2.1	255.255.255.0	N/A
	se0/1/0	10.2.2.2	255.255.255.252	N/A
PC-A	NIC	192.168.1.3	255.255.255.0	192.168.1.1
PC-B	NIC	192.168.2.3	255.255.255.0	192.168.2.1
PC-C	NIC	192.168.3.3	255.255.255.0	192.168.3.1

2. Viva **5**

3. Journal **5**

UNIVERSITY OF MUMBAI
TY B.Sc. INFORMATION TECHNOLOGY PRACTICAL EXAMINATION
SEMESTER VI
INFORMATION SECURITY (USIT6P2)

Seat No: _____ Max. Marks: 50

1. Create the following topology with OSPF routing and **40**
   - Configure NTP.
   - Configure Routers to log messages to the syslog server.
   - Configure R3 to support SSH connections



Addressing Table

Device	Interface	IP Address	Subnet Mask	Default Gateway
R1	gig0/0	192.168.1.1	255.255.255.0	N/A
	se0/1/0	10.1.1.1	255.255.255.252	N/A
R2	se0/1/0	10.1.1.2	255.255.255.252	N/A
	se0/1/1	10.2.2.2	255.255.255.252	N/A
R3	gig0/0	192.168.3.1	255.255.255.0	N/A
	se0/1/0	10.2.2.1	255.255.255.252	N/A
PC-A	NIC	192.168.1.5	255.255.255.0	192.168.1.1
PC-B	NIC	192.168.1.6	255.255.255.0	192.168.1.1
PC-C	NIC	192.168.3.5	255.255.255.0	192.168.3.1

2. Viva **5**
3. Journal **5**

UNIVERSITY OF MUMBAI
TY B.Sc. INFORMATION TECHNOLOGY PRACTICAL EXAMINATION
SEMESTER VI
INFORMATION SECURITY (USIT6P2)

Seat No: _____ Max. Marks: 50

1. Create the following topology and **40**
   - Configure an ACL that will permit one LAN to remotely access device in another LAN using SSH Protocol
   - Besides ICMP all traffic from other network is denied.
   - Verify the ACL implementation.



Addressing Table

Device	Interface	IP Address	Subnet Mask	Default Gateway
RTA	gig0/0	10.101.117.49	255.255.255.248	N/A
	gig0/1	10.101.117.33	255.255.255.240	N/A
	gig0/2	10.101.117.1	255.255.255.224	N/A
PCA	NIC	10.101.117.51	255.255.255.248	10.101.117.49
PCB	NIC	10.101.117.35	255.255.255.240	10.101.117.33
SWA	VLAN 1	10.101.117.50	255.255.255.248	10.101.117.49
SWB	VLAN 1	10.101.117.34	255.255.255.240	10.101.117.33
SWC	VLAN 1	10.101.117.2	255.255.255.224	10.101.117.1

2. Viva **5**
3. Journal **5**

UNIVERSITY OF MUMBAI
TY B.Sc. INFORMATION TECHNOLOGY PRACTICAL EXAMINATION
SEMESTER VI
INFORMATION SECURITY (USIT6P2)

Seat No: _____ **Max. Marks: 50**

1.	Create the following topology and ▪ Assign the Central switch as the root bridge. ▪ Secure spanning-tree parameters to prevent STP manipulation attacks. ▪ Enable port security to prevent CAM table overflow attacks.  **Addressing Table** **Devices** / **Interface** / **IP Address** / **Subnet Mask** / **Default Gateway** R1 / gig0/1 / 192.168.1.1 / 255.255.255.0 / N/A R1 / se0/0/0 / 209.165.200.1 / 255.255.255.0 / N/A C1 / NIC / 10.1.1.10 / 255.255.255.0 / 10.1.1.1 C2 / NIC / 10.1.1.11 / 255.255.255.0 / 10.1.1.1 C3 / NIC / 10.1.1.12 / 255.255.255.0 / 10.1.1.1 C4 / NIC / 10.1.1.13 / 255.255.255.0 / 10.1.1.1 D1 / NIC / 10.1.1.14 / 255.255.255.0 / 10.1.1.1 D2 / NIC / 10.1.1.15 / 255.255.255.0 / 10.1.1.1 D3 / NIC / 10.1.1.16 / 255.255.255.0 / 10.1.1.1 D4 / NIC / 10.1.1.17 / 255.255.255.0 / 10.1.1.1	**40**
2.	Viva	**5**
3.	Journal	**5**

UNIVERSITY OF MUMBAI
TY B.Sc. INFORMATION TECHNOLOGY PRACTICAL EXAMINATION
SEMESTER VI
INFORMATION SECURITY (USIT6P2)

Seat No: _____ **Max. Marks: 50**

1. Create the following topology using static routing and configure **40**
   - A zone-based policy (ZPF) firewall on R1
   - Verify ZPF firewall functionality using ping, SSH and a web browser.



Addressing table

Device	Interface	IP Address	Subnet Mask	Default Gateway
R1	gig0/0	192.168.1.1	255.255.255.0	N/A
	se0/1/0	10.1.1.1	255.255.255.252	N/A
R2	se0/1/0	10.1.1.2	255.255.255.252	N/A
	se0/1/1	10.2.2.2	255.255.255.252	N/A
R3	gig0/0	192.168.3.1	255.255.255.0	N/A
	se0/1/0	10.2.2.1	255.255.255.252	N/A
PC-A	NIC	192.168.1.3	255.255.255.0	192.168.1.1
PC-C	NIC	192.168.3.3	255.255.255.0	192.168.3.1

2. Viva **5**
3. Journal **5**

UNIVERSITY OF MUMBAI
TY B.Sc. INFORMATION TECHNOLOGY PRACTICAL EXAMINATION
SEMESTER VI
INFORMATION SECURITY (USIT6P2)

Seat No: _____ **Max. Marks: 50**

4.	Create the following topology using static routing and ▪ Configure, apply and verify an ACL that will block HTTP access on R1 ▪ Configure, apply and verify an ACL that will block HTTPS access on R1	**40**



Addressing Table

Device	Interface	IPv6 Address/Prefix	Default Gateway
PC1	NIC	2001:DB8:1:10::10/64	FE80::1
PC2	NIC	2001:DB8:1:11::11/64	FE80::1
R1	gig0/0	2001:DB8:1:10::1/64	FE80::1
	gig0/1	2001:DB8:1:11::1/64	FE80::1
	se0/1/0	2001:DB8:1:1::1/64	FE80::1
R2	se0/1/0	2001:DB8:1:1::2/64	FE80::2
	se0/1/1	2001:DB8:1:2::2/64	FE80::2
R3	gig0/0	2001:DB8:1:30::1/64	FE80::3
	se0/1/0	2001:DB8:1:2::1/64	FE80::3
Server	NIC	2001:DB8:1:30::30/64	FE80::3

5.	Viva	**5**
6.	Journal	**5**

UNIVERSITY OF MUMBAI
TY B.Sc. INFORMATION TECHNOLOGY PRACTICAL EXAMINATION
SEMESTER VI
INFORMATION SECURITY (USIT6P2)

Seat No: _____ **Max. Marks: 50**

1. Create the following topology using static routing **40**

- Configure ACL to allow access to routers R1, R2, and R3 to only be permitted from PC-C, the management station. PC-C is also used for connectivity testing to PC-A, which is a server providing DNS, SMTP, FTP, and HTTPS services.
- Verify ACL functionality



Addressing Table

Device	Interface	IP Address	Subnet Mask	Default Gateway
R1	gig0/0	192.168.1.1	255.255.255.0	N/A
	se0/1/0	10.1.1.1	255.255.255.252	N/A
R2	se0/1/0	10.1.1.2	255.255.255.252	N/A
	se0/1/1	10.2.2.2	255.255.255.252	N/A
	lo0	192.168.2.1	255.255.255.0	N/A
R3	gig0/0	192.168.3.1	255.255.255.0	N/A
	se0/1/0	10.2.2.1	255.255.255.252	N/A
PC-A	NIC	192.168.1.3	255.255.255.0	192.168.1.1
PC-C	NIC	192.168.3.3	255.255.255.0	192.168.3.1

2. Viva **5**

3. Journal **5**

UNIVERSITY OF MUMBAI
TY B.Sc. INFORMATION TECHNOLOGY PRACTICAL EXAMINATION
SEMESTER VI
INFORMATION SECURITY(USIT6P2)

Seat No: _____ Max. Marks: 50

1. Create the following topology and **40**
   - Enable IOS IPS
   - Configure logging and verify IPS
   - Modify signature and verify again



Addressing Table

Device	Interface	IP Address	Subnet Mask	Default Gateway
R1	gig0/0	192.168.1.1	255.255.255.0	N/A
	se0/1/0	10.1.1.1	255.255.255.252	N/A
R2	se0/1/0	10.1.1.2	255.255.255.252	N/A
	se0/1/1	10.2.2.2	255.255.255.252	N/A
R3	gig0/0	192.168.3.1	255.255.255.0	N/A
	se0/1/0	10.2.2.1	255.255.255.252	N/A
Syslog	NIC	192.168.1.50	255.255.255.0	192.168.1.1
PC-A	NIC	192.168.1.2	255.255.255.0	192.168.1.1
PC-C	NIC	192.168.3.2	255.255.255.0	192.168.3.1

2. Viva **5**
3. Journal **5**

UNIVERSITY OF MUMBAI
TY B.Sc. INFORMATION TECHNOLOGY PRACTICAL EXAMINATION
SEMESTER VI
INFORMATION SECURITY (USIT6P2)

Seat No: _____ **Max. Marks: 50**

1.	Create the following topology using static routing and configure ▪ A zone-based policy (ZPF) firewall on R3 ▪ Verify ZPF firewall functionality using ping, SSH and a web browser.	**40**
2.	Viva	**5**
3.	Journal	**5**



Addressing table

Device	Interface	IP Address	Subnet Mask	Default Gateway
R1	gig0/0	192.168.1.1	255.255.255.0	N/A
	se0/1/0	10.1.1.1	255.255.255.252	N/A
R2	se0/1/0	10.1.1.2	255.255.255.252	N/A
	se0/1/1	10.2.2.2	255.255.255.252	N/A
R3	gig0/0	192.168.3.1	255.255.255.0	N/A
	se0/1/0	10.2.2.1	255.255.255.252	N/A
PC-A	NIC	192.168.1.3	255.255.255.0	192.168.1.1
PC-C	NIC	192.168.3.3	255.255.255.0	192.168.3.1

UNIVERSITY OF MUMBAI
TY B.Sc. INFORMATION TECHNOLOGY PRACTICAL EXAMINATION
SEMESTER VI
INFORMATION SECURITY (USIT6P2)

Seat No: _____ **Max. Marks: 50**

1.	Create the following topology and ▪ Configure OSPF MD5 authentication. ▪ Configure NTP and configure routers to log messages to the Syslog Server	**40**
2.	Viva	**5**
3.	Journal	**5**



Addressing Table

Device	Interface	IP Address	Subnet Mask	Default Gateway
R1	gig0/0	192.168.1.1	255.255.255.0	N/A
	se0/1/0	10.1.1.1	255.255.255.252	N/A
R2	se0/1/0	10.1.1.2	255.255.255.252	N/A
	se0/1/1	10.2.2.2	255.255.255.252	N/A
R3	gig0/0	192.168.3.1	255.255.255.0	N/A
	se0/1/0	10.2.2.1	255.255.255.252	N/A
PC-A	NIC	192.168.1.5	255.255.255.0	192.168.1.1
PC-B	NIC	192.168.3.5	255.255.255.0	192.168.3.1
PC-C	NIC	192.168.3.6	255.255.255.0	192.168.3.1

UNIVERSITY OF MUMBAI
TY B.Sc. INFORMATION TECHNOLOGY PRACTICAL EXAMINATION
SEMESTER VI
INFORMATION SECURITY (USIT6P2)

Seat No: _____ **Max. Marks: 50**

1. Create the following topology and **40**
   - Enable IOS IPS
   - Configure logging and verify IPS
   - Modify signature and verify again



Addressing Table

Device	Interface	IP Address	Subnet Mask	Default Gateway
R1	gig0/0	192.168.1.1	255.255.255.0	N/A
	se0/1/0	10.1.1.1	255.255.255.252	N/A
R2	se0/1/0	10.1.1.2	255.255.255.252	N/A
	se0/1/1	10.2.2.2	255.255.255.252	N/A
R3	gig0/0	192.168.3.1	255.255.255.0	N/A
	se0/1/0	10.2.2.1	255.255.255.252	N/A
Syslog	NIC	192.168.3.50	255.255.255.0	192.168.3.1
PC-A	NIC	192.168.1.2	255.255.255.0	192.168.1.1
PC-C	NIC	192.168.3.2	255.255.255.0	192.168.3.1

2.	Viva	**5**
3.	Journal	**5**

UNIVERSITY OF MUMBAI
TY B.Sc. INFORMATION TECHNOLOGY PRACTICAL EXAMINATION
SEMESTER VI
INFORMATION SECURITY(USIT6P2)

Seat No: _____ Max. Marks: 50

1. Create the following topology with OSPF routing and **40**
   - Configure NTP.
   - Configure Routers to log messages to the syslog server.
   - Configure R1 to support SSH connections.



Addressing Table

Device	Interface	IP Address	Subnet Mask	Default Gateway
R1	gig0/0	192.168.1.1	255.255.255.0	N/A
	se0/1/0	10.1.1.1	255.255.255.252	N/A
R2	se0/1/0	10.1.1.2	255.255.255.252	N/A
	se0/1/1	10.2.2.2	255.255.255.252	N/A
R3	gig0/0	192.168.3.1	255.255.255.0	N/A
	se0/1/0	10.2.2.1	255.255.255.252	N/A
PC-A	NIC	192.168.1.5	255.255.255.0	192.168.1.1
PC-B	NIC	192.168.3.5	255.255.255.0	192.168.3.1
PC-C	NIC	192.168.3.6	255.255.255.0	192.168.3.1

2. Viva **5**

3. Journal **5**

UNIVERSITY OF MUMBAI
TY B.Sc. INFORMATION TECHNOLOGY PRACTICAL EXAMINATION
SEMESTER VI
INFORMATION SECURITY (USIT6P2)

Seat No: _____ Max. Marks: 50

1. Create the following topology using static routing and **40**
   - Configure, apply and verify an ACL that will block ICMP access on R1



Addressing Table

Device	Interface	IPv6 Address/Prefix	Default Gateway
Server	NIC	2001:DB8:1:10::30/64	FE80::1
R1	gig0/0	2001:DB8:1:10::1/64	FE80::1
	se0/1/0	2001:DB8:1:1::1/64	FE80::1
R2	se0/1/0	2001:DB8:1:1::2/64	FE80::2
	se0/1/1	2001:DB8:1:2::2/64	FE80::2
R3	gig0/0	2001:DB8:1:30::1/64	FE80::3
	gig0/1	2001:DB8:1:31::1/64	FE80::3
	se0/1/0	2001:DB8:1:2::1/64	FE80::3
PCA	NIC	2001:DB8:1:30::10/64	FE80::3
PCB	NIC	2001:DB8:1:31::11/64	FE80::3

2. Viva **5**
3. Journal **5**

UNIVERSITY OF MUMBAI
TY B.Sc. INFORMATION TECHNOLOGY PRACTICAL EXAMINATION
SEMESTER VI
INFORMATION SECURITY (USIT6P2)

Seat No: _____ Max. Marks: 50

1.	Create the following topology with OSPF routing and ▪ Configure NTP. ▪ Configure Routers to log messages to the syslog server. ▪ Configure R1 to support SSH connections.	**40**
2.	Viva	**5**
3.	Journal	**5**



Addressing Table

Device	Interface	IP Address	Subnet Mask	Default Gateway
R1	gig0/0	192.168.1.1	255.255.255.0	N/A
	se0/1/0	10.1.1.1	255.255.255.252	N/A
R2	se0/1/0	10.1.1.2	255.255.255.252	N/A
	se0/1/1	10.2.2.2	255.255.255.252	N/A
R3	gig0/0	192.168.3.1	255.255.255.0	N/A
	se0/1/0	10.2.2.1	255.255.255.252	N/A
PC-A	NIC	192.168.1.5	255.255.255.0	192.168.1.1
PC-B	NIC	192.168.3.5	255.255.255.0	192.168.3.1
PC-C	NIC	192.168.3.6	255.255.255.0	192.168.3.1

UNIVERSITY OF MUMBAI
TY B.Sc. INFORMATION TECHNOLOGY PRACTICAL EXAMINATION
SEMESTER VI
INFORMATION SECURITY (USIT6P2)

Seat No: _____ Max. Marks: 50

1. Create the following topology using static routing and **40**
   - Configure, apply and verify an ACL that will block ICMP access on R1



Addressing Table

Device	Interface	IPv6 Address/Prefix	Default Gateway
Server	NIC	2001:DB8:1:10::30/64	FE80::1
R1	gig0/0	2001:DB8:1:10::1/64	FE80::1
	se0/1/0	2001:DB8:1:1::1/64	FE80::1
R2	se0/1/0	2001:DB8:1:1::2/64	FE80::2
	se0/1/1	2001:DB8:1:2::2/64	FE80::2
R3	gig0/0	2001:DB8:1:30::1/64	FE80::3
	gig0/1	2001:DB8:1:31::1/64	FE80::3
	se0/1/0	2001:DB8:1:2::1/64	FE80::3
PCA	NIC	2001:DB8:1:30::10/64	FE80::3
PCB	NIC	2001:DB8:1:31::11/64	FE80::3

2. Viva **5**
3. Journal **5**

UNIVERSITY OF MUMBAI
TY B.Sc. INFORMATION TECHNOLOGY PRACTICAL EXAMINATION
SEMESTER VI
INFORMATION SECURITY (USIT6P2)

Seat No: _____ Max. Marks: 50

1. Create the following topology to Configure IP ACLs to Mitigate Attacks. **40**



Addressing Table

Device	Interface	IP Address	Subnet Mask	Default Gateway	Switch Port
R1	G0/1	192.168.1.1	255.255.255.0	N/A	S1 F0/5
	S0/0/0 (DCE)	10.1.1.1	255.255.255.252	N/A	N/A
R2	S0/0/0	10.1.1.2	255.255.255.252	N/A	N/A
	S0/0/1 (DCE)	10.2.2.2	255.255.255.252	N/A	N/A
	Lo0	192.168.2.1	255.255.255.0	N/A	N/A
R3	G0/1	192.168.3.1	255.255.255.0	N/A	S3 F0/5
	S0/0/1	10.2.2.1	255.255.255.252	N/A	N/A
PC-A	NIC	192.168.1.3	255.255.255.0	192.168.1.1	S1 F0/6
PC-C	NIC	192.168.3.3	255.255.255.0	192.168.3.1	S3 F0/18

2. Viva **5**

3. Journal **5**

UNIVERSITY OF MUMBAI
TY B.Sc. INFORMATION TECHNOLOGY PRACTICAL EXAMINATION
SEMESTER VI
INFORMATION SECURITY (USIT6P2)

Seat No: _____ Max. Marks: 50

1. Create the following topology using static routing **40**
   1. Configure the extended ACL
   2. Verify the extended ACL implementation.



Addressing Table

Device	Interface	IP Address	Subnet Mask	Default Gateway
RTA	G0/0	10.101.117.49	255.255.255.248	N/A
	G0/1	10.101.117.33	255.255.255.240	N/A
	G0/2	10.101.117.1	255.255.255.224	N/A
PCA	NIC	10.101.117.51	255.255.255.248	10.101.117.49
PCB	NIC	10.101.117.35	255.255.255.240	10.101.117.33
SWA	VLAN 1	10.101.117.50	255.255.255.248	10.101.117.49
SWB	VLAN 1	10.101.117.34	255.255.255.240	10.101.117.33
SWC	VLAN 1	10.101.117.2	255.255.255.224	10.101.117.1

2. Viva **5**
3. Journal **5**

UNIVERSITY OF MUMBAI
TY B.Sc. INFORMATION TECHNOLOGY PRACTICAL EXAMINATION
SEMESTER VI
INFORMATION SECURITY (USIT6P2)

Seat No: _____ Max. Marks: 50

1. Create the following topology to Configure IOS Intrusion Prevention System (IPS) Using the CLI **40**



Addressing Table

Device	Interface	IP Address	Subnet Mask	Default Gateway	Switch Port
R1	G0/1	192.168.1.1	255.255.255.0	N/A	S1 F0/1
	S0/0/0	10.1.1.1	255.255.255.252	N/A	N/A
R2	S0/0/0 (DCE)	10.1.1.2	255.255.255.252	N/A	N/A
	S0/0/1 (DCE)	10.2.2.2	255.255.255.252	N/A	N/A
R3	G0/1	192.168.3.1	255.255.255.0	N/A	S3 F0/1
	S0/0/0	10.2.2.1	255.255.255.252	N/A	N/A
Syslog	NIC	192.168.1.50	255.255.255.0	192.168.1.1	S1 F0/2
PC-A	NIC	192.168.1.2	255.255.255.0	192.168.1.1	S1 F0/3
PC-C	NIC	192.168.3.2	255.255.255.0	192.168.3.1	S3 F0/2

Objectives

2. Viva **5**

3. Journal **5**