

Projects Usage

2 / 999

Projects

New Project

Performance Testing

Owned

0 devices

0 logs

0 crashes

0 traces

Demo App

Owned

2 devices

2 logs

2 crashes

2 traces

Performance Test Project

Viewer

1000 devices

1000 logs

0 crashes

1000 traces

UX notes

- Add global search (projects) + sort by activity, name, plan usage.
- Card click opens Project Overview dashboard.
- Bulk actions: archive, transfer ownership, delete (owner only).

Team Management

Manage team members and invitations

Invite Member

Seats: 1 / 100

Select Project

Performance Testing (owner) ■

Members (1)

Free Plan
freeplan@dev.com
Joined 1/3/2026

Owner

UX notes

- Add: tabs for Members / Invitations / Roles.
- Add: search, filter by role, and bulk revoke.
- Show per-member last active + resource access (Devices/Logs/Traces).

NivoStack

RUNTIME

Devices

50

API Traces

50

Screen Flow

50

Device Logs

50

Crashes

0

CONTENT

Business Configuration

Localization

APIS

API Config

API Mocking

Monitoring

Cost Analysis

Subscription & Account

Manage your subscription, view usage, and upgrade your plan

Overview

Usage

Upgrade Plan

History

Organization Profile

Current Plan

Free Plan

Active

Free Forever • Monthly renewal

Period Started

12/27/2025

Renews On

1/26/2026

Usage Summary

Mock Endpoints

0

of 5

API Endpoints

2

of 1,000

API Requests

2

of 5

Logs

2

of 1,000

Sessions

2

of 1,000

Crashes

2

of 1,000

UX notes

- Add 'Usage trends' mini-chart + projected quota exhaustion.
- Add 'Billing contacts' and 'Payment method' surfaces.
- Add 'Export usage' (CSV) for finance/compliance.

NivoStack

RUNTIME

Devices	50
API Traces	50
Screen Flow	50
Device Logs	50
Crashes	0

CONTENT

- Business Configuration
- Localization

APIS

- API Config
- API Mocking
- Monitoring
- Cost Analysis

Billing

Manage billing details and payment methods.
Subscription **Billing** Invoices

Payment Method

No payment method on file

Add Card

Billing Details

Company, address, VAT/TRN, and billing contacts.

Edit

UX notes

- Add billing contacts per role (finance, admin).
- Provide payment retries + dunning notifications.
- Add invoice customization (PO number, notes).

NivoStack

RUNTIME

Devices

50

API Traces

50

Screen Flow

50

Device Logs

50

Crashes

0

CONTENT

Business Configuration

Localization

APIS

API Config

API Mocking

Monitoring

Cost Analysis

Invoices

Download invoices and receipts.
Subscription Billing **Invoices**

Year: 2026

Status: All

Search...

INVOICE	DATE	AMOUNT	STATUS	PLAN	ACTIONS
—					
—					
—					
—					
—					
—					

UX notes

- Provide PDF + CSV exports.
- Show VAT breakdown and billing entity.
- Add receipts for card payments.

NivoStack

RUNTIME

Devices	50
API Traces	50
Screen Flow	50
Device Logs	50
Crashes	0

CONTENT

Business Configuration
Localization

APIS

API Config
API Mocking
Monitoring
Cost Analysis

Profile Settings

Manage your account information

Name

Free Plan

Email

freeplan@dev.com

Email cannot be changed

Account Type

Standard Account

Save Changes

UX notes

- Add: API key management for personal tokens.
- Add: sessions/devices list with 'sign out all'.
- Add: security: MFA + recovery codes.

NivoStack

RUNTIME

Devices50

API Traces50

Screen Flow50

Device Logs50

Crashes0

CONTENT

Business Configuration

Localization

APIS

API Config

API Mocking

Monitoring

Cost Analysis

Project Overview

Aggregated health + usage across runtime and content modules

Overview

Runtime

Content

APIs

Settings

Last 24h

Env: All

App Version: All

Platform: All

Search...

Active Devices

50

uniq in range

API Traces

50

captured

Sessions

1

screen flows

Logs

50

events

Crashes

0

0.0% crash-free

Requests / Traces over time

stacked by endpoint/category



Top issues

crashes + error logs



Latency p50/p95

selected endpoints



Device distribution

platform / version



Dashboard placement notes

- Project Overview is the default landing page (replaces empty 'Analytics coming soon').
- All module pages inherit the same global filters (time range, env, version, platform).
- Deep-link from cards/charts into specific tables (e.g., click 'Top issue' → Crash detail).

NivoStack

RUNTIME

Devices

50

API Traces

50

Screen Flow

50

Device Logs

50

Crashes

0

CONTENT

Business Configuration

Localization

APIS

API Config

API Mocking

Monitoring

Cost Analysis

Devices

Registered devices and their latest heartbeat.

Status: All

Platform: All

Version: All

Country: All

Search...

Devices

DEVICE	PLATFORM	APP VERSION	COUNTRY	LAST SEEN	SESSION	ACTIONS
—						
—						
—						
—						

UX notes

- Row click opens right-side drawer; keep list context.
- Add quick filters for 'Active in last 1h/24h' and 'Crashes recently'.
- Add pagination + server-side search; cache recent filters for speed.

NivoStack

RUNTIME

Devices50

API Traces50

Screen Flow50

Device Logs50

Crashes0

CONTENT

Business Configuration

Localization

APIS

API Config

API Mocking

Monitoring

Cost Analysis

API Traces

Search and inspect captured HTTP requests and responses.

Status: All

Method: Any

Endpoint: All

Has Errors

Search...

TIME	METHOD	ENDPOINT	STATUS	DURATION	DEVICE	ACTIONS
—						
—						
—						
—						
—						
—						

Trace volume

UX notes

- Default columns are minimal; allow users to save custom views.
- Provide inline expand to view request/response headers and bodies.
- Redaction controls: per-field masking and 'never store bodies' option.

NivoStack

RUNTIME

Devices 50

API Traces 50

Screen Flow 50

Device Logs 50

Crashes 0

CONTENT

Business Configuration

Localization

APIS

API Config

API Mocking

Monitoring

Cost Analysis

Screen Flow

Sessions and navigation flow analysis.

Time: Last 24h

Platform: All

Entry Screen: Any

Search...


Top flows

common navigation sequences



Drop-off screens

where sessions end



SESSION

DEVICE

DURATION

SCREENS

LAST SCREEN

ACTIONS

UX notes

- Add Sankey view for flows (render server-side snapshot for performance).
- Provide session replay hooks (if enabled) as external links.
- Support privacy: screen-name hashing + opt-out per screen.

NivoStack

RUNTIME

- Devices50
- API Traces50
- Screen Flow50
- Device Logs50
- Crashes0

CONTENT

- Business Configuration
- Localization

APIS

- API Config
- API Mocking
- Monitoring
- Cost Analysis

Device Logs

Search logs with levels, tags, and correlation IDs.

Level: All

Category: Any

Device: Any

Has Trace

Search...

TIME	LEVEL	MESSAGE	CATEGORY	DEVICE	ACTIONS
—					
—					
—					
—					

UX notes

- Use virtualized table + server pagination to handle large volumes.
- Support saved searches and alert rules from a query.
- Add ingestion lag indicator (last received timestamp).

NivoStack

RUNTIME

Devices

50

API Traces

50

Screen Flow

50

Device Logs

50

Crashes

0

CONTENT

Business Configuration

Localization

APIS

API Config

API Mocking

Monitoring

Cost Analysis

Crashes

Crash groups and stack traces across versions.

Version: All

Platform: All

Status: Open

Search...

Crash-free users

100%

last 24h

New crashes

0

last 24h

Open issues

0

unresolved

CRASH GROUP	COUNT	IMPACTED USERS	LATEST	VERSION	STATUS	ACTIONS
—						
—						
—						
—						
—						

UX notes

- Add grouping rules (fingerprint) and regressions detection.
- Integrate with GitHub/Jira for issue linking.
- Provide symbolication status + upload UI for dSYMs/ProGuard mappings.

NivoStack

RUNTIME

Devices 50

API Traces 50

Screen Flow 50

Device Logs 50

Crashes 0

CONTENT

Business Configuration

Localization

APIS

API Config

API Mocking

Monitoring

Cost Analysis

Notifications

Configure delivery channels for alerts

Notifications

Product Features

SDK Settings

Data Cleanup

Project Settings

Email Notifications

Receive alerts via email



Push Notifications

Receive real-time push alerts



SMS Notifications

Receive alerts via SMS



Webhook

Send alerts to your webhook endpoint



Alert Rules

No alert rules configured yet

UX notes

- Build rules from saved queries (logs/traces/crashes).
- Provide escalation: severity → channel → schedule.
- Add rate limiting + dedup to avoid alert storms.

NivoStack

RUNTIME

Devices 50

API Traces 50

Screen Flow 50

Device Logs 50

Crashes 0

CONTENT

Business Configuration

Localization

APIS

API Config

API Mocking

Monitoring

Cost Analysis

Product Features

Control which features are enabled in the SDK.

Notifications

Product Features

SDK Settings

Data Cleanup

Project Settings

SDK Feature Flags

Changes take effect on next app launch.

SDK Enabled (Master Switch)

SDK is active - all enabled features will work



API Tracking

Track HTTP requests and responses



Screen Tracking

Track screen views and navigation flow



Crash Reporting

Capture and report app crashes



Device Logs

Capture logs (debug/info/error)



UX notes

- Show dependencies (e.g., Screen Flow requires Screen Tracking).
- Add per-feature sampling rates to reduce cost/perf impact.
- Provide 'staged rollout' using cohorts/experiments.

NivoStack

RUNTIME

Devices	50
API Traces	50
Screen Flow	50
Device Logs	50
Crashes	0

CONTENT

- Business Configuration
- Localization

APIS

- API Config
- API Mocking
- Monitoring
- Cost Analysis

SDK Settings

Configure batching, queue behavior, and client-side logging.

- Notifications
- Product Features
- SDK Settings
- Data Cleanup
- Project Settings

Performance Settings

Configure batching and queue behavior

Enable Batching

Batch events before sending to reduce network calls



Max Log Queue Size

100

Maximum logs to queue before flushing

Max Trace Queue Size

50

Maximum API traces to queue before flushing

Flush Interval (seconds)

30

Log Control

Performance notes

- Batching should be adaptive (reduce batch size on low connectivity).
- Provide client-side rate limits + backpressure to avoid memory spikes.
- Expose SDK diagnostics (dropped events, flush failures) to the dashboard.

NivoStack

RUNTIME

Devices	50
API Traces	50
Screen Flow	50
Device Logs	50
Crashes	0

CONTENT

- Business Configuration
- Localization

APIS

- API Config
- API Mocking
- Monitoring
- Cost Analysis

Data Cleanup

Danger zone: these actions permanently delete data and cannot be undone.

Notifications

Product Features

SDK Settings

Data Cleanup

Project Settings

Danger Zone — irreversible operations. Require confirmation.

Learn

Delete All Devices

Permanently removes all registered devices and

Delete Devices

Delete All API Traces

Removes all captured request/response traces.

Delete API Traces

Delete All Logs

Removes all application logs (debug/info/error).

Delete Logs

Delete All Sessions

Removes all session data and events.

Delete Sessions

Safety notes

- Require typing the project name + 2-step confirmation.
- Provide scoped delete (by time range / version) before full wipe.
- Write audit log entries and notify owners on destructive actions.

NivoStack

RUNTIME

Devices	50
API Traces	50
Screen Flow	50
Device Logs	50
Crashes	0

CONTENT

- Business Configuration
- Localization

APIS

- API Config
- API Mocking
- Monitoring
- Cost Analysis

Project Settings

- Manage project metadata and keys
- Notifications
- Product Features
- SDK Settings
- Data Cleanup
- Project Settings

Project Name

Performance Test Project

Edit

API Key

test-cmjxkkd52000511t4yohtdcfh

Copy

Use this API key to initialize the DevBridge SDK in your mobile app.

Danger Zone

UX notes

- Add secondary keys (read-only) and rotation schedule.
- Add environment separation (dev/stage/prod) per project.
- Add audit log + change history for settings.

NivoStack

RUNTIME

Devices50

API Traces50

Screen Flow50

Device Logs50

Crashes0

CONTENT

Business Configuration

Localization

APIS

API Config

API Mocking

Monitoring

Cost Analysis

Business Configuration Builds

Create versioned build artifacts for business configuration.

Translation

Categories

Analytics

Builds

Experiments

Business Configuration Builds

0 builds

VERSION	NAME	ITEMS	CREATED BY	CREATED	MODE	ACTIONS
—						
—						
—						

UX notes

- Align builds workflow across Business Config and Localization.
- Add approvals + publish to environments.
- Provide build diff and rollback.

NivoStack

RUNTIME

Devices 50

API Traces 50

Screen Flow 50

Device Logs 50

Crashes 0

CONTENT

Business Configuration

Localization

APIS

API Config

API Mocking

Monitoring

Cost Analysis

Categories

Group events, configs, traces, and logs to improve analysis and filtering.

Translation

Categories

Analytics

Builds

Experiments

ui

ui

Auto

feature

feature

Auto

analytics

analytics

Auto

api

api

Auto

payment

payment

Auto

Type: All

Source: All

Search...

UX notes

- Categories should be used across the platform: traces, logs, configs, localization keys.
- Add bulk edit + merge categories.
- Add rule builder for Auto categories (regex / prefix / endpoint match).

NivoStack

RUNTIME

Devices 50

API Traces 50

Screen Flow 50

Device Logs 50

Crashes 0

CONTENT

Business Configuration

Localization

APIS

API Config

API Mocking

Monitoring

Cost Analysis

Analytics

Actionable insights for usage, stability, and performance.

Translation

Categories

Analytics

Builds

Experiments

Analytics dashboard

This area becomes a summary slice of the Project Overview.
Detailed analytics live behind the primary CTA and provide per-config charts, cohorts, and export.

Crash-free rate

by app version



Top endpoints

p95 latency



UX notes

- Replace 'coming soon' with embedded KPIs and trend charts (fast to render).
- Add drill-downs: click chart → filtered table view.
- Support export: CSV/JSON and scheduled email/webhook reports.

NivoStack

RUNTIME

- Devices50
- API Traces50
- Screen Flow50
- Device Logs50
- Crashes0

CONTENT

- Business Configuration
- Localization

APIS

- API Config
- API Mocking
- Monitoring
- Cost Analysis

Experiments

Create and manage A/B tests for your configs.

TranslationCategoriesAnalyticsBuilds

Experiments

No experiments yet

Create Your First Experiment

Recent experiments

NAME	CONFIG	COHORTS	STATUS	STARTED	ACTIONS
—					
—					
—					

UX notes

- Experiments should integrate with the aggregated dashboard (impact on crash rate, latency, conversions).
- Provide a 'confidence' indicator + auto-stop rules.
- Add segment builder (version/platform/country/user attributes).

NivoStack

RUNTIME

Devices 50

API Traces 50

Screen Flow 50

Device Logs 50

Crashes 0

CONTENT

Business Configuration

Localization

APIS

API Config

API Mocking

Monitoring

Cost Analysis

Keys

Manage translation keys, tags, and status.

Keys

Languages

Import/Export

Builds

Statistics

Providers

Glossary

Localization service unavailable for this project. Try again.

Retry

Status: All

Tag: All

Owner: Any

Search...

KEY	DEFAULT TEXT	TAGS	UPDATED	STATUS	ACTIONS
—					
—					
—					
—					
—					

Error-state UX notes

- Show a non-blocking banner + keep the table skeleton to reduce perceived downtime.
- Provide 'Retry' and 'Contact support' actions with correlation ID.
- Cache last successful results for offline browsing (read-only).

NivoStack

RUNTIME

Devices	50
API Traces	50
Screen Flow	50
Device Logs	50
Crashes	0

CONTENT

- Business Configuration
- Localization

APIS

- API Config
- API Mocking
- Monitoring
- Cost Analysis

Languages

Configure supported locales and fallback rules.

- Keys
- Languages
- Import/Export
- Builds
- Statistics
- Providers
- Glossary

No languages configured yet

Add Your First Language

Locales

LOCALE	NAME	FALLBACK	STATUS	COVERAGE	ACTIONS
—					
—					
—					

UX notes

- Add fallback chains and pluralization rules.
- Add coverage metrics per locale (translated / missing / stale).
- Add per-locale export + reviewer assignment.

NivoStack

RUNTIME

Devices	50
API Traces	50
Screen Flow	50
Device Logs	50
Crashes	0

CONTENT

- Business Configuration
- Localization

APIS

- API Config
- API Mocking
- Monitoring
- Cost Analysis

Import & Export

Bulk operations for translations and content: CSV/JSON/XLIFF

Keys

Languages

Import/Export

Builds

Statistics

Providers

Glossary

Import

Import translations from CSV, JSON, XLIFF

Open

Export

Export translations to CSV, JSON, XLIFF

Open

Bulk Operations

Perform bulk updates, deletions, etc.

Open

UX notes

- Add dry-run validation with row-level errors before import.
- Support mapping templates per platform (iOS/Android/Web).
- Add access control: import/export permissions + audit log.

NivoStack

RUNTIME

Devices50

API Traces50

Screen Flow50

Device Logs50

Crashes0

CONTENT

Business Configuration

Localization

APIS

API Config

API Mocking

Monitoring

Cost Analysis

Localization Builds

Generate immutable build artifacts for localization with versioning and approvals

KeysLanguagesImport/ExportBuildsStatisticsProvidersGlossary

Localization Builds

0 builds

VERSION	NAME	ITEMS	CREATED BY	CREATED	MODE	ACTIONS
—						
—						
—						

UX notes

- Builds should support: draft → review → approved → published.
- Provide diff view between builds and rollback.
- Add webhook integrations (CI/CD) and signed artifacts for audit.

NivoStack

RUNTIME

Devices50

API Traces50

Screen Flow50

Device Logs50

Crashes0

CONTENT

Business Configuration

Localization

APIS

API Config

API Mocking

Monitoring

Cost Analysis

Statistics

Localization health metrics and coverage

KeysLanguagesImport/ExportBuildsStatisticsProvidersGlossary

Locale: All

Status: All

Search...

Keys

0

total

Locales

0

configured

Missing



0

strings

Stale

0

needs review



UX notes

- Show per-locale trends and reviewer SLA.
- Add export of missing/stale lists.
- Provide 'auto-translate backlog' queue with provider selection.

NivoStack

RUNTIME

Devices50

API Traces50

Screen Flow50

Device Logs50

Crashes0

CONTENT

Business Configuration

Localization

APIS

API Config

API Mocking

Monitoring

Cost Analysis

Translation Providers

Configure machine translation providers to enable automatic translations.

Keys

Languages

Import/Export

Builds

Statistics

Providers

Glossary

Provider setup incomplete. No automatic translations will run. Providers

Fix

Add one or more providers (Azure, Google, DeepL, OpenAI, custom) and set priority / fallback.

PROVIDER	STATUS	PRIORITY	SCOPES	ACTIONS
—				
—				

UX notes

- Add per-provider cost estimates and rate limit indicators.
- Add test-connection + sample translation preview.
- Add secret storage + rotation reminders.

NivoStack

RUNTIME

Devices50

API Traces50

Screen Flow50

Device Logs50

Crashes0

CONTENT

Business Configuration

Localization

APIS

API Config

API Mocking

Monitoring

Cost Analysis

Glossary

Manage terminology and glossary terms for consistent translations.

Keys

Languages

Import/Export

Builds

Statistics

Providers

Glossary

Glossary not loaded (project mismatch).

Retry

Glossary terms

Create terms, synonyms, and approved translations; enforce during review.

TERM	DESCRIPTION	LOCALES	STATUS	ACTIONS
—				
—				

UX notes

- Add import/export for glossary.
- Add conflict detection against existing keys.
- Add enforcement rules (block publish if glossary violations exist).