
shutdown und reboot



Syntax

- shutdown [TIME]
- reboot [TIME]

Beide Kommandos verlangen root-Berechtigung. Es muss also sudo vorangestellt werden.

Beiden Kommandos kann eine Zeitangabe als Argument übergeben werden. Die Zeitangabe kann folgendes sein:

© 2025 Hermann Hueck

- hh:mm (Stunde:Minute): eine Uhrzeit im 24-Stunden-Format
- +m (Minuten): eine Zeitangabe in Minuten ab jetzt
- [keine Zeitangabe]: in einer Minute
- now: sofort (gerne verwendet bei Ein-Benutzer-Systemen)

Man kann auch eine Nachricht an alle auf dem System angemeldeten Benutzer senden.

Mehr Infos erhält man mit:

- sudo shutdown --help und sudo reboot --help.
- man shutdown und man reboot

© 2025 Hermann Hueck 2/4

Shutdown (sofort)

```
hermann@debian:~$ sudo shutdown now # shutdown the system immediately [sudo] Passwort für hermann:
```

Broadcast message from root@debian on pts/1 (Mon 2025-03-24 16:24:26 CET):

The system will power off now!

© 2025 Hermann Hueck 3/4

Reboot (sofort)

```
hermann@debian:~$ sudo reboot now # reboot the system immediately
[sudo] Passwort für hermann:

Broadcast message from root@debian on pts/1 (Mon 2025-03-24 16:26:44 CET):

The system will reboot now!
```

© 2025 Hermann Hueck 4/4