

More ways to give. A clearer view of the work.

Payments, operations and a simulated neighborhood

50 actual browser views captured on 2026-09-27T20:14:23.659Z

<https://givetogive-staging.vercel.app>

This is an accessible-view walkthrough, not completed Stripe acceptance or a live-production launch. Disabled or empty states are genuine. A screenshot of a control does not prove its external payment flow.

Stripe payment, subscription and fund gates are OFF. No real money was moved. This is not the final production or completed payment-acceptance walkthrough.

Actual protected staging UI and database records. Three temporary synthetic accounts were created; one received the administrator role. One explicitly synthetic unpaid Ask and one nonfinancial operator-review case demonstrate controls. No payments, balances, paid tiers, or agent actions were fabricated. Screenshots mask email addresses. Fixture records are cleaned up; append-only audit events remain as a truthful test history.

Read the evidence, not just the screens.

The existing public site remains the non-payment release. The new work is deployed to a separate protected staging project, using synthetic records and isolated credentials.

Views below show genuine availability, empty states, account boundaries, measured operations and stored agent histories. A plan card is not an active subscription. A seeded cohort is not a paid tier. A run record is not proof that 100 agents completed a soak.

Still awaiting provider-backed verification

- Provider-authenticated Checkout success, cancellation, decline, and 3DS/SCA.
- Connected-recipient onboarding, verification requirements, transfers, and payouts.
- Paid Supporter/Sustainer changes, renewals, failed invoices, and cancellation through the customer portal.
- Verified receipts, partial/full refunds, dispute outcomes, fund allocation, and recovery after real provider events.
- Hosted signed webhook delivery and reconciliation with the configured Stripe sandbox.

The feature appendix distinguishes origin from acceptance against main at f6638fe. See docs/payments-verification.md for the final test and deployment record.

01 / Home - the neighborhood

Published staging home. Money-help wording follows this environment's actual payment gates.



GiveToGive

NEIGHBOR TO NEIGHBOR

Browse asks

Community funds

Support us

Sign in

Join in

A NEIGHBORHOOD HELP EXCHANGE

Useful things
belong in
motion.

GiveToGive makes room for the small, specific help that keeps a neighborhood generous: an hour, a ride, a spare item, a skilled hand, or a few dollars toward a shared need.

See what neighbors need

Make a free account

THERE IS MORE THAN ONE WAY TO SHOW UP

01

02

03

Help can have any shape.



GIVETO GIVE / PROTECTED STAGING / PARTIAL ACCEPTANCE

3

02 / Money Asks - browse

Existing synthetic money Asks. Off-platform pledges are not Stripe-confirmed payments.

 **GiveToGive**
NEIGHBOR TO NEIGHBOR

[Browse asks](#) [Community funds](#) [Support us](#) [Sign in](#) [Join in](#)



THE NEIGHBORHOOD NOTICEBOARD

Every ask has a way in.

Browse needs with a clear finish line. Pitch in with the time, items, skills, resources, or money you can share.

THE COMMUNITY BOARD

Find a good fit.

[+ Sign In to post an ask](#)

All types

Time

Task

Item

Money

Resource

SEARCH

Keywords or a need

STATUS

Any status

DIFFICULTY

Any level

TIME NEEDED

Any length

Apply filters

Clear filters

33 Asks found

[Sign in to save Asks](#)

/asks?type=money

03 / Money Asks - available cards

Fully loaded money-Ask cards and type-specific progress. Legacy pledges remain distinct from verified Stripe payments.

g2g

GiveToGive

NEIGHBOR TO NEIGHBOR

Browse asks

Community funds

Support us

Sign in

Join in

MONEY

Not Started

Synthetic walkthrough Ask — new-payment control demonstration

Synthetic unpaid Ask for operator control screenshots only. No provider or payment record exists.

Difficulty 1/5

About 1 min

Verified net funding

\$0.00 of \$100.00

\$100.00 still makes a difference.

View this ask ↗

MONEY

Not Started

Help stock the neighborhood pantry — 4 (simulation)

Synthetic Ask for an isolated testing environment. No real money or services are requested.

Difficulty 4/5

About 75 min

Off-platform pledges · not verified payments

\$0.00 of \$200.00

\$200.00 still makes a difference.

View this ask ↗

MONEY

Not Started

Help stock the neighborhood pantry — 4 (simulation)

Synthetic Ask for an isolated testing environment. No real money or services are requested.

Difficulty 4/5

About 75 min

Off-platform pledges · not verified payments

\$0.00 of \$200.00

\$200.00 still makes a difference.

View this ask ↗

MONEY

Not Started

Help stock the neighborhood pantry — 30 (simulation)

This is a synthetic Ask in an isolated test environment. It exists to exercise mutual aid workflows; there is no real request for...

Difficulty 5/5

About 45 min

Off-platform pledges · not verified payments

\$0.00 of \$200.00

MONEY

Not Started

Help stock the neighborhood pantry — 29 (simulation)

This is a synthetic Ask in an isolated test environment. It exists to exercise mutual aid workflows; there is no real request for...

Difficulty 4/5

About 30 min

Off-platform pledges · not verified payments

\$0.00 of \$200.00

MONEY

Not Started

Help stock the neighborhood pantry — 28 (simulation)

This is a synthetic Ask in an isolated test environment. It exists to exercise mutual aid workflows; there is no real request for...

Difficulty 3/5

About 75 min

Off-platform pledges · not verified payments

\$0.00 of \$200.00

/asks?type=money

04 / Money Ask - detail

An actual existing staging Ask. Any progress shown is labeled according to its payment-enabled or legacy pledge model.

g2g

GiveToGive

NEIGHBOR TO NEIGHBOR

Browse asks

Community funds

Support us

Sign in

Join in

←

Back to the noticeboard

MONEY

NOT STARTED

Help stock the neighborhood pantry — 4 (simulation)

Asked by Taylor Rivera (simulation)

OFF-PLATFORM PLEDGES · NOT VERIFIED PAYMENTS

\$0.00

of \$200.00

\$200.00 remains.

\$0.00 completed

This Ask uses off-platform pledges arranged between members. These amounts are self-reported, not Stripe payments, and are excluded from verified giving totals.

Sign in to offer help

THE FULL ASK

Here is what would help.

Synthetic Ask for an isolated testing environment. No real money or services are requested.

DIFFICULTY

TIME ESTIMATE

CONTRIBUTORS

THE REPLY WALL

Neighbors who stepped up

0 contributions

Off-platform contribution history. "Completed" means a member reported delivery; it does not prove a verified Stripe payment.

There is room for the first reply. A small share can move this one forward.

/asks/simulation-2341957927748003-4

05 / Support - three equal welcomes

Neighbor is free; Supporter and Sustainer are optional paid tiers. Displayed plans are not proof of active subscriptions.

g2g

GiveToGive

NEIGHBOR TO NEIGHBOR

Browse asks

Community funds

Support us

Sign in

Join in

A LITTLE, TOGETHER

Keep a good thing going.

Help keep this neighborhood open, thoughtful, and useful. Membership supports GiveToGive itself—not an individual Ask or community fund.

GOOD THINGS ADD UP

◇ staging · synthetic environment

Test payments only. No real money moves.

Neighbor

\$0

always welcome

Being part of the neighborhood is enough. No membership needed to give or receive help.

Create every kind of Ask

Offer help, save Asks, meet neighbors

Give toward Asks and community funds

The same chance to be seen and supported

Supporter

\$5

/ month

A small, steady contribution to the place that brings neighbors together.

Everything available to a Neighbor

An optional Supporter badge

Your personal impact summary

Manage or cancel anytime

Sustainer

\$15

/ month

The same welcome, with a little more support for the work behind the scenes.

Everything available to a Supporter

An optional Sustainer badge

A larger contribution to operations

No special priority for receiving help

/support

GIVETO GIVE / PROTECTED STAGING / PARTIAL ACCEPTANCE

7

06 / Support - plain-language details

Open membership explanations: operating support is separate from Ask/fund gifts, and payment buys no receiving priority.

[Browse asks](#)[Community funds](#)[Support us](#)[Sign in](#)[Join in](#)

[Explore the community](#)

[Sign in to become a supporter](#)

[Sign in to become a sustainer](#)

Help is never a paid privilege. Supporter badges recognize optional financial support; they are not identity verification, a safety rating, or a guarantee. Prices are in USD, plus any applicable tax shown at Checkout.

MEMBERSHIP, PLAINLY EXPLAINED

The useful little details.

▼ Where does my membership go?

Your subscription supports the operation of GiveToGive. Contributions to a neighbor's Ask or a community fund are separate choices, shown separately in your giving history.

► Can I change my mind?

▼ Does paying get my Ask more attention?

No. Paid membership does not change search placement, who can ask for help, or who gets priority for receiving assistance.

► Is this a tax-deductible donation?

[Want to support a shared community fund instead? ↗](#)

[Already a supporter? Manage billing ↗](#)

07 / Community funds

The actual fund listing, including its honest empty or disabled state. No balance was seeded for this walkthrough.



GiveToGive
NEIGHBOR TO NEIGHBOR

[Browse asks](#)[Community funds](#)[Support us](#)[Sign in](#)[Join in](#)

A LITTLE FROM MANY

Together goes further.

Give once or give monthly. Community funds turn many small contributions into support for eligible neighbors—with a visible record of every allocation.

◇ staging · synthetic environment

Test payments only. No real money moves.

Community-fund payments are not enabled in this environment. You can explore published fund records, but no new money can be collected.



A shared fund is taking shape.

No community funds have been published yet. This space will show their purpose, available balance, and allocation history.

[Help a neighbor directly ↗](#)

01 / A SHARED INTENTION

Give a little

02 / CAREFUL ALLOCATION

Help with


03 / AN OPEN RECORD

Contribute to

/funds

08 / Private giving - sign-in boundary

Guests are redirected before private giving records are queried.



/signin?callbackUrl=/giving

09 / Support - signed-in availability

This real synthetic Neighbor sees the actual subscription gate. No paid membership was created.



GiveToGive
NEIGHBOR TO NEIGHBOR

[Browse asks](#)[Community funds](#)[Support us](#)[Post an ask](#)[My account ▾](#)



Neighbor

\$0

always welcome

Being part of the neighborhood is enough. No membership needed to give or receive help.

- Create every kind of Ask
- Offer help, save Asks, meet neighbors
- Give toward Asks and community funds
- The same chance to be seen and supported

[Explore the community](#)



Supporter

\$5

/ month

A small, steady contribution to the place that brings neighbors together.

- Everything available to a Neighbor
- An optional Supporter badge
- Your personal impact summary
- Manage or cancel anytime

[Subscriptions not yet available](#)



Sustainer

\$15

/ month

The same welcome, with a little more support for the work behind the scenes.

- Everything available to a Supporter
- An optional Sustainer badge
- A larger contribution to operations
- No special priority for receiving help

[Subscriptions not yet available](#)

Help is never a paid privilege. Supporter badges recognize optional financial support; they are not identity verification, a safety rating, or a guarantee. Prices are in USD, plus any applicable tax shown at Checkout.

MEMBERSHIP, PLAINLY EXPLAINED

The useful little details.

► Where does my membership go?

► Can I change my mind?

/support

10 / Your giving - genuine empty history

A new synthetic Neighbor has zero verified payments and no fabricated receipts.

g2g

GiveToGive

NEIGHBOR TO NEIGHBOR

Browse asks

Community funds

Support us

Post an ask

My account ▾

YOUR PART IN THE NEIGHBORHOOD

Good things, on record.

Follow your contributions from a small intention to confirmed help. These records are private to your account.

Your giving

Membership & billing

Receiving help

Security

◇ staging · synthetic environment

Test payments only. No real money moves.

VERIFIED HELP SHARED

\$0.00

Net amounts for Asks and funds, after recorded refunds and disputes. Membership payments are separate.

PENDING HELP

\$0.00

Net amounts reserved or awaiting confirmation. Not included in verified giving.

CONTRIBUTIONS THAT COUNT

0

Ask and fund payments with a positive verified recipient amount.

PAYMENT HISTORY

Every contribution has a story.

Manage recurring support ↗

/giving

GIVETO GIVE / PROTECTED STAGING / PARTIAL ACCEPTANCE

12

11 / Account navigation - open menu

One menu connects profile, saved Asks, giving, membership, receiving, and account security.

g2g

GiveToGive

NEIGHBOR TO NEIGHBOR

Browse asks

Community funds

Support us

Post an ask

My account ▾

YOUR PART IN THE NEIGHBORHOOD

Good things, on record.

Follow your contributions from a small intention to confirmed help. These records are private to your account.

Your giving

Membership & billing

Receiving help

Security

◇ staging · synthetic environment

Test payments only. No real money moves.

VERIFIED HELP SHARED

\$0.00

Net amounts for Asks and funds, after recorded refunds and disputes. Membership payments are separate.

PENDING HELP

\$0.00

Net amounts reserved or awaiting confirmation. Not included in verified giving.

CONTRIBUTIONS THAT COUNT

0

Ask and fund payments with a positive verified recipient amount.

PAYMENT HISTORY

Every contribution has a story.

Manage recurring support ↗

/giving

GIVETO GIVE / PROTECTED STAGING / PARTIAL ACCEPTANCE

13

12 / Giving - a return is not proof of payment

The return-page explanation is shown without creating a payment. The history remains empty and no success is invented.

g2g

GiveToGive

NEIGHBOR TO NEIGHBOR

Browse asks

Community funds

Support us

Post an ask

My account ▾

YOUR PART IN THE NEIGHBORHOOD

Good things, on record.

Follow your contributions from a small intention to confirmed help. These records are private to your account.

Your giving

Membership & billing

Receiving help

Security

◇ staging · synthetic environment

Test payments only. No real money moves.

Returned from Checkout? Your record updates when Stripe confirms the payment. A return to this page is not proof of payment; a pending payment can take a little longer.

VERIFIED HELP SHARED

\$0.00

Net amounts for Asks and funds, after recorded refunds and disputes. Membership payments are separate.

PENDING HELP

\$0.00

Net amounts reserved or awaiting confirmation. Not included in verified giving.

CONTRIBUTIONS THAT COUNT

0

Ask and fund payments with a positive verified recipient amount.


/giving?checkout=success

GIVETO GIVE / PROTECTED STAGING / PARTIAL ACCEPTANCE

14

13 / Membership and billing


Actual free Neighbor status. Portal access and subscription actions follow real availability.



[/account/billing](#)

14 / Receiving help


Actual Connect readiness. Disabled onboarding is preserved until the Stripe sandbox is configured.



/account/receiving

15 / Account security


Authenticator setup and session-revocation entry points. No setup key or code is displayed or captured.



[/account/security](#)

16 / Security - session-revocation confirmation


Safe open confirmation only; Keep sessions is chosen afterward.



/account/security

17 / Member profile - Neighbor


This temporary synthetic profile has no paid badge and no invented contribution history.



[/members/c05f0ee4-16b0-4059-b63f-d1601979f2ff](#)

18 / Profile - badge privacy option

The profile editor offers an opt-in paid badge; opting in alone never grants a paid tier. No changes are submitted.



/members/c05f0ee4-16b0-4059-b63f-d1601979f2ff

19 / Administration - member access denied

An ordinary authenticated member cannot see the administrator dashboard.



GiveToGive
NEIGHBOR TO NEIGHBOR

[Browse asks](#)[Community funds](#)[Support us](#)[Post an ask](#)

My account ▾

A LITTLE OFF THE MAP

This page is not here.

The link may have changed, or this Ask or member no longer exists.

Explore community asks

GiveToGive keeps useful things, time, and care moving through the neighborhood.

[Explore asks](#)[Join the network](#)

/admin

20 / Operations - actual environment overview

Live-query metrics from isolated staging, including synthetic activity. This is not production fundraising performance.



GiveToGive

NEIGHBOR TO NEIGHBOR

[Browse asks](#)
[Community funds](#)
[Support us](#)
[Post an ask](#)
[My account ▾](#)

BEHIND THE NEIGHBORHOOD

GiveToGive operations

[Account security ↗](#)

Overview

Live activity

Members

Payments & recovery

Fund allocations

Simulation room

The neighborhood, at a glance.

◆ staging · synthetic environment

Test payments only. No real money moves.

All-time records from this isolated environment; subscriptions reflect current paid-through status. Definitions accompany each measurement. Synthetic and production populations are never combined.

NET VERIFIED GIFTS

\$0.00

Verified recipient or fund-intake value less confirmed recipient refunds and disputed recipient value. Not a cash balance or bank payout metric. Excludes supporter subscriptions and legacy pledges.

SUPPORTER MRR

\$0.00

Monthly list-price value of active, paid-through, non-canceling supporter subscriptions. Excludes fund subscriptions, past-due and unpaid subscriptions.

OPERATIONS REQUIRING ATTENTION

1

Unresolved payment operation cases in this environment.

Review payment operations ↗

Open simulation room ↗

Participation & giving

MEASUREMENT	VALUE	WHAT IT COUNTS

/admin

21 / Operations - measured trends

Daily net giving and request timing use measured records. Missing latency is not rendered as a fabricated zero.

g2g

GiveToGive

NEIGHBOR TO NEIGHBOR

Browse asks

Community funds

Support us

Post an ask

My account

Thirty days, in context.

Updated 0s ago · refreshes every 30s

2026-08-29T00:00:00.000Z through 2026-09-27T20:14:05.712Z. Today is partial. Refreshes every 30 seconds while this page is visible.

NET GIFT VALUE IN PERIOD

\$0.00

Current net value assigned to the original payment date.
Not a historical cash balance.

CHECKOUT COMPLETION

No checkouts

0 confirmed paid / 0 Checkout Sessions created in this period.

MEASURED REQUEST LATENCY

51 ms

Weighted mean across 1,167 recorded requests; 177 errors. Not a percentile or browser page-load metric.

Verified net giving per payment day

\$0.00

Recorded requests per day

Daily · UTC1,167

2026-08-29

2026-09-27

2026-08-29

2026-09-27

Definitions and exact daily measurements

Export measurements & definitions

Recent activity

Explore all activity

Member · sessions revoked

Success

Inspect user

Event #910

Sep 27, 8:10:03 PM UTC

/admin

GIVETO GIVE / PROTECTED STAGING / PARTIAL ACCEPTANCE

23

22 / Operations - definitions and daily table

Open metric definitions and exact UTC daily values make the chart auditable.

g2g

GiveToGive

NEIGHBOR TO NEIGHBOR

Browse asks

Community funds

Support us

Post an ask

My account

▼ Definitions and exact daily measurements

Current net value of gifts grouped by original payment date (UTC), after refunds and disputes as of now. Not a historical cash-balance series. Excludes supporter subscriptions and legacy pledges.

Measured top-level tRPC HTTP and server-component procedure duration, excluding metrics persistence, admin polling, Auth.js, and internal MCP transaction calls. Missing measurements are null, not zero latency.

Checkouts created in this period with a confirmed paidAt divided by all created Checkout Sessions. Includes pending or abandoned sessions; recurring renewal invoices without a Checkout Session are excluded.

Daily metrics in UTC; missing latency means no measured request, not zero milliseconds.

DATE	GROSS GIFTS	NET GIFTS	GIFT COUNT	REQUESTS	ERRORS	MEAN MS	MAX MS
2026-08-29	\$0.00	\$0.00	0	0	0	Not measured	Not measured
2026-08-30	\$0.00	\$0.00	0	0	0	Not measured	Not measured
2026-08-31	\$0.00	\$0.00	0	0	0	Not measured	Not measured
2026-09-01	\$0.00	\$0.00	0	0	0	Not measured	Not measured
2026-09-02	\$0.00	\$0.00	0	0	0	Not measured	Not measured
2026-09-03	\$0.00	\$0.00	0	0	0	Not measured	Not measured
2026-09-04	\$0.00	\$0.00	0	0	0	Not measured	Not measured
2026-09-05	\$0.00	\$0.00	0	0	0	Not measured	Not measured
2026-09-06	\$0.00	\$0.00	0	0	0	Not measured	Not measured
2026-09-07	\$0.00	\$0.00	0	0	0	Not measured	Not measured
2026-09-08	\$0.00	\$0.00	0	0	0	Not measured	Not measured
2026-09-09	\$0.00	\$0.00	0	0	0	Not measured	Not measured
2026-09-10	\$0.00	\$0.00	0	0	0	Not measured	Not measured

/admin

GIVETO GIVE / PROTECTED STAGING / PARTIAL ACCEPTANCE

24

23 / Activity - live audit feed

Real server-recorded events, separate from model intentions and provider confirmations. Live polling is not a fabricated replay.

g2g

GiveToGive

NEIGHBOR TO NEIGHBOR

Browse asks

Community funds

Support us

Post an ask

My account ▾

BEHIND THE NEIGHBORHOOD

GiveToGive operations

Account security ↗

Overview

Live activity

Members

Payments & recovery

Fund allocations

Simulation room

Live activity

Updated 0s ago · refreshes every 2s

Outcome ▾

From (UTC) mm/dd/yyyy 📅

Through (UTC) mm/dd/yyyy 📅

Reset filters

◇ staging · synthetic environment

Test payments only. No real money moves.

Recorded actions

Server-recorded actions for the selected population. Intent, application results, and payment confirmation are separate events. Times are UTC. The live view retains the latest 500 received records; use Older activity to continue.

↗ Member · sessions revoked

Success

Sep 27, 8:10:03 PM UTC

Inspect user ↗

Event #910

↗ Member · admin elevated

Success

Sep 27, 8:09:57 PM UTC

Inspect user ↗

Event #909

↗ Member · totp enrolled

Success

Sep 27, 8:09:56 PM UTC

Inspect user ↗

/admin/activity

24 / Activity - open recorded details

An actual event's allowlisted details. No private tokens or model reasoning are added.

g2g

GiveToGive

NEIGHBOR TO NEIGHBOR

Browse asks

Community funds

Support us

Post an ask

My account

Event #903

Recorded details

{

"mode": "deterministic",

"agentCount": 10

}

Member

ask payments resumed

Completed

Sep 27, 8:09:27 PM UTC

Synthetic operator review complete; resume new reservations.

Inspect ask

Event #902 · Correlation d53875a8-ac24-4a6a-b2b7-bf58f79c5233

Recorded details

Member

ask payments paused

Completed

Sep 27, 8:09:27 PM UTC

Pause new synthetic reservations while operator checks run.

Inspect ask

Event #901 · Correlation f960e38b-0104-43da-afab-775fe6702f80

Recorded details

Member

payment case escalated

Recorded

Sep 27, 8:09:24 PM UTC

Escalated synthetic case for further operator investigation.

Inspect payment case

Event #900 · Correlation 742d1f5b-9bc8-4cdf-a43c-fbdd18ac6f00

Recorded details

Member

payment case acknowledged

Recorded

Sep 27, 8:09:23 PM UTC

Acknowledged synthetic case and retained the original unresolved state.

Inspect payment case

Event #899 · Correlation e2dc5742-e94f-415e-814a-9272f47c97ec

Recorded details

Member

admin reconciliation requested

Started

Sep 27, 8:09:14 PM UTC

Inspect workflow

Simulation run

/admin/activity

25 / Activity - historical records

The older-activity view stops live polling and requests a real cursor page.

g2g

GiveToGive

NEIGHBOR TO NEIGHBOR

Browse asks

Community funds

Support us

Post an ask

My account

BEHIND THE NEIGHBORHOOD

GiveToGive operations

Account security

Overview

Live activity

Members

Payments & recovery

Fund allocations

Simulation room

Activity archive

Historical snapshot · live updates paused

Outcome

From (UTC)
mm/dd/yyyy

Through (UTC)
mm/dd/yyyy

Reset filters

◇ staging · synthetic environment

Test payments only. No real money moves.

Recorded actions

Server-recorded actions for the selected population. Intent, application results, and payment confirmation are separate events. Times are UTC. The live view retains the latest 500 received records; use Older activity to continue.

Member · ask / created

Success

Sep 27, 2:33:10 AM UTC

Inspect ask

Event #810

Recorded details

Member · ask / unsaved

Success

Sep 27, 2:33:06 AM UTC

Inspect ask

Event #809

Member · ask / saved

Success

Sep 27, 2:33:03 AM UTC

/admin/activity

26 / Members - administrator directory

Actual registered accounts with synthetic labels. Email addresses are masked in the exported walkthrough.



GiveToGive

NEIGHBOR TO NEIGHBOR

Browse asks

Community funds

Support us

Post an ask

My account

BEHIND THE NEIGHBORHOOD

GiveToGive operations

Account security

Overview

Live activity

Members

Payments & recovery

Fund allocations

Simulation room

Members, with context.

Find by name or email

Find member

124 members

Matching registered accounts in this environment. Email addresses are administrator-only and are not included in shareable filter URLs.

MEMBER	JOINED	ACCOUNT	REVIEW
Jamie Brooks	Sep 27, 2026	Member Synthetic test user	Inspect member
Alex Rivera	Sep 27, 2026	Member Synthetic test user	Inspect member
Morgan Chen	Sep 27, 2026	Admin Synthetic test user	Inspect member
Alex Rivera (simulation)	Sep 27, 2026	Member Synthetic test user	Inspect member
Jordan Rivera (simulation)	Sep 27, 2026	Member Synthetic test user	Inspect member

```
/admin/users
```

27 / Member - account and receiving review

A real temporary Neighbor account: public profile, private account facts, receiving readiness, subscriptions, and action history.

g2g

GiveToGive

NEIGHBOR TO NEIGHBOR

Browse asks

Community funds

Support us

Post an ask

My account

BEHIND THE NEIGHBORHOOD

GiveToGive operations

Account security

Overview

Live activity

Members

Payments & recovery

Fund allocations

Simulation room

← All members

Alex Rivera

Member

Freeze account

Synthetic simulation account. This is not a real community member.

Account details

Email

Email confirmed

Sep 27, 2026

Joined

Sep 27, 2026

Role

member

Public profile

Payments

Receiving readiness


No connected receiving account.

Recurring support

/admin/users/c05f0ee4-16b0-4059-b63f-d1601979f2ff

28 / Member - freeze confirmation

Safe open confirmation with a required reason and elevation requirement. No account is frozen.



/admin/users/c05f0ee4-16b0-4059-b63f-d1601979f2ff

29 / Payments - recovery and records

Actual payment/recovery queues. Empty queues do not prove that provider-backed acceptance has passed. Reconciliation is not triggered.

g2g

GiveToGive

NEIGHBOR TO NEIGHBOR

Browse asks

Community funds

Support us

Post an ask

My account ▾

BEHIND THE NEIGHBORHOOD

GiveToGive operations

Account security ↗

Overview

Live activity

Members

Payments & recovery

Fund allocations

Simulation room

Payments & recovery.

Updated 0s ago · refreshes every 2s

Ask payment controls

Pause new Checkout and fund-allocation reservations for one payment-enabled Ask. Existing Checkouts can still settle; refunds, disputes and recovery continue.

Find a payment-enabled Ask

Search Asks

Synthetic walkthrough Ask — new-payment control demonstration

Recipient goal: \$100.00. Environment-wide payment gates still apply.

Pause new payments

Accepting

What needs attention

Run reconciliation

Pending or failed webhook deliveries, unresolved payment cases, and allocations requiring recovery. Queued reconciliation is not confirmation of recovery.

► Authorize sensitive actions

synthetic walkthrough

Sep 27, 2026

Synthetic walkthrough case — no payment or recovery claim.

Review case

Payment records

Payment status

/admin/payments

30 / Payments - sensitive-action boundary

Administrator elevation is required for sensitive operations. This fresh admin is not enrolled during capture.

g2g

GiveToGive

NEIGHBOR TO NEIGHBOR

Browse asks

Community funds

Support us

Post an ask

My account ▾

Recipient goal: \$100.00. Environment-wide payment gates still apply.

Pause new payments

What needs attention

Run reconciliation

Pending or failed webhook deliveries, unresolved payment cases, and allocations requiring recovery. Queued reconciliation is not confirmation of recovery.

▼ Authorize sensitive actions

Set up your authenticator in Account security before elevating administrator access.

synthetic walkthrough

Sep 27, 2026

Synthetic walkthrough case — no payment or recovery claim.

Review case

Payment records

Payment status ▾


No payments in this selection.

There are no records matching these filters.

`/admin/payments`

31 / Payments - case review dialog


Explicit synthetic nonfinancial case. The open dialog records acknowledgement or escalation only; it cannot mark money recovered. No review is submitted.



/admin/payments

32 / Payments - escalation option

The escalation choice still requires a private note and appropriate authorization. This screenshot creates no recovery claim or operator event.



/admin/payments

33 / Payments - per-Ask controls

One synthetic unpaid Ask demonstrates the new-payment reservation control. Environment-wide payment gates remain off.

**GiveToGive**
NEIGHBOR TO NEIGHBOR

[Browse asks](#)[Community funds](#)[Support us](#)[Post an ask](#)[My account ▾](#)

Ask payment controls

Pause new Checkout and fund-allocation reservations for one payment-enabled Ask. Existing Checkouts can still settle; refunds, disputes and recovery continue.
Find a payment-enabled Ask

[Synthetic walkthrough Ask —](#)

[Search Asks](#)

[Accepting](#)

[Synthetic walkthrough Ask — new-payment control demonstration](#)

Recipient goal: \$100.00. Environment-wide payment gates still apply.

[Pause new payments](#)

What needs attention

[Run reconciliation](#)

Pending or failed webhook deliveries, unresolved payment cases, and allocations requiring recovery. Queued reconciliation is not confirmation of recovery.

▼ Authorize sensitive actions

 Set up your authenticator in Account security before elevating administrator access.

synthetic walkthrough Sep 27, 2026

Synthetic walkthrough case — no payment or recovery claim.

[Review case](#)

Payment records

[Payment status ▾](#)




No payments in this selection.

There are no records matching these filters.

/admin/payments

34 / Payments - pause confirmation


Open confirmation explains that existing Checkouts may still settle and refunds/recovery continue. The action is canceled without modifying this Ask.



/admin/payments

35 / Funds - allocation workspace

Available funds, reservations, and allocation controls reflect the actual environment and enabled features.



[/admin/funds](#)

36 / Administrator security

Administrator setup and short-lived elevation entry points. Authenticator secrets are deliberately excluded.

 **GiveToGive**
NEIGHBOR TO NEIGHBOR

[Browse asks](#) [Community funds](#) [Support us](#) [Post an ask](#) [My account ▾](#)

YOUR ACCOUNT

Keep your corner safe.

Protect your account and keep sensitive actions under your control.

[Your giving](#) [Membership & billing](#) [Receiving help](#) [Security](#)

An extra layer of care.

Not Enabled

An authenticator code protects sensitive administrative actions. It is required before live money can be refunded or allocated. Your authenticator secret stays out of activity logs.

[Set up authenticator](#)

Confirm sensitive actions.

Elevated access is short-lived and kept only in this browser tab's memory. Refreshing or signing out clears it.

 Set up your authenticator in Account security before elevating administrator access.

Sign out everywhere.

If you no longer trust a signed-in device, revoke your sessions and issued agent tokens. This also signs you out here; you will need to sign in again.

/account/security

37 / Simulations - real run history

Independent synthetic agents share bounded local inference. Run names, statuses, and populations are actual records.



GiveToGive

NEIGHBOR TO NEIGHBOR

[Browse asks](#)
[Community funds](#)
[Support us](#)

Post an ask

My account ▾

BEHIND THE NEIGHBORHOOD

GiveToGive operations

Account security ↗

Overview

Live activity

Members

Payments & recovery

Fund allocations

Simulation room

A neighborhood in rehearsal.

Create simulation run

Independent synthetic members, shared local inference. A hundred active agents does not mean a hundred simultaneous model generations. Payment actions are test-only; the local runner must be connected to act.

Runs & recorded history


● Updated 0s ago · refreshes every 2s

RUN	MODE	MEMBERS	STATE	CREATED
Deterministic ten-member acceptance smoke sim-smoke-deterministic-20260926-b	Deterministic scenarios	10	Completed	Sep 27, 2026
Deterministic ten-member acceptance smoke sim-smoke-deterministic-20260926-a	Deterministic scenarios	10	Completed	Sep 27, 2026
First 100-neighbor autonomous run sim_20260926_baseline	Autonomous community	100	Created	Sep 27, 2026

[/admin/simulations](#)

38 / Simulations - create a test neighborhood

The open form distinguishes autonomous model actions from deterministic scenarios. Creating a record does not start a process.



/admin/simulations

39 / Simulation - control room

Actual autonomous run, observed state created, with 100 registered agents. No command is submitted by the capture.

 **GiveToGive**
NEIGHBOR TO NEIGHBOR

[Browse asks](#) [Community funds](#) [Support us](#) [Post an ask](#) [My account](#)

BEHIND THE NEIGHBORHOOD

GiveToGive operations

[Account security](#)

[Overview](#) [Live activity](#) [Members](#) [Payments & recovery](#) [Fund allocations](#) [Simulation room](#)

[← All simulation runs](#)

First 100-neighbor autonomous run

Autonomous community · 100 individual agents · staging

Created Offline Updated 0s ago · refreshes every 2s

 The local runner is offline or its heartbeat is stale. The hosted site is still available, but agents cannot act until the runner reconnects. Controls can be queued; they are not applied yet.

A run record is not a running neighborhood.

This record is ready for local setup. Creating it does not launch a process, register agents, or purchase memberships. Use the isolated staging environment on your own machine.

From the repository root, provision this existing run:

```
node --env-file=.env.staging.local scripts/seed-simulation.mjs --run-id sim_20260926_baseline
```

Use the private credentials file reported by provisioning. New runs use the path below; the original baseline run uses `.state/staging-credentials.json` instead. Never paste the file's contents into the dashboard.


In PowerShell, enter the simulation directory, check the environment, and start the local process:

```
Set-Location tools/simulation
$env:SIM_CREDENTIALS = '.state/runs/sim_20260926_baseline/credentials.json'
$env:SIM_PROTECTION_BYPASS_FILE = '.state/protection.json'
$env:SIM_MODE = 'autonomous'
```

/admin/simulations/sim_20260926_baseline

40 / Simulation - stop confirmation

Safe open confirmation only. Keep running is chosen afterward, and no runner command is submitted.



/admin/simulations/sim_20260926_baseline

41 / Simulation - individual agents

Each card is a stored independent agent with a real current state and click-through history. Cohort labels do not prove a paid subscription.

g2g

GiveToGive

NEIGHBOR TO NEIGHBOR

Browse asks

Community funds

Support us

Post an ask

My account

100 of 100 registered agents

Tier cohortAgent state

Filters apply to the agent cards only. Run totals above include the whole population. Tier cohorts are simulation assignments; account billing records establish actual paid entitlements.

Alex Brooks
(simulation)

Idle

neighbor · 0 cycles

No action reported

Alex Chen
(simulation)

Idle

neighbor · 0 cycles

No action reported

Alex Diaz
(simulation)

Idle

sustainer · 0 cycles

No action reported

Alex Kim
(simulation)

Idle

neighbor · 0 cycles

No action reported

Alex Nguyen
(simulation)

Idle

supporter · 0 cycles

No action reported

Alex Parker
(simulation)

Idle

supporter · 0 cycles

No action reported

Alex Patel
(simulation)

Idle

neighbor · 0 cycles

No action reported

Alex Reed
(simulation)

Idle

neighbor · 0 cycles

No action reported

Alex Rivera
(simulation)

Idle

neighbor · 0 cycles

No action reported

Alex Santos
(simulation)

Idle

supporter · 0 cycles

No action reported

Avery Brooks
(simulation)

Idle

neighbor · 0 cycles

No action reported

Avery Chen
(simulation)

Idle

neighbor · 0 cycles

No action reported

Avery Diaz
(simulation)

Idle

sustainer · 0 cycles

No action reported

Avery Kim
(simulation)

Idle

neighbor · 0 cycles

No action reported

Avery Nguyen
(simulation)

Idle

supporter · 0 cycles

No action reported

Avery Parker
(simulation)

Idle

sustainer · 0 cycles

No action reported

Avery Patel
(simulation)

Idle

neighbor · 0 cycles

No action reported

Avery Reed
(simulation)

Idle

neighbor · 0 cycles

No action reported

Avery Rivera
(simulation)

Idle

neighbor · 0 cycles

No action reported

Avery Santos
(simulation)

Idle

supporter · 0 cycles

No action reported

Casey Brooks
(simulation)

Idle

neighbor · 0 cycles

No action reported

Casey Chen
(simulation)

Idle

neighbor · 0 cycles

No action reported

Casey Diaz
(simulation)

Idle

sustainer · 0 cycles

No action reported

Casey Kim
(simulation)

Idle

neighbor · 0 cycles

No action reported

Casey Nguyen
(simulation)

Idle

Casey Parker
(simulation)

Idle

Casey Patel
(simulation)

Idle

Casey Reed
(simulation)

Idle

Casey Rivera
(simulation)

Idle

Casey Santos
(simulation)

Idle

/admin/simulations/sim_20260926_baseline

GIVETO GIVE / PROTECTED STAGING / PARTIAL ACCEPTANCE

43

42 / Simulation - one agent and its intentions

An actual synthetic agent's persona, reported state, completed cycles, and historical events. This is not private model chain-of-thought.

g2g

GiveToGive

NEIGHBOR TO NEIGHBOR

Browse asks

Community funds

Support us

Post an ask

My account

BEHIND THE NEIGHBORHOOD

GiveToGive operations

Account security

Overview

Live activity

Members

Payments & recovery

Fund allocations

Simulation room

← Full simulation run

Alex Brooks (simulation)

Autonomous community · 100 individual agents · staging

Created

Offline

Updated 0s ago · refreshes every 2s

⚠

The local runner is offline or its heartbeat is stale. The hosted site is still available, but agents cannot act until the runner reconnects. Controls can be queued; they are not applied yet.

This individual member

Idle

Tier cohort

neighbor

Completed cycles

0

Last update

Sep 27, 2026

No action reported yet.

Account & payments

Public profile

Pause agent

Persona & intentions

Declared synthetic persona, not a real person or a transcript of private model reasoning. Credentials and private tokens are excluded.

▼ Persona specification

{
 "synthetic": true,
 "targetTier": "neighbor",
 "disposition": "generous",
 "recipientScenario": "incomplete"
}

Live activity

Updated 0s ago · refreshes every 2s

From (UTC)

Through (UTC)

/admin/simulations/sim_20260926_baseline/agents/bot_021

GIVETO GIVE / PROTECTED STAGING / PARTIAL ACCEPTANCE

44

43 / Simulation - completed run

Actual completed deterministic run with 10 registered agents. Terminal controls remain disabled; retained events document the work.

g2g

GiveToGive

NEIGHBOR TO NEIGHBOR

Browse asks

Community funds

Support us

Post an ask

My account

BEHIND THE NEIGHBORHOOD

GiveToGive operations

Account security

Overview

Live activity

Members

Payments & recovery

Fund allocations

Simulation room

← All simulation runs

Deterministic ten-member acceptance smoke

Deterministic scenario run · 10 individual agents · staging

Completed

Offline

Updated 0s ago · refreshes every 2s

This run is finished. Its history remains available, but its controls cannot restart or change it. Create and provision a new run for another rehearsal.

Run controls

Request resume

Pause run

Stop & checkpoint

Review recorded history

Requested inf...

1 request

Apply concurrency

Requested a...

1× pace

Apply pace

Controls request work from the local runner; they cannot wake a sleeping computer. Pace changes each agent's wake schedule, not the model server's speed. Replay means reviewing recorded events; rerunning creates a new run.

Run identifier: sim-smoke-deterministic-20260926-b

COMPLETED CYCLES

30

WAITING FOR INFERENCE

0

MODEL REQUESTS ACTIVE

0

/admin/simulations/sim-smoke-deterministic-20260926-b

44 / Simulation - completed agent history

An actual completed agent's cycle count and retained activity, separate from merely seeded accounts.



GiveToGive
NEIGHBOR TO NEIGHBOR

[Browse asks](#)[Community funds](#)[Support us](#)[Post an ask](#)[My account](#)

BEHIND THE NEIGHBORHOOD

GiveToGive operations

[Account security](#)

[Overview](#)[Live activity](#)[Members](#)[Payments & recovery](#)[Fund allocations](#)[Simulation room](#)

[← Full simulation run](#)

Alex Rivera (simulation)

Completed

Offline

Updated 0s ago · refreshes every 2s

This run is finished. Its history remains available, but its controls cannot restart or change it. Create and provision a new run for another rehearsal.

This individual member

Paused

Tier cohort

neighbor

Completed cycles

3

Last update

Sep 27, 2026

Runner stopped; member checkpoint saved.

[Account & payments](#) [Public profile](#) [Resume agent](#)

Persona & intentions

Declared synthetic persona, not a real person or a transcript of private model reasoning. Credentials and private tokens are excluded.

▼ Persona specification

```
{  "synthetic": true,  "targetTier": "neighbor",  "disposition": "generous",  "actualPaidEntitlement": false}
```

Live activity

Updated 0s ago · refreshes every 2s

From (UTC)

Through (UTC)

Reset filters

/admin/simulations/sim-smoke-deterministic-20260926-b/agents/bot_2341957927748003_001

45 / Simulation - completed recorded actions

Persisted server-recorded events from the completed run. Historical actions are real staging operations, not fictional successful payments.

g2g

GiveToGive

NEIGHBOR TO NEIGHBOR

Browse asks

Community funds

Support us

Post an ask

My account

Recorded actions

Server-recorded actions for the selected population. Intent, application results, and payment confirmation are separate events. Times are UTC. The live view retains the latest 500 received records; use Older activity to continue.

Member · simulation agent state

Paused

Sep 27, 2:32:22 AM UTC

Runner stopped; member checkpoint saved.

Inspect simulation

Simulation run

Event #797 · Correlation 226f10fd-5cb9-4797-944f-a60b4ae35ab7

Recorded details

Member · simulation agent state

Idle

Sep 27, 2:32:06 AM UTC

Waiting for the next personal activity time.

Inspect simulation

Simulation run

Event #766 · Correlation a3456650-d006-4413-b01a-2130a612a13c

Recorded details

Member · simulation action result

Idle

Sep 27, 2:32:06 AM UTC

browse_page completed

Inspect simulation

Simulation run

Event #765 · Correlation 7709adc0-fa15-4ba7-9cb2-d7a9592111a3

Recorded details

Member · simulation agent state

Acting

Sep 27, 2:31:57 AM UTC

Deterministic scenario: browse_page

Inspect simulation

Simulation run

Event #735 · Correlation 7709adc0-fa15-4ba7-9cb2-d7a9592111a3

Recorded details

Member · simulation agent state

Generating

Sep 27, 2:31:57 AM UTC

Choosing this member's next action.

Inspect simulation

Simulation run

Event #734 · Correlation dbbae5cb-0d5a-48bc-afe2-a9a5b095ba29

Recorded details


/admin/simulations/sim-smoke-deterministic-20260926-b/agents/bot_2341957927748003_001

GIVETO GIVE / PROTECTED STAGING / PARTIAL ACCEPTANCE

47

46 / Mobile - supporter plans


390-pixel public layout with the same honest tier and availability information.



/support

47 / Mobile - private giving


Actual empty giving history and responsive account navigation.



/giving

48 / Mobile - account security


Security entry points remain usable on a narrow screen; no secrets are displayed.



/account/security

49 / Mobile - administrator overview


Actual measurements and navigation at 390 pixels. Wide data tables keep their own scrolling region.



/admin

50 / Mobile - simulation control room

The actual run/control state on a narrow viewport; no background agent is started by this capture.



/admin/simulations/sim_20260926_baseline

Deliberate gaps in this capture

Disabled controls were not bypassed, and financial rows were not fabricated to obtain screenshots.

/funds/[slug]

No actual public fund exists in this staging database; no fictional fund or balance was created.

/giving/[id]

The capture account has no provider-confirmed payment. Receipt and payment-cancellation dialogs require a genuine owned record.

/admin/payments/[id]

No fictional financial record is inserted; detailed refunds and provider-confirmed recovery await real sandbox payments. The generic operator-review dialog is captured separately with an explicitly synthetic nonfinancial case.

/admin/funds#dialogs

Fund creation/allocation is disabled by the genuine environment gate; disabled controls were not bypassed.

Feature provenance and implementation boundaries

Scope and provenance

This inventory compares the current implementation with commit [f6638fe0b1845ae9cceb937959138af38d1ba971](#) ([f6638fe](#), September 26, 2026), the published, non-payment baseline. The older feature outline compares a different starting point; its then-new features already existed at this baseline and are not counted as new again here.

Tags describe origin, not deployment or acceptance:

- **existed before**: working functionality already present at [f6638fe](#).

- **partly implemented before**: the product foundation existed, but an important

part of the broader capability did not. This never means Stripe code existed when there were only off-platform money pledges.

- **brand new**: a capability or subsystem introduced after that baseline.

- **newly finished**: a specific incomplete behavior or hardening gap in an

existing feature was completed in this implementation. It does not certify a whole untested provider workflow.

Snapshot: payment code is gated; genuine Stripe sandbox acceptance and live-money approval remain outstanding. This document does not claim that these changes have replaced the public production release. Protected staging verification, the final PDF, deployment identity, and full acceptance results must be recorded separately in the release handoff and acceptance contract.

Existing community capabilities retained

Capability	Tag	Behavior retained
Editorial design and responsive navigation	existed before	Warm paper, cobalt/coral accents, illustrations, public/member layouts, recovery screens. New payment/admin pages extend this visual language.
Five Ask types	existed before	Time, task, item, money, and resource; goals, difficulty, estimated time, stable slugs and numeric-ID links.
Browse and saved Asks	existed before	Search, type/status/difficulty/time filters, URL state, private saves, empty/loading/error states; board limited to the latest 100 matching Asks.
Ask creation and owner edits	existed before	Type-specific creation, owner-only editing, stable URLs, goal constraints, public activity.
Multiple partial non-monetary contributions	existed before	Pledged/completed/cancelled lifecycle, ownership rules, private notes, no self-offers, capacity locks and idempotent transitions.
Legacy money pledges	existed before	Off-platform member records, explicitly not Stripe charges or verified payments. Existing rows are preserved, never converted into financial evidence.
Profiles and contribution history	existed before	Public profile, owner editing, paginated history, private owner history, honest email-confirmation and join-date cues.
Account authentication	existed before	Email/password, Discord entry, email verification, password reset, safe callbacks, branded auth recovery. There is no separate username-login system.
Application architecture	existed before	Next.js App Router, React, TypeScript, tRPC/TanStack Query, Auth.js, Drizzle/PostgreSQL, Vercel and Node 24.

Money and paid membership

Capability	Tag	Implemented behavior and boundary
Money-Ask goals and partial help	partly implemented before	Goals and partial off-platform pledges existed. Verified payments, fees, recipient onboarding and financial recovery did not.
Explicit payment-enabled money Asks	brand new	Owner opt-in for eligible USD money Asks without any legacy contributions. No silent conversion or mixing of pledge totals and paid totals. Manual contribution transitions are rejected after enrollment.
Payment-aware owner editing	newly finished	Existing edits now preserve the payment boundary: goal changes cannot erase paid, pending, allocation, or reversible-dispute capacity; forged type/currency edits are rejected.
Partial Checkout gifts	brand new	Hosted Checkout, frozen quote, donor/Ask ownership rules, stable operation IDs, reservation locking and pending/success/failure/cancellation states. Real provider execution still requires sandbox verification.
Transparent fee quote	brand new	Integer USD cents; 5% of gross plus an explicitly configured processing estimate is deducted from the gift. Recipient net is frozen; actual processing variance belongs to the platform.
Verified Ask progress	brand new	Only reconciled recipient principal counts as paid help. Pending and disputed capacity stays separate; refunds/disputes can reduce progress and reopen an Ask. A return URL cannot mark payment complete.
Receiving account	brand new	Accounts v2 customer/recipient mappings, US recipient checks, embedded onboarding/notifications/account management/payouts, Express dashboard fallback. Provider eligibility, onboarding and actual payouts are not yet verified.
Personal giving records	brand new	Private paginated payment history, individual status/amount/fee record and provider receipt link when one actually exists. Other members cannot read the record.
Supporter and Sustainer	brand new	\$5/month Supporter and \$15/month Sustainer, with free Neighbor. Separate subscription accounting, one active supporter subscription per member, paid-invoice recognition, optional public badge and customer-portal handoff. No aid priority or identity-verification claim.
Paid-through recognition	brand new	Positive paid coverage drives tier recognition, including prorated invoice ordering. Cancellation retains paid time; full refunds/disputes revoke affected coverage; partial refunds retain residual coverage. Replayed old events cannot restore revoked coverage. Zero-payment/customer-credit invoices require review.
Subscription changes	brand new	Renewal/change/failure reconciliation is implemented. Portal creation requires an explicit active, matching-mode configuration with period-end/no-proration cancellation, invoices/payment-method updates, and plan changes disabled. Dedicated paid upgrades and cross-product period-end downgrades remain unimplemented; provider policy setup and test-clock lifecycle still need real tests.
Community funds	brand new	Public fund pages, one-time/monthly Checkout paths, available versus allocated principal, and public allocation history. Fund subscriptions do not count as supporter subscriptions.
Administrative fund allocation	brand new	Named recipient Ask, amount and reason; no self-awards; only settled, unallocated principal is eligible. Source-linked transfers reserve capacity and do not charge a second giving fee.

Initial scope is USD and US recipients. No annual plans, trial plans, wallet, escrow, lending, cross-border payout support, or claim of tax deductibility is introduced. No paid tier is earned by assigning a label to a synthetic account.

Financial reliability and administration

Capability	Tag	Implemented behavior and boundary
Financial ledger	brand new	Balanced, immutable integer journals; database-level checks and append-only compensating reversals. Frozen gross, recipient net, platform fee and actual processing variance remain distinct.
Webhook inbox	brand new	Signature checks, environment/account binding, minimal persisted identifiers, deduplication, current-provider-state reconciliation and replay handling for classic and v2 events.
Durable financial work	brand new	Hosted workflows for event processing, refunds, allocations and reservation recovery. Network calls do not run inside database transactions; laptop availability is not a correctness dependency. Hosted execution needs its own evidence.
Refunds and disputes	brand new	Durable idempotent operations, cumulative proportional recovery, transfer/application-fee reversal accounting, explicit terminal failures and operator cases. Open disputes reserve reversible goal capacity; won disputes cannot overfill it.
Ambiguous/failed transfer recovery	brand new	Recover by persisted operation identity before repeating an effect. Skipped recipient transfers remain an explicit case, not delivered help. Interrupted allocations support source reclamation; unresolved provider/balance ambiguity stays reserved for reconciliation.
Fair recovery queues	brand new	Attempt ordering and row claims prevent poison first-page records from starving newer work. Up to 20 batches per sweep; immediate workflows plus a daily Hobby-compatible fallback, not a five-minute recovery SLA.
Global activity and financial history	partly implemented before	Ask-local activity/history existed. Cross-entity operational events, financial journals, admin actions, telemetry and simulation histories are new.
Admin overview and drill-downs	brand new	Member/Ask/help/giving/recurring-revenue measures; activity filters and bounded export; payment history, journal/provider IDs, recovery queues; member detail and audited freeze/unfreeze controls.
Per-Ask payment pause	brand new	Authorized administrators can pause/resume new payment and fund-allocation reservations with an audited reason and stale-state protection. Existing Checkouts can still settle; refunds and recovery continue. No provider eligibility or environment gate is bypassed.
Recovery-case review	brand new	Paginated private operator history with audited acknowledgement/escalation and idempotent retries. Reviewing a case cannot resolve a financial hold, change a payment, or claim money recovered.
Analytics definitions	brand new	Giving excludes legacy pledges and supporter subscriptions. Verified net subtracts confirmed recipient refunds/disputes. Supporter MRR requires active, non-canceling, paid-through supporter subscriptions. Request latency is measured, not fabricated; missing observations remain unavailable.
Member/admin authorization	brand new	Verified administrator role, current account/freeze/session checks, server-side permissions and session/token revocation. A display name does not grant administration.
Financial admin step-up	brand new	Recent authentication and replay-protected TOTP mint a five-minute encrypted, account/session-bound elevation token held only in browser memory. Production financial actions enforce it. Ian's own bootstrap and MFA enrollment are not claimed complete.
Concurrent auth throttling	newly finished	The existing database limiter now updates atomically rather than losing simultaneous attempts.
Password-reset revocation	newly finished	Resetting an existing account password also invalidates prior session versions/tokens; already-issued sessions are no longer silently retained.
Environment isolation	brand new	Separate synthetic-only staging and CI databases/roles, environment identity, protected staging origin, private encrypted staging email sink, independent payment/supporter/fund flags, and explicit production live approval gate.

Giving is not a bank-payout metric. Daily giving groups current net values by the original UTC payment date, not a historical cash-flow reconstruction. Simulation events and model statements are never authoritative financial success.

MCP and local multi-agent simulation

Capability	Tag	Implemented behavior and boundary
Versioned member MCP API	brand new	Official SDK transport, strict schemas, scoped staging per-user tokens, revocation and shared authorized domain services. Tools browse Asks/profiles/funds/history and create/edit/save/contribute/complete/cancel as the authenticated member.
Retry and identity protection	brand new	Caller-supplied user IDs do not grant identity; stable correlation IDs bind mutation retries. Atomic domain writes and persisted operation results prevent duplicate effects; ambiguous external Checkout outcomes require reconciliation.
Checkout handoff tool	brand new	A gated test-mode Checkout preparation tool, not arbitrary card charging. No model access to Stripe secret keys or financial-administrator powers.
Controlled sandbox checkout lane	brand new	Separate serial, fixed-scenario browser harness with server-attested owned test Checkout, finite persistent budgets, secret-isolated fixed test-card entry, and reconciliation-only handling after ambiguous submission. Local policy/driver tests pass; actual Stripe-hosted DOM/3DS/provider outcomes remain unverified.
Tiny subscription-clock cohort	brand new	Explicit scoped operator endpoint creates/reads/advances one named test clock for a deterministic cohort of at most three synthetic members. Own-account binding occurs before first Checkout. Clock controls are not model tools; the 100-agent baseline has no clock scope. Actual renewals/cancellations remain unverified.
Independent agents	brand new	Up to 100 Strands TypeScript agent instances with distinct synthetic accounts, personas, goals, budgets, memory and checkpoints. They share bounded local inference capacity, not one conversation or 100 loaded model copies.
Local models/runtime	brand new	Native Windows llama.cpp with pinned/hash-checked Qwen3.5-4B and Gemma 4 E2B candidates, loopback-only model endpoint, bounded contexts/output, memory headroom guards and benchmark reports. No paid inference fallback or termination of lan's apps.
Execution and recovery	brand new	Local SQLite checkpoints/outbox, one mutation at a time per agent, scoped browser contexts, authenticated outbound telemetry, command cursors, finite retries/budgets and offline detection. No shell/SQL/unrestricted-HTTP tools for agents.
Simulation control room	brand new	Create a run; inspect roster, individual agent and historical activity; start/pause/resume/stop; per-agent controls, activity/concurrency settings, freshness/connection states and completed-run replay boundaries.
Deterministic versus autonomous modes	brand new	Explicitly distinct modes. Deterministic regression activity does not establish model-selected behavior, and a successful model tool selection does not establish successful site execution.

The requested 60 Neighbor / 25 Supporter / 15 Sustainer mix, recipient cohort and cross-tier money interactions remain an acceptance target. Paid tiers must be earned through genuine Stripe test flows. Provisioned accounts alone do not prove the target, and 100 independent agents need not perform 100 concurrent inference requests on this machine.

New and changed views

Routes	Views/actions
Existing / , /asks , /asks/[slugOrId] , /members/[id]	Expanded navigation; payment-aware Ask progress and owner enrollment confirmation; Checkout quote dialog; optional supporter badge/preference. Existing non-monetary/legacy views remain.
/support	Free/paid plan comparison, sign-in/gated configuration states, subscription Checkout or billing management.
/giving , /giving/[id]	Private impact/history, payment detail, pending/failure/refund states, receipt link and Checkout cancellation confirmation.
/account/billing	Own subscription/tier overview and provider-portal handoff. /account and /billing redirect here.
/account/receiving	Recipient setup/readiness/restrictions, embedded provider components when configured, dashboard fallback. /receiving redirects here.
/account/security	Session revocation confirmation and administrator authenticator/elevation controls.
/funds , /funds/[slug]	Public fund list/detail, balances/allocation history, one-time/monthly gift dialog and unavailable/empty states.
/admin	Admin-only overview, trends/definitions and measurement export.
/admin/activity	Filterable event history, linked entities, live/freshness indicators and export of the displayed bounded result set.
/admin/users , /admin/users/[id]	Member search/history, freeze/unfreeze confirmation and session effects.
/admin/payments , /admin/payments/[id]	Payment search, recovery queues, case review/escalation dialogs/history, per-Ask new-payment pause/resume, provider/ledger detail, refund dialog and reconciliation request.
/admin/funds	Create-fund and allocation dialogs, current availability/history and eligibility feedback.
/admin/simulations , /admin/simulations/[id] , /admin/simulations/[id]/agents/[agentId]	Run creation, fleet/control room, stop confirmation, agent detail and historical activity.
/mcp , /api/simulation/* , /api/stripe/*	Machine endpoints, not member-facing pages. Auth/signature/environment checks apply; new endpoints do not expose provider secrets.

There is no standalone [/admin/asks](#) page or generic support/moderation system. Stripe-hosted Checkout, portal, Express dashboard and configured embedded onboarding are provider surfaces; locally rendered empty/gated pages are not screenshots of successful provider use.

Verification boundary at this handoff

Evidence	What it establishes	What it does not establish
Root unit suite: 47 passed	Existing domain rules, fee/rounding, environment and portal policy, publishable-key mode/secret protection, balanced-journal math, entitlements, paid proration, MCP transport, Checkout/clock guards and script preflight.	Provider eligibility or money movement.
Isolated CI integration suite: 57 passed	Real PostgreSQL locks/races, immutable journals, Ask capacity/pause revision, case review, isolation, auth concurrency, metrics, webhook/recovery contracts and scoped MCP.	Real Stripe sandbox behavior; recovery transports are explicitly stubbed.
Production-policy admin test: 12 passed	Actual financial-admin guard rejects missing/expired/wrong-user/wrong-session/tampered tokens and inactive/unverified/non-admin principals; accepts valid five-minute elevation. Exact CI database/role; temporary policy setting only; fixtures removed.	Ian's identity, authenticator enrollment, or a live financial action.
TypeScript, full lint and build passed	Integrated source is checked and protected staging builds successfully.	Full acceptance or a provider payment success.
Hosted browser suite: 29 passed	Existing community/member flows, new account/admin views, actual TOTP/session controls, case review, payment pause/resume and a completed empty-queue hosted recovery workflow.	Payment, transfer, subscription or populated-provider acceptance.
Local runtime: 27 passed	Agent isolation, scoped identity, strict tools, telemetry/checkpoint/budget safety, private controlled Checkout execution and explicit tiny clock cohorts.	Actual Stripe-hosted browser behavior or a completed autonomous 100-member run.
Local model probe	One real Gemma single-tool selection was valid after a compatibility fix, approximately 49.8 seconds for that decision. Earlier Qwen/Gemma probes failed or timed out.	Reliable broad tool selection, adversarial robustness, acceptable throughput or actual site execution.

These are scoped results, not a replacement for the root release verification record. A protected ten-member deterministic smoke completed 30 real nonfinancial actions with 200 acknowledged telemetry records. No successful 100-agent autonomous soak or real Stripe payment/subscription/test-clock lifecycle is claimed here.

Outstanding acceptance includes actual sandbox credentials/account setup, onboarding, every Checkout path, declines/3DS/async flows, webhook delivery, renewals/plan changes/test clocks, refunds/disputes/payout failures, crash recovery, and the measured 10 -> 25 -> 100 autonomous progression with cross-tier actions. Live launch additionally needs Ian's verified admin/MFA setup, business and tax decisions, hosting/recovery readiness, reviewed production migration/deployment, and explicit approval. See the operator runbook, simulation guide, and payment invariants.