

Review your group members' test cases. Don't forget to argue your comments.
Pay attention that the requirements could be not accurate as well, and some moments could be questionable.
Students assess each other's test cases and defects

Irina Papara
test cases 1666, 1667, 1673 of my colleague for checking

My comments after review:

- Test cases are named as US. It means User scenario like in HW. May be it is better to call them UI - User Interface

MTI 2023 / Test Design / MTI 2023.7 / Muntian K / HW 15.4

Q Search

X

↺

⋮

Total test cases (430)

> MTI 2023.7 2 (68)

> 2023.4 7 (53)

> Интернатура 2023.3 0 (14)

> Krstevski 0 (24)

> Kozyreva M 0 (7)

> Mamedov 0 (23)

ADD

▼

≡

⚙

<input type="checkbox"/>	ID	Title	Test Status	Created At	Actions
<input type="checkbox"/>	<div><div></div><div></div><div>M20-TC1666</div></div>	US: Airport: Deleting an airport that is not used for any flights	In Progress	January 12, 2024	<div></div> <div></div>
<input type="checkbox"/>	<div><div></div><div></div><div>M20-TC1667</div></div>	US: Airport: Editing an existing airport	In Progress	January 12, 2024	<div></div> <div></div>
<input type="checkbox"/>	<div><div></div><div></div><div>M20-TC1673</div></div>	US: Airport: Adding a new airport	In Progress	January 13, 2024	<div></div> <div></div>

M20-TC1666 US: Airport: Deleting an airport that is not used for any flights

Title*

US: Airport: Deleting an airport that is not used for any flights

Test Status*

In Progress

Test Objectives

Check that it is possible to delete an existing airport that is not used in any flight with admin credentials


Priority

Critical

Precondition(s)

1. Logged in as an admin. Use file in share disk with admin login credentials for FTB application.
2. Found an existing airport or added the new one that is not used for any flight.

Responsible - Owner

 student.mti.2023

Created At

January 12, 2024 7:26 PM

Postcondition(s)

Click to add a value

Additional Informations

Click to add a value

- Preconditions

2. Found an existing airport or added the new one that is not used for any flight.

It could be not clear that the existing airport should also not be used for any flight. It is better to write: Airport can be deleted if it is not used for any flight

Maybe it is better to write in Preconditions , that the page with the Airports list should be opened.

In this case test case can start from 2 step

Category: Steps


Steps

	#	Test Instructions	Test Data	Expected Results
⋮	1	Open the Airports page	Click to add text	The Airports page opened and the Airports list table is displayed
⋮	2	Find the test airport in the Aiports list table and press the "Delete" button	Click to add text	The confirmation message appeared.
⋮	3	Confirm the deletion by pressing the button in the confirmation message.	Click to add text	The test airport disappeared from the Airports list table. Check the airport is missing in the DB.

- In 3 step it is better to check for API too with get method for the testing airport, if it was deleted

M20-TC1667 US: Airport: Editing an existing airport

DETAILS	TEST SCRIPT	EXECUTION	SUB TASKS	ATTACHMENTS
---------	-------------	-----------	-----------	-------------

<div>Title*</div> <div>US: Airport: Editing an existing airport</div>	<div>Test Status*</div> <div>In Progress</div>
<div>Test Objectives</div> <div>Check that it is possible for admin to edit an existing airport using an unoccupied airport code</div>	<div>Priority</div> <div>Critical</div>
<div>Precondition(s)</div> <div>1. Logged in as an admin. Use file in share disk with admin login credentials for FTB application. 2. There is at least one existing airport in the Airports list table on the Airports page. 3. The unoccupied airport code is invented (not used for any other airport in the DB), and the airport name that will be easy to find on the first page of Airports list table, e.g. starting with "!!!!!!!"</div>	<div>Responsible - Owner</div> <div> student.mti.2023</div>
<div>Postcondition(s)</div> <div>Click to add a value</div>	<div>Created At</div> <div>January 12, 2024 8:07 PM</div>

● Preconditions 3 item

It is not quite understand what it means. This info will be editing

3 The unoccupied airport code is invented (not used for any other airport in the DB), and the airport name that will be easy to find on the first page of Airports list table, e.g. starting with "!!!!!!!"

● Maybe it is better to write in Preconditions , that the page with the Airports list should be opened. In this case test case can start from 2 step

MTI 2023 / Test Design / MTI 2023.7 / Muntian K / HW 15.4

2/3

M20-TC1667 - V.1 - US: Airport: Editing an existing airport

DETAILS

TEST SCRIPT

EXECUTION

SUB TASKS

ATTACHMENTS

Category: Steps

Steps

	#	Test Instructions	Test Data	Expected Results	
	1	Open the Airports page	Click to add text	The Airports page opened and the Airports list table is displayed	+
	2	Choose the airport to edit and memorise its ID. Press the button "Edit"	Click to add text	The editing form openend. The fields of the form filled with the data of the selected airport.	+
	3	Change data in the fields and press "Fire!" button	Fill "Airport code" with unoccupied airport code For the field "Airport name" use the one that is easy to find in the Airports list table, e.g. starting with "!!!!!!!"	The Airports page with the Airports list table opened. The airport data with the memorised ID changed to test data	+

- There is a typo in test script in the 2 step “opend” = opened
- It is better to check new airport in DB, API with get method

Test case M20-TC1673

←

MTI 2023 / Test Design / MTI 2023.7 / Muntian K / HW 15.4

M20-TC1673 - V.1 - US: Airport: Adding a new airport

<3/3>⋮

test cases list

DETAILS

TEST SCRIPT

EXECUTION

SUB TASKS

ATTACHMENTS

Title*

US: Airport: Adding a new airport

Test Objectives

Check that it is possible for admin to add a new airport with an unoccupied airport code

Precondition(s)

1. Logged in as an admin. Use file in share disk with admin login credentials for FTB appli
cation.
2. The unoccupied airport code is invented (not used for any other airport in the DB), an
d the airport name that will be easy to find on the first page of Airports list table, e.g. star
ting with "!!!!!!!"

Postcondition(s)

Click to add a value

Additional Informations

Use standard test environment

Test Status*

In Progress

Priority

Critical

Responsible - Owner

👤

student.mti.2023

Created At

January 13, 2024 11:55 AM

- Maybe it is better to write in Preconditions , that the page with the Airports list should be opened.
- In this case test case can start from 2 step

←

MTI 2023 / Test Design / MTI 2023.7 / Muntian K / HW 15.4

M20-TC1673 - V.1 - US: Airport: Adding a new airport

<3/3>⋮

DETAILS

TEST SCRIPT

EXECUTION

SUB TASKS

ATTACHMENTS

Category: Steps

Steps

+

#	Test Instructions	Test Data	Expected Results	
1	Open the Airports page	Click to add text	The Airports page opened and the Airports list table is displayed	<div>+ ...</div>
2	Press the "Add Airport" button	Click to add text	The adding airport form opened, fields to fill in are empty.	<div>+ ...</div>
3	Fill in the form fields with test data and press "Save" button	Mandatory fields to fill: Airport code (the unic code that is not in the DB) Airport name (that will be easea to find in the Airports list, like starting with "!!!!!!") City Region Country	The Airports page with Airports list table displayed. A new airport with fields filled with the test data applied in the Airports list table	<div>+ ...</div>

- There is a typo in test script in the 3 step in Test data “easea”= easier
In Expected results “appired ”= appeared
- It is better to check new airport in DB, API with get method