- 1. You are about to execute this command: Is -IFd /home/\*a
  - 1. What does every option mean?

Command Is [OPTION]... [FILE]... Lists information about the FILEs (the current directory by default).

-I means that we will see information in a long listing format

F classify by the expression "/home/\*a"

d means that we need information about directory, not about it content

2. What is the expected result? We can see all directories in /home/ directory wich end with "a" at the end

```
login as: ipapara
 ipapara@192.168.40.14's password:
Last login: Thu Nov 23 13:58:32 2023 from 192.168.40.10
 [ipapara@c7-sandbox ~]$ ls -lFd /home/*a
drwx----. 2 zmukhtarbekova qa 4096 Sep 10 21:47 /home/zmukhtarbekova/
 [ipapara@c7-sandbox ~]$
```

- 2. Provide the proper commands to do the following:
  - 1. Get the content of the directory that stores the main OS & application settings

		Is /etc or Is -I /etc if we want to see information detailed information
	2.	Jump to the directory with the main system logs
		cd /var/log
	3.	Show the extended information about the content of your home directory
		Is -la ~
		or
		Is -la /home/ipapara
	4.	Show the extended information about your home directory itself (not about its content)
		Is -ld /home/ipapara
3.	_	ne you have a lot of log files (their names end up with ".log") in the directory 1 level upper. How to them into the current working directory with only 1 command?
	mv/*log .	
4.	. Then, you want to copy these log files, whose names start from "1" and end up with ".log", from your of directory to /tmp. Which command will you use?	
	cp 1*.log /tmp	
5.	Execute the following command: Is -IF /home/not-your-account (put any existing name instead of "not-your-account") You will see an error. Find any file or directory not in /home that leads to the same error.	
	Is -IF	/home/rkorsun
	We can see a mistake:	
	ls: ca	nnot open directory /home/rkorsun: Permission denied
	less /etc/tcsd.conf	
	We ca	n see the same mistake with file:
	/etc/t	csd.conf: Permission denied
	We se	e such mistake because only the owner can see this file .
	-rw	1 tss tss 7046 Aug 3 2017 tcsd.conf
	The sa	ame problem was with previous directory.
	drwx	4 rkorsun qa 4096 Nov 13 23:18 rkorsun

6. You have these 2 commands being executed within your HOME (imagine you already have ~/lesson-1 directory there)

ls -l ./lesson-1

## Is -I .bashrc

## What's the difference in "." symbol's meaning?

Is -I ./lesson-1

This command lists the detailed information about the contents of the "lesson-1" directory in the current location (./). The ./ indicates the current directory

- -I .bashrc: This command lists the detailed information about the ".bashrc" file in the current directory.
- . here refers to the current directory, so it's like Is -I ~/.bashrc where ~ represents your home directory.

## 7. Imagine you have the following directory structure:

/home/user

/home/user/photos

/home/user/photos/private

/home/user/docs

/home/user/videos

Now you are in /home/user/videos

How to change your current working directory in one action to /home/user/photos/private by using only relative paths?

cd ../photos/private