


```
1
                                      @charset "UTF-8";/*!


▼ □ dist
                                 2
                                       * Bootstrap v5.2.1 (https://getbootstrap.com/)
 ▼ 🗀 css
                                 3
                                       * Copyright 2011-2022 The Bootstrap Authors
   ▶ □ dist/css
                                       * Copyright 2011-2022 Twitter, Inc.
                                       * Licensed under MIT (https://github.com/twbs/bootstr
     bootstrap.min.css
                                 6
                                      */
  ▶ □ js
                                      :root {
                                          --bs-blue: ■#0d6efd;
▼ 🗀 js
                                          --bs-indigo: ■#6610f2;
 ▶ 🗀 src
                                          --bs-purple: ■ #6f42c1;
   📘 index.umd.js
                                          --bs-pink: | #d63384;
                                          --bs-red: ■#dc3545;
▶ □ node_modules/@popper
                                          --bs-orange: #fd7e14;
▼ 🗀 scss
                                          --bs-yellow: #ffc107;
                                          --bs-green: ■ #198754;
 ▶ 🗀 forms
                                          --bs-teal: ■#20c997;
  ▶ □ helpers
                                          --bs-cyan: #0dcaf0;
  ▶ □ mixins
                                          --bs-black: ■ #000;
                                          --bs-white: □ #fff;
  ▶ □ utilities
                                          --bs-gray: ■#6c757d;
  ▶ □ vendor
                                          --bs-gray-dark: #343a40;
                                          --bs-gray-100: ■#f8f9fa;
      _accordion.scss
                                          --bs-gray-200: #e9ecef;
      _alert.scss
                                          --bs-gray-300: #dee2e6;
      _badge.scss
                                          --bs-gray-400: #ced4da;
                                          --bs-gray-500: #adb5bd;
       _breadcrumb.scss
                                          --bs-gray-600: #6c757d;
       _button-group.scss
                                          --bs-gray-700: #495057;
       buttons.scss
                                          --bs-gray-800: #343a40;
                                          --hs-grav-900: ■#212529:
       _card.scss
```

At the page of search flight we can see: image of the plane, js files, css files.




Are there any requests going from WebUI to the server?


When we open Flights page, we can see request "flights" going to the server and some files which are requested from the server




When we try to see passengers we can see request "passenger" going to the server and some files which are requested from the server




When we add new flight we can see request "new" going to the server and some files which are requested from the server



When we delete a flight we can see we can see request "delete" going to the server and some files which are requested from the server




On the Flight search page we can see also request "search" and some files which are requested from the server



Clear browser data (cash and cookies). What has changed?

We need to login again



http://192.168.40.100:8108/flight/delete?flight... 7

22165 B

488 ms

200

GET