WASTEMENT®

BY VAKRATUND

WASTE MANAGEMENT MACHINES

Your Waste, Our Resposibility

COMPANY PROFILE

VAKRATUND INVENTION INDIA PVT LTD

WASTEMENT®
BY VAKRATUND

WASTE MANAGEMENT MACHINES


ABOUT US

We are VAKRATUND INVENTION INDIA PVT LTD!!! — Waste management machineries company. With our tagline of "YOUR WASTE OUR RESPONSIBILITY", we are providing sustainable solutions for daily waste generated in an organization.


With the target of serving the clients in best possible ways and covering the qualitative range of waste management products in industry, "VAKRATUND" set up its business as a company in the year 2017. Our organization is engaged in manufacturing of all kind of waste management machineries.

We have been dedicated to helping forward-thinking organizations reduce their environmental footprint, save money and produce high-quality com- post. We do this through innovative design informed by the coupling of industry experience and ongoing research and development. We are passionate about waste management because it saves earth and preserves the air, water and soil.

OUR STRENGTHS




Comprehensive Product Range




ISO CE Certified



Standard & Innovative Technology



Prompt Customer Service



Strong Distribution Network

GET IN TOUCH

+91-8668308119 | 8482973593

PLOT NO.B-18/2/1, MIDC AMBAD, NASHIK, MAHARASTRA.

WWW.VAKRATUNDINVENTION.COM

INFO@VAKRATUNDINVENTION.COM

WASTEMENT®
BY VAKRATUND

AUTOMATIC ORGANIC FOOD WASTE COMPOST MACHINE







TECHNICAL SPECIFICATIONS

- **MACHINE TYPE:** ORGANIC WASTE COMPOSTING MACHINE
- **WASTE CAPACITY:** 50 KG TO 3000 KG PER DAY (CUSTOMIZABLE)
- **OPERATION MODE:** FULLY AUTOMATIC
- **PROCESSING TIME:** 24-36 HOURS
- **POWER REQUIREMENT:** THREE PHASE
- **BODY MATERIAL:** STAINLESS STEEL / MILD STEEL (AS REQUIRED)
- **HEATING SYSTEM:** INBUILT HEATER
- **MIXING SYSTEM:** AUTOMATIC AGITATOR
- **COMPOST OUTPUT:** ORGANIC NUTRIENT-RICH COMPOST
- **SHREDDER :** IN-BUILT / SEPERATE (AS REQUIRED)
- **CONTROL PANEL :** HMI/PLC BASED.

KEY FEATURES

- **FULLY AUTOMATIC COMPOSTING PROCESS**
- **CONVERSION OF ORGANIC WASTE IN 24 HOURS**
- **ODOR-FREE & ECO-FRIENDLY OPERATION**
- **STAINLESS STEEL / MS DURABLE BODY**
- **INBUILT HEATING & MIXING SYSTEM**
- **LOW POWER CONSUMPTION**

APPLICATION

- HOTELS & RESTAURANTS
- HOUSING SOCIETIES
- MUNICIPAL CORPORATIONS
- SCHOOLS & COLLEGES
- TEMPLES & COMMUNITY HALLS
- FOOD PROCESSING UNITS
- CANTEENS & COMMERCIAL KITCHENS

MODEL	OWC-50	OWC-100	OWC-300	OWC-500	OWC-1000	OWC-1500	OWC-2000	OWC-3000
CAPACITY (Per Day)	50 Kg/Day	100 Kg/Day	300 Kg/Day	500 Kg/Day	1000 Kg/Day	1500 Kg/Day	2000 Kg/Day	3000 Kg/Day

GET IN TOUCH

+91-8668308119 | 8482973593
WWW.VAKRATUNDINVENTION.COM
PLOT NO.B-18/2/1, MIDC AMBAD, NASHIK, MAHARASTRA.
INFO@VAKRATUNDINVENTION.COM

WASTEMENT®
BY VAKRATUND

SMOKELESS BIO MEDICAL WASTE INCINERATOR







TECHNICAL SPECIFICATIONS

- **MACHINE TYPE:** BIOMEDICAL WASTE INCINERATOR
- **FUEL TYPE:** ELECTRICAL HEATERS
- **COMBUSTION CHAMBER**: DUAL CHAMBER SYSTEM
- **OPERATING TEMPERATURE:** UP TO 1200°C
- **BODY MATERIAL:** MILD STEEL WITH HEAT INSULATION
- **CONTROL PANEL:** DIGITAL / SEMI-AUTOMATIC
- **POWER REQUIREMENT**: THREE PHASE
- **EMISSION TYPE:** SMOKELESS OPERATION
- **WASTE CAPACITY:** UP TO 200 KG PER HOUR
- **EMISSION CONTROL:** IN-BUILT SMOKE ELIMINATION DEVICE

KEY FEATURES

- **SMOKELESS HIGH-TEMPERATURE COMBUSTION**
- **ECO-FRIENDLY WASTE DISPOSAL**
- **HEAVY-DUTY MILD STEEL CONSTRUCTION**
- **DIGITAL TEMPERATURE CONTROL SYSTEM**
- **FAST & EFFICIENT WASTE DISPOSAL**
- **USER-FRIENDLY OPERATION**

APPLICATION

- HOSPITALS & HEALTHCARE CENTERS
- PATHOLOGY LABORATORIES
- MEDICAL COLLEGES
- PRIMARY HEALTH CENTERS (PHC)
- DIAGNOSTIC CENTERS
- SMALL INDUSTRIAL MEDICAL UNITS

MODEL	SBMW-5	SBMW-25	SBMW-50	SBMW-100
CAPACITY (Per Batch)	5 Kg/Batch	25 Kg/Batch	50 Kg/Batch	100 Kg/Batch

GET IN TOUCH

+91-8668308119 | 8482973593

WWW.VAKRATUNDINVENTION.COM

PLOT NO.B-18/2/1, MIDC AMBAD, NASHIK, MAHARASTRA.

INFO@VAKRATUNDINVENTION.COM

WASTEMENT®
BY VAKRATUND

ELECTRICAL BIO MEDICAL WASTE INCINERATOR







TECHNICAL SPECIFICATIONS

- **MACHINE TYPE:** ELECTRICAL BIOMEDICAL WASTE INCINERATOR
- **HEATING TYPE:** ELECTRICAL HEATING SYSTEM
- **COMBUSTION CHAMBER:** DUAL CHAMBER DESIGN
- **OPERATING TEMPERATURE:** UP TO 1100°C
- **EMISSION CONTROL:** MULTI-STAGE EMISSION CONTROL SYSTEM (SCRUBBER FILTER & CARBON FILTER)
- **BODY MATERIAL:** MILD STEEL WITH HEAT INSULATION
- **POWER SUPPLY:** 3 PHASE, 440V AC
- **CONTROL SYSTEM:** DIGITAL
- **OPERATION TYPE:** SMOKELESS & ECO-FRIENDLY

KEY FEATURES

- **FULLY ELECTRICAL OPERATION**
- **ADVANCED EMISSION CONTROL SYSTEM**
- **HIGH-TEMPERATURE COMBUSTION**
- **ECO-FRIENDLY LOW EMISSION DESIGN**
- **DIGITAL TEMPERATURE MONITORING**

APPLICATION

- HOSPITALS & HEALTHCARE CENTERS
- PATHOLOGY LABORATORIES
- MEDICAL COLLEGES
- PRIMARY HEALTH CENTERS (PHC)
- DIAGNOSTIC CENTERS
- SMALL INDUSTRIAL MEDICAL UNITS

MODEL	BMW-25	BMW-50	BMW-100	BMW-200
CAPACITY (Per Batch)	25 Kg/Batch	50 Kg/Batch	100 Kg/Batch	200 Kg/Batch

GET IN TOUCH

+91-8668308119 | 8482973593

PLOT NO.B-18/2/1, MIDC AMBAD, NASHIK, MAHARASTRA.

WWW.VAKRATUNDINVENTION.COM

INFO@VAKRATUNDINVENTION.COM

WASTEMENT®
BY VAKRATUND

SOLID WASTE INCINERATOR WITH SMOKE CONTROL SYSTEM







TECHNICAL SPECIFICATIONS

- **MACHINE TYPE:** SOLID WASTE INCINERATOR
- **FUEL TYPE:** DIESEL / LPG / PNG
- **COMBUSTION SYSTEM:** DUAL CHAMBER DESIGN
- **OPERATING TEMPERATURE:** UP TO 1200°C
- **EMISSION CONTROL:** MULTI-STAGE EMISSION CONTROL SYSTEM
- **BODY MATERIAL:** MILD STEEL WITH HEAT INSULATION
- **OPERATION MODE:** SEMI-AUTOMATIC / AUTOMATIC
- **POWER SUPPLY:** SINGLE PHASE / THREE PHASE
- **WASTE CAPACITY:** UPTO 2000 KG/BATCH (CUSTOMIZABLE)
- **CONTROL PANEL :** FULLY EQUIPPED ELECTRICAL CONTOL PANEL
- **CHIMNEY:** UPTO 30 METERS HIGH (AS PER REQUIREMENT)

KEY FEATURES

- **HIGH-TEMPERATURE SOLID WASTE COMBUSTION**
- **ADVANCED EMISSION CONTROL SYSTEM**
- **DIESEL / LPG / PNG FUEL COMPATIBILITY**
- **LOW EMISSION OPERATION**
- **HEAVY-DUTY INSULATED CONSTRUCTION**

APPLICATION

- MUNICIPAL SOLID WASTE MANAGEMENT
- INDUSTRIAL WASTE DISPOSAL
- HOTELS & COMMERCIAL ESTABLISHMENTS
- HOUSING SOCIETIES
- FACTORIES & MANUFACTURING UNITS
- HOSPITALS & INSTITUTIONAL WASTE DISPOSAL
- RURAL & URBAN WASTE MANAGEMENT PROJECTS

MODEL	SWI-25	SWI-50	SWI-100	SWI-200	SWI-500	SWI-1000	SWI-2000
CAPACITY (Per Batch)	25 Kg/Batch	50 Kg/Batch	100 Kg/Batch	200 Kg/Batch	500 Kg/Batch	1000 Kg/Batch	2000 Kg/Batch

GET IN TOUCH

+91-8668308119 | 8482973593
WWW.VAKRATUNDINVENTION.COM
PLOT NO.B-18/2/1, MIDC AMBAD, NASHIK, MAHARASTRA.
INFO@VAKRATUNDINVENTION.COM

WASTEMENT®
BY VAKRATUND

ANIMAL/ POULTRY WASTE INCINERATOR







TECHNICAL SPECIFICATIONS

- **MACHINE TYPE:** ANIMAL/POULTRY INCINERATOR
- **FUEL TYPE:** DIESEL / LPG / PNG
- **COMBUSTION SYSTEM:** DUAL CHAMBER DESIGN
- **OPERATING TEMPERATURE:** UP TO 1200°C
- **EMISSION CONTROL:** MULTI-STAGE EMISSION CONTROL SYSTEM
- **POWER SUPPLY:** SINGLE PHASE / THREE PHASE
- **WASTE CAPACITY:** UPTO 2000 KG/BATCH (CUSTOMIZABLE)
- **CONTROL PANEL :** FULLY EQUIPPED ELECTRICAL CONTOL PANEL
- **CHIMNEY:** UPTO 30 METERS HIGH (AS PER REQUIREMENT)

KEY FEATURES

- **HIGH-TEMPERATURE SOLID WASTE COMBUSTION**
- **ADVANCED EMISSION CONTROL SYSTEM**
- **DIESEL / LPG / PNG FUEL COMPATIBILITY**
- **LOW EMISSION OPERATION**
- **HEAVY-DUTY INSULATED CONSTRUCTION**

APPLICATION

- MUNICIPAL WASTE MANAGEMENT
- WASTE DISPOSAL FACILITY
- VETRINARY INSTITUTIONS & HOSPITALS
- POULTRY FARMS
- ANIMAL SANCTUARIES

MODEL	AWI-100	AWI-500	AWI-1000	AWI-2000
CAPACITY (Per Batch)	50-100 Kg/Batch	300-500 Kg/Batch	700-1000 Kg/Batch	Upto 2000 Kg/Batch

GET IN TOUCH

+91-8668308119 | 8482973593

PLOT NO.B-18/2/1, MIDC AMBAD, NASHIK, MAHARASTRA.


WWW.VAKRATUNDINVENTION.COM


INFO@VAKRATUNDINVENTION.COM

WASTEMENT®
BY VAKRATUND

ORGANIC/ COCONUT WASTE SHREDDER MACHINE







TECHNICAL SPECIFICATIONS

- **MACHINE TYPE:** ORGANIC / COCONUT WASTE SHREDDER MACHINE
- **SHREDDING CAPACITY:** FROM 100 KG/HOUR CUSTOMIZABLE AS PER REQUIREMENT
- **MOTOR POWER:** 2 HP TO 15 HP (DEPENDING ON MODEL)
- **BODY MATERIAL:** HEAVY-DUTY MILD STEEL
- **BLADE TYPE:** HARDENED STEEL BLADES
- **OPERATION MODE:** ELECTRICAL
- **POWER SUPPLY:** THREE PHASE, 440 V
- **OUTPUT SIZE:** FINE SHREDDED ORGANIC MATERIAL

KEY FEATURES

- **HEAVY-DUTY SHREDDING MECHANISM**
- **SUITABLE FOR ORGANIC & COCONUT WASTE**
- **HIGH-SPEED EFFICIENT CUTTING SYSTEM**
- **DURABLE MILD STEEL CONSTRUCTION**
- **LOW POWER CONSUMPTION**

APPLICATION

- COMPOSTING PLANTS
- COCONUT PROCESSING UNITS
- ORGANIC WASTE MANAGEMENT PROJECTS
- MUNICIPAL CORPORATIONS
- FARMS & AGRICULTURAL FIELDS
- HOTELS & FOOD PROCESSING UNIT

MODEL	OWS-100	OWS-300	OWS-500	OWS-1000
CAPACITY (Per Hour)	100-200 Kg/Hour	300-400 Kg/Hour	500-700 kg/Hour	1000 Kg/Hour

GET IN TOUCH

+91-8668308119 | 8482973593

PLOT NO.B-18/2/1, MIDC AMBAD, NASHIK, MAHARASTRA.

WWW.VAKRATUNDINVENTION.COM

INFO@VAKRATUNDINVENTION.COM

WASTEMENT®
BY VAKRATUND

MUNICIPAL SOLID WASTE SHREDDER MACHINE







TECHNICAL SPECIFICATIONS

- **MACHINE TYPE:** MUNICIPAL SOLID WASTE SHREDDER
- **SHREDDING SYSTEM:** DUAL SHAFT CUTTER DESIGN
- **MOTOR POWER:** 10 HP TO 50 HP (AS PER MODEL)
- **BODY MATERIAL:** HEAVY-DUTY MILD STEEL
- **BLADE MATERIAL:** HARDENED ALLOY STEEL
- **OPERATION MODE:** ELECTRICAL
- **POWER SUPPLY:** THREE PHASE, 440V AC
- **WASTE PROCESSING CAPACITY:** CUSTOMIZABLE AS PER REQUIREMENT
- **OUTPUT:** PLASTIC FLAKES
- **OUTPUT SIZE:** 8-10 MM
- **INPUT MATERIAL:** HDPE,LDPE,PET,PPE,PVC & OTHER SOLID WASTE.

KEY FEATURES

- **HEAVY-DUTY DUAL SHAFT SHREDDING SYSTEM**
- **HIGH TORQUE LOW SPEED OPERATION**
- **SUITABLE FOR MULTIPLE WASTE MATERIALS**
- **DURABLE INDUSTRIAL GRADE CONSTRUCTION**
- **EFFICIENT WASTE VOLUME REDUCTION**

APPLICATION

- MUNICIPAL CORPORATIONS
- SOLID WASTE MANAGEMENT PLANTS
- PLASTIC & RECYCLING INDUSTRIES
- RDF PROCESSING PLANTS
- INDUSTRIAL WASTE PROCESSING UNITS
- URBAN & RURAL WASTE MANAGEMENT PROJECTS

MODEL	PSM-100	PSM-500	PSM-1000	PSM-2000
CAPACITY (Per Hour)	100-200 Kg/Hour	300-500 Kg/Hour	700-1000 Kg/Hour	1500-2000 Kg/Hour

GET IN TOUCH

+91-8668308119 | 8482973593
WWW.VAKRATUNDINVENTION.COM
PLOT NO.B-18/2/1, MIDC AMBAD, NASHIK, MAHARASTRA.
INFO@VAKRATUNDINVENTION.COM

WASTEMENT®
BY VAKRATUND

PLASTIC WASTE GRINDER MACHINE







TECHNICAL SPECIFICATIONS

- **MACHINE TYPE:** PLASTIC WASTE GRINDER
- **GRINDING CAPACITY:** CUSTOMIZABLE AS PER REQUIREMENT
- **MOTOR POWER:** 5 HP TO 20 HP (AS PER MODEL)
- **BLADE MATERIAL:** HARDENED STEEL
- **BODY MATERIAL:** HEAVY-DUTY MILD STEEL
- **OPERATION MODE:** ELECTRICAL
- **POWER SUPPLY:** THREE PHASE
- **OUTPUT MATERIAL:** FINE PLASTIC GRANULES / FLAKES
- **SUITABLE FOR:** HDPE, LDPE, PET, PVC, PPE, CARDBOARDS & OTHER SOLID WASTE

KEY FEATURES

- **HEAVY-DUTY GRINDING MECHANISM**
- **HIGH-SPEED HARDENED STEEL BLADES**
- **SUITABLE FOR VARIOUS PLASTIC WASTE MATERIALS**
- **DURABLE MILD STEEL CONSTRUCTION**
- **LOW POWER CONSUMPTION**

APPLICATION

- PLASTIC RECYCLING UNITS
- MUNICIPAL WASTE MANAGEMENT PROJECTS
- INDUSTRIAL PLASTIC WASTE PROCESSING
- SCRAP COLLECTION CENTERS
- MANUFACTURING INDUSTRIES
- WASTE RECYCLING PLANTS

MODEL	PWGM-100	PWGM-200	PWGM-500	PWGM-1000
CAPACITY (Per Hour)	100-150 Kg/Hour	200-300 Kg/Hour	300-500 Kg/Hour	Upto 1000 Kg/Hour

GET IN TOUCH

+91-8668308119 | 8482973593
WWW.VAKRATUNDINVENTION.COM
PLOT NO.B-18/2/1, MIDC AMBAD, NASHIK, MAHARASTRA.
INFO@VAKRATUNDINVENTION.COM

WASTEMENT®
BY VAKRATUND

GASIFIER (WASTE TO ENERGY GENERATION PLANT)







TECHNICAL SPECIFICATIONS

- **PLANT TYPE:** PLASTIC WASTE TO ENERGY GASIFIER PLANT
- **CAPACITY:** UPTO 5 TPD WASTE INPUT CAPACITY
- **PROCESSING TECHNOLOGY:** THERMAL GASIFICATION
- **INPUT MATERIAL:** PLASTIC WASTE / RDF MATERIAL
- **OPERATION MODE:** SEMI-AUTOMATIC / AUTOMATIC
- **HEATING SYSTEM:** CONTROLLED HIGH-TEMPERATURE REACTOR
- **BODY MATERIAL:** HEAVY-DUTY MILD STEEL
- **POWER SUPPLY:** THREE PHASE, 440V AC
- **ENERGY OUTPUT:** GAS / THERMAL ENERGY (CUSTOMIZABLE)
- **PLANT CAPACITY:** CUSTOMIZABLE AS PER REQUIREMENT
- **GENSET:** PROVIDED UPTO 150 KVA CAPACITY (AS SUITABLE CAPACITY MODEL)

KEY FEATURES

- **ADVANCED PLASTIC WASTE GASIFICATION TECHNOLOGY**
- **CONVERTS PLASTIC WASTE INTO USABLE ENERGY**
- **HIGH-EFFICIENCY CONTINUOUS PROCESSING SYSTEM**
- **LOW EMISSION & ECO-FRIENDLY OPERATION**
- **HEAVY-DUTY INDUSTRIAL CONSTRUCTION**
- **AUTOMATED CONTROL PANEL SYSTEM**
- **ENERGY RECOVERY & RESOURCE UTILIZATION**

APPLICATION

- MUNICIPAL SOLID WASTE MANAGEMENT PROJECTS
- PLASTIC RECYCLING & PROCESSING INDUSTRIES
- INDUSTRIAL WASTE MANAGEMENT PLANTS
- WASTE TO ENERGY PROJECTS
- RDF & ALTERNATIVE FUEL GENERATION
- URBAN & RURAL WASTE PROCESSING FACILITIES

MODEL	GASIFIER-1000	GASIFIER-2000	GASIFIER-3000	GASIFIER-5000
CAPACIY (Kgs Per Day)	1000 Kg/Day	2000 Kg/Day	3000 Kg/Day	5000 Kg/Day

GET IN TOUCH

+91-8668308119 | 8482973593
WWW.VAKRATUNDINVENTION.COM
PLOT NO.B-18/2/1, MIDC AMBAD, NASHIK, MAHARASTRA.
INFO@VAKRATUNDINVENTION.COM

WASTEMENT®
BY VAKRATUND

TROMMEL SCREENING MACHINE WITH FEEDING CONVEYOR







TECHNICAL SPECIFICATIONS

- **MACHINE TYPE:** TROMMEL SCREENING MACHINE
- **SCREENING SYSTEM:** ROTARY DRUM TROMMEL
- **CAPACITY:** UPTO 50 TONS PER DAY (CUSTOMIZABLE AS REQUIRED)
- **CONVEYOR TYPE:** AUTOMATIC FEEDING CONVEYOR (UPTO 10 METERS)
- **DRUM MATERIAL:** HEAVY-DUTY MILD STEEL
- **SCREEN SIZE:** CUSTOMIZABLE AS PER REQUIREMENT
- **MOTOR POWER:** 10 HP TO 20 HP (DEPENDING ON MODEL)
- **POWER SUPPLY:** THREE PHASE, 440V AC
- **OPERATION MODE:** ELECTRICAL CONTINUOUS OPERATION

KEY FEATURES

- **AUTOMATIC FEEDING CONVEYOR SYSTEM**
- **HIGH-EFFICIENCY ROTARY TROMMEL SCREENING**
- **SUITABLE FOR MIXED WASTE SEGREGATION**
- **HEAVY-DUTY INDUSTRIAL CONSTRUCTION**
- **CONTINUOUS HIGH-CAPACITY OPERATION**
- **EASY MAINTENANCE & USER-FRIENDLY DESIGN**
- **ENERGY EFFICIENT PERFORMANCE**
- **CUSTOMIZABLE SCREEN SIZES**

APPLICATION

- MUNICIPAL SOLID WASTE MANAGEMENT PLANTS
- COMPOST PROCESSING UNITS
- ORGANIC WASTE SEGREGATION
- SAND & SOIL SCREENING
- RDF & RECYCLING PLANTS

MODEL	TSM-10	TSM-25	TSM-50
CAPACIY (Tons Per Day)	10 TPD	25 TPD	50 TPD

GET IN TOUCH

+91-8668308119 | 8482973593

WWW.VAKRATUNDINVENTION.COM

PLOT NO.B-18/2/1, MIDC AMBAD, NASHIK, MAHARASTRA.

INFO@VAKRATUNDINVENTION.COM

WASTEMENT®
BY VAKRATUND

CLOTH BAG VENDING MACHINE







TECHNICAL SPECIFICATIONS

- **MACHINE TYPE:** AUTOMATIC CLOTH BAG VENDING MACHINE
- **CAPACITY:** 100–500 BAGS (CUSTOMIZABLE)
- **OPERATION MODE:** COIN / TOKEN / DIGITAL PAYMENT
- **BODY MATERIAL:** MILD STEEL WITH POWDER COATING
- **POWER SUPPLY:** SINGLE PHASE, 230V AC
- **DISPLAY TYPE:** LED DISPLAY, TOUCHSCREEN (OPTIONAL).
- **DISPENSING SYSTEM:** AUTOMATIC SPIRAL BASED
- **INSTALLATION TYPE:** FLOOR /STAND MOUNTED

KEY FEATURES

- **FULLY AUTOMATIC BAG DISPENSING SYSTEM**
- **COIN / TOKEN / DIGITAL PAYMENT OPTION**
- **COMPACT & ATTRACTIVE DESIGN**
- **DURABLE POWDER-COATED MS BODY**
- **USER-FRIENDLY OPERATION**
- **SUPPORTS PLASTIC-FREE INITIATIVES**

APPLICATION

- MUNICIPAL CORPORATIONS
- SHOPPING MALLS & SUPERMARKETS
- RAILWAY STATIONS & BUS STANDS
- TOURIST PLACES
- TEMPLES & PUBLIC AREAS
- RETAIL STORES & COMMERCIAL COMPLEXES

MODEL	CBV-100	CBV-150	CBV-300	CBV-500
CAPACITY (Bag Storage)	100 Bags	150 Bags	300 Bags	500 Bags

GET IN TOUCH

+91-8668308119 | 8482973593
WWW.VAKRATUNDINVENTION.COM
PLOT NO.B-18/2/1, MIDC AMBAD, NASHIK, MAHARASTRA.
INFO@VAKRATUNDINVENTION.COM

WASTEMENT®
BY VAKRATUND

SANITARY NAPKIN VENDING MACHINE







TECHNICAL SPECIFICATIONS

- **MACHINE TYPE:** AUTOMATIC SANITARY NAPKIN VENDING MACHINE
- **CAPACITY:** 25–100 NAPKINS (CUSTOMIZABLE)
- **OPERATION MODE:** COIN / TOKEN / DIGITAL PAYMENT
- **BODY MATERIAL:** POWDER-COATED MILD STEEL
- **POWER SUPPLY:** SINGLE PHASE, 230V AC
- **INSTALLATION TYPE:** WALL MOUNTED
- **DISPENSING SYSTEM:** AUTOMATIC SPIRAL BASED
- **DISPLAY TYPE:** LED DISPLAY

KEY FEATURES

- **FULLY AUTOMATIC NAPKIN DISPENSING SYSTEM**
- **COIN / TOKEN / DIGITAL PAYMENT OPTION**
- **COMPACT & WALL MOUNTED DESIGN**
- **DURABLE POWDER-COATED MS BODY**
- **USER-FRIENDLY OPERATION**
- **SUPPORTS WOMEN HEALTH & SANITATION INITIATIVES**

APPLICATION

- SCHOOLS & COLLEGES
- HOSPITALS & CLINICS
- RAILWAY STATIONS & BUS STANDS
- SHOPPING MALLS & PUBLIC TOILETS
- FACTORIES & INDUSTRIAL UNITS
- GOVERNMENT INSTITUTIONS & NGOS

MODEL	VEND-25M	VEND-25A	VEND-50M	VEND-50A	VEND-100A
CAPACITY (Napkin Storage)	25 capacity Manual	25 Capacity Automatic	50 Capacity Manual	50 Capacity Automatic	100 Capacity Automatic

GET IN TOUCH

+91-8668308119 | 8482973593
WWW.VAKRATUNDINVENTION.COM
PLOT NO.B-18/2/1, MIDC AMBAD, NASHIK, MAHARASTRA.
INFO@VAKRATUNDINVENTION.COM

WASTEMENT®
BY VAKRATUND

SANITARY NAPKIN INCINERATOR MACHINE







TECHNICAL SPECIFICATIONS

- **MACHINE TYPE:** ELECTRICAL SANITARY NAPKIN INCINERATOR
- **CAPACITY:** 50–200 NAPKINS PER DAY (CUSTOMIZABLE)
- **HEATING TYPE:** ELECTRICAL HEATING ELEMENT
- **OPERATING TEMPERATURE:** UP TO 800°C
- **POWER SUPPLY:** SINGLE PHASE, 230V AC
- **BODY MATERIAL:** POWDER-COATED MILD STEEL
- **INSTALLATION TYPE:** WALL MOUNTED
- **OPERATION MODE:** AUTOMATIC
- **EXHAUST:** GI FLEXIBLE PIPE.
- **SAFEFTY:** AUTO POWER CUT-OFF MCB, HEAT & SHOCK PROOF BODY.

KEY FEATURES

- **HIGH-TEMPERATURE ELECTRICAL HEATING SYSTEM**
- **HYGIENIC DISPOSAL OF USED NAPKINS**
- **USER-FRIENDLY PUSH BUTTON OPERATION**
- **LOW POWER CONSUMPTION**
- **DURABLE POWDER-COATED METAL BODY**
- **SAFE & ECO-FRIENDLY WASTE DISPOSAL**

APPLICATION

- MUNICIPAL CORPORATIONS
- SHOPPING MALLS & SUPERMARKETS
- RAILWAY STATIONS & BUS STANDS
- TOURIST PLACES
- RETAIL STORES & COMMERCIAL COMPLEXES

MODEL	BI-30	BI-50	BI-100	BI-300
CAPACITY (Per Day)	50-100 No.s Per Day	100-150 No.s Per Day	150-200 No.s Per Day	300-400 No.s Per Day

GET IN TOUCH

+91-8668308119 | 8482973593
WWW.VAKRATUNDINVENTION.COM
PLOT NO.B-18/2/1, MIDC AMBAD, NASHIK, MAHARASTRA.
INFO@VAKRATUNDINVENTION.COM

WASTEMENT®
BY VAKRATUND

HYDRAULIC PLASTIC BALING MACHINE







TECHNICAL SPECIFICATIONS

- **MACHINE TYPE:** HYDRAULIC VERTICAL BALER
- **COMPRESSION CAPACITY:** 50–150 KG PER BALE (CUSTOMIZABLE)
- **POWER REQUIREMENT:** 5 HP - 10 HP MOTOR
- **HYDRAULIC SYSTEM:** HIGH-PRESSURE HYDRAULIC CYLINDER
- **BODY MATERIAL:** MILD STEEL (MS)
- **OPERATION MODE:** SEMI-AUTOMATIC
- **VOLTAGE:** 440V AC
- **BALE EJECTION:** MANUAL

KEY FEATURES

- **HEAVY-DUTY HYDRAULIC SYSTEM**
- **STRONG MS BODY CONSTRUCTION**
- **COMPACT BALE FORMATION**
- **LOW POWER CONSUMPTION**

APPLICATION

- MUNICIPAL SOLID WASTE MANAGEMENT
- PLASTIC RECYCLING INDUSTRIES
- SCRAP COLLECTION CENTERS
- WAREHOUSES & FACTORIES
- COMMERCIAL WASTE HANDLING UNITS

MODEL	PBM-10	PBM-25	PGM-50
MAX FORCE LOAD	10 Tons	25-30 Tons	40-50 Tons

GET IN TOUCH

+91-8668308119 | 8482973593
WWW.VAKRATUNDINVENTION.COM
PLOT NO.B-18/2/1, MIDC AMBAD, NASHIK, MAHARASTRA.
INFO@VAKRATUNDINVENTION.COM

WASTEMENT®
BY VAKRATUND

PLASTIC DUST REMOVER (FATKA) MACHINE







TECHNICAL SPECIFICATIONS

- **MACHINE TYPE:** PLASTIC DUST REMOVER (FATKA) MACHINE
- **OPERATION SYSTEM:** AIR BLOWER & VIBRATION SEPARATION
- **PROCESSING MATERIAL:** PLASTIC FLAKES / GRANULES
- **BODY MATERIAL:** HEAVY-DUTY MILD STEEL
- **MOTOR POWER:** 2 HP TO 10 HP (DEPENDING ON MODEL)
- **POWER SUPPLY:** SINGLE PHASE / THREE PHASE
- **OPERATION MODE:** CONTINUOUS ELECTRICAL OPERATION
- **OUTPUT:** CLEAN & DUST-FREE PLASTIC MATERIAL

KEY FEATURES

- **EFFICIENT DUST & IMPURITY REMOVAL SYSTEM**
- **HIGH-SPEED AIR SEPARATION TECHNOLOGY**
- **EASY MAINTENANCE & USER-FRIENDLY DESIGN**
- **HEAVY-DUTY INDUSTRIAL CONSTRUCTION**
- **LOW POWER CONSUMPTION**

APPLICATION

- MUNICIPAL SOLID WASTE MANAGEMENT
- PLASTIC RECYCLING INDUSTRIES
- SCRAP COLLECTION CENTERS
- WAREHOUSES & FACTORIES
- COMMERCIAL WASTE HANDLING UNITS


MODEL	PDR-100	PDR-300	PDR-500
CAPACITY (Per Hour)	100-150 Kg/Hour	200-300 Kg/Hour	400-500 Kg/Hour

GET IN TOUCH

+91-8668308119 | 8482973593
WWW.VAKRATUNDINVENTION.COM
PLOT NO.B-18/2/1, MIDC AMBAD, NASHIK, MAHARASTRA.
INFO@VAKRATUNDINVENTION.COM

WASTEMENT®
BY VAKRATUND

FUEL FREE SOLID WASTE INCINERATOR



TECHNICAL SPECIFICATIONS

- **WASTE PROCESSING CAPACITY:** UPTO 500 KG PER BATCH (CUSTOMIZABLE).
- **COMBUSTION TEMPERATURE:** 850°C – 1000°C.
- **FUEL REQUIREMENT:** 100% FUEL-FREE OPERATION.
- **MATERIAL OF CONSTRUCTION:** HIGH-GRADE STAINLESS STEEL (SS 304) AND HEAT-RESISTANT ALLOYS.
- **INSULATION:** PREMIUM CURVED FIRE BRICK & CERAMIC CLAY COATING.
- **EMISSION CONTROL:** WET SCRUBBER FILTER PROVIDED.
- **BLOWER:** 1 HP BLOWER PROVIDED (TO MAINTAIN OXYGEN LEVELS).
- **EXHAUST:** 10-15 METERS HIGH(FROM GROUND LEVEL) CHIMNEY, WITH SUPPORTING STRUCTURE.

KEY FEATURES

- **ECO-FRIENDLY FUEL-FREE OPERATION.**
- **LOW OPERATIONAL & MAINTENANCE COSTS.**
- **HIGH COMBUSTION EFFICIENCY.**
- **MODULAR DESIGN FOR EASY INSTALLATION AND SCALABILITY.**
- **USER-FRIENDLY APPLICATION PROCESS.**
- **SIGNIFICANTLY LOW EMISSIONS.**

APPLICATION

- MUNICIPAL SOLID WASTE MANAGEMENT
- INDUSTRIAL WASTE DISPOSAL
- HOTELS & COMMERCIAL ESTABLISHMENTS
- HOUSING SOCIETIES
- FACTORIES & MANUFACTURING UNITS
- HOSPITALS & INSTITUTIONAL WASTE DISPOSAL
- RURAL & URBAN WASTE MANAGEMENT PROJECTS

MODEL	FF-SW-1000	FF-SW-2000	FF-SW-5000
CAPACIY (Kgs Per Day)	1000 Kg/Day	2000 Kg/Day	5000 Kg/Day

GET IN TOUCH

+91-8668308119 | 8482973593
WWW.VAKRATUNDINVENTION.COM
PLOT NO.B-18/2/1, MIDC AMBAD, NASHIK, MAHARASTRA.
INFO@VAKRATUNDINVENTION.COM

WASTEMENT®
BY VAKRATUND

WASTE MANAGEMENT MACHINES

OUR CERTIFICATIONS

WE ARE AVAILABLE ON THESE PLATFORMS

GET IN TOUCH

+91-8668308119 | 8482973593

PLOT NO.B-18/2/1, MIDC AMBAD, NASHIK, MAHARASTRA.

WWW.VAKRATUNDINVENTION.COM

INFO@VAKRATUNDINVENTION.COM

WASTEMENT®
BY VAKRATUND

WASTE MANAGEMENT MACHINES

OUR CLIENTS





























































































GET IN TOUCH

+91-8668308119 | 8482973593

WWW.VAKRATUNDINVENTION.COM


PLOT NO.B-18/2/1, MIDC AMBAD, NASHIK, MAHARASTRA.

INFO@VAKRATUNDINVENTION.COM

WASTEMENT®
BY VAKRATUND

WASTE MANAGEMENT MACHINES

OUR INSTALLATIONS






















WASTEMENT®
BY VAKRATUND

WASTE MANAGEMENT MACHINES

OUR INSTALLATIONS
























GET IN TOUCH

+91-8668308119 | 8482973593

WWW.VAKRATUNDINVENTION.COM

PLOT NO.B-18/2/1, MIDC AMBAD, NASHIK, MAHARASTRA.

INFO@VAKRATUNDINVENTION.COM

WASTEMENT®
BY VAKRATUND

www.vakratundinvention.com

Plot No.B-18/2/1, MIDC Ambad, Nashik, Maharashtra, India.

8482973593 | 8888048480 | 8668308819

info@vakratundinvention.com

THANK YOU