WASTEMENT®

BY VAKRATUND

WASTE MANAGEMENT MACHINES

Your Waste, Our Resposibility

COMPANY PROFILE

VAKRATUND INVENTION INDIA PVT LTD

WASTEMENT®
BY VAKRATUND

WASTE MANAGEMENT MACHINES


ABOUT US

We are VAKRATUND INVENTION INDIA PVT LTD!!! — Waste management machineries company. With our tagline of "YOUR WASTE OUR RESPONSIBILITY", we are providing sustainable solutions for daily waste generated in an organization.


With the target of serving the clients in best possible ways and covering the qualitative range of waste management products in industry, "VAKRATUND" set up its business as a company in the year 2017. Our organization is engaged in manufacturing of all kind of waste management machineries.

We have been dedicated to helping forward-thinking organizations reduce their environmental footprint, save money and produce high-quality com- post. We do this through innovative design informed by the coupling of industry experience and ongoing research and development. We are passionate about waste management because it saves earth and preserves the air, water and soil.

OUR STRENGTHS




Comprehensive Product Range




ISO CE Certified



Standard & Innovative Technology



Prompt Customer Service



Strong Distribution Network

GET IN TOUCH

+91-8668308119 | 8482973593

PLOT NO.B-18/2/1, MIDC AMBAD, NASHIK, MAHARASTRA.

WWW.VAKRATUNDINVENTION.COM

INFO@VAKRATUNDINVENTION.COM

WASTEMENT®
BY VAKRATUND

WASTE MANAGEMENT MACHINES

DEAD ANIMAL & SOLID WASTE (2 IN 1) INCINERATOR





TECHNICAL SPECIFICATIONS

- **MACHINE TYPE:** ANIMAL/ SOLID WASTE INCINERATOR
- **FUEL TYPE:** DIESEL / LPG / PNG
- **COMBUSTION SYSTEM:** DUAL CHAMBER DESIGN
- **OPERATING TEMPERATURE:** UP TO 1200°C
- **EMISSION CONTROL:** MULTI-STAGE EMISSION CONTROL SYSTEM
- **POWER SUPPLY:** THREE PHASE
- **WASTE CAPACITY:** UPTO 1000 KG/BATCH (CUSTOMIZABLE)
- **CONTROL PANEL :** FULLY EQUIPPED ELECTRICAL CONTOL PANEL
- **CHIMNEY:** UPTO 30 METERS HIGH (AS PER REQUIREMENT)

KEY FEATURES

- **HIGH-TEMPERATURE SOLID WASTE COMBUSTION**
- **ADVANCED EMISSION CONTROL SYSTEM**
- **DIESEL / LPG / PNG FUEL COMPATIBILITY**
- **LOW EMISSION OPERATION**
- **HEAVY-DUTY INSULATED CONSTRUCTION**

APPLICATION

- MUNICIPAL WASTE MANAGEMENT
- WASTE DISPOSAL FACILITY
- VETRINARY INSTITUTIONS & HOSPITALS
- POULTRY FARMS
- ANIMAL SANCTUARIES

MODEL	CAPACITY (Per Batch)	ESTIMATED COST APPROX.
AWI-500	**250-500 Kg/Batch**	**RS.97.35 Lacs. Per Unit**
AWI-1000	**500-1000 Kg/Batch**	**Rs.1.45 Cr. Per Unit**

NOTE: 1. *THE PRICE WILL BE DEPEND AS PER CAPACITY*
2. *TRANSPORT & INSTALLATION INCLUDED*

WASTEMENT®
BY VAKRATUND

WASTE MANAGEMENT MACHINES

CLOTH BAG VENDING MACHINE







TECHNICAL SPECIFICATIONS

- **MACHINE TYPE:** AUTOMATIC CLOTH BAG VENDING MACHINE
- **CAPACITY:** 100–500 BAGS (CUSTOMIZABLE)
- **OPERATION MODE:** COIN / TOKEN / DIGITAL PAYMENT
- **BODY MATERIAL:** MILD STEEL WITH POWDER COATING
- **POWER SUPPLY:** SINGLE PHASE, 230V AC
- **DISPLAY TYPE:** LED DISPLAY, TOUCHSCREEN (OPTIONAL).
- **DISPENSING SYSTEM:** AUTOMATIC SPIRAL BASED
- **INSTALLATION TYPE:** FLOOR /STAND MOUNTED

KEY FEATURES

- **FULLY AUTOMATIC BAG DISPENSING SYSTEM**
- **COIN / TOKEN / DIGITAL PAYMENT OPTION**
- **COMPACT & ATTRACTIVE DESIGN**
- **DURABLE POWDER-COATED MS BODY**
- **USER-FRIENDLY OPERATION**
- **SUPPORTS PLASTIC-FREE INITIATIVES**

APPLICATION

- MUNICIPAL CORPORATIONS
- SHOPPING MALLS & SUPERMARKETS
- RAILWAY STATIONS & BUS STANDS
- TOURIST PLACES
- PUBLIC AREAS

MODEL	CAPACITY (Bag Storage)	ESTIMATED COST APPROX.
CBV-150	150 BAG STORAGE	Rs.55,000/-
CBV-300	300 BAG STORAGE	Rs.98,000/-
CBV-500	500 BAG STORAGE	Rs.1,90,000/-

NOTE: 1. *THE PRICE WILL BE DEPEND AS PER CAPACITY*
2. *TRANSPORT & INSTALLATION INCLUDED*

WASTEMENT®
BY VAKRATUND

WASTE MANAGEMENT MACHINES

SMART SOLAR BENCH







TECHNICAL SPECIFICATIONS

- **Structure:** Powder Coated Mild Steel
- **Seating:** WPC Slats
- **Solar Panel:** 150W–400W
- **Battery:** 12V/24V (Li-ion)
- **Charging Ports:** USB / Fast Charging
- **Lighting:** LED Strip (10W–20W)
- **Display:** LED/LCD Screen
- **Power Output:** 5V / 12V DC
- **Surface Finish:** Powder Coated
- **Frame Thickness:** 2–4 mm
- **Load Capacity:** 250–400 kg
- **Add-ons:** CCTV, Wi-Fi, Sensors

KEY FEATURES

- **Solar Powered System**
- **Mobile Charging Facility**
- **LED Lighting**
- **Digital Advertising Display**
- **Premium Seating**
- **Smart Connectivity (Optional)**

APPLICATION

- Smart Cities Projects
- Bus Stops & Public Areas
- Parks & Gardens
- Railway Stations
- Campuses & Commercial Spaces

MODEL	SEAT CAPACITY	ESTIMATED COST APPROX.
SMART-BENCH	3 PERSONS	Rs.9.80 Lacs.

NOTE: 1. *THE PRICE WILL BE DEPEND AS PER CAPACITY*
2. *TRANSPORT & INSTALLATION INCLUDED*

WASTEMENT®
BY VAKRATUND

WASTE MANAGEMENT MACHINES

SMART SOLAR BUS STOP





TECHNICAL SPECIFICATIONS

- **Structure:** Mild Steel (MS) / Stainless Steel (SS 304)
- **Frame Thickness:** 2–5 mm
- **Seating Capacity:** 4–6 persons
- **Seating Material:** Wood / HDPE / FRP
- **Roof Material:** Mild Steel (MS) / Stainless Steel (SS 304)
- **Power Supply:** 220–240V AC / Solar Hybrid
- **Solar Panel:** 300W–1kW (as required)
- **Battery Backup:** 4–8 hours (Li-ion / Tubular)
- **Display:** LED / LCD (IP65 Rated)
- **Surface Finish:** Powder Coating (80–120 microns)
- **Installation:** Anchor Bolt with RCC Foundation
- **Weather Resistance:** UV, Rainproof, Wind up to 120 km/h
- **Add-ons:** USB Charging, CCTV, Wi-Fi, Ads Display, Etc.

KEY FEATURES

- **Ergonomic Seating**
- **Smart LED Lighting**
- **Digital Display Panel**
- **Optional Green Landscaping Integration**
- **Robust Structure**
- **Smart Power Options**
- **Add-ons (Wifi, Bluetooth, Charging)**

APPLICATION

- Smart City Projects
- Urban Transport Systems
- Highway Bus Stops
- Industrial & Corporate Campuses
- Tourist Locations

MODEL	ACCOMODATION CAPACITY	ESTIMATED COST APPROX.
SMART BUST STOP	10-12 PERSONS	Rs.19.50 LACS.

NOTE: 1. *THE PRICE WILL BE DEPEND AS PER CAPACITY*
2. *TRANSPORT & INSTALLATION INCLUDED*

WASTEMENT®
BY VAKRATUND

AUTOMATIC ORGANIC FOOD WASTE COMPOST MACHINE







TECHNICAL SPECIFICATIONS

- **MACHINE TYPE:** ORGANIC WASTE COMPOSTING MACHINE
- **WASTE CAPACITY:** 50 KG TO 3000 KG PER DAY (CUSTOMIZABLE)
- **OPERATION MODE:** FULLY AUTOMATIC
- **PROCESSING TIME:** 24-36 HOURS
- **POWER REQUIREMENT:** THREE PHASE
- **BODY MATERIAL:** STAINLESS STEEL / MILD STEEL (AS REQUIRED)
- **HEATING SYSTEM:** INBUILT HEATER
- **MIXING SYSTEM:** AUTOMATIC AGITATOR
- **COMPOST OUTPUT:** ORGANIC NUTRIENT-RICH COMPOST
- **SHREDDER :** IN-BUILT / SEPERATE (AS REQUIRED)
- **CONTROL PANEL :** HMI/PLC BASED.

KEY FEATURES

- **FULLY AUTOMATIC COMPOSTING PROCESS**
- **CONVERSION OF ORGANIC WASTE IN 24 HOURS**
- **ODOR-FREE & ECO-FRIENDLY OPERATION**
- **STAINLESS STEEL / MS DURABLE BODY**
- **INBUILT HEATING & MIXING SYSTEM**
- **LOW POWER CONSUMPTION**

APPLICATION

- HOTELS & RESTAURANTS
- HOUSING SOCIETIES
- MUNICIPAL CORPORATIONS
- SCHOOLS & COLLEGES

MODEL	CAPACITY	ESTIMATED COST APPROX.
OWC-500	500 KG/DAY	RS.12.50 LACS
OWC-1000	1000 KG/DAY	RS.21.50 LACS
OWC-2000	2000 KG/DAY	RS.32.50 LACS

NOTE: 1. *THE PRICE WILL BE DEPEND AS PER CAPACITY*
2. *TRANSPORT & INSTALLATION INCLUDED*

WASTEMENT®
BY VAKRATUND

WASTE MANAGEMENT MACHINES

SMOKELESS BIO MEDICAL WASTE INCINERATOR







TECHNICAL SPECIFICATIONS

- **MACHINE TYPE:** BIOMEDICAL WASTE INCINERATOR
- **FUEL TYPE:** ELECTRICAL HEATERS
- **COMBUSTION CHAMBER**: DUAL CHAMBER SYSTEM
- **OPERATING TEMPERATURE:** UP TO 1200°C
- **BODY MATERIAL:** MILD STEEL WITH HEAT INSULATION
- **CONTROL PANEL:** DIGITAL / SEMI-AUTOMATIC
- **POWER REQUIREMENT**: THREE PHASE
- **EMISSION TYPE:** SMOKELESS OPERATION
- **WASTE CAPACITY:** UP TO 200 KG PER HOUR
- **EMISSION CONTROL:** IN-BUILT SMOKE ELIMINATION DEVICE

KEY FEATURES

- **SMOKELESS HIGH-TEMPERATURE COMBUSTION**
- **ECO-FRIENDLY WASTE DISPOSAL**
- **HEAVY-DUTY MILD STEEL CONSTRUCTION**
- **DIGITAL TEMPERATURE CONTROL SYSTEM**
- **FAST & EFFICIENT WASTE DISPOSAL**
- **USER-FRIENDLY OPERATION**

APPLICATION

- HOSPITALS & HEALTHCARE CENTERS
- PATHOLOGY LABORATORIES
- MEDICAL COLLEGES
- PRIMARY HEALTH CENTERS (PHC)
- DIAGNOSTIC CENTERS
- SMALL INDUSTRIAL MEDICAL UNITS

MODEL	CAPACITY (Per Day)	ESTIMATED COST APPROX.
SBMW-500	500 kG/DAY	RS.18 IACS

NOTE: 1. *THE PRICE WILL BE DEPEND AS PER CAPACITY*
2. *TRANSPORT & INSTALLATION INCLUDED*

WASTEMENT®
BY VAKRATUND

WASTE MANAGEMENT MACHINES

PET BOTTLE SHREDDER







TECHNICAL SPECIFICATIONS

- **MACHINE TYPE:** PET BOTTLE SHREDDER / CRUSHER
- **CRUSHING CAPACITY:** CUSTOMIZABLE AS PER REQUIREMENT
- **OPERATION MODE:** AUTOMATIC SENSOR BASED
- **BODY MATERIAL:** RUST-PROOF POWDER-COATED METAL BODY
- **BLADE TYPE:** HARDENED STEEL BLADES
- **POWER SUPPLY:** SINGLE PHASE
- **SAFETY FEATURES:** DOOR LOCK & AUTO STOP SYSTEM
- **OUTPUT MATERIAL:** CRUSHED PET BOTTLE FLAKES

KEY FEATURES

- **HIGH COMPRESSION RATIO**
- **AUTO START / STOP SENSOR**
- **SAFETY DOOR LOCK**
- **FULL BIN INDICATOR**
- **ENERGY EFFICIENT**
- **LOW NOISE OPERATION**
- **DURABLE & RUST PROOF BODY**

APPLICATION

- RAILWAY STATIONS & AIRPORTS
- SHOPPING MALLS & PUBLIC AREAS
- MUNICIPAL WASTE MANAGEMENT PROJECTS
- SCHOOLS & COLLEGES
- HOTELS & COMMERCIAL COMPLEXES

MODEL	CAPACITY (Per Day)	ESTIMATED COST APPROX.
PBSM-100	100-200 KG/DAY	RS.5.80 LACS

NOTE: 1. *THE PRICE WILL BE DEPEND AS PER CAPACITY*
2. *TRANSPORT & INSTALLATION INCLUDED*

WASTEMENT®
BY VAKRATUND

WASTE MANAGEMENT MACHINES

SOLAR TREE





TECHNICAL SPECIFICATIONS

- **STRUCTURE TYPE:** TREE-SHAPED SOLAR POWER GENERATION STRUCTURE
- **SOLAR PANELS:** HIGH-EFFICIENCY MONOCRYSTALLINE PV PANELS
- **NUMBER OF PANELS:** 3 SOLAR PANELS
- **POWER GENERATION CAPACITY:** APPROX. 1 KW – 5 KW (CUSTOMIZABLE)
- **STRUCTURE MATERIAL:** HEAVY DUTY GI / MILD STEEL WITH POWDER COATING
- **POLE FINISH:** WEATHER-RESISTANT ANTI-CORROSION COATING
- **MOUNTING TYPE:** GROUND MOUNTED
- **BATTERY BACKUP:** OPTIONAL LITHIUM / TUBULAR BATTERY SYSTEM

KEY FEATURES

- **AESTHETIC TREE-SHAPED MODERN DESIGN**
- **GENERATES CLEAN AND RENEWABLE SOLAR ENERGY**
- **SPACE-SAVING VERTICAL SOLAR STRUCTURE**
- **IDEAL FOR SMART CITY AND GREEN ENERGY PROJECTS**
- **WEATHERPROOF AND DURABLE CONSTRUCTION**

APPLICATION

- SMART CITIES
- PUBLIC PARKS & GARDENS
- BUS STOPS & RAILWAY STATIONS
- EDUCATIONAL INSTITUTIONS & CAMPUSES
- CORPORATE OFFICES & IT PARKS

MODEL	CAPACITY (Per Day)	ESTIMATED COST APPROX.
SOLAR TREE	1-5 K WATT	RS.6.90 LACS

NOTE: 1. *THE PRICE WILL BE DEPEND AS PER CAPACITY*
2. *TRANSPORT & INSTALLATION INCLUDED*

WASTEMENT®
BY VAKRATUND

WASTE MANAGEMENT MACHINES

SOLAR AIR PURIFIER





TECHNICAL SPECIFICATIONS

- **PRODUCT TYPE:** SOLAR POWERED OUTDOOR AIR PURIFIER
- **POWER SOURCE:** SOLAR ENERGY WITH BATTERY BACKUP
- **SOLAR PANEL TYPE:** HIGH EFFICIENCY MONOCRYSTALLINE PV PANEL
- **SOLAR CAPACITY:** APPROX. 300W – 1KW (CUSTOMIZABLE)
- **AIR FILTRATION SYSTEM:** MULTI-STAGE FILTRATION TECHNOLOGY
- **FILTRATION TYPE:** PRE-FILTER + HEPA FILTER + ACTIVATED CARBON FILTER
- **AIR PURIFICATION COVERAGE:** APPROX. 500 – 1000 SQ. FT. (DEPENDING ON MODEL)
- **AIR QUALITY MONITORING:** REAL-TIME AQI DISPLAY (OPTIONAL)

KEY FEATURES

- **OPERATES COMPLETELY ON RENEWABLE SOLAR ENERGY**
- **REMOVES DUST, SMOKE, PM2.5, PM10, AND HARMFUL POLLUTANTS**
- **SMART REAL-TIME AIR QUALITY MONITORING SYSTEM**
- **ECO-FRIENDLY AND ENERGY-EFFICIENT OPERATION**
- **ATTRACTIVE MODERN OUTDOOR DESIGN**
- **IDEAL FOR SMART CITY INFRASTRUCTURE PROJECTS**

APPLICATION

- SMART CITIES
- PUBLIC PARKS & GARDENS
- BUS STOPS & RAILWAY STATIONS
- EDUCATIONAL INSTITUTIONS & CAMPUSES
- CORPORATE OFFICES & IT PARKS

MODEL	COVERAGE	ESTIMATED COST APPROX.
SOLAR AIR PURIFIER	500-1000 SQ.FT	RS.4.90 LACS

NOTE: 1. *THE PRICE WILL BE DEPEND AS PER CAPACITY*
2. *TRANSPORT & INSTALLATION INCLUDED*

WASTEMENT®
BY VAKRATUND

WASTE MANAGEMENT MACHINES

KIDS FITNESS HUB







TECHNICAL SPECIFICATIONS

- **PRODUCT TYPE:** OUTDOOR KIDS FITNESS & PLAY EQUIPMENT SET
- **NUMBER OF STATIONS:** 7 FITNESS / ACTIVITY EQUIPMENT
- **AGE GROUP:** SUITABLE FOR CHILDREN (5–15 YEARS)
- **MATERIAL:** HEAVY DUTY GI / MILD STEEL STRUCTURE
- **SURFACE FINISH:** POWDER COATED WEATHER RESISTANT FINISH
- **PIPE THICKNESS:** 2 MM – 4 MM (CUSTOMIZABLE)
- **COLOUR:** ATTRACTIVE MULTICOLOR CHILD-FRIENDLY DESIGN
- **INSTALLATION TYPE:** OUTDOOR GROUND MOUNTED
- **SAFETY FEATURES:** SMOOTH EDGES & ANTI-SLIP COMPONENTS
- **CORROSION PROTECTION:** RUST & UV RESISTANT COATING

KEY FEATURES

- **CHILD-FRIENDLY SAFE DESIGN**
- **STRONG & DURABLE CONSTRUCTION**
- **WEATHER & RUST RESISTANT**
- **ATTRACTIVE MULTICOLOR APPEARANCE**
- **ENCOURAGES PHYSICAL ACTIVITY**
- **IMPROVES BALANCE & COORDINATION**

APPLICATION

- PUBLIC PARKS & GARDENS
- SCHOOLS & EDUCATIONAL CAMPUSES
- SMART CITY PROJECTS
- RESIDENTIAL SOCIETIES & TOWNSHIPS
- MUNICIPAL PLAYGROUNDS
- CHILDREN RECREATION CENTERS


MODEL	COVERAGE	ESTIMATED COST APPROX.
KIDS FITNESS HUB	7 EQUIPMETS SET	RS 9.90 LACS

NOTE: 1. *THE PRICE WILL BE DEPEND AS PER CAPACITY*
2. *TRANSPORT & INSTALLATION INCLUDED*

WASTEMENT®
BY VAKRATUND

WASTE MANAGEMENT MACHINES

FUEL FREE SOLID WASTE INCINERATOR



TECHNICAL SPECIFICATIONS

- **WASTE PROCESSING CAPACITY:** UPTO 500 KG PER BATCH (CUSTOMIZABLE).
- **COMBUSTION TEMPERATURE:** 850°C – 1000°C.
- **FUEL REQUIREMENT:** 100% FUEL-FREE OPERATION.
- **MATERIAL OF CONSTRUCTION:** HIGH-GRADE STAINLESS STEEL (SS 304) AND HEAT-RESISTANT ALLOYS.
- **INSULATION:** PREMIUM CURVED FIRE BRICK & CERAMIC CLAY COATING.
- **EMISSION CONTROL:** WET SCRUBBER FILTER PROVIDED.
- **BLOWER:** 1 HP BLOWER PROVIDED (TO MAINTAIN OXYGEN LEVELS).
- **EXHAUST:** 10-15 METERS HIGH(FROM GROUND LEVEL) CHIMNEY, WITH SUPPORTING STRUCTURE.

KEY FEATURES

- **ECO-FRIENDLY FUEL-FREE OPERATION.**
- **LOW OPERATIONAL & MAINTENANCE COSTS.**
- **HIGH COMBUSTION EFFICIENCY.**
- **MODULAR DESIGN FOR EASY INSTALLATION AND SCALABILITY.**
- **USER-FRIENDLY APPLICATION PROCESS.**
- **SIGNIFICANTLY LOW EMISSIONS.**

APPLICATION

- MUNICIPAL SOLID WASTE MANAGEMENT
- INDUSTRIAL WASTE DISPOSAL
- HOTELS & COMMERCIAL ESTABLISHMENTS
- HOUSING SOCIETIES
- FACTORIES & MANUFACTURING UNITS
- HOSPITALS & INSTITUTIONAL WASTE DISPOSAL
- RURAL & URBAN WASTE MANAGEMENT PROJECTS

MODEL	CAPACIY (Kgs Per Day)	ESTIMATED COST APPROX.
FF-SWI-1000	1000 KG/DAY	RS.10 LACS

NOTE:
1. *THE PRICE WILL BE DEPEND AS PER CAPACITY*
2. *TRANSPORT & INSTALLATION INCLUDED*

WASTEMENT®
BY VAKRATUND

WASTE MANAGEMENT MACHINES

OUR CERTIFICATIONS

WE ARE AVAILABLE ON THESE PLATFORMS

GET IN TOUCH

+91-8668308119 | 8482973593

PLOT NO.B-18/2/1, MIDC AMBAD, NASHIK, MAHARASTRA.

WWW.VAKRATUNDINVENTION.COM

INFO@VAKRATUNDINVENTION.COM

WASTEMENT®
BY VAKRATUND

WASTE MANAGEMENT MACHINES

OUR CLIENTS





























































































GET IN TOUCH

+91-8668308119 | 8482973593

WWW.VAKRATUNDINVENTION.COM


PLOT NO.B-18/2/1, MIDC AMBAD, NASHIK, MAHARASTRA.

INFO@VAKRATUNDINVENTION.COM

WASTEMENT®
BY VAKRATUND

WASTE MANAGEMENT MACHINES

OUR INSTALLATIONS






















WASTEMENT®
BY VAKRATUND

WASTE MANAGEMENT MACHINES

OUR INSTALLATIONS
























GET IN TOUCH

+91-8668308119 | 8482973593

WWW.VAKRATUNDINVENTION.COM

PLOT NO.B-18/2/1, MIDC AMBAD, NASHIK, MAHARASTRA.

INFO@VAKRATUNDINVENTION.COM

WASTEMENT®
BY VAKRATUND

www.vakratundinvention.com

Plot No.B-18/2/1, MIDC Ambad, Nashik, Maharashtra, India.

8482973593 | 8888048480 | 8668308819

info@vakratundinvention.com

THANK YOU