Stave production monitoring

Ivan Ravasenga, Politecnico di Torino and I.N.F.N.

11/04/2019

Monitoring from January 2018 to 11/04/2019

Stave meeting

HS monitoring


HSs of previous week
T-OL-HS-U-032: 0 bad chips


T-OL-HS-L-032: 0 bad chips D-OL-HS-U-017: 0 bad chips D-OL-HS-L-017: 0 bad chips


HSs of this week

T-OL-HS-U-033: 0 bad chips D-OL-HS-L-210: 0 bad chips














HS - OL HS - ML















HS Yield vs time



Stave monitoring

Staves of previous week

T-OL-Stave-031: (U,L)=(0, 0) bad chips F-OL-Stave-021: (U,L)=(105, 105) bad chips

D-OL-Stave-015: (U,L)=(0, 0) bad chips A-OL-Stave-015: (U,L)=(0, 2) bad chips


B-ML-Stave-032: (U,L)=(60, 1) bad chips


Staves of this week

F-OL-Stave-020: (U,L)=(105, 105) bad chips D-OL-Stave-016: (U,L)=(0, 0) bad chips

Stave - Nikhef


Stave - Daresbury







Stave - Frascati


Stave - Turin







Stave - OL Stave - ML












Det. grade Stave vs time Berkeley Daresbury Turin Nikhef Frascati #Stave 35 30 25 20 15 10 5 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 1 Week Comparison to prev. week Berkeley: +0 Nikhef: +0 Daresbury: +1 Frascati: +0

Turin: +0





Stave yield vs time



Production rate (October 2018 - prev. week)**

Berkeley: 1.12(all) -- 0.88(DG)

Nikhef: 0.44(all) -- 0.40(DG)

Daresbury: 0.52(all) -- 0.48(DG)

Frascati: 0.64(all) -- 0.48(DG)
Turin: 0.84(all) -- 0.80(DG)

OL: 2.44(all) -- 2.16(DG) ML: 1.12(all) -- 0.88(DG)

**Christmas holiday excluded (2 weeks)

Stave reception @CERN

```
Staves qualified in the previous week

T-OL-Stave-023: (U,L)=(15, 0) bad chips
D-OL-Stave-015: (U,L)=(0, 0) bad chips
D-OL-Stave-012: (U,L)=(0, 1) bad chips
D-OL-Stave-011: (U,L)=(0, 0) bad chips
B-ML-Stave-031: (U,L)=(0, 0) bad chips
B-ML-Stave-030: (U,L)=(0, 0) bad chips
```


B-ML-Stave-029: (U,L)=(0, 0) bad chips B-ML-Stave-027: (U,L)=(0, 0) bad chips

Staves qualified this week


T-OL-Stave-028: (U,L)=(0, 0)


D-OL-Stave-014: (U,L)=(0, 0)


D-OL-Stave-013: (U,L)=(0, 0)



Det. Grade Stave @CERN







Det. grade Stave vs time @CERN ML(all) ML(DG) OL(DG) OL(all) #Stave 60 50 40 30 20 10

Qualification rate (December 2018 - prev. week)**

Berkeley: 1.38(all) -- 1.38(DG)

Nikhef: 0.50(all) -- 0.50(DG)

Daresbury: 0.62(all) -- 0.62(DG)

Frascati: 0.69(all) -- 0.69(DG)
Turin: 1.38(all) -- 1.25(DG)

OL: 3.19(all) -- 3.06(DG) ML: 1.38(all) -- 1.38(DG)

**Christmas holiday excluded (2 weeks)

HS without a Stave

HSs (DG) not yet tested as Stave D-OL-HS-U-008: 0 bad chips D-OL-HS-L-010: 0 bad chips T-OL-HS-U-033: 0 bad chips T-OL-HS-U-032: 0 bad chips T-OL-HS-L-032: 0 bad chips F-OL-HS-U-013: 0 bad chips F-OL-HS-L-013: 1 bad chips F-OL-HS-L-005: 0 bad chips

D-OL-HS-U-017: 0 bad chips D-OL-HS-L-210: 0 bad chips D-OL-HS-L-017: 0 bad chips

A-OL-HS-U-009: 2 bad chips A-OL-HS-L-013: 0 bad chips

D-OL-HS-L-008: 0 bad chips

A-OL-HS-L-012: 0 bad chips B-ML-HS-U-014: 0 bad chips B-ML-HS-L-014: 0 bad chips

HSs (non-DG) not yet tested as Stave

A-OL-HS-L-004: 14 bad chips -> rework(?)

Stave not DG

Staves not DG

A-OL-Stave-001: (U,L) = (2, 14) bad chips A-OL-Stave-002: (U,L) = (7, 49) bad chips

A-OL-Stave-003: (U,L) = (98, 98) bad chips

D-OL-Stave-001: (U,L) = (0, 22) bad chips

F-OL-Stave-001: (U,L) = (43, 14) bad chips

T-OL-Stave-020: (U,L) = (0, 15) bad chips

T-OL-Stave-003: (U,L) = (18, 17) bad chips

T-OL-Stave-002: (U,L) = (7, 1) bad chips

F-OL-Stave-021: (U,L) = (105, 105) bad chips

F-OL-Stave-020: (U,L) = (105, 105) bad chips F-OL-Stave-019: (U,L) = (105, 105) bad chips

F-OL-Stave-012: (U,L) = (16, 0) bad chips F-OL-Stave-008: (U,L) = (15, 0) bad chips

D-OL-Stave-002: (U,L) = (15, 0) bad chips A-OL-Stave-008: (U,L) = (15, 1) bad chips

B-ML-Stave-032: (U,L) = (60, 1) bad chips B-ML-Stave-030: (U,L) = (30, 0) bad chips

B-ML-Stave-028: (U,L) = (15, 0) bad chips B-ML-Stave-027: (U,L) = (30, 0) bad chips

B-ML-Stave-024: (U,L) = (15, 0) bad chips

B-ML-Stave-020: (U,L) = (15, 0) bad chips

B-ML-Stave-001: (U,L) = (60, 60) bad chips