Stave production monitoring

Ivan Ravasenga, Bogolyubov Institute for Theo. Phys.

04/09/2019

Monitoring from January 2018 to 04/09/2019

Stave meeting


HS monitoring

HSs of previous week


B-ML-HS-U-067: 0 bad chips B-ML-HS-L-067: 0 bad chips

HSs of this week














HS - OL HS - ML















HS Yield vs time



Stave monitoring

Staves of previous week

B-ML-Stave-063: (U,L)=(0, 0) bad chips

Staves of this week


B-ML-Stave-060: (U,L)=(0, 0) bad chips

[0+0 dc] 10 (55.6 %) [>3+3 dc] 1 (5.6 %)

[1+0 dc] 3 (16.7 %)


Stave - Nikhef

Stave - Daresbury





Stave - Frascati

[2+0 dc] 4 (22.2 %)





Stave - Turin






Det. Grade Stave







Det. grade Stave vs time Berkeley Daresbury Turin Nikhef Frascati Reworked #Stave 60 50 40 30 20 10 Week Comparison to prev. weel Berkeley: +1 Nikhef: +0 Daresbury: +0 Frascati: +0 Turin: +0

Reworked: +0





Stave yield vs time



```
Production rate (October 2018 - prev. week)**
           → Berkeley: 1.22(all) -- 1.20(DG)
             → Nikhef: 0.37(all) -- 0.37(DG)
          \rightarrow Daresbury: 0.46(all) -- 0.43(DG)
            → Frascati: 0.46(all) -- 0.46(DG)
     \rightarrow Turin: 0.79(all) -- 0.79(DG) \rightarrow Prod. ended
                 OL: 2.08(all) -- 2.05(DG)
                 ML: 1.22(all) -- 1.20(DG)
Rework rate (from June 1st, 2019): 0.29(all) -- 0.29(DG)
```

**Christmas holiday excluded (2 weeks)


```
Production rate 2019 (month by month)**
                 January
    → Berkeley: 1.00(all) -- 1.00(DG)
     → Nikhef: 0.50(all) -- 0.50(DG)
   → Daresbury: 0.75(all) -- 0.75(DG)
     → Frascati: 1.00(all) -- 1.00(DG)
     → Turin: 0.25(all) -- 0.25(DG)
         OL: 2.50(all) -- 2.50(DG)
         ML: 1.00(all) -- 1.00(DG)
                February
    → Berkeley: 0.80(all) -- 0.80(DG)
     → Nikhef: 0.20(all) -- 0.20(DG)
   → Daresbury: 0.80(all) -- 0.80(DG)
     → Frascati: 0.80(all) -- 0.80(DG)
      → Turin: 0.80(all) -- 0.80(DG)
         OL: 2.60(all) -- 2.60(DG)
         ML: 0.80(all) -- 0.80(DG)
                 March
    → Berkeley: 1.00(all) -- 1.00(DG)
     → Nikhef: 1.00(all) -- 1.00(DG)
    → Daresbury: 0.40(all) -- 0.40(DG)
     → Frascati: 0.60(all) -- 0.60(DG)
      → Turin: 1.00(all) -- 1.00(DG)
        OL: 3.00(all) -- 3.00(DG)
         ML: 1.00(all) -- 1.00(DG)
                  April
    → Berkeley: 1.40(all) -- 1.40(DG)
     → Nikhef: 0.80(all) -- 0.80(DG)
   → Daresbury: 1.00(all) -- 1.00(DG)
     → Frascati: 0.60(all) -- 0.60(DG)
      → Turin: 0.80(all) -- 0.80(DG)
         OL: 3.20(all) -- 3.20(DG)
         ML: 1.40(all) -- 1.40(DG)
    → Berkeley: 1.60(all) -- 1.40(DG)
     → Nikhef: 0.40(all) -- 0.40(DG)
   → Daresbury: 0.40(all) -- 0.40(DG)
     → Frascati: 0.60(all) -- 0.60(DG)
      → Turin: Production ended
        OL: 1.40(all) -- 1.40(DG)
         ML: 1.60(all) -- 1.40(DG)
                  June
    → Berkeley: 1.25(all) -- 1.25(DG)
     → Nikhef: 0.25(all) -- 0.25(DG)
   → Daresbury: 0.50(all) -- 0.50(DG)
     → Frascati: 0.50(all) -- 0.50(DG)
      → Turin: 0.00(all) -- 0.00(DG)
         OL: 1.25(all) -- 1.25(DG)
         ML: 1.25(all) -- 1.25(DG)
```

Stave reception @CERN


Staves qualified in the previous week


B-ML-Stave-051: (U,L)=(0, 0) bad chips B-ML-Stave-050: (U,L)=(0, 0) bad chips B-ML-Stave-049: (U,L)=(0, 0) bad chips


Staves qualified this week



Det. Grade Stave @CERN







Det. grade Stave vs time @CERN ML(all) ML(DG) OL(DG) OL(all) #Stave 80 70 60 50 40 30 20 10

Qualification rate (December 2018 - prev. week)**

Berkeley: 1.14(all) -- 1.14(DG)

Nikhef: 0.32(all) -- 0.32(DG)

Daresbury: 0.54(all) -- 0.54(DG)

Frascati: 0.51(all) -- 0.51(DG) Turin: 0.76(all) -- 0.76(DG)

> OL: 2.14(all) -- 2.14(DG) ML: 1.14(all) -- 1.14(DG)

**Christmas holiday excluded (2 weeks)

HS without a Stave

HSs (DG) not yet tested as Stave A-OL-HS-U-009: 2 bad chips F-OL-HS-U-027: 0 bad chips F-OL-HS-U-026: 0 bad chips F-OL-HS-U-025: 0 bad chips F-OL-HS-U-024: 0 bad chips F-OL-HS-L-027: 0 bad chips F-OL-HS-L-026: 0 bad chips F-OL-HS-L-025: 0 bad chips F-OL-HS-L-024: 0 bad chips A-OL-HS-U-023: 0 bad chips A-OL-HS-U-022: 0 bad chips A-OL-HS-U-021: 0 bad chips A-OL-HS-L-122: 0 bad chips A-OL-HS-L-024: 0 bad chips A-OL-HS-L-023: 0 bad chips B-ML-HS-U-067: 0 bad chips B-ML-HS-U-066: 0 bad chips B-ML-HS-U-065: 0 bad chips B-ML-HS-U-064: 0 bad chips B-ML-HS-U-062: 0 bad chips B-ML-HS-U-061: 0 bad chips B-ML-HS-U-014: 0 bad chips B-ML-HS-L-067: 0 bad chips B-ML-HS-L-066: 0 bad chips B-ML-HS-L-065: 0 bad chips B-ML-HS-L-064: 0 bad chips B-ML-HS-L-062: 0 bad chips B-ML-HS-L-061: 0 bad chips B-ML-HS-L-014: 0 bad chips

HSs (non-DG) not yet tested as Stave

A-OL-HS-L-001: 7 bad chips -> rework(?)

A-OL-HS-L-004: 14 bad chips -> rework(?)

F-OL-HS-U-002: 8 bad chips -> rework(?)

Stave not DG

Staves not DG - reworkable

A-OL-Stave-002: (U,L) = (7, 49) bad chips D-OL-Stave-001: (U,L) = (7, 13) bad chips

Staves not DG - not reworkable

B-ML-Stave-039: (U,L) = (0, 2) bad chips F-OL-Stave-001: (U,L) = (43, 14) bad chips B-ML-Stave-001: (U,L) = (2, 0) bad chips