

Supplementary Material for Evaluations of Dynamic Gaussian Splats versus Point Clouds for Sparse Captures

Simone Croci, Athanasios Charisoudis, Kit Yung Lam and Aljosa Smolic
Lucerne University of Applied Sciences and Arts, Rotkreuz, Switzerland
Email: simone.croci@hslu.ch

This document contains the supplemental material of the paper *Evaluations of Dynamic Gaussian Splats versus Point Clouds for Sparse Captures* (S. Croci et al.).

I. STIMULI FROM THE GAUSSIAN SPLAT VS POINT CLOUD EXPERIMENT

Figure 1 shows a sample frame from the stimuli used in the subjective experiment with the point cloud (PC) and Gaussian splat (GS) reconstructions on the left and right, respectively. The captions of the figures indicate the names of the captures used to generate the reconstructions. In the experiment, we also used the same stimuli with the left-right order of the reconstructions reversed.

II. ANALYSIS OF THE STIMULI WATCHING TIME

This section presents the analysis of the stimuli watching times collected during the subjective experiment. In particular, Figure 2 shows the histogram of the overall watching times, while Figure 3 shows the per-capture histograms for the GS vs. PC and PC vs. GS stimuli. In these histograms, there are peaks close to 10 s, i.e., the duration of the stimuli. Moreover, Figure 4 shows a bar chart of the median watching time of each capture, with error bars indicating the interquartile range (IQR). In this chart, the medians are close to 10 s.

III. ANALYSIS OF THE DYNAMIC GAUSSIAN SPLAT RECONSTRUCTIONS

This section presents the GS analysis of all dynamic GS reconstructions in Figure 5, and the GS analyzes of each dynamic reconstruction in the Figures 6, 7, 8, 9, 10, and 11. As can be observed, the GS analyzes of the dynamic GS reconstructions do not vary much.

IV. ANALYSIS OF THE STATIC GAUSSIAN SPLAT RECONSTRUCTIONS

This section presents the GS analyzes of the static GS reconstructions of the paper [1] generated with a scene GS optimization method called Postshot [2]. Figure 12 shows the GS analysis of all static reconstructions, while Figures 13, 14, 15, 16, 17, 18, and 19 show the GS analyzes of each

static GS reconstruction. It can be observed that there is a clear difference between the dynamic GS reconstructions of our paper and the static ones.

REFERENCES

- [1] P. Haslbauer, M. Pullen, C. Reichherzer, and A. Smolic, “Gaussian splatting vs. classical photogrammetry: A comparison for virtual backdrops,” in *2025 17th International Conference on Quality of Multimedia Experience (QoMEX)*. IEEE, 2025, pp. 1–4.
- [2] (2025) Postshot. [Online]. Available: <https://www.jawset.com/>




Fig. 1: Stimuli with point cloud and Gaussian splat reconstructions on the left and right, respectively. In the subjective experiment, we also used the same stimuli with the reconstruction order reversed.




Fig. 2: Stimuli watching time histogram.




Fig. 3: Per-capture watching time histograms for the GS vs. PC and PC vs. GS stimuli.




Fig. 4: Bar chart of the watching times for each capture (bars = median, error bars = interquartile range).




Fig. 5: Gaussian splat analysis of all dynamic reconstructions.




Fig. 6: Gaussian splat analysis of Den's dynamic reconstruction.




Fig. 7: Gaussian splat analysis of Nathalie's dynamic reconstruction.




Fig. 8: Gaussian splat analysis of Philipp I's dynamic reconstruction.




Fig. 9: Gaussian splat analysis of Philipp II's dynamic reconstruction.




Fig. 10: Gaussian splat analysis of Simone's dynamic reconstruction.




Fig. 11: Gaussian splat analysis of Thanos's dynamic reconstruction.







Fig. 12: Gaussian splat analysis of all static reconstructions.




(a) Scale 0 histogram.




(b) Scale 1 histogram.




(c) Scale 2 histogram.




(d) Rotation axis spherical histogram.




(e) Rotation angle θ histogram.



(f) Covariance matrix effective rank histogram.




(g) Square root of the covariance matrix determinant.




(h) Effective rank vs square root of the covariance matrix determinant.


Fig. 13: Gaussian splat analysis of the static Chapel reconstruction.




(a) Scale 0 histogram.




(b) Scale 1 histogram.




(c) Scale 2 histogram.




(d) Rotation axis spherical histogram.




(e) Rotation angle θ histogram.



(f) Covariance matrix effective rank histogram.



(g) Square root of the covariance matrix determinant.



(h) Effective rank vs square root of the covariance matrix determinant.

Fig. 14: Gaussian splat analysis of the static Lecture Room reconstruction.














Fig. 15: Gaussian splat analysis of the static Lecture Hall reconstruction.




(a) Scale 0 histogram.




(b) Scale 1 histogram.




(c) Scale 2 histogram.




(d) Rotation axis spherical histogram.




(e) Rotation angle θ histogram.



(f) Covariance matrix effective rank histogram.



(g) Square root of the covariance matrix determinant.



(h) Effective rank vs square root of the covariance matrix determinant.

Fig. 16: Gaussian splat analysis of the static Meeting Room reconstruction.




Fig. 17: Gaussian splat analysis of the static Office Space reconstruction.




Fig. 18: Gaussian splat analysis of the static Outdoor Scene reconstruction.




Fig. 19: Gaussian splat analysis of the static Cluttered Space reconstruction.