

Lab Activity 3.3: Construct form validation using Bootstrap and JavaScript

STUDENT INFORMATION

Name	Registration No	Date
NUR IRDINA WAFIYYA BINTI NIK FAZZELLY	10DIT25F1128	10/03/2026

Learning Outcomes:

- a) Construct client-side form validation using JavaScript.
 - b) Construct Bootstrap form components for improved user experience.
 - c) Perform form submission and validation errors gracefully.
-

Step 1: Setting Up the Document Structure & Styling

Create a new file named `passport_form.html`. We will start by defining the **Purple Theme** using CSS variables and styling the passport photo container to meet the **35mm x 45mm** requirement.

HTML

```
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-
scale=1.0">
  <title>Lab 3.3: Passport Application Form</title>
  <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap
.min.css" rel="stylesheet">
<style>
  :root { --primary-purple: #6f42c1; --hover-purple: #59359a; --
light-purple: #f3e5f5; }
  body { background-color: var(--light-purple); padding: 40px 20px;
}
  .form-container { max-width: 800px; margin: auto; background:
white; padding: 40px; border-radius: 15px; border-top: 8px solid
var(--primary-purple); }
  .text-purple { color: var(--primary-purple); }
  .bg-purple { background-color: var(--primary-purple) !important;
}
  .btn-purple { background-color: var(--primary-purple); color:
white; }
  .btn-purple:hover { background-color: var(--hover-purple); color:
white; }
```

```

    .passport-photo { width: 3.5cm; height: 4.5cm; object-fit: cover;
border: 3px solid #f8f9fa; outline: 1px solid #dee2e6; display:
block; margin: 0 auto 10px auto; }
    .form-control:focus, .form-select:focus { border-color: var(--
primary-purple); box-shadow: 0 0 0 0.25rem rgba(111, 66, 193, 0.25);
}
    #rangeValue { background-color: var(--primary-purple); color:
white; padding: 2px 10px; border-radius: 10px; font-size: 0.9rem; }
    #successMessage { display: none; }
</style>
</head>

```

Step 2: Constructing the UI (Form Components)

Add the HTML body. This includes the **Success Alert**, **Passport Image**, **Floating Labels**, and **Input Groups**. Note the use of `novalidate` in the form tag to allow custom JavaScript handling.

HTML

```

<div class="container">
  <div class="form-container shadow-lg">

    <div class="mb-3">
      <a href="LAB2_1.html" class="text-decoration-none text-
purple small fw-bold">&larr; Back to Profile</a>
    </div>

    <h2 class="mb-4 text-center fw-bold text-purple">Passport
Application</h2>
    <hr class="mb-5">

    <div id="successMessage" class="alert alert-success alert-
dismissible fade show" role="alert">
      <strong>Success!</strong> Your application has been
validated and submitted gracefully.
      <button type="button" class="btn-close" data-bs-
dismiss="alert" aria-label="Close"></button>
    </div>

    <form class="row g-4 needs-validation" id="passportForm"
novalidate>

      <div class="col-12 text-center">
        
        <p class="text-muted small">Standard Passport Size
(35mm x 45mm)</p>
      </div>

      <div class="col-md-6">
        <div class="form-floating">
          <input type="text" class="form-control"
id="firstName" placeholder="First Name" required>
          <label for="firstName">First Name</label>

```

```

        <div class="invalid-feedback">First name is
required.</div>
    </div>
</div>

    <div class="col-md-6">
        <div class="form-floating">
            <input type="text" class="form-control"
id="lastName" placeholder="Last Name" required>
            <label for="lastName">Last Name</label>
            <div class="invalid-feedback">Last name is
required.</div>
        </div>
    </div>

    <div class="col-md-12">
        <label for="userEmail" class="form-label fw-
bold">Contact Email</label>
        <div class="input-group has-validation">
            <span class="input-group-text bg-purple text-
white">@</span>
            <input type="email" class="form-control"
id="userEmail" placeholder="e.g. name@mail.com" required>
            <div class="invalid-feedback">Please enter a
valid email address.</div>
        </div>
    </div>

    <div class="col-md-6">
        <label for="citizenStatus" class="form-label fw-
bold">Citizenship</label>
        <select class="form-select" id="citizenStatus"
required>
            <option selected disabled value="">Select
status...</option>
            <option>Citizen</option>
            <option>Permanent Resident</option>
        </select>
        <div class="invalid-feedback">Selection
required.</div>
    </div>

    <div class="col-md-6">
        <label for="yearsResidency" class="form-label fw-
bold">
            Residency Years: <span id="rangeValue">25</span>
        </label>
        <input type="range" class="form-range" min="1"
max="50" value="25" id="yearsResidency">
    </div>

    <div class="col-md-12">
        <label class="form-label d-block fw-
bold">Gender</label>
        <div class="form-check form-check-inline">
            <input class="form-check-input" type="radio"
name="gender" id="male" required>

```

```

        <label class="form-check-label"
for="male">Male</label>
    </div>
    <div class="form-check form-check-inline">
        <input class="form-check-input" type="radio"
name="gender" id="female" required>
        <label class="form-check-label"
for="female">Female</label>
    </div>
    <div class="invalid-feedback">Please select a
gender.</div>
</div>

    <div class="col-12">
        <div class="form-check">
            <input class="form-check-input" type="checkbox"
value="" id="invalidCheck" required>
            <label class="form-check-label" for="invalidCheck">
                I confirm that all information provided is
accurate.
            </label>
            <div class="invalid-feedback">You must agree before
submitting.</div>
        </div>
    </div>

    <div class="col-md-6">
        <div class="form-floating">
            <input type="password" class="form-control"
id="password" placeholder="Password" required>
            <label for="password">Password</label>
            <div class="invalid-feedback">Please enter a
password.</div>
        </div>
    </div>

    <div class="col-md-6">
        <div class="form-floating">
            <input type="password" class="form-control"
id="confirmPassword" placeholder="Confirm Password" required>
            <label for="confirmPassword">Confirm
Password</label>
            <div class="invalid-feedback"
id="confirmFeedback">Passwords do not match!</div>
        </div>
    </div>

    <div class="col-12 mt-5 d-flex gap-2">
        <button class="btn btn-purple w-75 py-3 fw-bold
shadow-sm" type="submit">SUBMIT APPLICATION</button>
        <button class="btn btn-outline-secondary w-25 py-3
fw-bold shadow-sm" type="reset" id="resetBtn">RESET</button>
    </div>

</form>
</div>
</div>

```

Step 3: JavaScript Logic (Validation & Interaction)

Implement the script to handle **Range Slider** updates, **Password Matching**, and **Graceful Error Handling**.

HTML

```
<script>
  (function () {
    'use strict'

    const form = document.getElementById('passportForm');
    const successDiv = document.getElementById('successMessage');
    const resetBtn = document.getElementById('resetBtn');
    const rangeInput = document.getElementById('yearsResidency');
    const rangeValue = document.getElementById('rangeValue');

    // Update range value display
    rangeInput.addEventListener('input', function() {
      rangeValue.textContent = this.value;
    });

    // Form Validation Logic
    form.addEventListener('submit', function (event) {
      if (!form.checkValidity()) {
        event.preventDefault();
        event.stopPropagation();
        successDiv.style.display = 'none';
      } else {
        event.preventDefault();
        successDiv.style.display = 'block';
        window.scrollTo({ top: 0, behavior: 'smooth' });
      }
      form.classList.add('was-validated');
    }, false);

    // Reset Logic
    resetBtn.addEventListener('click', function() {
      form.classList.remove('was-validated');
      successDiv.style.display = 'none';
      rangeValue.textContent = "25"; // Reset range display to
default
    });

  })();
  (function () {
    'use strict'

    const form = document.getElementById('passportForm');
    const password = document.getElementById('password');
    const confirmPassword =
document.getElementById('confirmPassword');

    // Fungsi untuk menyemak padanan kata laluan
    function validatePassword() {
      if (password.value !== confirmPassword.value) {
        // Jika tidak sama, set ralat custom
```

```

        confirmPassword.setCustomValidity("Passwords do not
match");
    } else {
        // Jika sama, kosongkan ralat (sah)
        confirmPassword.setCustomValidity("");
    }
}

// Jalankan fungsi setiap kali pengguna menaip
password.addEventListener('change', validatePassword);
confirmPassword.addEventListener('keyup', validatePassword);

// Kekalkan logik submit anda yang sedia ada
form.addEventListener('submit', function (event) {
    // validatePassword dipanggil sekali lagi sebelum submit
    untuk kepastian
    validatePassword();

    if (!form.checkValidity()) {
        event.preventDefault();
        event.stopPropagation();
    } else {
        event.preventDefault();
        document.getElementById('successMessage').style.display =
'block';
        window.scrollTo({ top: 0, behavior: 'smooth' });
    }
    form.classList.add('was-validated');
}, false);

// ... (Logik Range dan Reset anda yang lain)
})();
</script>

<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.b
undle.min.js"></script>



```

Task Recap for Students:

1. **Step 1:** Copy CSS to define the look and the specific **3.5cm x 4.5cm** image size.
2. **Step 2:** Construct the form using Bootstrap's grid and specialized components.
3. **Step 3:** Apply the JavaScript to enable live slider updates and ensure the passwords match before submission.
4. **Observation:** Notice how the `was-validated` class triggers red/green borders and messages gracefully without refreshing the page.


STEP-BY-STEP VALIDATION:

Please provide a **screenshot** for every completed step. For each image, write a short **observation** explaining the logic behind the code you just implemented. This helps solidify your mastery of Bootstrap!

Progress Step	Screenshot of Output	Your Observation & Understanding
Step 1		In this step, the form is built using Bootstrap components like input fields, dropdown, radio buttons, and checkbox. The layout uses Bootstrap grid to keep the form organized and responsive.
Step 1		This step sets up the basic HTML structure and adds Bootstrap. CSS is used to create a purple theme and style the form layout. The passport photo size is also set to 3.5 cm × 4.5 cm.


5. SCREENSHOT OUTPUT (COMPLETE):

Desktop View



The desktop view shows a web browser window with the URL `127.0.0.1:5500/passportapps.html`. The page has a blue header with a JavaScript logo and navigation links: LAB 1A, LAB 1B, LAB 1C, LAB 2A, and REPORT. The main content area is light purple and contains the title "JAVASCRIPT LAB ACTIVITY" and the author "PREPARED BY: NUR IRDINA WAFIYYA BINTI NIK FAZZELLY (10DIT25F1128)". A white card in the center displays a "Passport Application" form. The card has a "Back to Profile" link, a success message "Success! Your application has been validated and submitted gracefully.", a placeholder for a passport photo, and input fields for "First Name" and "Last Name".

Mobile View



The mobile view shows the same application on a smaller screen. The header is blue with the JavaScript logo and a menu icon. The main content area is light purple and contains the title "JAVASCRIPT LAB ACTIVITY" and the author "PREPARED BY: NUR IRDINA WAFIYYA BINTI NIK FAZZELLY (10DIT25F1128)". A white card on the left displays a "Passport Application" form. The card has a "Back to Profile" link, a success message "Success! Your application has been validated and submitted gracefully.", a placeholder for a passport photo, and input fields for "First Name" and "Last Name". On the right, there is a form for "Contact Email" (with the email `irdinawafiyya165@gmail.com`), "Citizenship" (set to "Citizen"), "Residency Years" (set to 19), "Gender" (set to "Female"), a confirmation checkbox "I confirm that all information provided is accurate.", "Password" and "Confirm Password" fields, and "SUBMIT APPLICATION" and "RESET" buttons.

6. LAB SUBMISSION TASK

Ensure you have completed all steps successfully!

1. **Compress** your folder: `RegNo_Date.zip`.
2. **Report:** Create a PDF containing all screenshots and explanations:
`Report_RegNo_Date.pdf`.

Happy Coding! Success is in your hands!