产地,		岩南下巴								
	1	']"	工	<u> III</u>	IV'	ΙV¨				
A	16	16	13	22	17	17	50			
13	14	14	13	19	15	15	60			
	19	19	20	23	M	M	to			
D	M	0	\mathcal{M}	0	M	D	50			
海臺	30	20	70	3-	10	50				
和大学										
产地,			物形				产了			
	<u>I</u> '	<u>Z</u> "	I	<u>III.</u>	IV'	IV''				
A	16	16	1300	22	17	17	50			
13	140	1/20	1320	19	15	15	60			
	19/0	19	20	2330	M/o	M	to			
D	M	0	M	0	M	050	50			
节	30	20	70	3=	10	50				

神经.

产地,				学					
	1	12"	工	<u>III</u>	IV'	<u>I</u> V''			
A			50				50		
13	20	20	20				60		
	10			30	10		to		
D						ςο	50		
海臺	30	20	70	3-	10	50			
	岩南下巴								
产地。	7'	<u>Z"</u>	I.	<u>II</u> .	IV'	<u>I</u> V''	产量		
A	16	16	13	22	17	17	50		
13	14	14	13	19	15	15	60		
	19	19	20	23	M	M	to		
D	M	0	\mathcal{M}	0	M	D	50		
节星	30	20	70	3-	10	50			

	K.			宅南村	B			
<i>/</i> ·		<u>I</u> '	<u>Z"</u>	I	<u>II.</u>	IV'	<u>I</u> V''	- ui
	A			13				0
	B	14	14	13				0
		19			23	\mathcal{M}		5
	D						0	D
	νj	14	14	- 13	18	M-5	0	
1-11/	K.		7"	范斯工	B II	IV'	<u>I</u> V''	uj
	A	[2 b	2 b	13)2)2	17	17	0
	B	<u> </u>	14	13	19	15 25-M)ţ	0
_	2	19	19	<u>L2</u> 20	23	M 5	M-5	5
	D	M-14		(M-13 M	0	N 5	0	0
	v_{j}	14	14	13	18	M-5	0	

LP. 岩南FP.										
K.							1 (1	<u> </u>		
	-	7] _	Z"	工			-	IV'	<u>I</u> V''	
A				30						50
B	2	- 2 2),	20				+		60
C	/≢	+				30		10T		ţ,
D									30	50
田里	30	, ,	20	70		3-		10	50	
H.		•		行形				VE) \ uni		
,	1	1		工		111		IV'	<u>I</u> V''	
A				50						5
13	10	20	,	20				10		60
C	20				• ,	30				to
D									50	50
山景	30	20	,	70		3-		10	50	

		ころで								
	1	1 1	工		· Z	V'	<u>I</u> V''	— li		
A	16 2	<u>[2</u>	13	22	4 17	12	17	0		
B	14	14 1	13	2 19	1	56	13 15	0		
2	196	19 6	20	23	M	[M2.	M-5	5		
2	(m-14 M	. <u>-1</u> 4	- (m-	72 -	& M	[m-15	0	7		
νj	14	14	13	18		5	0			
					•					
K.			铜打	<i>b</i>						
	1 1	<u> Z" </u>	I	<u></u>	ZV	, /	IV"			
A			50					5		
13	12	20	20		B			60		
2	20			27				to		
D				0			50	50		
山星	30 .	20	70	30	10		50			
			-							

得最优解。

	·						
PTP.			葫	岸			
	7'	7'	互	M	IV	IV	/ <u>+</u>
Á			50				50
B			20		10	30	bo
	ر	20	D				20
P		'		30		20	50
符呈	30	20	70	30	10	50	