

Package ‘rosetteApi’

September 6, 2016

Type Package

Title Rosette API

Version 1.3.0

Date 2016-08-31

Author Sam Hausmann [aut, cre],
Chris Park [ctb],
Hannah Gaudet [ctb]

Maintainer Chris Park <cpark@basistech.com>

Description Rosette is an API for multilingual text analysis and information extraction. More information can be found at <<https://developer.rosette.com>>.

License Apache License

Depends R (>= 3.1.0),
httr,
rjson

Suggests knitr,
rmarkdown

URL <https://developer.rosette.com>

BugReports <https://developer.rosette.com/support-ticket>

RoxygenNote 5.0.1

VignetteBuilder rmarkdown

R topics documented:

api	2
check_content_parameters	3
check_for_multipart	3
check_morphology	4
check_names	4
create_multipart	5
error_check	5
get_endpoint	6

mutipart_call	6
post_endpoint	7
serialize_name_parameters	7
serialize_parameters	8
to_json	8
Index	9

api	<i>api wrapper function that checks for a user_key and determines the Rosette API endpoint to be utilized</i>
-----	---

Description

api wrapper function that checks for a user_key and determines the Rosette API endpoint to be utilized

Usage

```
api(user_key, endpoint, parameters = FALSE, customHeaders = NULL,
    url = "https://api.rosette.com/rest/v1/")
```

Arguments

- user_key - Rosette API authentication key
- endpoint - Rosette API endpoint to be utilized
- parameters - parameters list to be passed to specified Rosette API endpoint
- customHeaders - custom headers for Rosette Api
- url - url for Rosette Api

Value

Returns json of the specified Rosette API endpoint response

Examples

```
## Not run:
key <- "content"
value <- "Bill Murray will appear in new Ghostbusters film."
parameters <- list()
parameters[[ key ]] <- value
parameters <- toJSON(parameters)
api(01234567890, "entities", parameters)

## End(Not run)
```

`check_content_parameters`*preemptive check for content/contentUri request parameter errors*

Description

preemptive check for content/contentUri request parameter errors

Usage

`check_content_parameters(parameters)`

Arguments

`parameters` - parameters list to be passed to specified Rosette API endpoint

Value

Returns list of verified parameters to be sent to Rosette API

`check_for_multipart` *check if the request parameters contain multipart*

Description

check if the request parameters contain multipart

Usage

`check_for_multipart(user_key, parameters, endpoint, customHeaders, url)`

Arguments

`user_key` - Rosette API authentication key
`parameters` - parameters list to be passed to specified Rosette API endpoint
`endpoint` - Rosette API endpoint to be utilized
`customHeaders` - custom headers for Rosette Api
`url` - url for Rosette Api

Value

Returns json of the specified Rosette API endpoint response from either a multipart or non-multipart request

check_morphology	<i>determine which morphology endpoint to use</i>
------------------	---

Description

determine which morphology endpoint to use

Usage

check_morphology(parameters, endpoint)

Arguments

parameters	- parameters list to be passed to specified Rosette API endpoint
endpoint	- Rosette API endpoint to be utilized

Value

Returns the specified morphology function

check_names	<i>check if the required request parameters for either names endpoint are correct</i>
-------------	---

Description

check if the required request parameters for either names endpoint are correct

Usage

check_names(parameters, endpoint)

Arguments

parameters	- parameters list to be passed to specified Rosette API endpoint
endpoint	- Rosette API endpoint to be utilized

Value

Returns list of verified parameters to be sent to Rosette API

create_multipart	<i>create a multipart</i>
------------------	---------------------------

Description

create a multipart

Usage

create_multipart(parameters)

Arguments

parameters - parameters list to be passed to specified Rosette API endpoint

Value

Returns a multipart

error_check	<i>check if Rosette API response includes and error message</i>
-------------	---

Description

check if Rosette API response includes and error message

Usage

error_check(response)

Arguments

response - response from Rosette API

Value

Returns an error if one exists or the Rosette API response

get_endpoint	<i>GET request to specified Rosette API endpoint</i>
--------------	--

Description

GET request to specified Rosette API endpoint

Usage

```
get_endpoint(user_key, endpoint, customHeaders, url)
```

Arguments

user_key	- Rosette API authentication key
endpoint	- Rosette API endpoint to be utilized
customHeaders	- custom headers for Rosette Api
url	- url for Rosette Api

Value

Returns the response from the Rosette API

mutipart_call	<i>make a multipart POST request</i>
---------------	--------------------------------------

Description

make a multipart POST request

Usage

```
mutipart_call(user_key, parameters, endpoint, customHeaders, url)
```

Arguments

user_key	- Rosette API authentication key
parameters	- parameters list to be passed to specified Rosette API endpoint
endpoint	- Rosette API endpoint to be utilized
customHeaders	- custom headers for Rosette Api
url	- url for Rosette Api

Value

Returns the response from the Rosette API

post_endpoint	<i>POST request to specified Rosette API endpoint</i>
---------------	---

Description

POST request to specified Rosette API endpoint

Usage

```
post_endpoint(user_key, parameters, endpoint, customHeaders, url)
```

Arguments

user_key	- Rosette API authentication key
parameters	- parameters list to be passed to specified Rosette API endpoint
endpoint	- Rosette API endpoint to be utilized
customHeaders	- custom headers for Rosette Api
url	- url for Rosette Api

Value

Returns the response from the Rosette API

serialize_name_parameters	<i>serialize Rosette API parameters</i>
---------------------------	---

Description

serialize Rosette API parameters

Usage

```
serialize_name_parameters(parameters)
```

Arguments

parameters	- parameters list to be passed to either name-translation or name-similarity
------------	--

Value

Returns the serialized parameters for the Rosette API

serialize_parameters	<i>serialize Rosette API parameters</i>
----------------------	---

Description

serialize Rosette API parameters

Usage

```
serialize_parameters(parameters)
```

Arguments

parameters - parameters list to be passed to specified Rosette API endpoint

Value

Returns the serialized parameters for the Rosette API

to_json	<i>convert Rosette API response content and headers to json</i>
---------	---

Description

convert Rosette API response content and headers to json

Usage

```
to_json(response)
```

Arguments

response - response from Rosette API

Value

Returns a vector containing json of Rosette API response and response headers

Index

`api`, [2](#)

`check_content_parameters`, [3](#)

`check_for_multipart`, [3](#)

`check_morphology`, [4](#)

`check_names`, [4](#)

`create_multipart`, [5](#)

`error_check`, [5](#)

`get_endpoint`, [6](#)

`multipart_call`, [6](#)

`post_endpoint`, [7](#)

`serialize_name_parameters`, [7](#)

`serialize_parameters`, [8](#)

`to_json`, [8](#)