PROJECT WORK

CAFÉ DE VELOURS

Café Management & Billing System

Team Members:

Irene Liz Leny

Rose Mariya Sibin

Vedika Nambiar

ACKNOWLEDGEMENT

Nothing is possible without the grace of God, and we remain eternally grateful for the blessings and grace He has bestowed upon us.

At the very outset, we would like to give credit where credit is due and acknowledge the following people, without whose assistance this project would have remained an unfulfilled dream in its nascent stage.

We would like to begin by thanking the Director and the Principal of our school for their tireless efforts towards the holistic development of the students and for providing the necessary guidance and resources towards the same.

Our parents have played a great role in the completion of this project. Their constant encouragement and belief in us helped us overcome the challenges faced during this project. We would like to acknowledge their immense contribution and remain deeply grateful to them.

We are deeply indebted to our Computer Science teacher for her constant guidance and support. Her valuable feedback and creative ideas helped us tremendously.

Our classmates and friends have also been instrumental in the completion of this project. We are thankful for their timely help and the exchange of ideas that enhanced the final outcome.

Finally, we express our heartfelt thanks to all those who directly or indirectly helped us in the successful completion of this project.

Thank you once again.

TABLE OF CONTENTS

SL.NO	CONTENTS
1.	ABOUT THE PROJECT
2.	DATABASE AND TABLE STRUCTURE/ FILES GENERATED
3.	SOFTWARE AND HARDWARE REQUIREMENTS
4.	SOURCE CODE
5.	INPUT AND OUTPUT SCREENS
6.	CONCLUSION
7.	BIBLIOGRAPHY

ABOUT THE PROEJCT

The project **"Café de Velours – Café Management and Billing System"** is designed to simplify and digitalize the everyday operations of a café. It provides a user-friendly program that allows both customers and administrators to interact with the system efficiently, ensuring smooth management of menu items, orders, and billing processes.

The system has been developed using **Python** as the front-end application layer and **MySQL** as the back-end database. It serves two primary users — the **Admin** and the **Customer** — each with distinct functionalities.

For the **Admin**, the program provides options to:

- Add new snack and beverage items to the menu
- Update existing item prices
- Delete items that are no longer available
- Maintain a structured digital record of menu data stored securely in the MySQL database

For the **Customer**, the program allows:

- Viewing the complete snacks and beverages menu in a clean, tabular format
- Searching for specific items by name
- Adding selected items to an order cart
- Automatically generating a detailed bill with quantity, item-wise total, subtotal, and discount if a valid coupon code is applied

The program ensures **accuracy in billing** and **efficiency in data management**, eliminating manual calculations and reducing errors.

DATABASE AND TABLE STRUCTURE/ FILES GENERATED

SQL QUERIES:

SNACKS

```
mysql> create database cdv;
Query OK, 1 row affected (0.07 sec)

mysql> use cdv;
Database changed

mysql> create table menu_snacks(Item_ID varchar(10) primary key, Item_Name varchar(30), MRP float);
Query OK, 0 rows affected (0.18 sec)

mysql> insert into menu_snacks values('S100', 'Veg Burger', 110);
Query OK, 1 row affected (0.05 sec)

mysql> insert into menu_snacks values('S101', 'Chicken Burger', 120);
Query OK, 1 row affected (0.01 sec)

mysql> insert into menu_snacks values('S102', 'Beef Burger', 125);
Query OK, 1 row affected (0.01 sec)

mysql> insert into menu_snacks values('S103', 'Veg Sandwich', 70);
Query OK, 1 row affected (0.01 sec)

mysql> insert into menu_snacks values('S104', 'Chicken Sandwich', 80);
Query OK, 1 row affected (0.00 sec)

mysql> insert into menu_snacks values('S105', 'Beef Sandwich', 90);
Query OK, 1 row affected (0.01 sec)

mysql> insert into menu_snacks values('S106', 'Chicken Shawarma', 100);
Query OK, 1 row affected (0.01 sec)

mysql> insert into menu_snacks values('S107', 'Beef Shawarma', 110);
Query OK, 1 row affected (0.01 sec)

mysql> insert into menu_snacks values('S108', 'French Fries', 60);
Query OK, 1 row affected (0.02 sec)

mysql> insert into menu_snacks values('S109', 'Chicken Nuggets 5pc', 70);
Query OK, 1 row affected (0.01 sec)

mysql> insert into menu_snacks values('S110', 'Chicken Nuggets 10pc', 140);
Query OK, 1 row affected (0.01 sec)

mysql> insert into menu_snacks values('S111', 'Croissant', 130);
Query OK, 1 row affected (0.01 sec)
```

mysql> insert into menu_snacks values('S112', 'Apple Pie', 180);
Query OK, 1 row affected (0.01 sec)

mysql> insert into menu_snacks values('S113', 'Pumpkin Pie', 190);
Query OK, 1 row affected (0.01 sec)

mysql> insert into menu_snacks values('S114', 'Banana Cream Pie', 200);
Query OK, 1 row affected (0.01 sec)

mysql> insert into menu_snacks values(‘S115’, ‘Strawberry Cheesecake (Slice), 150);
Query OK, 1 row affected (0.02 sec)

mysql> insert into menu_snacks values(‘S116’, ‘Blueberry Cheesecake (Slice), 150);
Query OK, 1 row affected (0.01 sec)

mysql> insert into menu_snacks values('S117', 'Biscoff Cheesecake', 190);
Query OK, 1 row affected (0.03 sec)

mysql> insert into menu_snacks values('S118', 'Cinnamon Rolls', 140);
Query OK, 1 row affected (0.00 sec)

mysql> insert into menu_snacks values('S119', 'Muffins', 80);
Query OK, 1 row affected (0.01 sec)

mysql> insert into menu_snacks values('S120', 'Waffles/Pancakes', 190);
Query OK, 1 row affected (0.01 sec)

SNACKS MENU:

Item_ID	Item_Name	MRP
S100	Veg Burger	110
S101	Chicken Burger	120
S102	Beef Burger	125
S103	Veg Sandwich	70
S104	Chicken Sandwich	80
S105	Beef Sandwich	90
S106	Chicken Shawarma	100
S107	Beef Shawarma	110
S108	French Fries	60
S109	Chicken Nuggets 5pc	70
S110	Chicken Nuggets 10pc	140
S111	Croissant	130
S112	Apple Pie	180
S113	Pumpkin Pie	190
S114	Banana Cream Pie	200
S115	Strawberry Cheescake (Slice)	150
S116	Blueberry Cheescake(Slice)	150
S117	Biscoff Cheesecake	190
S118	Cinnamon Rolls	140
S119	Muffins	80
S120	Waffles/Pancakes	190

BEVERAGES

```
mysql> use cdv;
Database changed

mysql> create table menu_beverages (Item_ID varchar(10) primary key, Item_Name char(30), MRP float);
Query OK, 0 rows affected (0.10 sec)

mysql> insert into menu_beverages values ("B100", "Hot Coffee", 45);
Query OK, 1 row affected (0.07 sec)

mysql>  insert into menu_beverages values ("B101", "Cold Coffee", 50);
Query OK, 1 row affected (0.01 sec)

mysql>  insert into menu_beverages values ("B102", "Americano", 65);
Query OK, 1 row affected (0.01 sec)

mysql>  insert into menu_beverages values ("B103", "Iced Latte", 60);
Query OK, 1 row affected (0.04 sec)

mysql>  insert into menu_beverages values ("B104", "Classic Spanish Latte", 75);
Query OK, 1 row affected (0.06 sec)

mysql>  insert into menu_beverages values ("B105", "Hazelnut Latte", 75);
Query OK, 1 row affected (0.05 sec)

mysql>  insert into menu_beverages values ("B106", "Vanilla Latte", 70);
Query OK, 1 row affected (0.04 sec)

mysql>  insert into menu_beverages values ("B107", "Dark Mocha", 65);
Query OK, 1 row affected (0.04 sec)

mysql>  insert into menu_beverages values ("B108", "Caramel Machiatto", 80);
Query OK, 1 row affected (0.05 sec)

mysql>  insert into menu_beverages values ("B109", "White Chocolate Mocha", 75);
Query OK, 1 row affected (0.03 sec)

mysql>  insert into menu_beverages values ("B110", "Strawberries&Cream Frappucino", 80);
Query OK, 1 row affected (0.05 sec)

mysql> insert into menu_beverages values ("B111", "Mango Frappuccino", 95);
Query OK, 1 row affected (0.03 sec)

mysql>  insert into menu_beverages values ("B112", "Hot Tea", 40);
Query OK, 1 row affected (0.05 sec)
mysql>  insert into menu_beverages values ("B113", "Iced Tea", 45);
Query OK, 1 row affected (0.01 sec)

mysql>  insert into menu_beverages values ("B114", "Lemon Tea", 50);
Query OK, 1 row affected (0.05 sec)

mysql>  insert into menu_beverages values ("B115", "Mango Tea", 75);
Query OK, 1 row affected (0.05 sec)
```

mysql> insert into menu_beverages values ("B116", "Green Tea", 60);
Query OK, 1 row affected (0.05 sec)

mysql> insert into menu_beverages values ("B117", "Jasmine Tea", 70);
Query OK, 1 row affected (0.04 sec)

mysql> insert into menu_beverages values ("B118", "Mint Tea", 65);
Query OK, 1 row affected (0.05 sec)

mysql> insert into menu_beverages values ("B119", "Boba Tea", 125);
Query OK, 1 row affected (0.01 sec)

mysql> insert into menu_beverages values ("B120", "Chocolate Milkshake", 70);
Query OK, 1 row affected (0.01 sec)

BEVERAGES MENU:

Item_ID	Item_Name	MRP
B100	Hot Coffee	45
B101	Cold Coffee	50
B102	Americano	65
B103	Iced Latte	60
B104	Classic Spanish Latte	75
B105	Hazelnut Latte	75
B106	Vanilla Latte	70
B107	Dark Mocha	65
B108	Caramel Machiatto	80
B109	White Chocolate Mocha	75
B110	Strawberries&Cream Frappucino	80
B111	Mango Frappuccino	95
B112	Hot Tea	40
B113	Iced Tea	45
B114	Lemon Tea	50
B115	Mango Tea	75
B116	Green Tea	60
B117	Jasmine Tea	70
B118	Mint Tea	65
B119	Boba Tea	125
B120	Chocolate Milkshake	70

SOFTWARE AND HARDWARE REQUIREMENTS

This section details the minimum essential components required for the successful running of the program **Café de Velours – Café Management and Billing System**.

Processor: Intel®Core™i5-9400F CPU @ 2.90GHz, 2904MHz

Disc space: 1 TB

Operating system: Windows 11

Python versions: 3.9.X or later

MySQL version: MySQL Installer 8.0.39

Installed RAM: 8 GB

Pre-requisites before installing MySQL connector Python:

- You need root or administrator privileges to perform the installation process.
- MySQL connector Python required Python to be the system's PATH. Installation fails if it doesn't find Python.
- Incase python doesn't exist in the system PATH, please manually add the directory containing python.exe yourself.

SOURCE CODE

```
import sys
from prettytable import PrettyTable
import mysql.connector as ms

conn = ms.connect(
    host="localhost",
    user="root",
    password="2008",
    database="cdv")

cur = conn.cursor()

print ()
print("Welcome to Café de Velours")
print ()
while True:
    print("Sign in as: ")
    print("1. Admin")
    print("2. Customer")
    print("3. Exit")

    ch = int(input("Enter choice : "))
    print()

    if ch == 1:
        id_ = input("Enter ID : ")
        if id_ == "admincdv":
            pw_ = int(input("Enter password : "))
            if pw_ == 1234:
                print("Logged in as Admin")
                print()
                while True:
                    print("Admin Menu:")
                    print("1. Add snacks to menu")
                    print("2. Add beverages to menu")
                    print("3. Update price of snack")
                    print("4. Update price of beverage")
                    print("5. Delete snack from menu")
                    print("6. Delete beverage from menu")
                    print("7. Exit")
                    print()

                    c = int(input("Enter choice: "))
                    print()

                    if c == 1:
                        itemid = input("Enter item ID : ")
                        cur.execute("Select Item_ID FROM menu_snacks where Item_ID = %s", (itemid,))
                        result = cur.fetchone()
                        if result:
```

```
                print("\nThis Item ID already exists. Please enter a different one.\n")
            else:
                itemn = input("Enter snack name : ")
                mrp = float(input("Enter price : "))
                cur.execute("Insert into menu_snacks (Item_ID, Item_Name, MRP) values (%s, %s, %s)",
(itemid, itemn, mrp))
                conn.commit()
                print("\nItem added successfully!\n")

        elif c == 2:
            itemid = input("Enter item ID : ")
            cur.execute("Select Item_ID FROM menu_beverages where Item_ID = %s", (itemid,))
            result = cur.fetchone()
            if result:
                print("\nThis Item ID already exists. Please enter a different one.\n")
            else:
                itemn = input("Enter beverage name : ")
                mrp = float(input("Enter price : "))
                cur.execute("Insert into menu_beverages (Item_ID, Item_Name, MRP) values (%s, %s,
%s)",(itemid, itemn, mrp))
                conn.commit()
                print("\nItem added successfully!\n")

        elif c == 3:
            itemid = input("Enter Item ID of the snack to update: ")
            cur.execute("Select Item_ID from menu_snacks where Item_ID = %s", (itemid,))
            result = cur.fetchone()
            if result:
                new_price = float(input("Enter new price: "))
                cur.execute("Update menu_snacks set MRP = %s where Item_ID = %s", (new_price,
itemid,))
                conn.commit()
                print("\nPrice updated successfully!\n")
            else:
                print("\nNo snack found with that Item ID.\n")

        elif c == 4:
            itemid = input("Enter Item ID of the beverage to update: ")
            cur.execute("Select Item_ID from menu_beverages where Item_ID = %s", (itemid,))
            result = cur.fetchone()
            if result:
                new_price = float(input("Enter new price: "))
                cur.execute("Update menu_beverages set MRP = %s where Item_ID = %s", (new_price,
itemid))
                conn.commit()
                print("\nPrice updated successfully!\n")
            else:
                print("\nNo beverage found with that Item ID.\n")

        elif c == 5:
            itemid = input("Enter Item ID of the snack to delete: ")
            cur.execute("Select Item_ID from menu_snacks where Item_ID = %s", (itemid,))
            result = cur.fetchone()
            if result:
                cur.execute("Delete from menu_snacks where Item_ID = %s", (itemid,))
```

```
                conn.commit()
                print("\nItem deleted successfully!\n")
            else:
                print("\nNo snack found with that Item ID.\n")

        elif c == 6:
            itemid = input("Enter Item ID of the beverage to delete: ")
            cur.execute("Select Item_ID from menu_beverages where Item_ID = %s", (itemid,))
            result = cur.fetchone()
            if result:
                cur.execute("Delete from menu_beverages where Item_ID = %s", (itemid,))
                conn.commit()
                print("\nItem deleted successfully!\n")
            else:
                print("\nNo beverage found with that Item ID.\n")

        elif c == 7:
            print("Logged out.\n")
            break
        else:
            print("\nInvalid choice!\n")

    else:
        print("\nIncorrect password\n")
else:
    print("\nIncorrect Admin ID\n")

elif ch == 2:
    order = []
    while True:
        print("Customer Menu: ")
        print("1. View Menu")
        print("2. Add order")
        print("3. Search item")
        print("4. Calculate bill")
        print("5. Exit")

        ab = int(input("Enter choice (1/2/3/4/5): "))
        print()

        if ab == 1:
            print("1. Snacks")
            print("2. Beverages")
            cd = int(input("Enter choice (1/2): "))
            print()

            if cd == 1:
                cur.execute("Select Item_ID, Item_Name, MRP from menu_snacks")
                columns = [desc[0] for desc in cur.description]
                table = PrettyTable()
                table.field_names = columns
                for row in cur.fetchall():
                    table.add_row(row)
                print(table)
                print()
```

```
        elif cd == 2:
            cur.execute("Select Item_ID, Item_Name, MRP from menu_beverages")
            columns = [desc[0] for desc in cur.description]
            table = PrettyTable()
            table.field_names = columns
            for row in cur.fetchall():
                table.add_row(row)
            print(table)
            print()

        else:
            print("Invalid choice\n")

    elif ab == 2:
        while True:
            print()
            itemid = input("Enter Item ID to add to order (or 'done' to finish): ").strip()

            if itemid.lower() == "done":
                print()
                break

            cur.execute("Select Item_ID, Item_Name, MRP from menu_snacks where Item_ID = %s",
(itemid,))
            item = cur.fetchone()
            if not item:
                cur.execute("Select Item_ID, Item_Name, MRP from menu_beverages where Item_ID =
%s", (itemid,))
                item = cur.fetchone()

            if item:
                item_id, name, mrp = item
                qty = int(input(f"Enter quantity for {name}: "))
                total = mrp * qty
                order.append([item_id, name, qty, mrp, total])
                if qty==1:
                    print(qty, f"{name} added to order!\n")
                else:
                    print(qty, f"{name}s added to order!\n")

            else:
                print("Item not found in menu. Please try again.\n")
            print()

    elif ab==3:
            while True:
                print()
                print ("Search for:")
                print(" 1. Snacks")
                print(" 2. Beverages")
                print(" 3. Exit")
                cd=int(input("Enter choice (1/2/3): "))
                print()
```

```
            cur.execute("Select Item_ID, Item_Name, MRP from menu_snacks")
            rows=cur.fetchall()
            cur.execute("Select Item_ID, Item_Name, MRP from menu_beverages")
            rowb=cur.fetchall()

            if cd==1:
                table= PrettyTable()
                table.field_names=['Item_ID', 'Item_Name', 'MRP']
                search=input("Enter Snack to be searched: ")

                found=False
                for item in rows:
                    if search.lower() in item[1].lower():
                        table.add_row(item)
                        found=True
                if found:
                    print(table)
                else:
                    print(f"No items found matching: '{search}'\n")

            elif cd==2:
                table= PrettyTable()
                table.field_names=["Item_ID", "Item_Name", "MRP"]
                search=input("Enter Beverage to be searched: ")

                found=False
                for item in rowb:
                    if search.lower() in item[1].lower():
                        table.add_row(item)
                        found=True
                if found:
                    print(table)
                else:
                    print(f"No items found matching: '{search}'\n")

            elif cd==3:
                break

            else:
                print("Invalid Option\n")

    elif ab == 4:
        if order == []:
            print("\nNo items in the order yet! \n")
        else:
            print("\n------------------- BILL -------------------")

            bill_table = PrettyTable()
            bill_table.field_names = ["Item ID", "Name", "Qty", "MRP", "Total"]

            grand_total = 0
            for item in order:
                item_id, name, qty, mrp, total = item
                grand_total += total
                bill_table.add_row([item_id, name, qty, mrp, total])
```

```
            print(bill_table)
            print("\nSubtotal:", grand_total)

            coupon = input("\nDo you have a coupon? (yes/no): ").strip().lower()
            if coupon == "yes":
                code = input("Enter coupon code: ").strip()
                if code == "1002":
                    discount = grand_total * 0.10  # 10% discount
                    final_total = grand_total - discount
                    print("Coupon applied successfully!")
                    print("Discount (10%):", discount)
                    print()
                    print("Total Payable:", final_total)
                else:
                    print("Invalid coupon code. No discount applied.")
                    print("Total Payable:", grand_total)
                print()
            else:
                print("No coupon applied.")
                print("Total Payable:", grand_total)
            print()

        elif ab == 5:
            print("Thank you, Visit again!\n")
            sys.exit()
        else:
            print("Invalid Option\n")
    elif ch==3:
        print ("Thank you!\n")
        sys.exit()
    else:
        print ("Invalid Option\n")
    print()
```

<u>NOTE:</u>
Admin ID: admincdv
Password: 1234
Coupon code: 1002

INPUT AND OUTPUT SCREENS

```
Welcome to Café de Velours

Sign in as:
1. Admin
2. Customer
3. Exit
Enter choice : 1

Enter ID : admincdv
Enter password : 1234
Logged in as Admin

Admin Menu:
1. Add snacks to menu
2. Add beverages to menu
3. Update price of snack
4. Update price of beverage
5. Delete snack from menu
6. Delete beverage from menu
7. Exit

Enter choice: 1

Enter item ID : S121
Enter snack name : Jam Roll
Enter price : 20

Item added successfully!

Admin Menu:
1. Add snacks to menu
2. Add beverages to menu
3. Update price of snack
4. Update price of beverage
5. Delete snack from menu
6. Delete beverage from menu
7. Exit
```

```
Enter choice: 2

Enter item ID : B121
Enter beverage name : Mango Juice
Enter price : 25

Item added successfully!

Admin Menu:
1. Add snacks to menu
2. Add beverages to menu
3. Update price of snack
4. Update price of beverage
5. Delete snack from menu
6. Delete beverage from menu
7. Exit

Enter choice: 3

Enter Item ID of the snack to update: S121
Enter new price: 25

Price updated successfully!

Admin Menu:
1. Add snacks to menu
2. Add beverages to menu
3. Update price of snack
4. Update price of beverage
5. Delete snack from menu
6. Delete beverage from menu
7. Exit

Enter choice: 4

Enter Item ID of the beverage to update: B121
Enter new price: 15
```

```
Price updated successfully!

Admin Menu:
1. Add snacks to menu
2. Add beverages to menu
3. Update price of snack
4. Update price of beverage
5. Delete snack from menu
6. Delete beverage from menu
7. Exit

Enter choice: 5

Enter Item ID of the snack to delete: S121

Item deleted successfully!

Admin Menu:
1. Add snacks to menu
2. Add beverages to menu
3. Update price of snack
4. Update price of beverage
5. Delete snack from menu
6. Delete beverage from menu
7. Exit

Enter choice: 6

Enter Item ID of the beverage to delete: B121

Item deleted successfully!

Admin Menu:
1. Add snacks to menu
2. Add beverages to menu
3. Update price of snack
4. Update price of beverage
5. Delete snack from menu
6. Delete beverage from menu
7. Exit

Enter choice: 7

Logged out.
```

```
Welcome to Café de Velours

Sign in as:
1. Admin
2. Customer
3. Exit
Enter choice : 2

Customer Menu:
1. View Menu
2. Add order
3. Search item
4. Calculate bill
5. Exit
Enter choice (1/2/3/4/5): 1

1. Snacks
2. Beverages
Enter choice (1/2): 1

+---------+-------------------------------+-----+
| Item_ID |          Item_Name            | MRP |
+---------+-------------------------------+-----+
|   S100  |          Veg Burger           | 110 |
|   S101  |        Chicken Burger         | 120 |
|   S102  |         Beef Burger           | 125 |
|   S103  |         Veg Sandwich          |  70 |
|   S104  |       Chicken Sandwich        |  80 |
|   S105  |        Beef Sandwich          |  90 |
|   S106  |       Chicken Shawarma        | 100 |
|   S107  |        Beef Shawarma          | 110 |
|   S108  |         French Fries          |  60 |
|   S109  |     Chicken Nuggets 5pc       |  70 |
|   S110  |     Chicken Nuggets 10pc      | 140 |
|   S111  |          Croissant            | 130 |
|   S112  |          Apple Pie            | 180 |
|   S113  |         Pumpkin Pie           | 190 |
|   S114  |       Banana Cream Pie        | 200 |
|   S115  | Strawberry Cheescake (Slice)  | 150 |
|   S116  |  Blueberry Cheescake(Slice)   | 150 |
|   S117  |      Biscoff Cheesecake       | 190 |
|   S118  |        Cinnamon Rolls         | 140 |
|   S119  |           Muffins             |  80 |
|   S120  |       Waffles/Pancakes        | 190 |
+---------+-------------------------------+-----+
```

```
Customer Menu:
21. View Menu
2. Add order
3. Search item
4. Calculate bill
5. Exit
Enter choice (1/2/3/4/5): 1

1. Snacks
2. Beverages
Enter choice (1/2): 2

+---------+-------------------------------+-------+
| Item_ID |           Item_Name           |  MRP  |
+---------+-------------------------------+-------+
|   B100  |           Hot Coffee          |  45.0 |
|   B101  |          Cold Coffee          |  50.0 |
|   B102  |           Americano           |  65.0 |
|   B103  |           Iced Latte          |  60.0 |
|   B104  |     Classic Spanish Latte     |  75.0 |
|   B105  |         Hazelnut Latte        |  75.0 |
|   B106  |         Vanilla Latte         |  70.0 |
|   B107  |           Dark Mocha          |  65.0 |
|   B108  |       Caramel Machiatto       |  80.0 |
|   B109  |     White Chocolate Mocha     |  75.0 |
|   B110  | Strawberries&Cream Frappucino |  80.0 |
|   B111  |       Mango Frappuccino       |  95.0 |
|   B112  |            Hot Tea            |  40.0 |
|   B113  |            Iced Tea           |  45.0 |
|   B114  |           Lemon Tea           |  50.0 |
|   B115  |           Mango Tea           |  75.0 |
|   B116  |           Green Tea           |  60.0 |
|   B117  |          Jasmine Tea          |  70.0 |
|   B118  |            Mint Tea           |  65.0 |
|   B119  |            Boba Tea           | 125.0 |
|   B120  |      Chocolate Milkshake      |  70.0 |
+---------+-------------------------------+-------+
```

```
Customer Menu:
1. View Menu
2. Add order
3. Search item
4. Calculate bill
5. Exit
Enter choice (1/2/3/4/5): 2


Enter Item ID to add to order (or 'done' to finish): s112
Enter quantity for Apple Pie: 2
2 Apple Pies added to order!



Enter Item ID to add to order (or 'done' to finish): s107
Enter quantity for Beef Shawarma: 4
4 Beef Shawarmas added to order!



Enter Item ID to add to order (or 'done' to finish): b102
Enter quantity for Americano: 3
3 Americanos added to order!



Enter Item ID to add to order (or 'done' to finish): b118
Enter quantity for Mint Tea: 3
3 Mint Teas added to order!



Enter Item ID to add to order (or 'done' to finish): done
```

```
Customer Menu:
1. View Menu
2. Add order
3. Search item
4. Calculate bill
5. Exit
Enter choice (1/2/3/4/5): 3


Search for:
 1. Snacks
 2. Beverages
 3. Exit
Enter choice (1/2/3): 1

Enter Snack to be searched: pie
+---------+------------------+-----+
| Item_ID |    Item_Name     | MRP |
+---------+------------------+-----+
|   S112  |    Apple Pie     | 180 |
|   S113  |   Pumpkin Pie    | 190 |
|   S114  | Banana Cream Pie | 200 |
+---------+------------------+-----+

Search for:
 1. Snacks
 2. Beverages
 3. Exit
Enter choice (1/2/3): 2

Enter Beverage to be searched: tea
+---------+-------------+-------+
| Item_ID |  Item_Name  |  MRP  |
+---------+-------------+-------+
|   B112  |   Hot Tea   |  40.0 |
|   B113  |   Iced Tea  |  45.0 |
|   B114  |  Lemon Tea  |  50.0 |
|   B115  |  Mango Tea  |  75.0 |
|   B116  |  Green Tea  |  60.0 |
|   B117  | Jasmine Tea |  70.0 |
|   B118  |   Mint Tea  |  65.0 |
|   B119  |   Boba Tea  | 125.0 |
+---------+-------------+-------+
```

```
Search for:
 1. Snacks
 2. Beverages
 3. Exit
Enter choice (1/2/3): 3

Customer Menu:
1. View Menu
2. Add order
3. Search item
4. Calculate bill
5. Exit
Enter choice (1/2/3/4/5): 4


------------------- BILL -------------------
+---------+---------------+-----+------+-------+
| Item ID |      Name     | Qty | MRP  | Total |
+---------+---------------+-----+------+-------+
|   S112  |   Apple Pie   |  2  | 180  |  360  |
|   S107  | Beef Shawarma |  4  | 110  |  440  |
|   B102  |   Americano   |  3  | 65.0 | 195.0 |
|   B118  |    Mint Tea   |  3  | 65.0 | 195.0 |
+---------+---------------+-----+------+-------+

Subtotal: 1190.0

Do you have a coupon? (yes/no): yes
Enter coupon code: 1002
Coupon applied successfully!
Discount (10%): 119.0

Total Payable: 1071.0


Customer Menu:
1. View Menu
2. Add order
3. Search item
4. Calculate bill
5. Exit
Enter choice (1/2/3/4/5): 5

Thank you, Visit again!
```

CONCLUSION

The **Café de Velours – Café Management and Billing System** is an effort in digitalizing café operations. The primary goal of creating a strong, digital, and easy-to-use system for running a small café was achieved. The system utilizes **Python** for its core program logic and **MySQL** to securely store all necessary menu and order data, creating a program that manages the entire process from menu viewing to final bill generation.

Overall, the Café de Velours stands as an example of how coding and database management can be used to facilitate café operations. It is a solid, reliable program that offers significant potential for future development, such as integrating a web-based ordering page or connecting to external payment hardware. The project successfully proves that effective management tools can be constructed using fundamental programming and database technology.

BIBLIOGRAPHY

https://www.python.org/

https://www.onlinegdb.com/online_python_debugger

https://leetcode.com/

https://pypi.org/project/prettytable/