

Pizza Sales Performance & SQL Audit

DATABASE ANALYTICS SUMMARY & EXECUTION RESULT SHEETS

DB: pizza_db

TOTAL REVENUE	AVG ORDER VALUE	TOTAL PIZZAS SOLD	TOTAL ORDERS	AVG PIZZAS / ORDER
\$817,860.05	\$38.31	49,574	21,350	2.32

PART 1 Core Business Metric Queries & Execution Grids

1. Total Revenue Query

Metric: Cumulative gross sales

```
SELECT ROUND(SUM(total_price), 2) AS total_revenue
FROM pizza_sales;
```

	total_revenue
▶	817860.05

Output: total_revenue = \$817,860.05

2. Average Order Value (AOV)

Metric: Revenue / Distinct orders

```
SELECT ROUND(SUM(total_price) / COUNT(DISTINCT order_id),
2) AS avg_order_value
FROM pizza_sales;
```

	avg_order_value
▶	38.31

Output: avg_order_value = \$38.31

3. Total Pizzas Sold

Metric: Net item quantity

```
SELECT SUM(quantity) AS total_pizzas_sold
FROM pizza_sales;
```

	total_pizzas_sold
▶	49574

Output: total_pizzas_sold = 49,574

4. Total Orders

Metric: Unique customer checkout instances

```
SELECT COUNT(DISTINCT order_id) AS total_orders
FROM pizza_sales;
```

	total_orders
▶	21350

Output: total_orders = 21,350

5. Average Pizzas Per Order

Metric: Basket size per order

```
SELECT ROUND(SUM(quantity) / COUNT(DISTINCT order_id), 2)
AS avg_pizzas_per_order
FROM pizza_sales;
```

	avg_pizzas_per_order
▶	2.32

Output: avg_pizzas_per_order = 2.32

6. Daily Order Trends

Peak order volume by weekday

```
SELECT
    DAYNAME(order_date) AS order_day,
    COUNT(DISTINCT order_id) AS total_orders
FROM pizza_sales
GROUP BY DAYNAME(order_date)
ORDER BY total_orders DESC;
```

	order_day	total_orders
►	Friday	3538
	Thursday	3239
	Saturday	3158
	Wednesday	3024
	Tuesday	2973
	Monday	2794
	Sunday	2624

Friday (3,538) & Thursday (3,239) lead volume

7. Hourly Distribution Pattern

Rush hour analysis (12-1 PM & 5-6 PM peaks)

```
SELECT
    HOUR(order_time) AS order_hour,
    COUNT(DISTINCT order_id) AS total_orders
FROM pizza_sales
GROUP BY HOUR(order_time)
ORDER BY order_hour;
```

	order_hour	total_orders	order_hour	total_orders
►	9	1	16	1920
	10	8	17	2336
	11	1231	18	2399
	12	2520	19	2009
	13	2455	20	1642
	14	1472	21	1198
	15	1468	22	663

Midday rush (12h: 2,520) & Evening peak (18h: 2,399)

8. Revenue Contribution by Pizza Size

Large & Medium dominate >76% share

```
SELECT pizza_size,
    CAST(SUM(total_price) AS DECIMAL(10,2)) AS total_revenue,
    CAST(SUM(total_price) * 100 / (SELECT SUM(total_price)
FROM pizza_sales) AS DECIMAL(10,2)) AS PCT
FROM pizza_sales
GROUP BY pizza_size ORDER BY pizza_size;
```

	pizza_size	total_revenue	PCT
►	L	375318.70	45.89%
	M	249382.25	30.49%
	S	178076.50	21.77%
	XL	14076.00	1.72%
	XXL	1006.60	0.12%

L (45.89%) & M (30.49%) drive total sales

PART 3 Product Category & Item-Level Insights

9. Percentage of Sales by Category

Even revenue spread across all 4 main categories

```
SELECT
  pizza_category,
  ROUND(SUM(total_price), 2) AS total_sales,
  ROUND(SUM(total_price) * 100 / (SELECT SUM(total_price) FROM pizza_sales), 2) AS pct_of_sales
FROM pizza_sales
GROUP BY pizza_category
ORDER BY pct_of_sales DESC;
```

	pizza_category	total_sales	pct_of_sales
▶	Classic	220053.10	26.91%
	Supreme	208197.00	25.46%
	Chicken	195919.50	23.96%
	Veggie	193690.45	23.68%

Classic leads with 26.91%, Supreme closely follows (25.46%)

10. Total Pizzas Sold by Category

Volume sold per category cluster

```
SELECT
  pizza_category,
  SUM(quantity) AS Total_Quantity_Sold
FROM pizza_sales
GROUP BY pizza_category
ORDER BY Total_Quantity_Sold DESC;
```

	pizza_category	Total_Quantity_Sold
▶	Classic	14888
	Supreme	11987
	Veggie	11649
	Chicken	11050

Classic category leads unit sales (14,888 units)

PART 4 Extended Performance & Cohort Filters (SQL Scripts)

Top 5 Best Sellers vs Bottom 5 Sellers

```
SELECT pizza_name, SUM(quantity) AS total_sold
FROM pizza_sales GROUP BY pizza_name
ORDER BY total_sold DESC LIMIT 5;

SELECT pizza_name, SUM(quantity) AS total_sold
FROM pizza_sales GROUP BY pizza_name
ORDER BY total_sold ASC LIMIT 5;
```

Period Cohort Filters (Month / Quarter / Week)

```
SELECT DAYNAME(order_date) AS order_day, COUNT(DISTINCT order_id)
FROM pizza_sales
WHERE MONTH(order_date) = 1 -- e.g. January
GROUP BY DAYNAME(order_date)
ORDER BY 2 DESC;
-- Repeat with QUARTER() = 1 or WEEK() = 1
```