

# Beamer Presentation

## L<sup>A</sup>T<sub>E</sub>X Scripts in Bahasa and English

*P E Nulis*<sup>1</sup>    *A U Thor*<sup>2</sup>

<sup>1</sup>Affiliation One

<sup>2</sup>Affiliation Two

5 Juli 2022

- 1 Lipsum
- 2 Box
- 3 Theorem
- 4 Tables and Figures
- 5 picture Environments
- 6 Columns / Block
- 7 Citation
- 8 Pustaka

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

## Box or Block

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

## Teorema 1

*Let  $r, s$  be integers such that  $\gcd(r, s) = 1$ . Given integers  $a, b$ , there exists unique  $x < rs$  such that*

# Example

## Contoh 2

Salah satu rumus yang sangat dikenal adalah

$$x_{1,2} = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a} \quad (1)$$

## Definisi 3

Lingkaran besar adalah ...


Here is a short table:

First stuff	Second stuff	Third Stuff
foo	bar	bug
foofoo	barbar	bugbug

**Tabel 1:** This is the first table.

The above table is Table 1. It is a “nonfloat”, since it doesn’t float at all, but appears right where it was placed in the document.





Gambar 1: Isn't this a pretty picture?

Block 1

This is Block 1

Block 2

This is Block 2

Block 3

This is Block 3

Block 4

This is Block 4

We can cite references like [Siess \*et al.\* \(2000\)](#) and [Stępień \(2002\)](#).

- Siess, L., Dufour, E., & Forestini, M. 2000. An Internet Server for Pre-Main Sequence Tracks of Low- and Intermediate-mass Stars. *A & A*, **358**, 593.
- Stępień, K. 2002. Spin-up of Be Stars in the Pre-Main Sequence Phase. *A & A*, **383**, 218.