


WorldForge OS: AI Company Operating Manual

Version 1.0 — Hands-Off Zero-Dollar Automation Framework

This document defines the operational architecture, model delegation, and zero-touch development workflows for WorldForge OS. Follow these protocols to build, test, and deploy software without manual terminal intervention.

1. The Multi-Model Division of Labor

We operate as a high-discipline, two-agent tag team. You (The Director) govern the workflow, while Claude and Gemini perform dedicated development pipelines.



Model Matrix

| Operational Phase | Model | Responsibility | Prompting Context Strategy |

| Phase 1: Research | Gemini Pro | Analyzes features, matches open-source tools, writes specifications. | "Here is our current codebase. Research the easiest, free way to add

Feature

and write a step-by-step blueprint file." |

| **Phase 2: Build | Claude Pro** | Reads Gemini's blueprint, writes clean modular code, sets up directory assets. | "Read /docs/specs/[Blueprint].md and write the code files as specified. Do not run manual setup steps; use standard libraries." |

| **Phase 3: Audit | Gemini Pro** | Performs automated code reviews, security scans, and writes optimization logs. | "Audit the files Claude just generated in /src/. Locate any vulnerabilities or inefficiencies and write an optimization log." |

2. Terminal-Free Automation Workflows

We eliminate terminal usage by routing operations through visual cloud integrations and agent-led filesystem access.

A. Code & File Manipulation (Local Automation)

- **Protocol:** Use the **Claude Desktop App** with the active **Filesystem MCP Server** or the **Roo Code** GUI extension in VSCode.
- **Rule:** Never write or refactor files manually. Instruct the AI to perform modifications using local filesystem tools.
- **Syntax for The Director:** *"Claude, read docs/specs/blueprint_v1_agent_foundry.md and generate all files listed under the 'Implementation Files' section inside the workspace."*

B. Database & Auth Engine (Cloud GUI Automation)

- **Provider: Supabase (Free Tier)**
- **Protocol:**
 1. Log into your Supabase Dashboard via your web browser.
 2. Create a new free project named worldforge-core.
 3. Ask Claude to generate the SQL schema scripts.
 4. Copy-paste Claude's generated SQL directly into Supabase's **SQL Editor GUI** and click "Run".
- **Result:** A fully functional Postgres database, user authentication service, and asset storage system, active without running local database installations.

C. Deployments & Continuous Integration (Git GUI Automation)

- **Provider: GitHub Desktop + Vercel / Render**
- **Protocol:**
 1. Initialize your repository using GitHub Desktop (Visual Client) or let Claude commit files automatically.

2. Connect your repository to **Vercel** (for frontend) or **Render** (for backend servers) using their respective web dashboards.
3. **Automated Trigger:** Every time Claude completes a feature file and commits it, Vercel/Render will auto-detect the changes, execute builds in the cloud, and push your live sandbox preview URL online automatically.

3. Daily Execution Runbook

To maintain momentum and zero-error deployments, execute this 3-step loop daily:

1. **Review the Specs:** Direct Gemini to refine your feature goals into a clean, markdown-based spec inside docs/specs/.
2. **Unleash Claude:** Point your workspace agent (Claude) to the spec file and click "Approve" as it automatically populates, creates, and formats the project workspace files.
3. **Automatic Launch:** Check your Vercel or Render browser dashboards for a successful deployment notification and live link test.