Rajalakshmi Engineering College

Name: IRFANA S

Email: 240801117@rajalakshmi.edu.in

Roll no: 240801117 Phone: 9514927710

Branch: REC

Department: I ECE FB

Batch: 2028

Degree: B.E - ECE



NeoColab_REC_CS23231_DATA STRUCTURES

REC_DS using C_Week 1_COD_Question 4

Attempt : 1 Total Mark : 10 Marks Obtained : 10

Section 1: Coding

1. Problem Statement

As part of a programming assignment in a data structures course, students are required to create a program to construct a singly linked list by inserting elements at the beginning.

You are an evaluator of the course and guide the students to complete the task.

Input Format

The first line of input consists of an integer N, which is the number of elements.

The second line consists of N space-separated integers.

Output Format

The output prints the singly linked list elements, after inserting them at the beginning.

Refer to the sample output for formatting specifications.

Sample Test Case

```
Input: 5
    78 89 34 51 67
    Output: 67 51 34 89 78
    Answer
    #include <stdio.h>
#include <stdlib.h>
    struct Node {
      int data:
      struct Node* next;
    };
    struct Node *head=NULL,*newnode,*ptr;
    void insertAtFront(struct Node **head,int a){
      newnode=(struct Node*)malloc(sizeof(struct Node));
      newnode->data=a:
      newnode->next=NULL;
      newnode->next=*head;
     *head=newnode;
    void printList(struct Node*head){
      ptr=head;
      while(ptr!=NULL){
        printf("%d ",ptr->data);
        ptr=ptr->next;
      }
    }
    int main(){
      struct Node* head = NULL;
2,4080 int n;
      scanf("%d", &n);
```

```
for (int i = 0; i < n; i++) {
    int activity;
    scanf("%d", &activity);
    insertAtFront(&head, activity);
}

printList(head);
struct Node* current = head;
while (current != NULL) {
    struct Node* temp = current;
    current = current->next;
    free(temp);
}

return 0;
}
```

Status: Correct Marks: 10/10

240801717

2,080,171

040801111

2,40801111

240801111

240801111

240801111

240801117