



B R A N D G U I D E L I N E S

A rack unit, made friendly

The Gotka mark is a server rack unit: a rounded faceplate carrying a squircle G and a live status LED. It borrows its language directly from the machine room — the same rack that anchors the website hero — and softens it with round, friendly letterforms.

Every letter in the logo system is drawn as vector paths. No fonts are embedded or required, so the files render identically everywhere and scale from a 16 px favicon to a building sign.

Anatomy

- 1· Faceplate — rounded badge, Rack #0E1B28
- 2· The G — squircle monoline, white
- 3· Status LED — always green, always top-right



One system, five ways to wear it



PRIMARY • gotka-logo-horizontal.svg • ink wordmark, slate subline #41566A



REVERSE • gotka-logo-horizontal-reverse.svg • white wordmark, slate subline #7E93A6



STACKED • square placements



WORDMARK • when the badge is nearby



MONO • print, engraving, embroidery

Give the signal room



CLEAR SPACE = $\frac{1}{4}$ OF THE BADGE, ALL SIDES

Keep clear space around every lockup equal to one quarter of the badge height, on all four sides. Nothing enters this zone — no text, no imagery, no edges.




Minimum sizes

Horizontal lockup — 140 px / 35 mm wide.

Stacked lockup — 90 px / 24 mm wide.

Below these, switch to the icon alone; it stays legible down to 16 px.

Petrol by day, LED by night

							
Ink #0F1D2A R15 G29 B42 C64 M31 Y0 K84	Rack #0E1B28 R14 G27 B40 C65 M33 Y0 K84	Petrol #0D5C63 R13 G92 B99 C87 M7 Y0 K61	Petrol Ink #083A3F R8 G58 B63 C87 M8 Y0 K75	Status Green #2EC27E R46 G194 B126 C76 M0 Y35 K24	Slate #41566A R65 G86 B106 C39 M19 Y0 K58	Amber #F0A63C R240 G166 B60 C0 M31 Y75 K6	Mist #F1F4F2 R241 G244 B242 C1 M0 Y1 K4

Petrol is the brand colour: links, accents, sublines. Status Green is the LED — one green element per placement, used for CTAs and live indicators. Ink and Rack carry dark surfaces; Mist is the paper. CMYK values are uncoated references — always convert through your printer's profile before production.

Three voices, one console

Bricolage Grotesque

DISPLAY • 700 / 800

AaBbCcDdEeFfGg 0123456789 — RM35.85/mo • 99.9% uptime

Headlines, plan names, big numbers

Instrument Sans

BODY • 400 / 500 / 600

AaBbCcDdEeFfGg 0123456789 — RM35.85/mo • 99.9% uptime

Paragraphs, UI labels, buttons

IBM Plex Mono

DATA • 400 / 500 / 600

AaBbCcDdEeFfGg 0123456789 — RM35.85/mo • 99.9% uptime

Prices, specs, eyebrows, tickers

All three typefaces are free Google Fonts. Eyebrows and labels are IBM Plex Mono, uppercase, letter-spaced 0.14–0.22em. Headlines use Bricolage 700/800 with slightly tight letter-spacing. Body text is never letter-spaced.

Keep the signal clean



× Don't stretch or squash the lockups



× Don't recolour the letterforms



× Don't place colour versions on busy imagery — use mono

Do — use the reverse lockup on Ink, Rack or Petrol surfaces; keep one green LED per placement; use the mono versions for single-colour print, engraving and embroidery; scale from the SVG masters whenever possible.

Don't — add gradients, shadows or outlines; rotate the mark; move the LED; re-set the wordmark in a typeface; pair the colour lockups with backgrounds that fight the petrol/green palette.

Everything in this kit

01-logo/

svg masters · png 16–2400 px · webp · favicon set · logo.png

02-color/

palette.png · colors.json · colors.css · .ase (Adobe) · .gpl (GIMP)

03-typography/

typography.md — faces, weights, embed snippet, rules

04-social/

og-image 1200×630 · avatar 512 · LinkedIn banner 1584×396

brand-sheet.html

interactive one-page brand sheet (open in any browser)

gotka-brand-guidelines.pdf

this document

Questions about usage: hello@gotka.com

