

carotid-cerebral [39.28](#)
 carotid-vertebral [39.28](#)
 carotid to subclavian artery [39.22](#)
 common hepatic-common iliac-renal [39.26](#)
 coronary -- see also Bypass, aortocoronary [36.10](#)
 extracranial-intracranial [EC-IC] [39.28](#)
 femoral-femoral [39.29](#)
 femoroperoneal [39.29](#)
 femoropopliteal (reversed saphenous vein) (saphenous) [39.29](#)
 femorotibial (anterior) (posterior) [39.29](#)
 iliofemoral [39.25](#)
 ilioiliac [39.26](#)
 internal mammary-coronary
 artery (single) [36.15](#)
 double vessel [36.16](#)
 intra-abdominal (arterial) NEC [39.26](#)
 venous NEC [39.1](#)
 intrathoracic NEC [39.23](#)
 peripheral artery NEC [39.29](#)
 popliteal-tibial [39.29](#)
 renal artery [39.24](#)
 splenorenal (venous) [39.1](#)
 arterial [39.26](#)
 subclavian-axillary [39.29](#)
 subclavian-carotid [39.22](#)
 subclavian-subclavian [39.22](#)
 Y graft to renal arteries [39.24](#)
 B-Lynch (Uterine compression suture) [69.90](#) (IM)

C

Caldwell operation (sulcus extension) [24.91](#)
 Caldwell-Luc operation (maxillary sinusotomy) [22.39](#)
 with removal of membrane lining [22.31](#)
 Calibration, urethra [89.29](#)
 Calicectomy (renal) [55.4](#)
 Callander operation (knee disarticulation) [84.16](#)
 Caloric test, vestibular function [95.44](#)
 Calycectomy (renal) [55.4](#)
 Calyco-ileoneocystostomy [55.86](#)
 Calycotomy (renal) [55.11](#)
 Campbell operation
 bone block, ankle [81.11](#)
 fasciotomy (iliac crest) [83.14](#)
 reconstruction of anterior cruciate ligament [81.45](#)
 Campimetry [95.05](#)
 Canaliculodacryocystorhinostomy [09.81](#)
 Canaliculoplasty [09.73](#)
 Canaliculorhinostomy [09.81](#)
 Canaloplasty, external auditory meatus [18.6](#)
 Cannulation -- see also Insertion, catheter
 ampulla of Vater [51.99](#)
 antrum [22.01](#)
 arteriovenous [39.93](#)
 artery [38.91](#)

- caval-mesenteric vein [39.1](#)
- cisterna chyli [40.61](#)
- Eustachian tube [20.8](#)
- lacrimal apparatus [09.42](#)
- lymphatic duct, left (thoracic) [40.61](#)
- nasal sinus (by puncture) [22.01](#)
 - through natural ostium [22.02](#)
- pancreatic duct [52.92](#)
 - by retrograde endoscopy (ERP) [52.93](#)
- renoportal [39.1](#)
- sinus (nasal) (by puncture) [22.01](#)
 - through natural ostium [22.02](#)
- splenorenal (venous) [39.1](#)
 - arterial [39.26](#)
- thoracic duct (cervical approach) (thoracic approach) [40.61](#)
- [Canalith repositioning therapy 93.391 \(IM\)](#)
- Cannulization -- see Cannulation
- Canthocystostomy [09.82](#)
- Canthoplasty [08.59](#)
- Canthorrhaphy [08.52](#)
 - division or severing [08.02](#)
- Canthotomy [08.51](#)
- Capsulectomy
 - joint -- see also Arthrectomy [80.90](#)
 - kidney [55.91](#)
 - lens [13.65](#)
 - with extraction of lens [13.51](#)
 - ovary [65.29](#)
 - laparoscopic [65.25](#)
- Capsulo-iridectomy [13.65](#)
- Capsuloplasty -- see Arthroplasty
- Capsulorrhaphy [81.96](#)
 - with arthroplasty -- see Arthroplasty
 - ankle [81.94](#)
 - foot [81.94](#)
 - lower extremity NEC [81.95](#)
 - upper extremity [81.93](#)
- Capsulotomy
 - joint -- see also Division, joint capsule [80.40](#)
 - for claw toe repair [77.57](#)
 - lens [13.64](#)
 - with
 - discission of lens [13.2](#)
 - removal of foreign body [13.02](#)
 - by magnet extraction [13.01](#)
- Cardiac
 - mapping [37.27](#)
 - massage (external) (closed chest) [99.63](#)
 - open chest [37.91](#)
 - retraining [93.36](#)
- Cardiac support device (CSD) [37.41](#)
- Cardiectomy (stomach) [43.5](#)
- Cardiocentesis [37.0](#)
- Cardiography -- see also Angiocardiology [88.50](#)
- Cardiolysis [37.10](#)
- Cardiomyopexy [36.39](#)

Cardiomyotomy [42.7](#)
Cardio-omentopexy [36.39](#)
Cardiopericardiopexy [36.39](#)
Cardioplasty (stomach and esophagus) [44.65](#)
 stomach alone [44.66](#)
 laparoscopic [44.67](#)
Cardioplegia [39.63](#)
Cardiopneumopexy [36.39](#)
Cardiorrhaphy [37.49](#)
Cardioschisis [37.12](#)
Cardiosplenopexy [36.39](#)
Cardiotomy (exploratory) [37.11](#)
Cardiovalvulotomy -- see Valvulotomy, heart
Cardioversion (external) [99.62](#)
 atrial [99.61](#)
CardioWest™ Total Temporary Artificial Heart (TAH-t) [37.52](#)
Carotid pulse tracing with ECG lead [89.56](#)
Carpectomy (partial) [77.84](#)
 total [77.94](#)
Carroll and Taber arthroplasty (proximal interphalangeal joint) [81.72](#)
Casting (for immobilization) NEC [93.53](#)
 with fracture-reduction -- see Reduction, fracture
Castration
 female (oophorectomy, bilateral) [65.51](#)
 laparoscopic [65.53](#)
 male [62.41](#)
C.A.T. (computerized axial tomography) -- see also Scan, C.A.T. [88.38](#)
Catheterization -- see also Insertion, catheter
 arteriovenous [39.93](#)
 artery [38.91](#)
 bladder, indwelling [57.94](#)
 percutaneous (cystostomy) [57.17](#)
 suprapubic NEC [57.18](#)
 bronchus [96.05](#)
 with lavage [96.56](#)
 cardiac (right) [37.21](#)
 combined left and right [37.23](#)
 left [37.22](#)
 combined with right heart [37.23](#)
 right [37.21](#)
 combined with left heart [37.23](#)
 central venous NEC [38.93](#)
 peripherally inserted central catheter (PICC) [38.93](#)
 chest [34.04](#)
 revision (with lysis of adhesions) [34.04](#)
 thoracoscopic [34.06](#)
 thoracoscopic [34.06](#)
 Eustachian tube [20.8](#)
 heart (right) [37.21](#)
 combined left and right [37.23](#)
 left [37.22](#)
 combined with right heart [37.23](#)
 right [37.21](#)
 combined with left heart [37.23](#)
 hepatic vein [38.93](#)
 inferior vena cava [38.93](#)

- intercostal space (with water seal), for drainage [34.04](#)
 - revision (with lysis of adhesions) [34.04](#)
 - thoroscopic [34.06](#)
 - thoroscopic [34.06](#)
- lacrimonasal duct [09.44](#)
- laryngeal [96.05](#)
- nasolacrimal duct [09.44](#)
- pancreatic cyst [52.01](#)
- renal vein [38.93](#)
- Swan-Ganz (pulmonary) [89.64](#)
- transtracheal for oxygenation [31.99](#)
- umbilical vein [38.92](#)
- ureter (to kidney) [59.8](#)
 - for retrograde pyelogram [87.74](#)
- urethra, indwelling [57.94](#)
- vein NEC [38.93](#)
 - for renal dialysis [38.95](#)
- Cattell operation (herniorrhaphy) [53.51](#)
- Cauterization -- see also Destruction, lesion, by site
- anus NEC [49.39](#)
 - endoscopic [49.31](#)
- Bartholin's gland [71.24](#)
- broad ligament [69.19](#)
- bronchus [32.09](#)
 - endoscopic [32.01](#)
- canaliculi [09.73](#)
- cervix [67.32](#)
- chalazion [08.25](#)
- choroid plexus [02.14](#)
- conjunctiva [10.33](#)
 - lesion [10.32](#)
- cornea (fistula) (ulcer) [11.42](#)
- ear, external [18.29](#)
- endometrial implant -- see Excision, lesion, by site
- entropion [08.41](#)
- esophagus [42.39](#)
 - endoscopic [42.33](#)
- eyelid [08.25](#)
 - for entropion or ectropion [08.41](#)
- fallopian tube [66.61](#)
 - by endoscopy (hysteroscopy) (laparoscopy) [66.29](#)
- hemorrhoids [49.43](#)
- iris [12.41](#)
- lacrimal
 - gland [09.21](#)
 - punctum [09.72](#)
 - for eversion [09.71](#)
 - sac [09.6](#)
- larynx [30.09](#)
- liver [50.29](#)
- lung [32.29](#)
 - endoscopic [32.28](#)
 - thoroscopic [32.20](#)
- meibomian gland [08.25](#)
- nose, for epistaxis (with packing) [21.03](#)
- ovary [65.29](#)

- laparoscopic [65.25](#)
- palate (bony) [27.31](#)
- pannus (superficial) [11.42](#)
- pharynx [29.39](#)
- punctum, lacrimal [09.72](#)
 - for eversion [09.71](#)
- rectum [48.32](#)
 - radical [48.31](#)
- round ligament [69.19](#)
- sclera [12.84](#)
 - with iridectomy [12.62](#)
- skin [86.3](#)
- subcutaneous tissue [86.3](#)
- tonsillar fossa [28.7](#)
- urethra [58.39](#)
 - endoscopic [58.31](#)
- uterosacral ligament [69.19](#)
- uterotubal ostia [66.61](#)
- uterus [68.29](#)
- vagina [70.33](#)
- vocal cords [30.09](#)
- vulva [71.3](#)
- Cavernoscopy [34.21](#)
- Cavernostomy [33.1](#)
- Cavemotomy, kidney [55.39](#)
- Cavography (inferior vena cava) [88.51](#)
- CCM (implantation of cardiac contractility modulation)
 - rechargeable pulse generator only [17.52](#)
 - total system [17.51](#)
- Ceectomy (with resection of terminal ileum)
 - laparoscopic [17.32](#)
 - open and other [45.72](#)
- Cecil operation (urethral reconstruction) [58.46](#)
- Cecocoloplicopexy [46.63](#)
- Cecocolostomy [45.94](#)
- Cecofixation [46.64](#)
- Ceco-ileostomy [45.93](#)
- Cecopexy [46.64](#)
- Cecoplication [46.62](#)
- Cecorrhaphy [46.75](#)
- Cecosigmoidostomy [45.94](#)
- Cecostomy (tube) -- see also Colostomy [46.10](#)
- Cecotomy [45.03](#)
- Celiocentesis [54.91](#)
- Celioscopy [54.21](#)
- Celiotomy, exploratory [54.11](#)
- Cell block and Papanicolaou smear -- see Examination, microscopic
- CentriMag® acute circulatory support device [37.62](#)
- Cephalogram [87.17](#)
 - dental [87.12](#)
 - orthodontic [87.12](#)
- Cephalometry, cephalometrics [87.17](#)
 - echo [88.78](#)
 - orthodontic [87.12](#)
 - ultrasound (sonar) [88.78](#)
 - x-ray [87.81](#)

Cephalotomy, fetus [73.8](#)
Cerclage
 anus [49.72](#)
 cervix [67.51](#)
 transabdominal [67.51](#)
 transvaginal [67.59](#)
 isthmus uteri (cervix) [67.59](#)
 retinal reattachment -- see also Buckling, scleral [14.49](#)
 sclera -- see also Buckling, scleral [14.49](#)
Cervicectomy (with synchronous colporrhaphy) [67.4](#)
Cervicoplasty [67.69](#)
Cesarean section [74.99](#)
 classical [74.0](#)
 corporeal [74.0](#)
 extraperitoneal [74.2](#)
 fundal [74.0](#)
 laparotrachelotomy [74.1](#)
 Latzko [74.2](#)
 low cervical [74.1](#)
 lower uterine segment [74.1](#)
 peritoneal exclusion [74.4](#)
 specified type NEC [74.4](#)
 supravesical [74.2](#)
 transperitoneal [74.4](#)
 classical [74.0](#)
 low cervical [74.1](#)
 upper uterine segment [74.0](#)
 vaginal [74.4](#)
 Waters [74.2](#)
Chamberlain procedure - see Mediastinotomy
Chandler operation (hip fusion) [81.21](#)
Change -- see also Replacement
 cast NEC [97.13](#)
 lower limb [97.12](#)
 upper limb [97.11](#)
 cystostomy catheter or tube [59.94](#)
 gastrostomy tube [97.02](#)
 length
 bone -- see either category [78.2](#) Shortening, bone or
 category [78.3](#) Lengthening, bone
 muscle [83.85](#)
 hand [82.55](#)
 tendon [83.85](#)
 hand [82.55](#)
 nephrostomy catheter or tube [55.93](#)
 pyelostomy catheter or tube [55.94](#)
 splint [97.14](#)
 tracheostomy tube [97.23](#)
 ureterostomy catheter or tube [59.93](#)
 urethral catheter, indwelling [57.95](#)
Character analysis, psychologic [94.03](#)
Charles operation (correction of lymphedema) [40.9](#)
Charnley operation (compression arthrodesis)
 ankle [81.11](#)
 hip [81.21](#)
 knee [81.22](#)

Cheatle-Henry operation -- see Repair, hernia, femoral

Check

automatic implantable cardioverter/defibrillator (AICD) (interrogation only) [89.49](#)

CRT-D (cardiac resynchronization defibrillator) (interrogation only) [89.49](#)

CRT-P (cardiac resynchronization pacemaker) (interrogation only) [89.45](#)

pacemaker, artificial (cardiac)(function) (interrogation only)(rate) [89.45](#)

amperage threshold [89.48](#)

artifact wave form [89.46](#)

electrode impedance [89.47](#)

voltage threshold [89.48](#)

vision NEC [95.09](#)

Cheiloplasty [27.59](#)

Cheilorrhaphy [27.51](#)

Cheilostomatoplasty [27.59](#)

Cheilotomy [27.0](#)

Chemical peel, skin [86.24](#)

Chemocauterization -- see also Destruction, lesion, by site

corneal epithelium [11.41](#)

palate [27.31](#)

Chemodectomy [39.89](#)

Chemoembolization [99.25](#)

Chemolysis

nerve (peripheral) [04.2](#)

spinal canal structure [03.8](#)

Chemoneurolysis [04.2](#)

Chemonucleolysis (nucleus pulposus) [80.52](#)

Chemopallidectomy [01.42](#)

Chemo peel (skin) [86.24](#)

Chemosurgery

esophagus [42.39](#)

endoscopic [42.33](#)

Mohs' [86.24](#)

skin (superficial) [86.24](#)

stomach [43.49](#)

endoscopic [43.41](#)

Chemothalamectomy [01.41](#)

Chemotherapy - see also Immunotherapy

Antabuse [94.25](#)

for cancer NEC [99.25](#)

brain wafer implantation [00.10](#)

CLO [17.70](#)

clofarabine [17.70](#)

CLOLAR® [17.70](#)

implantation of chemotherapeutic agent [00.10](#)

interstitial implantation [00.10](#)

intracavitary implantation [00.10](#)

wafer chemotherapy [00.10](#)

ithium [94.22](#)

methadone [94.25](#)

palate (bony) [27.31](#)

Chevalier-Jackson operation (partial laryngectomy) [30.29](#)

Child operation (radical subtotal pancreatectomy) [52.53](#)

Cholangiocholangiostomy [51.39](#)

Cholangiocholecystocholechoectomy [51.22](#)

Cholangio-enterostomy [51.39](#)

Cholangiogastrostomy [51.39](#)

Cholangiogram [87.54](#)
 endoscopic retrograde (ERC) [51.11](#)
 intraoperative [87.53](#)
 intravenous [87.52](#)
 percutaneous hepatic [87.51](#)
 transhepatic [87.53](#)
Cholangiography -- see also Cholangiogram [87.54](#)
Cholangiojejunostomy (intrahepatic) [51.39](#)
Cholangiopancreatography, endoscopic retrograde (ERCP) [51.10](#)
Cholangiostomy [51.59](#)
Cholangiotomy [51.59](#)
Cholecystectomy (total) [51.22](#)
 partial [51.21](#)
 laparoscopic [51.24](#)
 total [51.22](#)
 laparoscopic [51.23](#)
Cholecystenterorrhaphy [51.91](#)
Cholecystocecostomy [51.32](#)
Cholecystocholangiogram [87.59](#)
Cholecystocolostomy [51.32](#)
Cholecystoduodenostomy [51.32](#)
Cholecystoenterostomy (Winiwater) [51.32](#)
Cholecystogastrostomy [51.34](#)
Cholecystogram [87.59](#)
Cholecystoileostomy [51.32](#)
Cholecystojejunostomy (Roux-en-Y) (with jejunojejunostomy) [51.32](#)
Cholecystopancreatostomy [51.33](#)
Cholecystopexy [51.99](#)
Cholecystorrhaphy [51.91](#)
Cholecystostomy NEC [51.03](#)
 by trocar [51.02](#)
Cholecystotomy [51.04](#)
 percutaneous [51.01](#)
Choledochectomy [51.63](#)
Choledochoduodenostomy [51.36](#)
Choledochointerostomy [51.36](#)
Choledochojejunostomy [51.36](#)
Choledocholithotomy [51.41](#)
 endoscopic [51.88](#)
Choledocholithotripsy [51.41](#)
 endoscopic [51.88](#)
Choledochopancreatostomy [51.39](#)
Choledochoplasty [51.72](#)
Choledochorrhaphy [51.71](#)
Choledochoscopy [51.11](#)
Choledochostomy [51.51](#)
Choledochotomy [51.51](#)
Cholelithotomy [51.04](#)
Chondrectomy [80.90](#)
 ankle [80.97](#)
 elbow [80.92](#)
 foot and toe [80.98](#)
 hand and finger [80.94](#)
 hip [80.95](#)
 intervertebral cartilage -- see category [80.5](#)
 knee (semilunar cartilage) [80.6](#)

- nasal (submucous) [21.5](#)
- semilunar cartilage (knee) [80.6](#)
- shoulder [80.91](#)
- specified site NEC [80.99](#)
- spine -- see category [80.5](#)
- wrist [80.93](#)
- Chondroplasty -- see Arthroplasty
- Chondrosternoplasty (for pectus excavatum repair) [34.74](#)
- Chondrotomy -- see also Division, cartilage [80.40](#)
 - nasal [21.1](#)
- Chopart operation (midtarsal amputation) [84.12](#)
- Chordectomy, vocal [30.22](#)
- Chordotomy (spinoththalmic) (anterior) (posterior) NEC [03.29](#)
 - percutaneous [03.21](#)
 - stereotactic [03.21](#)
- Ciliarotomy [12.55](#)
- Ciliectomy (ciliary body) [12.44](#)
 - eyelid margin [08.20](#)
- Cinch, cinching
 - for scleral buckling -- see also Buckling, scleral [14.49](#)
 - ocular muscle (oblique) (rectus) [15.22](#)
 - multiple (two or more muscles) [15.4](#)
- Cineangiocardiology -- see also Angiocardiology [88.50](#)
- Cineplasty, cineplastic prosthesis
 - amputation -- see Amputation
 - arm [84.44](#)
 - biceps [84.44](#)
 - extremity [84.40](#)
 - lower [84.48](#)
 - upper [84.44](#)
 - leg [84.48](#)
- Cineradiograph -- see Radiography
- Cingulumotomy (brain) (percutaneous radiofrequency) [01.32](#)
- Circumcision (male) [64.0](#)
 - female [71.4](#)
- CISH [classic infra fascial SEMM hysterectomy] [68.31](#)
- Clagett operation (closure of chest wall following open flap drainage) [34.72](#)
- Clamp and cautery, hemorrhoids [49.43](#)
- Clamping
 - aneurysm (cerebral) [39.51](#)
 - blood vessel -- see Ligation, blood vessel
 - ventricular shunt [02.43](#)
- Clavicotomy [77.31](#)
 - fetal [73.8](#)
- Claviclectomy (partial) [77.81](#)
 - total [77.91](#)
- Clayton operation (resection of metatarsal heads and bases of phalanges) [77.88](#)
- Cleaning, wound [96.59](#)
- Clearance
 - bladder (transurethral) [57.0](#)
 - with endoscopic blood clots evacuation [57.00](#) (IM)
 - pelvic
 - female [68.8](#)
 - male [57.71](#)
 - prescalene fat pad [40.21](#)

- renal pelvis (transurethral) [56.0](#)
- ureter (transurethral) [56.0](#)
- Cleidotomy [77.31](#)
 - fetal [73.8](#)
- Clipping
 - aneurysm (basilar) (carotid) (cerebellar) (cerebellopontine) (communicating artery) (vertebral) [39.51](#)
 - arteriovenous fistula [39.53](#)
 - frenulum, frenum
 - labia (lips) [27.91](#)
 - lingual (tongue) [25.91](#)
 - left atrial appendage [37.36](#)
 - tip of uvula [27.72](#)
- Clitoridectomy [71.4](#)
- Clitoridotomy [71.4](#)
- Clivogram [87.02](#)
- Closure -- see also Repair
 - Abdominal vesicovaginal fistula closure [57.824](#) (IM)
 - abdominal wall [54.63](#)
 - delayed (granulating wound) [54.62](#)
 - secondary [54.61](#)
 - tertiary [54.62](#)
 - amputation stump, secondary [84.3](#)
 - anular disc [80.54](#)
 - with graft or prosthesis [80.53](#)
 - anulus fibrosus [80.54](#)
 - with graft or prosthesis [80.53](#)
 - aorticopulmonary fenestration (fistula) [39.59](#)
 - appendicostomy [47.92](#)
 - artificial opening
 - bile duct [51.79](#)
 - bladder [57.82](#)
 - bronchus [33.42](#)
 - common duct [51.72](#)
 - esophagus [42.83](#)
 - gallbladder [51.92](#)
 - hepatic duct [51.79](#)
 - intestine [46.50](#)
 - large [46.52](#)
 - small [46.51](#)
 - kidney [55.82](#)
 - larynx [31.62](#)
 - rectum [48.72](#)
 - stomach [44.62](#)
 - thorax [34.72](#)
 - trachea [31.72](#)
 - ureter [56.83](#)
 - urethra [58.42](#)
 - atrial septal defect -- see also Repair, atrial septal defect [35.71](#)
 - with umbrella device (King-Mills type) [35.52](#)
 - combined with repair of valvular and ventricular septal defects -- see Repair, endocardial cushion defect
 - bronchostomy [33.42](#)
 - cecostomy [46.52](#)
 - cholecystostomy [51.92](#)
 - cleft hand [82.82](#)

colostomy [46.52](#)
cystostomy [57.82](#)
diastema (alveolar) (dental) [24.8](#)
disrupted abdominal wall (postoperative) [54.61](#)
duodenostomy [46.51](#)
encephalocele [02.12](#)
endocardial cushion defect -- see also Repair, endocardial cushion defect [35.73](#)
enterostomy [46.50](#)
esophagostomy [42.83](#)
fenestration
 aorticopulmonary [39.59](#)
 septal, heart -- see also Repair, heart, septum [35.70](#)
filtering bleb, corneal (postglaucoma) [12.66](#)
fistula
 abdominothoracic [34.83](#)
 anorectal [48.73](#)
 anovaginal [70.73](#)
 antibuccal [22.71](#)
 anus [49.73](#)
 aorticopulmonary (fenestration) [39.59](#)
 aortoduodenal [39.59](#)
 appendix [47.92](#)
 biliary tract [51.79](#)
 bladder NEC [57.84](#)
 Open cutaneous vesical [57.823](#) (IM)
 branchial cleft [29.52](#)
 bronchocutaneous [33.42](#)
 bronchoesophageal [33.42](#)
 bronchomediastinal [34.73](#)
 bronchopleural [34.73](#)
 bronchopleurocutaneous [34.73](#)
 bronchopleuromediastinal [34.73](#)
 bronchovisceral [33.42](#)
 bronchus [33.42](#)
 cecosigmoidal [46.76](#)
 cerebrospinal fluid [02.12](#)
 cervicoaural [18.79](#)
 cervicosigmoidal [67.62](#)
 cervicovesical [57.84](#)
 cervix [67.62](#)
 cholecystocolic [51.93](#)
 cholecystoduodenal [51.93](#)
 cholecystoenteric [51.93](#)
 cholecystogastric [51.93](#)
 cholecystojejunal [51.93](#)
 cisterna chyli [40.63](#)
 colon [46.76](#)
 colovaginal [70.72](#)
 common duct [51.72](#)
 cornea [11.49](#)
 with lamellar graft (homograft) [11.62](#)
 autograft [11.61](#)
 diaphragm [34.83](#)
 duodenum [46.72](#)
 ear, middle [19.9](#)
 ear drum [19.4](#)

enterocolic [46.74](#)
 enterocutaneous [46.74](#)
 enterouterine [69.42](#)
 enterovaginal [70.74](#)
 enterovesical [57.83](#)
 esophagobronchial [33.42](#)
 esophagocutaneous [42.84](#)
 esophagopleurocutaneous [34.73](#)
 esophagotracheal [31.73](#)
 esophagus NEC [42.84](#)
 fecal [46.79](#)
 gallbladder [51.93](#)
 gastric NEC [44.63](#)
 gastrocolic [44.63](#)
 gastroenterocolic [44.63](#)
 gastroesophageal [42.84](#)
 gastrojejunal [44.63](#)
 gastrojejunocolic [44.63](#)
 heart valve -- see Repair, heart, valve
 hepatic duct [51.79](#)
 hepatopleural [34.73](#)
 hepatopulmonary [34.73](#)
 ileorectal [46.74](#)
 ileosigmoidal [46.74](#)
 ileovesical [57.83](#)
 ileum [46.74](#)
 in ano [49.73](#)
 intestine [46.79](#)
 large [46.76](#)
 small NEC [46.74](#)
 intestinocolonic [46.74](#)
 intestinoureteral [56.84](#)
 intestinouterine [69.42](#)
 intestinovaginal [70.74](#)
 intestinovesical [57.83](#)
 jejunum [46.74](#)
 kidney [55.83](#)
 lacrimal [09.99](#)
 laryngotracheal [31.62](#)
 larynx [31.62](#)
 lymphatic duct, left (thoracic) [40.63](#)
 mastoid (antrum) [19.9](#)
 mediastinobronchial [34.73](#)
 mediastinocutaneous [34.73](#)
 mouth (external) [27.53](#)
 nasal [21.82](#)
 sinus [22.71](#)
 nasolabial [21.82](#)
 nasopharyngeal [21.82](#)
 oroantral [22.71](#)
 oronasal [21.82](#)
 oval window (ear) [20.93](#)
 pancreaticoduodenal [52.95](#)
 perilymph [20.93](#)
 perineorectal [48.73](#)
 perineosigmoidal [46.76](#)

perineourethrosrotal [58.43](#)
 perineum [71.72](#)
 perirectal [48.93](#)
 pharyngoesophageal [29.53](#)
 pharynx NEC [29.53](#)
 pleura, pleural NEC [34.93](#)
 pleurocutaneous [34.73](#)
 pleuropericardial [37.49](#)
 pleuroperitoneal [34.83](#)
 pulmonoperitoneal [34.83](#)
 rectolabial [48.73](#)
 rectoureteral [56.84](#)
 rectourethral [58.43](#)
 rectovaginal [70.73](#)
 rectovesical [57.83](#)
 rectovesicovaginal [57.83](#)
 rectovulvar [48.73](#)
 rectum NEC [48.73](#)
 renal [55.83](#)
 reno-intestinal [55.83](#)
 round window [20.93](#)
 salivary (gland) (duct) [26.42](#)
 scrotum [61.42](#)
 sigmoidovaginal [70.74](#)
 sigmoidovesical [57.83](#)
 splenocolic [41.95](#)
 stomach NEC [44.63](#)
 thoracic duct [40.63](#)
 thoracoabdominal [34.83](#)
 thoracogastric [34.83](#)
 thoracointestinal [34.83](#)
 thorax NEC [34.73](#)
 trachea NEC [31.73](#)
 tracheoesophageal [31.73](#)
 tympanic membrane -- see also Tympanoplasty [19.4](#)
 umbilicourinary [57.51](#)
 ureter [56.84](#)
 ureterocervical [56.84](#)
 ureterorectal [56.84](#)
 ureterosigmoidal [56.84](#)
 ureterovaginal [56.84](#)
 ureterovesical [56.84](#)
 urethra [58.43](#)
 urethroperineal [58.43](#)
 urethroperineovesical [57.84](#)
 urethrorectal [58.43](#)
 urethroscrotal [58.43](#)
 urethrovaginal [58.43](#)
 uteroenteric [69.42](#)
 uterointestinal [69.42](#)
 uterorectal [69.42](#)
 uteroureteric [56.84](#)
 uterovaginal [69.42](#)
 uterovesical [57.84](#)
 vagina [70.75](#)
 vaginocutaneous [70.75](#)

- vaginoenteric [70.74](#)
- vaginoperineal [70.75](#)
- vaginovesical [57.84](#)
- vesical (IM)
 - open cutaneous vesical fistula closure [57.823](#) (IM)
 - open vesicointestinal fistula closure [57.822](#) (IM)
- vesicocervicovaginal [57.84](#)
- vesicocolic [57.83](#)
- vesicocutaneous [57.84](#)
- vesicoenteric [57.83](#)
- vesicointestinal [57.822](#) (IM)
 - open vesicointestinal fistula closure [57.822](#) (IM)
- vesicometrorectal [57.83](#)
- vesicoperineal [57.84](#)
- vesicorectal [57.83](#)
- vesicosigmoidal [57.83](#)
- vesicosigmoidovaginal [57.83](#)
- vesicoureteral [56.84](#)
- vesicoureterovaginal [56.84](#)
- vesicourethral [57.84](#)
- vesicourethrorectal [57.83](#)
- vesicouterine [57.84](#)
- vesicovaginal [57.84](#)
- vulva [71.72](#)
- vulvorectal [48.73](#)
- foramen ovale (patent) [35.71](#)
 - with
 - prosthesis (open heart technique) [35.51](#)
 - closed heart technique [35.52](#)
 - tissue graft [35.61](#)
- gastroduodenostomy [44.5](#)
- gastrojejunostomy [44.5](#)
- gastrostomy [44.62](#)
- ileostomy [46.51](#)
- jejunostomy [46.51](#)
- laceration -- see also Suture, by site
 - liver [50.61](#)
- laparotomy, delayed [54.62](#)
- meningocele (spinal) [03.51](#)
 - cerebral [02.12](#)
- myelomeningocele [03.52](#)
- nephrostomy [55.82](#)
- Open cutaneous vesical fistula closure [57.823](#) (IM)
- palmar cleft [82.82](#)
- patent ductus arteriosus [38.85](#)
 - PDA stenting/PDA closure with device [38.850](#) (IM)
- pelviostomy [55.82](#)
- peptic ulcer (bleeding) (perforated) [44.40](#)
- perforation
 - ear drum -- see also Tympanoplasty [19.4](#)
 - esophagus [42.82](#)
 - nasal septum [21.88](#)
 - tympanic membrane -- see also Tympanoplasty [19.4](#)
- proctostomy [48.72](#)
- punctum, lacrimal (papilla) [09.91](#)
- pyelostomy [55.82](#)

rectostomy [48.72](#)
 septum defect (heart) -- see also Repair, heart, septum [35.70](#)
 sigmoidostomy [46.52](#)
 skin (V-Y type) [86.59](#)
 stoma
 bile duct [51.79](#)
 bladder [57.82](#)
 open cutaneous vesical fistula closure [57.823](#) (IM)
 bronchus [33.42](#)
 common duct [51.72](#)
 esophagus [42.83](#)
 gallbladder [51.92](#)
 hepatic duct [51.79](#)
 intestine [46.50](#)
 large [46.52](#)
 small [46.51](#)
 kidney [55.82](#)
 larynx [31.62](#)
 rectum [48.72](#)
 stomach [44.62](#)
 thorax [34.72](#)
 trachea [31.72](#)
 ureter [56.83](#)
 urethra [58.42](#)
 thoracostomy [34.72](#)
 tracheostomy [31.72](#)
 ulcer (bleeding) (peptic) (perforated) [44.40](#)
 duodenum [44.42](#)
 gastric [44.41](#)
 intestine (perforated) [46.79](#)
 skin [86.59](#)
 stomach [44.41](#)
 ureterostomy [56.83](#)
 urethrostomy [58.42](#)
 vagina [70.8](#)
 vascular
 percutaneous puncture - *omit code*
 vesicostomy [57.22](#)
 wound -- see also Suture, by site
 with graft -- see Graft
 with tissue adhesive [86.59](#)
 Coagulation, electrocoagulation -- see also Destruction,
 lesion, by site
 aneurysm (cerebral) (peripheral vessel) [39.52](#)
 arteriovenous fistula [39.53](#)
 brain tissue (incremental) (radiofrequency) [01.59](#)
 broad ligament [69.19](#)
 cervix [67.32](#)
 ear
 external [18.29](#)
 inner [20.79](#)
 middle [20.51](#)
 fallopian tube [66.61](#)
 gasserian ganglion [04.05](#)
 nose, for epistaxis (with packing) [21.03](#)
 ovary [65.29](#)

- laparoscopic [65.25](#)
- pharynx (by diathermy) [29.39](#)
- prostatic bed [60.94](#)
- rectum (polyp) [48.32](#)
- radical [48.31](#)
- retina (for)
 - destruction of lesion [14.21](#)
 - reattachment [14.51](#)
 - repair for tear [14.31](#)
- round ligament [69.19](#)
- semicircular canals [20.79](#)
- spinal cord (lesion) [03.4](#)
- urethrovesical junction, transurethral [57.49](#)
- uterosacral ligament [69.19](#)
- uterus [68.29](#)
- vagina [70.33](#)
- vulva [71.3](#)
- Coating, aneurysm of brain [39.52](#)
- Cobalt-60 therapy (treatment) [92.23](#)
- Coccygectomy (partial) [77.89](#)
- total [77.99](#)
- Coccygotomy [77.39](#)
- "Cocked hat" procedure (metacarpal lengthening and transfer of local flap) [82.69](#)
- Cockett operation (varicose vein)
 - lower limb [38.59](#)
 - upper limb [38.53](#)
- Cody tack (perforation of footplate) [19.0](#)
- Coffey operation (uterine suspension) (Meig's modification) [69.22](#)
- Cole operation (anterior tarsal wedge osteotomy) [77.28](#)
- Colectomy (partial) (segmental) (subtotal)
 - cecum (with terminal ileum)
 - laparoscopic [17.32](#)
 - open and other [45.72](#)
 - laparoscopic [17.39](#)
 - left (Hartmann) (lower) (radical)
 - laparoscopic [17.35](#)
 - open and other [45.75](#)
 - multiple segmental
 - laparoscopic [17.31](#)
 - open and other [45.71](#)
 - open and other [45.79](#)
 - right (radical)
 - laparoscopic [17.33](#)
 - open and other [45.73](#)
 - sigmoid
 - laparoscopic [17.36](#)
 - open and other [45.76](#)
 - terminal ileum with cecum
 - laparoscopic [17.32](#)
 - open and other [45.72](#)
 - total
 - laparoscopic [45.81](#)
 - open [45.82](#)
 - other [45.83](#)
 - unspecified [45.83](#)
 - transverse

- laparoscopic [17.34](#)
 - open and other [45.74](#)
- Collapse, lung, surgical [33.39](#)
 - by
 - destruction of phrenic nerve [33.31](#)
 - pneumoperitoneum [33.33](#)
 - pneumothorax, artificially-induced [33.32](#)
 - thoracoplasty [33.34](#)
- Collection, sperm for artificial insemination [99.96](#)
- Collis-Nissen operation (hiatal hernia repair with esophagogastroplasty) [53.80](#)
- Colocentesis [45.03](#)
- Colocolostomy [45.94](#)
 - proximal to distal segment [45.79](#)
- Colocystoplasty [57.87](#) [[45.52](#)]
- Colofixation [46.64](#)
- Coloileotomy [45.00](#)
- Colonna operation
 - adductor tenotomy (first stage) [83.12](#)
 - hip arthroplasty (second stage) [81.40](#)
 - reconstruction of hip (second stage) [81.40](#)
- Colonoscopy [45.23](#)
 - with
 - biopsy [45.25](#)
 - rectum [48.24](#)
 - stent - see Insertion, stent, colon
 - fiberoptic (flexible) [45.23](#)
 - intraoperative [45.21](#)
 - through stoma (artificial) [45.22](#)
 - transabdominal [45.21](#)
- Colopexy [46.63](#)
- Coloplication [46.64](#)
- Coloproctostomy [45.94](#)
- Colorectosigmoidostomy [45.94](#)
- Colorectostomy [45.94](#)
- Colorrhaphy [46.75](#)
- Coloscopy -- see Colonoscopy
- Colosigmoidostomy [45.94](#)
- Colostomy (ileo-ascending) (ileotransverse) (perineal) (transverse) [46.10](#)
 - with anterior rectal resection [48.62](#)
 - delayed opening [46.14](#)
 - loop [46.03](#)
 - permanent (magnetic) [46.13](#)
 - temporary [46.11](#)
- Colotomy [45.03](#)
- Colpectomy [70.4](#)
- Colpoceliocentesis [70.0](#)
- Colpocentesis [70.0](#)
- Colpocleisis (complete) (partial) [70.8](#)
- Colpohysterectomy [68.59](#)
 - laparoscopically assisted (LAVH) [68.51](#)
- Colpoperineoplasty [70.79](#)
 - with repair of urethrocele [70.51](#)
 - with graft or prosthesis [70.53](#)
- Colpoperineorrhaphy [70.71](#)
 - following delivery [75.69](#)
- Colpopexy [70.77](#)

- with graft or prosthesis [70.78](#)
- Colpoplasty [70.79](#)
- Colpoptosis [70.61](#)
 - vaginal construction [70.61](#)
 - with graft or prosthesis [70.63](#)
- Colporrhaphy [70.71](#)
 - anterior (cystocele repair) [70.51](#)
 - with graft or prosthesis [70.54](#)
 - for repair of
 - cystocele [70.51](#)
 - with rectocele [70.50](#)
 - with graft or prosthesis [70.53](#)
 - enterocele [70.92](#)
 - with graft or prosthesis [70.93](#)
 - rectocele [70.52](#)
 - with cystocele [70.50](#)
 - with graft or prosthesis [70.53](#)
 - urethrocele [70.51](#)
 - with graft or prosthesis [70.54](#)
 - posterior (rectocele repair) [70.52](#)
 - with graft or prosthesis [70.55](#)
- Colposcopy [70.21](#)
- Colpotomy [70.14](#)
 - for pelvic peritoneal drainage [70.12](#)
- Commando operation (radical glossectomy) [25.4](#)
- Commissurotomy
 - closed heart technique -- see Valvulotomy, heart
 - open heart technique -- see Valvuloplasty, heart
- Compression, trigeminal nerve [04.02](#)
- Conchectomy [21.69](#)
- Conchotomy [21.1](#)
- Conduction study, nerve [89.15](#)
- Conduitogram, ileum [87.78](#)
- Condylectomy -- see category [77.8](#)
 - mandible [76.5](#)
- Condylotomy NEC -- see *a/so* Division, joint capsule [80.40](#)
 - mandible (open) [76.62](#)
 - closed [76.61](#)
- Conization
 - cervix (knife) (sharp) (biopsy) [67.2](#)
 - by
 - cryosurgery [67.33](#)
 - electroconization [67.32](#)
- Conjunctivocystorhinostomy [09.82](#)
 - with insertion of tube or stent [09.83](#)
- Conjunctivodacryocystorhinostomy (CDCR) [09.82](#)
 - with insertion of tube or stent [09.83](#)
- Conjunctivodacryocystostomy [09.82](#)
 - with insertion of tube or stent [09.83](#)
- Conjunctivoplasty [10.49](#)
- Conjunctivorhinostomy [09.82](#)
 - with insertion of tube or stent [09.83](#)
- Constriction of globe, for scleral buckling -- see *a/so* Buckling, scleral [14.49](#)
- Construction
 - auricle, ear (with graft) (with implant) [18.71](#)
 - ear

- auricle (with graft) (with implant) [18.71](#)
- meatus (osseous) (skin-lined) [18.6](#)
- endorectal ileal pouch (J-pouch) (H-pouch) (S-pouch) (with anastomosis to anus) [45.95](#)
- esophagus, artificial – see Anastomosis, esophagus
- ileal bladder (open) [56.51](#)
 - closed [57.87](#) [[45.51](#)]
- ileal conduit [56.51](#)
- larynx, artificial [31.75](#)
- patent meatus (ear) [18.6](#)
- penis (rib graft) (skin graft) (myocutaneous flap) [64.43](#)
- pharyngeal valve, artificial [31.75](#)
- urethra [58.46](#)
- vagina, artificial [70.61](#)
 - with graft or prosthesis [70.63](#)
- venous valves (peripheral) [39.59](#)
- Consultation [89.09](#)
 - comprehensive [89.07](#)
 - limited (single organ system) [89.06](#)
 - specified type NEC [89.08](#)
- Continuous positive airway pressure [CPAP] (non-invasive) [93.90](#)
 - delivered by
 - endotracheal tube - see category [96.7](#)
 - tracheostomy - see category [96.7](#)
- Control
 - atmospheric pressure and composition NEC [93.98](#)
 - antigen-free air conditioning [93.98](#)
 - decompression chamber [93.97](#)
 - mountain sanatorium [93.98](#)
 - epistaxis [21.00](#)
 - by
 - cauterization (and packing) [21.03](#)
 - coagulation (with packing) [21.03](#)
 - electrocoagulation (with packing) [21.03](#)
 - excision of nasal mucosa with grafting [21.07](#)
 - ligation of artery [21.09](#)
 - ethmoidal [21.04](#)
 - external carotid [21.06](#)
 - maxillary (transantral) [21.05](#)
 - packing (nasal) (anterior) [21.01](#)
 - posterior (and anterior) [21.02](#)
 - specified means NEC [21.09](#)
 - hemorrhage [39.98](#)
 - abdominal cavity [54.19](#)
 - adenoids (postoperative) [28.7](#)
 - anus (postoperative) [49.95](#)
 - bladder (postoperative) [57.93](#)
 - chest [34.09](#)
 - colon [45.49](#)
 - endoscopic [45.43](#)
 - duodenum (ulcer) [44.49](#)
 - by
 - embolization (transcatheter) [44.44](#)
 - suture (ligation) [44.42](#)
 - endoscopic [44.43](#)
 - esophagus [42.39](#)
 - endoscopic [42.33](#)

- gastric (ulcer) [44.49](#)
 - by
 - embolization (transcatheter) [44.44](#)
 - suture (ligation) [44.41](#)
 - endoscopic [44.43](#)
 - intrapleural [34.09](#)
 - postoperative (recurrent) [34.03](#)
 - laparotomy site [54.12](#)
 - nose -- *see also* Control, epistaxis [21.00](#)
 - peptic (ulcer) [44.49](#)
 - by
 - embolization (transcatheter) [44.44](#)
 - suture (ligation) [44.40](#)
 - endoscopic [44.43](#)
 - pleura, pleural cavity [34.09](#)
 - postoperative (recurrent) [34.03](#)
 - postoperative NEC [39.98](#)
 - postvascular surgery [39.41](#)
 - prostate [60.94](#)
 - specified site NEC [39.98](#)
 - stomach -- *see* Control, hemorrhage, gastric
 - thorax NEC [34.09](#)
 - postoperative (recurrent) [34.03](#)
 - thyroid (postoperative) [06.02](#)
 - tonsils (postoperative) [28.7](#)
- Conversion
- anastomosis -- *see* Revision, anastomosis
 - atrial rhythm (to sinus rhythm) [99.61](#)
 - cardiac rhythm NEC [99.69](#)
 - to sinus rhythm [99.62](#)
 - gastrostomy to jejunostomy (endoscopic)
 - for feeding tube placement [46.32](#)
 - obstetrical position -- *see* Version
- Cooling, gastric [96.31](#)
- CorCap TM [37.41](#)
- Corpectomy, vocal [30.22](#)
- Cordopexy, vocal [31.69](#)
- Cordotomy
 - spinal (bilateral) NEC [03.29](#)
 - percutaneous [03.21](#)
 - vocal [31.3](#)
- Corectomy [12.12](#)
- Corelysis [12.35](#)
- Coreoplasty [12.35](#)
- Corneoconjunctivoplasty [11.53](#)
- Corpectomy, (vertebral) [80.99](#)
 - with disectomy [80.99](#)
- Correction -- *see also* Repair
- atresia
 - esophageal [42.85](#)
 - by magnetic forces [42.99](#)
 - external meatus (ear) [18.6](#)
 - nasopharynx, nasopharyngeal [29.4](#)
 - rectum [48.0](#)
 - tricuspid [35.94](#)
 - atrial septal defect -- *see also* Repair, atrial septal defect [35.71](#)

combined with repair of valvular and ventricular septal defects -- see Repair, endocardial cushion defect

blepharoptosis -- see *also* Repair, blepharoptosis [08.36](#)

bunionette (with osteotomy) [77.54](#)

chordee [64.42](#)
with Graft [64.940](#) (IM)

claw toe [77.57](#)

cleft

lip [27.54](#)

palate [27.62](#)

clubfoot NEC [83.84](#)

coarctation of aorta
with

anastomosis [38.34](#)

graft replacement [38.44](#)

cornea NEC [11.59](#)

refractive NEC [11.79](#)

epikeratophakia [11.76](#)

keratomileusis [11.71](#)

keratophakia [11.72](#)

radial keratotomy [11.75](#)

esophageal atresia [42.85](#)
by magnetic forces [42.99](#)

everted lacrimal punctum [09.71](#)

eyelid

ptosis -- see *also* Repair, blepharoptosis [08.36](#)

retraction [08.38](#)

fetal defect [75.36](#)

forcible, of musculoskeletal deformity NEC [93.29](#)

hammer toe [77.56](#)

hydraulic pressure, open surgery for penile inflatable prosthesis [64.99](#)
urinary artificial sphincter [58.99](#)

intestinal malrotation [46.80](#)

large [46.82](#)

small [46.81](#)

inverted uterus -- see Repair, inverted uterus

lymphedema (of limb) [40.9](#)
excision with graft [40.9](#)
obliteration of lymphatics [40.9](#)
transplantation of autogenous lymphatics [40.9](#)

nasopharyngeal atresia [29.4](#)

overlapping toes [77.58](#)

palate (cleft) [27.62](#)

prognathism NEC [76.64](#)

prominent ear [18.5](#)

punctum (everted) [09.71](#)

spinal pseudarthrosis - see Refusion, spinal

syndactyly [86.85](#)

tetralogy of Fallot

one-stage [35.81](#)

partial -- see specific procedure

total [35.81](#)

total anomalous pulmonary venous connection

one-stage [35.82](#)

partial -- see specific procedure

total [35.82](#)

transposition, great arteries, total [35.84](#)
tricuspid atresia [35.94](#)
truncus arteriosus
 one-stage [35.83](#)
 partial -- see specific procedure
 total [35.83](#)
ureteropelvic junction [55.87](#)
ventricular septal defect -- see *also* Repair, ventricular septal defect [35.72](#)
 combined with repair of valvular and atrial septal defects -- see Repair, endocardial cushion defect
Costectomy [77.91](#)
 with lung excision -- see Excision, lung
 associated with thoracic operation -- omit code
Costochondrectomy [77.91](#)
 associated with thoracic operation -- omit code
Costosternoplasty (pectus excavatum repair) [34.74](#)
Costotomy [77.31](#)
Costotransversectomy [77.91](#)
 associated with thoracic operation -- omit code
Counseling (for) NEC [94.49](#)
 alcoholism [94.46](#)
 drug addiction [94.45](#)
 employers [94.49](#)
 family (medical) (social) [94.49](#)
 marriage [94.49](#)
 ophthalmologic (with instruction) [95.36](#)
 pastoral [94.49](#)
Countershock, cardiac NEC [99.62](#)
Coventry operation (tibial wedge osteotomy) [77.27](#)
CPAP (continuous positive airway pressure) [93.90](#)
 delivered by
 endotracheal tube - see category [96.7](#)
 tracheostomy - see category [96.7](#)
Craniectomy [01.25](#)
 linear (opening of cranial suture) [02.01](#)
 reopening of site [01.23](#)
 strip (opening of cranial suture) [02.01](#)
Cranioclasia, fetal [73.8](#)
Cranioplasty [02.06](#)
 with synchronous repair of encephalocele [02.12](#)
Craniotomy [01.24](#)
 as operative approach -- omit code
 fetal [73.8](#)
 for decompression of fracture [02.02](#)
 reopening of site [01.23](#)
Craterization, bone -- see *also* Excision, lesion, bone [77.60](#)
Crawford operation (tarso-frontalis sling of eyelid) [08.32](#)
Creation -- see *also* Formation
 cardiac device (defibrillator) (pacemaker) pocket
 with initial insertion of cardiac device -- omit code
 new site (skin) (subcutaneous) [37.79](#)
 conduit
 apical-aortic (AAC) [35.93](#)
 ileal (urinary) [56.51](#)
 left ventricle and aorta [35.93](#)
 right atrium and pulmonary artery [35.94](#)

- right ventricle and pulmonary (distal) artery [35.92](#)
 - in repair of
 - pulmonary artery atresia [35.92](#)
 - transposition of great vessels [35.92](#)
 - truncus arteriosus [35.83](#)
- endorectal ileal pouch (J-pouch) (H-pouch) (S-pouch) (with anastomosis to anus) [45.95](#)
- esophagogastric sphincteric competence NEC [44.66](#)
 - laparoscopic [44.67](#)
- Hartmann pouch -- see Colectomy, by site
- interatrial fistula [35.42](#)
- pericardial window [37.12](#)
- pleural window, for drainage [34.09](#)
- pocket
 - cardiac device (defibrillator) (pacemaker)
 - with initial insertion of cardiac device - omit code
 - new site (skin)(subcutaneous) [37.79](#)
 - loop recorder [37.79](#)
 - thalamic stimulator pulse generator
 - with initial insertion of battery package - omit code
 - new site (skin)(subcutaneous) [86.09](#)
- shunt -- see *also* Shunt
 - arteriovenous fistula, for dialysis [39.93](#)
 - left-to-right (systemic to pulmonary circulation) [39.0](#)
- subcutaneous tunnel for esophageal anastomosis [42.86](#)
 - with anastomosis -- see Anastomosis, esophagus, antesternal
- syndactyly (finger) (toe) [86.89](#)
- thalamic stimulator pulse generator
 - with initial insertion of battery package - omit code
 - new site (skin)(subcutaneous) [86.09](#)
- tracheoesophageal fistula [31.95](#)
- window
 - pericardial [37.12](#)
 - pleura, for drainage [34.09](#)
- Credé maneuver [73.59](#)
- Cricoidectomy [30.29](#)
- Cricothyrotomy (for assistance in breathing) [31.1](#)
- Cricothyroidectomy [30.29](#)
- Cricothyrostomy [31.1](#)
- Cricothyrotomy (for assistance in breathing) [31.1](#)
- Cricotomy (for assistance in breathing) [31.1](#)
- Cricotracheotomy (for assistance in breathing) [31.1](#)
- Crisis intervention [94.35](#)
- Cross leg flap [86.740](#) (IM)
- Croupette, croup tent [93.94](#)
- Crown, dental (ceramic) (gold) [23.41](#)
- Crushing
 - bone -- see category [78.4](#)
 - calculus
 - bile (hepatic) passage [51.49](#)
 - endoscopic [51.88](#)
 - bladder (urinary) [57.0](#)
 - endoscopic blood clots evacuation [57.00](#) (IM)
 - pancreatic duct [52.09](#)
 - endoscopic [52.94](#)
 - fallopian tube -- see *also* Ligation, fallopian tube [66.39](#)
 - ganglion -- see Crushing, nerve

hemorrhoids [49.45](#)
nasal septum [21.88](#)
nerve (cranial) (peripheral) NEC [04.03](#)
 acoustic [04.01](#)
 auditory [04.01](#)
 phrenic [04.03](#)
 for collapse of lung [33.31](#)
 sympathetic [05.0](#)
 trigeminal [04.02](#)
 vestibular [04.01](#)
vas deferens [63.71](#)
Cryoablation -- see Ablation
Cryoanalgesia nerve (cranial) (peripheral) [04.2](#)
Cryoconization, cervix [67.33](#)
Cryodestruction -- see Destruction, lesion, by site
Cryoextraction, lens -- see *also* Extraction, cataract, intracapsular [13.19](#)
Cryohypophysectomy (complete) (total) -- see *also* Hypophysectomy [07.69](#)
Cryoleucotomy [01.32](#)
Cryopexy, retinal -- see Cryotherapy, retina
Cryoprostectomy [60.62](#)
Cryoretinopexy (for)
 reattachment [14.52](#)
 repair of tear or defect [14.32](#)
Cryosurgery -- see Cryotherapy
Cryothalamectomy [01.41](#)
Cryotherapy -- see *also* Destruction, lesion, by site
 bladder [57.59](#)
 brain [01.59](#)
 cataract [13.19](#)
 cervix [67.33](#)
 choroid -- see Cryotherapy, retina
 ciliary body [12.72](#)
 corneal lesion (ulcer) [11.43](#)
 to reshape cornea [11.79](#)
 ear
 external [18.29](#)
 inner [20.79](#)
 esophagus [42.39](#)
 endoscopic [42.33](#)
 eyelid [08.25](#)
 hemorrhoids [49.44](#)
 iris [12.41](#)
 nasal turbinates [21.61](#)
 palate (bony) [27.31](#)
 prostate [60.62](#)
 retina (for)
 destruction of lesion [14.22](#)
 reattachment [14.52](#)
 repair of tear [14.32](#)
 skin [86.3](#)
 stomach [43.49](#)
 endoscopic [43.41](#)
 subcutaneous tissue [86.3](#)
 turbinates (nasal) [21.61](#)
 warts [86.3](#)
 genital [71.3](#)

Cryptectomy (anus) [49.39](#)
 endoscopic [49.31](#)
 Cryptorchidectomy (unilateral) [62.3](#)
 bilateral [62.41](#)
 Cryptotomy (anus) [49.39](#)
 endoscopic [49.31](#)
 Cuirass [93.99](#)
 Culdocentesis [70.0](#)
 Culdoplasty [70.92](#)
 with graft or prosthesis [70.93](#)
 Culdoscopy (exploration) (removal of foreign body or lesion) [70.22](#)
 Culdotomy [70.12](#)
 Culp-Deweerd operation (spiral flap pyeloplasty) [55.87](#)
 Culp-Scardino operation (ureteral flap pyeloplasty) [55.87](#)
 Culture (and sensitivity) -- see Examination, microscopic
 Curettage (with packing) (with secondary closure) -- see also Dilation and curettage
 adenoids [28.6](#)
 anus [49.39](#)
 endoscopic [49.31](#)
 bladder [57.59](#)
 transurethral [57.49](#)
 bone -- see also Excision, lesion, bone [77.60](#)
 brain [01.59](#)
 bursa [83.39](#)
 hand [82.29](#)
 cartilage -- see also Excision, lesion, joint [80.80](#)
 cerebral meninges [01.51](#)
 chalazion [08.25](#)
 conjunctiva (trachoma follicles) [10.33](#)
 corneal epithelium [11.41](#)
 for smear or culture [11.21](#)
 ear, external [18.29](#)
 eyelid [08.25](#)
 joint -- see also Excision, lesion, joint [80.80](#)
 meninges (cerebral) [01.51](#)
 spinal [03.4](#)
 muscle [83.32](#)
 hand [82.22](#)
 nerve (peripheral) [04.07](#)
 sympathetic [05.29](#)
 sclera [12.84](#)
 skin [86.3](#)
 spinal cord (meninges) [03.4](#)
 subgingival [24.31](#)
 tendon [83.39](#)
 sheath [83.31](#)
 hand [82.21](#)
 uterus (with dilation) [69.09](#)
 aspiration (diagnostic) NEC [69.59](#)
 after abortion or delivery [69.52](#)
 to terminate pregnancy [69.51](#)
 following delivery or abortion [69.02](#)
 Curette evacuation, lens [13.2](#)
 Curtis operation (interphalangeal joint arthroplasty) [81.72](#)
 Cutaneolipectomy [86.83](#)
 Cutdown, venous [38.94](#)

Cutting

- nerve (cranial) (peripheral) NEC [04.03](#)
 - acoustic [04.01](#)
 - auditory [04.01](#)
 - root, spinal [03.1](#)
 - sympathetic [05.0](#)
 - trigeminal [04.02](#)
 - vestibular [04.01](#)
- pedicle (flap) graft [86.71](#)
- pylorus (with wedge resection) [43.3](#)
- spinal nerve root [03.1](#)
- ureterovesical orifice [56.1](#)
- urethral sphincter [58.5](#)
- CVP (central venous pressure monitoring) [89.62](#)
- Cyclectomy (ciliary body) [12.44](#)
 - eyelid margin [08.20](#)
- Cyclotomies [12.55](#)
- Cycloanemization [12.74](#)
- Cyclocryotherapy [12.72](#)
- Cyclodialysis (initial) (subsequent) [12.55](#)
- Cyclodiathermy (penetrating) (surface) [12.71](#)
- Cycloelectrolysis [12.71](#)
- Cyclophotocoagulation [12.73](#)
- Cyclotomy [12.55](#)
- Cystectomy -- see also Excision, lesion, by site
 - gallbladder -- see Cholecystectomy
 - urinary (partial) (subtotal) [57.6](#)
 - with
 - continent valve formation [57.75](#) (IM)
 - formation of cutaneous uretero-ileostomy (incontinent intestinal urine reservoir formation) [57.72](#) (IM)
 - intestinal urinary diversion (continent intestinal urine reservoir formation) [57.74](#) (IM)
 - laparoscopic ureter transplantation into intestine [57.73](#) (IM)
 - orthotopic neobladder [54.76](#) (IM)
 - complete (with urethrectomy) [57.79](#)
 - radical [57.71](#)
 - with pelvic exenteration (female) [68.8](#)
 - total (with urethrectomy) [57.79](#)
- Cystocolostomy [57.88](#)
- Cystogram, cystography NEC [87.77](#)
- Cystolitholapaxy [57.0](#)
- Cystolithotomy [57.19](#)
- Cystometrograms [89.22](#)
- Cystopexy NEC [57.89](#)
- Cystoplasty NEC [57.89](#)
- Cystoproctostomy [57.88](#)
- Cystoprostatectomy, radical [57.71](#)
- Cystopyelography [87.74](#)
- Cystorrhaphy [57.81](#)
- Cystoscopy (transurethral) [57.32](#)
 - with biopsy [57.33](#)
 - for
 - control of hemorrhage
 - bladder [57.93](#)
 - prostate [60.94](#)
 - retrograde pyelography [87.74](#)