

- mechanical fragmentation [13.66](#)
- needling [13.64](#)
- phacofragmentation (mechanical) [13.66](#)
- common duct stones (percutaneous) (through sinus tract) (with basket) [51.96](#)
- fat for graft or banking [86.90](#)
- foreign body -- see Removal, foreign body
- kidney stone(s), percutaneous [55.03](#)
 - with fragmentation procedure [55.04](#)
- lens (eye) -- see also Extraction, cataract [13.19](#)
- Malstrom's [72.79](#)
 - with episiotomy [72.71](#)
- menstrual, menses [69.6](#)
- milk from lactating breast (manual) (pump) 99.98
- tooth (by forceps) (multiple) (single) NEC [23.09](#)
 - with mucoperiosteal flap elevation [23.19](#)
 - with elevation of mucoperiosteal flap [23.14](#) (IM)
 - deciduous [23.01](#)
 - surgical NEC -- see also Removal, tooth, surgical [23.19](#)
- vacuum, fetus [72.79](#)
 - with episiotomy [72.71](#)
- vitreous -- see also Removal, vitreous [14.72](#)

F

- Face lift [86.82](#)
- Facetectomy [77.89](#)
- Facilitation, intraocular circulation NEC [12.59](#)
- Failed (trial) forceps [73.3](#)
- Family
 - counselling (medical) (social) [94.49](#)
 - therapy [94.42](#)
- Farabeuf operation (ischiopubiotomy) [77.39](#)
- Fasanella-Servatt operation (blepharoptosis repair) [08.35](#)
- Fascioplasty -- see Fascioplasty
- Fascia sling operation -- see Operation, sling
- Fasciectomy [83.44](#)
 - for graft [83.43](#)
 - hand [82.34](#)
 - hand [82.35](#)
 - for graft [82.34](#)
 - palmar (release of Dupuytren's contracture) [82.35](#)
- Fasciodesis [83.89](#)
 - hand [82.89](#)
- Fascioplasty -- see also Repair, fascia [83.89](#)
 - hand -- see also Repair, fascia, hand [82.89](#)
- Fasciorrhaphy -- see Suture, fascia
- Fasciotomy [83.14](#)
 - Dupuytren's [82.12](#)
 - with excision [82.35](#)
 - Dwyer [83.14](#)
 - hand [82.12](#)
 - Ober-Yount [83.14](#)
 - orbital -- see also Orbitotomy [16.09](#)
 - palmar (release of Dupuytren's contracture) [82.12](#)
 - with excision [82.35](#)

Feeding

Early initiation of breast feeding [99.980](#) (IM)

Fenestration

aneurysm (dissecting), thoracic aorta [39.54](#)

aortic aneurysm [39.54](#)

cardiac valve [35.10](#)

chest wall [34.01](#)

ear

inner (with graft) [20.61](#)

revision [20.62](#)

tympanic [19.55](#)

labyrinth (with graft) [20.61](#)

Lempert's (endaural) [19.9](#)

operation (aorta) [39.54](#)

oval window, ear canal [19.55](#)

palate [27.1](#)

pericardium [37.12](#)

semicircular canals (with graft) [20.61](#)

stapes foot plate (with vein graft) [19.19](#)

with incus replacement [19.11](#)

tympanic membrane [19.55](#)

vestibule (with graft) [20.61](#)

Ferguson operation (hernia repair) [53.00](#)

Fetography [87.81](#)

Fetoscopy [75.31](#)

Fiberoscopy -- see Endoscopy, by site

Fibroidectomy, uterine [68.29](#)

Fick operation (perforation of foot plate) [19.0](#)

Filipuncture (aneurysm) (cerebral) [39.52](#)

Filleting

hammer toe [77.56](#)

pancreas [52.3](#)

Filling, tooth (amalgam) (plastic) (silicate) [23.2](#)

root canal -- see also Therapy, root canal [23.70](#)

Fimbriectomy -- see also Salpingectomy, partial [66.69](#)

Uchida (with tubal ligation) [66.32](#)

Finney operation (pyloroplasty) [44.29](#)

Fissurectomy, anal [49.39](#)

endoscopic [49.31](#)

skin (subcutaneous tissue) [49.04](#)

Fistulectomy -- see also Closure, fistula, by site

abdominothoracic [34.83](#)

abdominouterine [69.42](#)

anus [49.12](#)

appendix [47.92](#)

bile duct [51.79](#)

biliary tract NEC [51.79](#)

bladder (transurethral approach) [57.84](#)

bone -- see also Excision, lesion, bone [77.60](#)

branchial cleft [29.52](#)

bronchocutaneous [33.42](#)

bronchoesophageal [33.42](#)

bronchomediastinal [34.73](#)

bronchopleural [34.73](#)

bronchopleurocutaneous [34.73](#)

bronchopleuromediastinal [34.73](#)

bronchovisceral [33.42](#)
 cervicosigmoidal [67.62](#)
 cholecystogastroenteric [51.93](#)
 cornea [11.49](#)
 diaphragm [34.83](#)
 enterouterine [69.42](#)
 esophagopleurocutaneous [34.73](#)
 esophagus NEC [42.84](#)
 fallopian tube [66.73](#)
 gallbladder [51.93](#)
 gastric NEC [44.63](#)
 hepatic duct [51.79](#)
 hepatopleural [34.73](#)
 hepatopulmonary [34.73](#)
 intestine
 large [46.76](#)
 small [46.74](#)
 intestinouterine [69.42](#)
 joint -- see also Excision, lesion, joint [80.80](#)
 lacrimal
 gland [09.21](#)
 sac [09.6](#)
 laryngotracheal [31.62](#)
 larynx [31.62](#)
 mediastinocutaneous [34.73](#)
 mouth NEC [27.53](#)
 nasal [21.82](#)
 sinus [22.71](#)
 nasolabial [21.82](#)
 nasopharyngeal [21.82](#)
 oroantral [22.71](#)
 oronasal [21.82](#)
 pancreas [52.95](#)
 perineorectal [71.72](#)
 perineosigmoidal [71.72](#)
 perirectal, not opening into rectum [48.93](#)
 pharyngoesophageal [29.53](#)
 pharynx NEC [29.53](#)
 pleura [34.73](#)
 rectolabial [71.72](#)
 rectourethral [58.43](#)
 rectouterine [69.42](#)
 rectovaginal [70.73](#)
 rectovesical [57.83](#)
 rectovulvar [71.72](#)
 rectum [48.73](#)
 salivary (duct) (gland) [26.42](#)
 scrotum [61.42](#)
 skin [86.3](#)
 stomach NEC [44.63](#)
 subcutaneous tissue [86.3](#)
 thoracoabdominal [34.83](#)
 thoracogastric [34.83](#)
 thoracointestinal [34.83](#)
 thorax NEC [34.73](#)
 trachea NEC [31.73](#)

tracheoesophageal [31.73](#)
 ureter [56.84](#)
 urethra [58.43](#)
 uteroenteric [69.42](#)
 uterointestinal [69.42](#)
 uterorectal [69.42](#)
 uterovaginal [69.42](#)
 vagina [70.75](#)
 vesicosigmoidovaginal [57.83](#)
 vocal cords [31.62](#)
 vulvorectal [71.72](#)

Fistulization

appendix [47.91](#)
 arteriovenous [39.27](#)
 Insertion of permanent central dialysis catheter [39.271](#) (IM)
 Insertion of temporary central dialysis catheter [39.270](#) (IM)
 cisterna chyli [40.62](#)
 endolymphatic sac (for decompression) [20.79](#)
 esophagus, external [42.10](#)
 cervical [42.11](#)
 specified technique NEC [42.19](#)
 interatrial [35.41](#)
 labyrinth (for decompression) [20.79](#)
 lacrimal sac into nasal cavity [09.81](#)
 larynx [31.29](#)
 lymphatic duct, left (thoracic) [40.62](#)
 orbit [16.09](#)
 peritoneal [54.93](#)
 salivary gland [26.49](#)
 sclera [12.69](#)
 by trephination [12.61](#)
 with iridectomy [12.65](#)
 sinus, nasal NEC [22.9](#)
 subarachnoid space [02.2](#)
 with Endoscopic [02.20](#) (IM)
 thoracic duct [40.62](#)
 trachea [31.29](#)
 tracheoesophageal [31.95](#)
 urethrovaginal [58.0](#)
 ventricle, cerebral -- see also Shunt, ventricular [02.2](#)

Fistulogram

abdominal wall [88.03](#)
 chest wall [87.38](#)
 retroperitoneum [88.14](#)
 specified site NEC [88.49](#)

Fistulotomy, anal [49.11](#)

Fitting

arch bars (orthodontic) [24.7](#)
 for immobilization (fracture) [93.55](#)
 artificial limb [84.40](#)
 contact lens [95.32](#)
 denture (total) [99.97](#)
 bridge (fixed) [23.42](#)
 removable [23.43](#)
 partial (fixed) [23.42](#)
 removable [23.43](#)

- hearing aid [95.48](#)
- obturator (orthodontic) [24.7](#)
- ocular prosthetics [95.34](#)
- orthodontic
 - appliance [24.7](#)
 - obturator [24.7](#)
 - wiring [24.7](#)
- orthotic device [93.23](#)
- periodontal splint (orthodontic) [24.7](#)
- prosthesis, prosthetic device
 - above knee [84.45](#)
 - arm [84.43](#)
 - lower (and hand) [84.42](#)
 - upper (and shoulder) [84.41](#)
 - below knee [84.46](#)
 - hand (and lower arm) [84.42](#)
 - leg [84.47](#)
 - above knee [84.45](#)
 - below knee [84.46](#)
 - limb NEC [84.40](#)
 - ocular [95.34](#)
 - penis (external) [64.94](#)
 - correction of chordee of penis with graft [64.940](#) (IM)
 - shoulder (and upper arm) [84.41](#)
- spectacles [95.31](#)
- Five-in-one repair, knee [81.42](#)
- Fixation
 - bone
 - external, without reduction [93.59](#)
 - with fracture reduction -- see Reduction, fracture
 - cast immobilization NEC [93.53](#)
 - external fixator - see Fixator, external
 - splint [93.54](#)
 - traction (skeletal) NEC [93.44](#)
 - intermittent [93.43](#)
 - internal (without fracture reduction) [78.50](#)
 - with fracture reduction -- see Reduction, fracture
 - carpal, metacarpal [78.54](#)
 - clavicle [78.51](#)
 - femur [78.55](#)
 - fibula [78.57](#)
 - humerus [78.52](#)
 - patella [78.56](#)
 - pelvic [78.59](#)
 - phalanges (foot) (hand) [78.59](#)
 - radius [78.53](#)
 - scapula [78.51](#)
 - specified site NEC [78.59](#)
 - tarsal, metatarsal [78.58](#)
 - thorax (ribs) (sternum) [78.51](#)
 - sternal fixation device with rigid plates [84.94](#)
 - tibia [78.57](#)
 - ulna [78.53](#)
 - vertebrae [78.59](#)
- breast (pendulous) [85.6](#)
- cardinal ligaments [69.22](#)

- cervical collar [93.52](#)
- duodenum [46.62](#)
 - to abdominal wall [46.61](#)
- external (without manipulation for reduction) [93.59](#)
 - with fracture reduction -- see Reduction, fracture
 - cast immobilization NEC [93.53](#)
 - pressure dressing [93.56](#)
 - splint [93.54](#)
 - strapping (non-traction) [93.59](#)
 - traction (skeletal) NEC [93.44](#)
 - intermittent [93.43](#)
- hip [81.40](#)
- ileum [46.62](#)
 - to abdominal wall [46.61](#)
- internal
 - with fracture reduction -- see Reduction, fracture
 - without fracture reduction -- see Fixation, bone, internal
- intestine [46.60](#)
 - large [46.64](#)
 - to abdominal wall [46.63](#)
 - small [46.62](#)
 - to abdominal wall [46.61](#)
 - to abdominal wall [46.60](#)
- iris (bombé) [12.11](#)
- jejunum [46.62](#)
 - to abdominal wall [46.61](#)
- joint -- see Arthroplasty
- kidney [55.7](#)
- ligament
 - cardinal [69.22](#)
 - palpebrae [08.36](#)
- omentum [54.74](#)
- parametrial [69.22](#)
- plaster jacket [93.51](#)
 - other cast [93.53](#)
- rectum (sling) [48.76](#)
- spine, with fusion -- see also Fusion, spinal [81.00](#)
- spleen [41.95](#)
- splint [93.54](#)
- tendon [83.88](#)
 - hand [82.85](#)
- testis in scrotum [62.5](#)
- tongue [25.59](#)
- urethrovaginal (to Cooper's ligament) [70.77](#)
 - with graft or prosthesis [70.78](#)
- uterus (abdominal) (vaginal) (ventrofixation) [69.22](#)
- vagina [70.77](#)
 - with graft or prosthesis [70.78](#)
- Fixator, external
 - computer assisted (dependent) [84.73](#)
 - hybrid device or system [84.73](#)
 - Ilizarov type [84.72](#)
 - monoplanar system [84.71](#)
 - ring device or system [84.72](#)
 - Sheffield type [84.72](#)

Flap (IM)

- cross leg flap [86.740](#) (IM)
- genitals (IM)
 - simple & small local skin flap, genitals [86.743](#) (IM)
- omental flap [86.742](#) (IM)
- tongue flap [86.710](#) (IM)
- Flooding (psychologic desensitization) [94.33](#)
- Flowmetry, Doppler (ultrasonic) -- see also Ultrasonography
 - aortic arch [88.73](#)
 - head and neck [88.71](#)
 - heart [88.72](#)
 - Peak nasal inspiratory flowmetry (PNIF) [21.290](#) (IM)
 - thorax NEC [88.73](#)
- Fluoroscopy -- see Radiography
- Fog therapy (respiratory) [93.94](#)
- Folding, eye muscle [15.22](#)
 - multiple (two or more muscles) [15.4](#)
- Foley operation (pyeloplasty) [55.87](#)
- Fontan operation (creation of conduit between right atrium and pulmonary artery) [35.94](#)
- Foraminotomy [03.09](#)
- Forced extension, limb [93.25](#)
- Forceps delivery -- see Delivery, forceps
- Formation
 - adhesions
 - pericardium [36.39](#)
 - pleura [34.6](#)
 - anus, artificial -- see Colostomy
 - duodenostomy [46.39](#)
 - ileostomy -- see Ileostomy
 - jejunostomy [46.39](#)
 - percutaneous (endoscopic) (PEJ) [46.32](#)
 - arteriovenous fistula (for kidney dialysis) (peripheral) (shunt) [39.27](#)
 - external cannula [39.93](#)
 - Insertion of permanent central dialysis catheter [39.271](#) (IM)
 - Insertion of temporary central dialysis catheter [39.270](#) (IM)
 - bone flap, cranial [02.03](#)
 - cardiac device (defibrillator) (pacemaker) pocket
 - with initial insertion of cardiac device -- omit code
 - new site (skin) (subcutaneous) [37.79](#)
 - colostomy -- see Colostomy
 - conduit
 - apical-aortic (AAC) [35.93](#)
 - ileal (urinary) [56.51](#)
 - left ventricle and aorta [35.93](#)
 - right atrium and pulmonary artery [35.94](#)
 - right ventricle and pulmonary (distal) artery [35.92](#)
 - in repair of
 - pulmonary artery atresia [35.92](#)
 - transposition of great vessels [35.92](#)
 - truncus arteriosus [35.83](#)
 - endorectal ileal pouch (J-pouch) (H-pouch) (S-pouch) (with anastomosis to anus) [45.95](#)
 - fistula
 - arteriovenous (for kidney dialysis) (peripheral shunt) [39.27](#)
 - external cannula [39.93](#)
 - Insertion of permanent central dialysis catheter [39.271](#) (IM)
 - Insertion of temporary central dialysis catheter [39.270](#) (IM)
 - bladder to skin NEC [57.18](#)

- with bladder flap [57.21](#)
 - percutaneous [57.17](#)
 - cutaneoperitoneal [54.93](#)
 - gastric [43.19](#)
 - percutaneous (endoscopic) (transabdominal) [43.11](#)
 - mucous -- see Colostomy
 - rectovaginal [48.99](#)
 - tracheoesophageal [31.95](#)
 - tubulovalvular (Beck-Jianu) (Frank's) (Janeway) (Spivack's) (Ssabanejew-Frank) [43.19](#)
 - urethrovaginal [58.0](#)
- ileal
 - bladder
 - closed [57.87](#) [\[45.51\]](#)
 - open [56.51](#)
 - conduit [56.51](#)
 - interatrial fistula [35.42](#)
 - mucous fistula -- see Colostomy
 - pericardial
 - baffle, interatrial [35.91](#)
 - window [37.12](#)
 - pleural window (for drainage) [34.09](#)
 - pocket
 - cardiac device (defibrillator) (pacemaker)
 - with initial insertion of cardiac device - omit code
 - new site (skin)(subcutaneous) [37.79](#)
 - loop recorder [37.79](#)
 - thalamic stimulator pulse generator
 - with initial insertion of battery package - omit code
 - new site (skin)(subcutaneous) [86.09](#)
 - pupil [12.39](#)
 - by iridectomy [12.14](#)
 - rectovaginal fistula [48.99](#)
 - reversed gastric tube (intrathoracic) (retrosternal) [42.58](#)
 - antesternal or antethoracic [42.68](#)
 - septal defect, interatrial [35.42](#)
 - shunt
 - abdominovenous [54.94](#)
 - arteriovenous [39.93](#)
 - peritoneojugular [54.94](#)
 - peritoneo-vascular [54.94](#)
 - pleuroperitoneal [34.05](#)
 - transjugular intrahepatic portosystemic (TIPS) [39.1](#)
 - subcutaneous tunnel
 - esophageal [42.86](#)
 - with anastomosis -- see Anastomosis, esophagus, antesternal
 - pulse generator lead wire [86.99](#)
 - with initial procedure - omit code
 - thalamic stimulator pulse generator pocket
 - with initial insertion of battery package - omit code
 - new site (skin)(subcutaneous) [86.09](#)
 - syndactyly (finger) (toe) [86.89](#)
 - tracheoesophageal [31.95](#)
 - tubulovalvular fistula (Beck-Jianu) (Frank's) (Janeway) (Spivack's) (Ssabanejew-Frank) [43.19](#)
 - uretero-ileostomy, cutaneous [56.51](#)
 - ureterostomy, cutaneous [56.61](#)
 - ileal [56.51](#)

- urethrovaginal fistula [58.0](#)
- window
 - pericardial [37.12](#)
 - pleural (for drainage) [34.09](#)
 - thoracoscopic [34.06](#)
- Fothergill (-Donald) operation (uterine suspension) [69.22](#)
- Fowler operation
 - arthroplasty of metacarpophalangeal joint [81.72](#)
 - release (mallet finger repair) [82.84](#)
 - tenodesis (hand) [82.85](#)
 - thoracoplasty [33.34](#)
- Fox operation (entropion repair with wedge resection) [08.43](#)
- Fracture, surgical -- see also Osteoclasia [78.70](#)
 - turbinates (nasal) [21.62](#)
- Fragmentation
 - lithotripter -- see Lithotripsy
 - mechanical
 - cataract (with aspiration) [13.43](#)
 - posterior route [13.42](#)
 - secondary membrane [13.66](#)
 - secondary membrane (after cataract) [13.66](#)
 - ultrasonic
 - cataract (with aspiration) [13.41](#)
 - stones, urinary (Kock pouch) [59.95](#)
 - urinary stones [59.95](#)
 - percutaneous nephrostomy [55.04](#)
- Franco operation (suprapubic cystotomy) [57.18](#)
- Frank operation (permanent gastrostomy) [43.19](#)
- Frazier (-Spiller) operation (subtemporal trigeminal rhizotomy) [04.02](#)
- Fredet-Ramstedt operation (pyloromyotomy) (with wedge resection) [43.3](#)
- Freeing
 - adhesions -- see Lysis, adhesions
 - anterior synechiae (with injection of air or liquid) [12.32](#)
 - artery-vein-nerve bundle [39.91](#)
 - extraocular muscle, entrapped [15.7](#)
 - goniosynechiae (with injection of air or liquid) [12.31](#)
 - intestinal segment for interposition [45.50](#)
 - large [45.52](#)
 - small [45.51](#)
 - posterior synechiae [12.33](#)
 - synechiae (posterior) [12.33](#)
 - anterior (with injection of air or liquid) [12.32](#)
 - vascular bundle [39.91](#)
 - vessel [39.91](#)
- Freezing
 - gastric [96.32](#)
 - prostate [60.62](#)
- Frenckner operation (intrapetrous drainage) [20.22](#)
- Frenectomy
 - labial [27.41](#)
 - lingual [25.92](#)
 - lip [27.41](#)
 - maxillary [27.41](#)
 - tongue [25.92](#)
- Frenotomy
 - labial [27.91](#)

lingual [25.91](#)

Frenulotomy -- see Frenectomy

Frickman operation (abdominal proctopexy) [48.75](#)

Frommel operation (shortening of uterosacral ligaments) [69.22](#)

Fulguration -- see also Electrocoagulation and Destruction, lesion, by site

adenoid fossa [28.7](#)

anus [49.39](#)

endoscopic [49.31](#)

bladder (transurethral) [57.49](#)

suprapubic [57.59](#)

choroid [14.21](#)

duodenum [45.32](#)

endoscopic [45.30](#)

esophagus [42.39](#)

endoscopic [42.33](#)

large intestine [45.49](#)

endoscopic [45.43](#)

polypectomy [45.42](#)

penis [64.2](#)

perineum, female [71.3](#)

prostate, transurethral [60.29](#)

rectum [48.32](#)

radical [48.31](#)

retina [14.21](#)

scrotum [61.3](#)

Skene's gland [71.3](#)

skin [86.3](#)

small intestine NEC [45.34](#)

duodenum [45.32](#)

endoscopic [45.30](#)

stomach [43.49](#)

endoscopic [43.41](#)

subcutaneous tissue [86.3](#)

tonsillar fossa [28.7](#)

urethra [58.39](#)

endoscopic [58.31](#)

vulva [71.3](#)

Function

study -- see also Scan, radioisotope

gastric [89.39](#)

muscle [93.08](#)

ocular [95.25](#)

nasal [89.12](#)

pulmonary -- see categories [89.37](#)

renal [92.03](#)

thyroid [92.01](#)

urethral sphincter [89.23](#)

Functional septoplasty [21.50](#) (IM)

Fundectomy, uterine [68.39](#)

Fundoplication (esophageal) (Nissen's) [44.66](#)

laparoscopic [44.67](#)

Fundusectomy, gastric [43.89](#)

Fusion

atlas-axis (spine) - see Fusion, spinal, atlas-axis

bone -- see also Osteoplasty [78.40](#)

cervical (spine) (C2 level or below) - see Fusion, spinal, cervical

claw toe [77.57](#)
 craniocervical - see Fusion, spinal, craniocervical
 dorsal, dorsolumbar - see Fusion, spinal, dorsal, dorsolumbar
 epiphyseal-diaphyseal -- see also Arrest, bone growth [78.20](#)
 epiphysiodesis -- see also Arrest, bone growth [78.20](#)
 hammer toe [77.56](#)
 joint (with bone graft) -- see also Arthrodesis [81.20](#)
 ankle [81.11](#)
 claw toe [77.57](#)
 foot NEC [81.17](#)
 hammer toe [77.56](#)
 hip [81.21](#)
 interphalangeal, finger [81.28](#)
 ischiofemoral [81.21](#)
 metatarsophalangeal [81.16](#)
 midtarsal [81.14](#)
 overlapping toe(s) [77.58](#)
 pantalar [81.11](#)
 spinal -- see also Fusion, spinal [81.00](#)
 subtalar [81.13](#)
 tarsal joints NEC [81.17](#)
 tarsometatarsal [81.15](#)
 tibiotalar [81.11](#)
 toe NEC [77.58](#)
 claw toe [77.57](#)
 hammer toe [77.56](#)
 overlapping toe(s) [77.58](#)
 lip to tongue [25.59](#)
 lumbar, lumbosacral - see Fusion, spinal, lumbar, lumbosacral
 occiput-C2 (spinal) - see Fusion, spinal, occiput
 spinal, NOS (with graft) (with internal fixation) (with instrumentation) [81.00](#)
 anterior lumbar interbody fusion (ALIF) [81.06](#)
 atlas-axis (anterior transoral) (posterior) [81.01](#)
 for pseudarthrosis [81.31](#)
 axial lumbar interbody fusion (AxiaLIF®) [81.08](#)
 cervical (C2 level or below) NEC [81.02](#)
 anterior column (interbody), anterolateral (anterior) technique [81.02](#)
 for pseudarthrosis [81.32](#)
 C1-C2 level (anterior) (posterior) [81.01](#)
 for pseudarthrosis [81.31](#)
 for pseudarthrosis [81.32](#)
 posterior column, posterolateral (posterior) technique [81.03](#)
 for pseudarthrosis [81.33](#)
 craniocervical (anterior transoral) (posterior) [81.01](#)
 for pseudarthrosis [81.31](#)
 direct lateral interbody fusion (DLIF) [81.06](#)
 dorsal, dorsolumbar NEC [81.05](#)
 anterior column (interbody), anterolateral (anterior) (extracavitary) technique [81.04](#)
 for pseudarthrosis [81.34](#)
 for pseudarthrosis [81.35](#)
 posterior column, posterolateral (posterior) technique [81.05](#)
 for pseudarthrosis [81.35](#)
 extreme lateral interbody fusion (XLIF®) [81.06](#)
 facet [81.07](#)
 lumbar, lumbosacral NEC [81.08](#)
 anterior column (interbody)