

Hysteropexy [69.22](#)
 Hysteroplasty [69.49](#)
 Hysterorrhaphy [69.41](#)
 Hysterosalpingography gas (contrast) [87.82](#)
 opaque dye (contrast) [87.83](#)
 Hysterosalpingostomy [66.74](#)
 Hysteroscopy [68.12](#)
 with
 ablation
 endometrial [68.23](#)
 biopsy [68.16](#)
 Hysterotomy (with removal of foreign body) (with removal of hydatidiform mole) [68.0](#)
 for intrauterine transfusion [75.2](#)
 obstetrical [74.99](#)
 for termination of pregnancy [74.91](#)
 Hysterotrachelectomy [67.4](#)
 Hysterotracheloplasty [69.49](#)
 Hysterotrachelorrhaphy [69.41](#)
 Hysterotrachelotomy [69.95](#)

I

IAEMT (intraoperative anesthetic effect monitoring and titration) [00.94](#) [[89.14](#)]
 ICCE (intracapsular cataract extraction) [13.19](#)
 Ileal
 bladder
 closed [57.87](#) [[45.51](#)]
 open (ileoureterostomy) [56.51](#)
 conduit (ileoureterostomy) [56.51](#)
 Ileocecostomy [45.93](#)
 Ileocollectomy
 laparoscopic [17.33](#)
 open and other [45.73](#)
 Ileocolostomy [45.93](#)
 Ileocolotomy [45.00](#)
 Ileocystoplasty (isolated segment anastomosis) (open loop) [57.87](#) [[45.51](#)]
 Ileoduodenotomy [45.01](#)
 Ileoeectomy (partial) [45.62](#)
 with cecectomy
 laparoscopic [17.32](#)
 open and other [45.72](#)
 Ileointectomy [46.99](#)
 Ileoesophagostomy [42.54](#)
 Ileoileostomy [45.91](#)
 proximal to distal segment [45.62](#)
 Ileoloopogram [87.78](#)
 Ileopancreatostomy [52.96](#)
 Ileopexy [46.61](#)
 Ileoproctostomy [45.95](#)
 Ileorectostomy [45.93](#)
 Ileorrhaphy [46.73](#)
 Ileoscopy [45.13](#)
 through stoma (artificial) [45.12](#)
 transabdominal (operative) [45.11](#)
 Ileosigmoidostomy [45.93](#)

Ileostomy [46.20](#)

- continent (permanent) [46.22](#)
 - for urinary diversion [56.51](#)
- delayed opening [46.24](#)
- Hendon (temporary) [46.21](#)
- loop [46.01](#)
- Paul (temporary) [46.21](#)
- permanent [46.23](#)
 - continent [46.22](#)
- repair [46.41](#)
- revision [46.41](#)
- tangential (temporary) [46.21](#)
- temporary [46.21](#)
- transplantation to new site [46.23](#)
- tube (temporary) [46.21](#)
- ureteral
 - external [56.51](#)
 - internal [56.71](#)

Ileotomy [45.02](#)

Ileotransversostomy [45.93](#)

Ileoureterostomy (Bricker's) (ileal bladder) [56.51](#)

Imaging (diagnostic)

by

optical coherence tomography (OCT) - see OCT and Tomography, optical coherence
 diagnostic, not elsewhere classified [88.90](#)

endovascular ultrasound - see Imaging, intravascular ultrasound

intraoperative

iMRI - see Imaging, magnetic resonance

intravascular - see Imaging, intravascular ultrasound

intravascular ultrasound (IVUS) [00.29](#)

aorta [00.22](#)

aortic arch [00.22](#)

carotid vessel [00.21](#)

cerebral vessel, extracranial [00.21](#)

coronary vessel [00.24](#)

intrathoracic vessel [00.22](#)

other specified vessel [00.28](#)

peripheral vessel [00.23](#)

renal vessel [00.25](#)

vena cava (inferior) (superior) [00.22](#)

magnetic resonance (nuclear)(proton) NEC [88.97](#)

abdomen [88.97](#)

bladder (urinary) [88.95](#)

bone marrow blood supply [88.94](#)

brain (brain stem) [88.91](#)

intraoperative (iMRI) [88.96](#)

real-time [88.96](#)

chest (hilar) (mediastinal) [88.92](#)

computer assisted surgery (CAS) with MR/MRA [00.32](#)

extremity (upper) (lower) [88.94](#)

eye orbit [88.97](#)

face [88.97](#)

head NEC [88.97](#)

musculoskeletal [88.94](#)

myocardium [88.92](#)

neck [88.97](#)

- orbit of eye [88.97](#)
- prostate [88.95](#)
- specified site NEC [88.97](#)
- spinal canal (cord) (spine) [88.93](#)
- VH™-IVUS - see Imaging (diagnostic), intravascular ultrasound (IVUS), by site
- virtual histology intravascular ultrasound - see Imaging (diagnostic), intravascular ultrasound (IVUS), by site
- Immobilization (by)
 - with fracture-reduction -- see Reduction, fracture
 - bandage [93.59](#)
 - bone [93.53](#)
 - cast NEC [93.53](#)
 - with reduction of fracture or dislocation -- see Reduction, fracture, and Reduction, dislocation
 - device NEC [93.59](#)
 - pressure dressing [93.56](#)
 - splint (plaster) (tray) [93.54](#)
 - with reduction of fracture or dislocation -- see Reduction, fracture, and Reduction, dislocation
 - stereotactic head frame [93.59](#)
 - strapping (non-traction) [93.59](#)
- Immunoadsorption
 - extracorporeal (ECI) [99.76](#)
- Immunization -- see also Vaccination
 - allergy [99.12](#)
 - autoimmune disease [99.13](#)
 - BCG [99.33](#)
 - brucellosis [99.55](#)
 - cholera [99.31](#)
 - diphtheria [99.36](#)
 - DPT [99.39](#)
 - epidemic parotitis [99.46](#)
 - German measles [99.47](#)
 - Hemophilus influenzae [99.52](#)
 - influenza [99.52](#)
 - measles [99.45](#)
 - meningococcus [99.55](#)
 - mumps [99.46](#)
 - pertussis [99.37](#)
 - plague [99.34](#)
 - poliomyelitis [99.41](#)
 - rabies [99.44](#)
 - rubella [99.47](#)
 - salmonella [99.55](#)
 - smallpox [99.42](#)
 - staphylococcus [99.55](#)
 - TAB [99.32](#)
 - tetanus [99.38](#)
 - triple vaccine [99.48](#)
 - tuberculosis [99.33](#)
 - tularemia [99.35](#)
 - typhoid-paratyphoid [99.32](#)
 - typhus [99.55](#)
 - viral NEC [99.55](#)
 - whooping cough [99.37](#)
 - yellow fever [99.43](#)
- Immunotherapy, antineoplastic [99.28](#)
 - C-Parvum [99.28](#)

Interferon [99.28](#)
 Interleukin-2 (low-dose) [99.28](#)
 high-dose [00.15](#)
 Levamisole [99.28](#)
 Proleukin (low-dose) [99.28](#)
 high-dose [00.15](#)
 Thymosin [99.28](#)
 Impella® percutaneous external heart assist device [37.68](#)
 Implant, implantation
 abdominal artery to coronary artery [36.17](#)
 artery
 aortic branches to heart muscle [36.2](#)
 mammary to ventricular wall (Vineberg) [36.2](#)
 baffle, atrial or interatrial [35.91](#)
 biliary fistulous tract into stomach or intestine [51.39](#)
 bipolar endoprosthesis (femoral head) [81.52](#)
 bladder sphincter, artificial (inflatable) [58.93](#)
 blood vessels to myocardium [36.2](#)
 bone growth stimulator (invasive) (percutaneous) (semi-invasive) -- see category [78.9](#)
 bone morphogenetic protein (Infuse™) (OP-1™) (recombinant) (rhBMP) [84.52](#)
 bone void filler [84.55](#)
 that with percutaneous vertebral augmentation [81.66](#)
 that with percutaneous vertebroplasty [81.65](#)
 breast (for augmentation) (bilateral) [85.54](#)
 unilateral [85.53](#)
 cardiac contractility modulation (CCM)
 rechargeable pulse generator only [17.52](#)
 total system [17.51](#)
 cardiac resynchronization device
 defibrillator (biventricular) (BiV ICD) (BiV pacemaker with defibrillator) (BiV pacing with
 defibrillator) (CRT-D) (device and one or more leads) (total system) [00.51](#)
 left ventricular coronary venous lead only [00.52](#)
 pulse generator only [00.54](#)
 pacemaker (BiV) (biventricular) (CRT-P) (device and one or more leads) (total system) [00.50](#)
 left ventricular coronary venous lead only [00.52](#)
 pulse generator only [00.53](#)
 cardiac support device (CSD) [37.41](#)
 cardiomyostimulation system [37.67](#)
 cardioverter/defibrillator (automatic) [37.94](#)
 leads only (patch electrode) (sensing) (pacing) [37.95](#)
 pulse generator only [37.96](#)
 total system [37.94](#)
 CCM (cardiac contractility modulation)
 rechargeable pulse generator only [17.52](#)
 total system [17.51](#)
 chemotherapeutic agent [00.10](#)
 chest wall (mesh) (silastic) [34.79](#)
 chin (polyethylene) (silastic) [76.68](#)
 cochlear (electrode) [20.96](#)
 prosthetic device (electrode and receiver) [20.96](#)
 channel (single) [20.97](#)
 multiple [20.98](#)
 electrode only [20.99](#)
 internal coil only [20.99](#)
 coil(s), endovascular [39.79](#)
 head or neck vessels

- bare metal [39.75](#)
 - bioactive [39.76](#)
- CorCap™ [37.41](#)
- cornea [11.73](#)
- CRT-D (biventricular defibrillator) (BiV ICD) (BiV pacemaker with defibrillator) (BiV pacing with defibrillator) (cardiac resynchronization defibrillator) (device and one or more leads) [00.51](#)
 - left ventricular coronary venous lead only [00.52](#)
 - pulse generator only [00.54](#)
- CRT-P (biventricular pacemaker) (BiV pacemaker) (cardiac resynchronization pacemaker) (device and one or more leads) [00.50](#)
 - left ventricular coronary venous lead only [00.52](#)
 - pulse generator only [00.53](#)
- custodis eye [14.41](#)
- dental (endosseous) (prosthetic) [23.6](#)
- device
 - adjustable gastric band and port [44.95](#)
 - bronchial device NOS [33.79](#)
 - bronchial substance NOS [33.79](#)
 - bronchial valve(s)
 - multiple lobes [33.73](#)
 - single lobe [33.71](#)
 - cardiac support device (CSD) [37.41](#)
 - CorCap™ [37.41](#)
 - epicardial support device [37.41](#)
 - Lap-Band™ [44.95](#)
 - left atrial appendage [37.36](#)
 - left atrial filter [37.36](#)
 - left atrial occluder [37.36](#)
 - MitraClip® percutaneous mitral valve leaflet clip [35.97](#)
 - prosthetic cardiac support device [37.41](#)
 - sternal fixation device with rigid plates [84.94](#)
 - subcutaneous for intracardiac or great vessel hemodynamic monitoring [00.57](#)
 - vascular access [86.07](#)
 - ventricular support device [37.41](#)
- diaphragmatic pacemaker [34.85](#)
- Dynesys® [84.82](#)
- electrode(s)
 - brain [02.93](#)
 - depth [02.93](#)
 - foramen ovale [02.93](#)
 - sphenoidal [02.96](#)
 - cardiac (initial) (transvenous) [37.70](#)
 - atrium (initial) [37.73](#)
 - replacement [37.76](#)
 - atrium and ventricle (initial) [37.72](#)
 - replacement [37.76](#)
 - epicardium (sternotomy or thoracotomy approach) [37.74](#)
 - left ventricular coronary venous system [00.52](#)
 - temporary transvenous pacemaker system [37.78](#)
 - during and immediately following cardiac surgery [39.64](#)
 - ventricle (initial) [37.71](#)
 - replacement [37.76](#)
 - carotid sinus [39.82](#)
 - with synchronous pulse generator implantation (total system) [39.81](#)
 - depth [02.93](#)
 - foramen ovale [02.93](#)

- gastric [04.92](#)
- heart -- see also Implant, electrode(s), cardiac [37.70](#)
- intracranial [02.93](#)
- osteogenic (invasive) for bone growth stimulation -- see category [78.9](#)
- peripheral nerve [04.92](#)
- sacral nerve [04.92](#)
- sphenoidal [02.96](#)
- spine [03.93](#)
- electroencephalographic receiver
 - brain [02.93](#)
 - intracranial [02.93](#)
- electronic stimulator
 - anus (subcutaneous) [49.92](#)
 - bladder [57.96](#)
 - bone growth (invasive) (percutaneous) (semi-invasive) [78.9](#)
 - brain - see Implant, neurostimulator, brain
 - carotid sinus [39.83](#)
 - with synchronous lead(s) implantation (total system) [39.81](#)
 - cochlear [20.96](#)
 - channel (single) [20.97](#)
 - multiple [20.98](#)
 - gastric [04.92](#)
 - intracranial - see Implant, neurostimulator, intracranial
 - peripheral nerve - see Implant, neurostimulator, peripheral nerve
 - phrenic nerve [34.85](#)
 - skeletal muscle [83.92](#)
 - spine - see Implant, neurostimulator, spine
 - ureter [56.92](#)
- electrostimulator -- see Implant, electronic stimulator, by site
- endoprosthesis
 - bile duct [51.87](#)
 - femoral head (bipolar) [81.52](#)
 - pancreatic duct [52.93](#)
- endosseous (dental) [23.6](#)
- epidural pegs [02.93](#)
- epikeratoprosthesis [11.73](#)
- estradiol (pellet) [99.23](#)
- eye (Iowa type) [16.61](#)
 - integrated [16.41](#)
 - glaucoma implant [12.75](#) (IM)
- facial bone, synthetic (alloplastic) [76.92](#)
- fallopian tube (Mulligan hood) (silastic tube) (stent) [66.93](#)
 - into uterus [66.74](#)
- gastroepiploic artery to coronary artery [36.17](#)
- hearing device, electromagnetic [20.95](#)
- heart
 - artificial [37.52](#)
 - total internal biventricular replacement system [37.52](#)
 - AbioCor® [37.52](#)
 - CardioWest™ (TAH-t) [37.52](#)
 - assist system
 - CentriMag® - see Insertion, circulatory support device
 - external heart assist device, percutaneous - see Insertion, circulatory support device
 - external heart assist system, open approach [37.65](#)
 - extrinsic [37.68](#)

HeartMate® implantable heart assist system [37.66](#)
 HeartMate® II left ventricular assist system [LVAS] [37.66](#)
 Impella® percutaneous external circulatory assist device - see Insertion, circulatory support device
 implantable [37.66](#)
 non-implantable - see Insertion, circulatory support device
 percutaneous external circulatory assist device - see Insertion, circulatory support device
 pulsation balloon [37.61](#)
 pVAD (percutaneous VAD) - see Insertion, circulatory support device
 TandemHeart® - see Insertion, circulatory support device
 temporary non-implantable circulatory assist device - see Insertion, circulatory support device
 that for destination therapy (DT) [37.66](#)
 auxiliary ventricle [37.62](#)
 cardiac support device (CSD) [37.41](#)
 circulatory assist system - see Implant, heart, assist system
 CorCap™ [37.41](#)
 epicardial support device [37.41](#)
 pacemaker -- see also Implant, pacemaker, cardiac [37.80](#)
 prosthetic cardiac support device [37.41](#)
 total internal biventricular replacement system [37.52](#)
 valve(s)
 prosthesis or synthetic device (partial) (synthetic) (total) [35.20](#)
 aortic [35.22](#)
 mitral [35.24](#)
 pulmonary [35.26](#)
 tricuspid [35.28](#)
 tissue graft [35.20](#)
 aortic [35.21](#)
 mitral [35.23](#)
 pulmonary [35.25](#)
 tricuspid [35.27](#)
 ventricular support device [37.41](#)
 inert material
 breast (for augmentation) (bilateral) [85.54](#)
 unilateral [85.53](#)
 larynx [31.0](#)
 nose [21.85](#)
 orbit (eye socket) [16.69](#)
 reinsertion [16.62](#)
 scleral shell (cup) (with evisceration of eyeball) [16.31](#)
 reinsertion [16.62](#)
 Tenon's capsule (with enucleation of eyeball) [16.42](#)
 with attachment of muscles [16.41](#)
 reinsertion [16.62](#)
 urethra [59.79](#)
 vocal cord(s) [31.0](#)
 infusion pump [86.06](#)
 insertion prostatic stent/coil with ultrasound control [86.060](#) (IM)
 insertion prostatic stent/coil with visual [86.061](#) (IM)
 interbody spinal fusion device [84.51](#)
 intracardiac or great vessel hemodynamic monitor, subcutaneous [00.57](#)
 joint (prosthesis) (silastic) (Swanson type) NEC [81.96](#)
 ankle (total) [81.56](#)
 revision [81.59](#)
 carpocarpal, carpometacarpal [81.74](#)
 elbow (total) [81.84](#)

- revision [81.97](#)
- extremity (bioelectric) (cineplastic) (kineplastic) [84.40](#)
 - lower [84.48](#)
 - revision [81.59](#)
 - upper [84.44](#)
 - revision [81.97](#)
- femoral (bipolar endoprosthesis) [81.52](#)
 - revision NOS [81.53](#)
 - acetabular and femoral components (total) [00.70](#)
 - acetabular component only [00.71](#)
 - acetabular liner and/or femoral head only [00.73](#)
 - femoral component only [00.72](#)
 - femoral head only and/or acetabular liner [00.73](#)
 - total (acetabular and femoral components) [00.70](#)
- finger [81.71](#)
- hand (metacarpophalangeal) (interphalangeal) [81.71](#)
 - revision [81.97](#)
- hip (partial) [81.52](#)
 - revision NOS [81.53](#)
 - acetabular and femoral components (total) [00.70](#)
 - acetabular component only [00.71](#)
 - acetabular liner and/or femoral head only [00.73](#)
 - femoral component only [00.72](#)
 - femoral head only and/or acetabular liner [00.73](#)
 - partial
 - acetabular component only [00.71](#)
 - acetabular liner and/or femoral head only [00.73](#)
 - femoral component only [00.72](#)
 - femoral head only and/or acetabular liner [00.73](#)
 - total (acetabular and femoral components) [00.70](#)
- total [81.51](#)
 - revision (acetabular and femoral components)
- interphalangeal [81.71](#)
 - revision [81.97](#)
- knee (partial) (total) [81.54](#)
 - revision NOS [81.55](#)
 - femoral component [00.82](#)
 - partial
 - femoral component [00.82](#)
 - patellar component [00.83](#)
 - tibial component [00.81](#)
 - tibial insert [00.84](#)
 - patellar component [00.83](#)
 - tibial component [00.81](#)
 - tibial insert [00.84](#)
 - total (all components) [00.80](#)
- metacarpophalangeal [81.71](#)
 - revision [81.97](#)
- shoulder (partial) [81.81](#)
 - revision [81.97](#)
 - total replacement, NEC [81.80](#)
 - other [81.80](#)
- reverse [81.88](#)
- toe [81.57](#)
 - for hallux valgus repair [77.59](#)
 - revision [81.59](#)

- wrist (partial) [81.74](#)
 - revision [81.97](#)
 - total replacement [81.73](#)
- kidney, mechanical [55.97](#)
- Lap-Band™ [44.95](#)
- larynx [31.0](#)
- leads (cardiac) -- see Implant, electrode(s), cardiac
- limb lengthening device, internal (NOS) [84.54](#)
 - with kinetic distraction [84.53](#)
- mammary artery
 - in ventricle (Vineberg) [36.2](#)
 - to coronary artery (single vessel) [36.15](#)
 - double vessel [36.16](#)
- M-Brace™ [84.82](#)
- Mulligan hood, fallopian tube [66.93](#)
- nerve (peripheral) [04.79](#)
- neuropacemaker - see Implant, neurostimulator, by site
- neurostimulator
 - electrodes
 - brain [02.93](#)
 - gastric [04.92](#)
 - intracranial [02.93](#)
 - peripheral nerve [04.92](#)
 - sacral nerve [04.92](#)
 - spine [03.93](#)
 - pulse generator (subcutaneous) [86.96](#)
 - cranial [01.20](#)
 - dual array [86.95](#)
 - rechargeable [86.98](#)
 - single array [86.94](#)
 - rechargeable [86.97](#)
- nose [21.85](#)
- Ommaya reservoir [02.2](#)
 - With Endoscopic [02.20](#) (IM)
- orbit [16.69](#)
 - reinsertion [16.62](#)
- outflow tract prosthesis (heart) (gusset type)
 - in
 - pulmonary valvuloplasty [35.26](#)
 - total repair of tetralogy of Fallot [35.81](#)
- ovary into uterine cavity [65.72](#)
 - laparoscopic [65.75](#)
- pacemaker
 - brain - see Implant, neurostimulator, brain
 - cardiac (device) (initial) (permanent) (replacement) [37.80](#)
 - dual-chamber device (initial) [37.83](#)
 - replacement [37.87](#)
 - resynchronization device (biventricular pacemaker) (BiV pacemaker) (CRT-P)
 - device only (initial) (replacement) [00.53](#)
 - total system (device and one or more leads) [00.50](#)
 - transvenous lead into left ventricular coronary venous system [00.52](#)
 - single-chamber device (initial) [37.81](#)
 - rate responsive [37.82](#)
 - replacement [37.85](#)
 - rate responsive [37.86](#)
 - temporary transvenous pacemaker system [37.78](#)

- during and immediately following cardiac surgery [39.64](#)
- carotid sinus [39.89](#)
- diaphragm [34.85](#)
- gastric [04.92](#)
- intracranial - see Implant, neurostimulator, intracranial
- neural - see Implant, neurostimulator, by site
- peripheral nerve -see Implant, neurostimulator, peripheral nerve
- spine - see Implant, neurostimulator, spine
- pancreas (duct) [52.96](#)
- penis, prosthesis (internal)
 - inflatable [64.97](#)
 - non-inflatable [64.95](#)
- port, vascular access device [86.07](#)
- premaxilla [76.68](#)
- progesterone (subdermal) [99.23](#)
- prosthesis, prosthetic device
 - acetabulum (Aufranc-Turner) [81.52](#)
 - ankle (total) [81.56](#)
 - arm (bioelectric) (cineplastic) (kineplastic) [84.44](#)
 - breast (Cronin) (Dow-Corning) (Perras-Pappillon) (bilateral) [85.54](#)
 - unilateral [85.53](#)
 - cardiac support device (CSD) (CorCap™) [37.41](#)
 - cochlear [20.96](#)
 - channel (single) [20.97](#)
 - multiple [20.98](#)
 - extremity (bioelectric) (cineplastic) (kineplastic) [84.40](#)
 - lower [84.48](#)
 - upper [84.44](#)
 - fallopian tube (Mulligan hood) (stent) [66.93](#)
 - femoral head (Austin-Moore) (bipolar) (Eicher) (Thompson) [81.52](#)
 - revision NOS [81.53](#)
 - acetabular and femoral components (total) [00.70](#)
 - acetabular component only [00.71](#)
 - acetabular liner and/or femoral head only [00.73](#)
 - femoral component only [00.72](#)
 - femoral head only and/or acetabular liner [00.73](#)
 - partial
 - acetabular component only [00.71](#)
 - acetabular liner and/or femoral head only [00.73](#)
 - femoral component only [00.72](#)
 - femoral head only and/or acetabular liner [00.73](#)
 - total (acetabular and femoral components) [00.70](#)
- joint (Swanson type) NEC [81.96](#)
 - ankle (total) [81.56](#)
 - carpocarpal, carpometacarpal [81.74](#)
 - elbow (total) [81.84](#)
 - finger [81.71](#)
 - hand (metacarpophalangeal) (interphalangeal) [81.71](#)
 - hip (partial) [81.52](#)
 - revision NOS [81.53](#)
 - acetabular and femoral components (total) [00.70](#)
 - acetabular component only [00.71](#)
 - acetabular liner and/or femoral head only [00.73](#)
 - femoral component only [00.72](#)
 - femoral head only and/or acetabular liner [00.73](#)
 - partial

- acetabular component only [00.71](#)
- acetabular liner and/or femoral head only [00.73](#)
- femoral component only [00.72](#)
- femoral head only and/or acetabular liner [00.73](#)
- total (acetabular and femoral components) [00.70](#)
- total [81.51](#)
 - revision (acetabular and femoral components) [00.70](#)
- interphalangeal [81.71](#)
- knee (partial) (total) [81.54](#)
 - revision NOS [81.55](#)
 - femoral component [00.82](#)
 - partial
 - femoral component [00.82](#)
 - patellar component [00.83](#)
 - tibial component [00.81](#)
 - tibial insert [00.84](#)
 - patellar component [00.83](#)
 - tibial component [00.81](#)
 - tibial insert [00.84](#)
 - total (all components) [00.80](#)
- metacarpophalangeal [81.71](#)
- shoulder (partial) [81.81](#)
 - total, NEC [81.80](#)
 - other [81.80](#)
 - reverse [81.88](#)
- toe [81.57](#)
 - for hallux valgus repair [77.59](#)
- wrist (partial) [81.74](#)
 - total [81.73](#)
- leg (bioelectric) (cineplastic) (kineplastic) [84.48](#)
- lens [13.91](#)
- outflow tract (heart) (gusset type)
 - in
 - pulmonary valvuloplasty [35.26](#)
 - total repair of tetralogy of Fallot [35.81](#)
- penis (internal) (non-inflatable) [64.95](#)
 - inflatable (internal) [64.97](#)
- skin (dermal regenerative)(matrix) [86.67](#)
- testicular (bilateral) (unilateral) [62.7](#)
- pulsation balloon (phase-shift) [37.61](#)
- pump, infusion [86.06](#)
- radial artery [36.19](#)
- radioactive isotope [92.27](#)
- radium (radon) [92.27](#)
- retinal attachment [14.41](#)
 - with buckling [14.41](#)
- Rheos™ carotid sinus baroreflex activation device [39.81](#)
- Rickham reservoir [02.2](#)
 - With Endoscopic [02.20](#) (IM)
- silicone
 - breast (bilateral) [85.54](#)
 - unilateral [85.53](#)
 - skin (for filling of defect) [86.02](#)
 - for augmentation NEC [86.89](#)
- spine NEC [84.59](#)
 - facet replacement device(s) [84.84](#)

- interspinous process decompression device [84.80](#)
- pedicle-based dynamic stabilization device(s) [84.82](#)
- posterior motion preservation device(s) - see category [84.8](#)
- prostatic stent/coil with ultrasound control [86.060](#) (IM)
- prostatic stent/coil with visual [86.061](#) (IM)
- stimoceiver - see Implant, neurostimulator, by site
- stimulator
 - electrodes
 - carotid sinus (baroreflex activation device) [39.82](#)
 - with synchronous pulse generator implantation (total system) [39.81](#)
 - pulse generator
 - carotid sinus (baroreflex activation device) [39.83](#)
 - with synchronous electrode(s) implantation (total system) [39.81](#)
- sudural
 - grids [02.93](#)
 - strips [02.93](#)
- Swanson prosthesis (joint) (silastic) NEC [81.96](#)
 - carpocarpal, carpometacarpal [81.74](#)
 - finger [81.71](#)
 - hand (metacarpophalangeal) (interphalangeal) [81.71](#)
 - interphalangeal [81.71](#)
 - knee (partial) (total) [81.54](#)
 - revision [81.55](#)
 - metacarpophalangeal [81.71](#)
 - toe [81.57](#)
 - for hallux valgus repair [77.59](#)
 - wrist (partial) [81.74](#)
 - total [81.73](#)
- systemic arteries into myocardium (Vineberg type operation) [36.2](#)
- Tandem™ heart [37.68](#)
- telescope (IMT) (miniature) [13.91](#)
- testicular prosthesis (bilateral) (unilateral) [62.7](#)
- tissue expander (skin) NEC [86.93](#)
 - breast [85.95](#)
- tissue mandril (for vascular graft) [39.99](#)
 - with
 - blood vessel repair [39.56](#)
 - vascular bypass or shunt -- see Bypass, vascular
- tooth (bud) (germ) [23.5](#)
 - prosthetic [23.6](#)
- umbrella, vena cava [38.7](#)
- ureters into
 - bladder [56.74](#)
 - intestine [56.71](#)
 - external diversion [56.51](#)
 - skin [56.61](#)
- urethra
 - for repair of urinary stress incontinence
 - collagen [59.72](#)
 - fat [59.72](#)
 - polytef [59.72](#)
- urethral sphincter, artificial (inflatable) [58.93](#)
- urinary sphincter, artificial (inflatable) [58.93](#)
- vascular access device [86.07](#)
- vitreous (silicone) [14.75](#)
 - for retinal reattachment [14.41](#)

- with buckling [14.41](#)
- vocal cord(s) (paraglottic) [31.98](#)
- X Stop™ [84.80](#)
- Implosion (psychologic desensitization) [94.33](#)
- Incision (and drainage)
 - with
 - exploration -- see Exploration
 - removal of foreign body -- see Removal, foreign body
- abdominal wall [54.0](#)
 - as operative approach -- omit code
- abscess -- see *also* Incision, by site
- antecubital fossa [86.04](#)
- appendix [47.2](#)
 - with appendectomy [47.09](#)
 - laparoscopic [47.01](#)
- axilla [86.04](#)
- cheek [86.04](#)
- extraperitoneal [54.0](#)
- face [86.04](#)
- gluteal [86.04](#)
- groin region (abdominal wall) (inguinal) [54.0](#)
 - skin [86.04](#)
 - subcutaneous tissue [86.04](#)
- hair follicle [86.04](#)
- ischioirectal [49.01](#)
- lip [27.0](#)
- nailbed or nailfold [86.04](#)
- neck [86.04](#)
- omental [54.19](#)
- paronychia [86.04](#)
- perianal [49.01](#)
- perigastric [54.19](#)
- perineum (female) [71.09](#)
 - male [86.04](#)
- perisplenic [54.19](#)
- peritoneal NEC [54.19](#)
 - pelvic (female) [70.12](#)
- popliteal space [86.04](#)
- retroperitoneal [54.0](#)
- sclera [12.89](#)
- skin [86.04](#)
- subcutaneous tissue [86.04](#)
- subdiaphragmatic [54.19](#)
- subhepatic [54.19](#)
- submaxillary [86.04](#)
- subphrenic [54.19](#)
- supraclavicular fossa [86.04](#)
- vas deferens [63.6](#)

- adrenal gland [07.41](#)
- alveolus, alveolar bone [24.0](#)
- antecubital fossa [86.09](#)
- anus NEC [49.93](#)
- fistula [49.11](#)
- septum [49.91](#)
- appendix [47.2](#)
- artery [38.00](#)

- abdominal [38.06](#)
 - aorta (arch) (ascending) (descending) [38.04](#)
- head and neck NEC [38.02](#)
- intracranial NEC [38.01](#)
- lower limb [38.08](#)
- thoracic NEC [38.05](#)
- upper limb [38.03](#)
- atrium (heart) [37.11](#)
- auditory canal or meatus, external [18.02](#)
- auricle [18.09](#)
- axilla [86.09](#)
- Bartholin's gland or cyst [71.22](#)
- bile duct (with T or Y tube insertion) NEC [51.59](#)
 - common (exploratory) [51.51](#)
 - for
 - relief of obstruction NEC [51.42](#)
 - removal of calculus [51.41](#)
 - for
 - exploration [51.59](#)
 - relief of obstruction [51.49](#)
- bladder [57.19](#)
 - neck (transurethral) [57.91](#)
 - percutaneous suprapubic (closed) [57.17](#)
 - suprapubic NEC [57.18](#)
- blood vessel -- see also Angiotomy [38.00](#)
- bone [77.10](#)
 - alveolus, alveolar [24.0](#)
 - carpals, metacarpals [77.14](#)
 - clavicle [77.11](#)
 - facial [76.09](#)
 - femur [77.15](#)
 - fibula [77.17](#)
 - humerus [77.12](#)
 - patella [77.16](#)
 - pelvic [77.19](#)
 - phalanges (foot) (hand) [77.19](#)
 - radius [77.13](#)
 - scapula [77.11](#)
 - skull [01.24](#)
 - specified site NEC [77.19](#)
 - tarsals, metatarsals [77.18](#)
 - thorax (ribs) (sternum) [77.11](#)
 - tibia [77.17](#)
 - ulna [77.13](#)
 - vertebrae [77.19](#)
- brain [01.39](#)
 - cortical adhesions [02.91](#)
- breast (skin) [85.0](#)
 - with removal of tissue expander [85.96](#)
- bronchus [33.0](#)
- buccal space [27.0](#)
- bulbourethral gland [58.91](#)
- bursa [83.03](#)
 - hand [82.03](#)
 - pharynx [29.0](#)
- carotid body [39.89](#)

- cerebral (meninges) [01.39](#)
 - epidural or extradural space [01.24](#)
 - subarachnoid or subdural space [01.31](#)
- cerebrum [01.39](#)
- cervix [69.95](#)
 - to
 - assist delivery [73.93](#)
 - replace inverted uterus [75.93](#)
- chalazion [08.09](#)
 - with removal of capsule [08.21](#)
- cheek [86.09](#)
- chest wall (for extrapleural drainage) (for removal of foreign body) [34.01](#)
 - as operative approach -- omit code
- common bile duct (for exploration) [51.51](#)
 - for
 - relief of obstruction [51.42](#)
 - removal of calculus [51.41](#)
- common wall between posterior left atrium and coronary sinus (with roofing of resultant defect with patch graft) [35.82](#)
- conjunctiva [10.1](#)
- cornea [11.1](#)
 - radial (refractive) [11.75](#)
- cranial sinus [01.21](#)
- craniobuccal pouch [07.72](#)
- cul-de-sac [70.12](#)
- cyst
 - dentigerous [24.0](#)
 - radicular (apical) (periapical) [24.0](#)
- Duhrssen's (cervix, to assist delivery) [73.93](#)
- duodenum [45.01](#)
- ear
 - external [18.09](#)
 - inner [20.79](#)
 - middle [20.23](#)
- endocardium [37.11](#)
- endolymphatic sac [20.79](#)
- epididymis [63.92](#)
- epidural space, cerebral [01.24](#)
- epigastric region [54.0](#)
 - intra-abdominal [54.19](#)
- esophagus, esophageal NEC [42.09](#)
 - web [42.01](#)
- exploratory -- see Exploration
- extradural space (cerebral) [01.24](#)
- extrapleural [34.01](#)
- eyebrow [08.09](#)
- eyelid [08.09](#)
 - margin (trichiasis) [08.01](#)
- face [86.09](#)
- fallopian tube [66.01](#)
- fascia [83.09](#)
 - with division [83.14](#)
 - hand [82.12](#)
 - hand [82.09](#)
 - with division [82.12](#)
- fascial compartments, head and neck [27.0](#)

fistula, anal [49.11](#)
 flank [54.0](#)
 furuncle -- see Incision, by site
 gallbladder [51.04](#)
 gingiva [24.0](#)
 gluteal [86.09](#)
 groin region (abdominal wall) (inguinal) [54.0](#)
 skin [86.09](#)
 subcutaneous tissue [86.09](#)
 gum [24.0](#)
 hair follicles [86.09](#)
 heart [37.10](#)
 valve -- see Valvulotomy
 hematoma -- see also Incision, by site
 axilla [86.04](#)
 broad ligament [69.98](#)
 ear [18.09](#)
 episiotomy site [75.91](#)
 fossa (superficial) NEC [86.04](#)
 groin region (abdominal wall) (inguinal) [54.0](#)
 skin [86.04](#)
 subcutaneous tissue [86.04](#)
 laparotomy site [54.12](#)
 mediastinum [34.1](#)
 perineum (female) [71.09](#)
 male [86.04](#)
 popliteal space [86.04](#)
 scrotum [61.0](#)
 skin [86.04](#)
 space of Retzius [59.19](#)
 subcutaneous tissue [86.04](#)
 vagina (cuff) [70.14](#)
 episiotomy site [75.91](#)
 obstetrical NEC [75.92](#)
 hepatic ducts [51.59](#)
 hordeolum [08.09](#)
 hygroma -- see also Incision, by site
 cystic [40.0](#)
 hymen [70.11](#)
 hypochondrium [54.0](#)
 intra-abdominal [54.19](#)
 hypophysis [07.72](#)
 iliac fossa [54.0](#)
 infratemporal fossa [27.0](#)
 ingrown nail [86.09](#)
 intestine [45.00](#)
 large [45.03](#)
 small [45.02](#)
 intracerebral [01.39](#)
 intracranial (epidural space) (extradural space) [01.24](#)
 subarachnoid or subdural space [01.31](#)
 intraperitoneal [54.19](#)
 ischiorectal tissue [49.02](#)
 abscess [49.01](#)
 joint structures -- see also Arthrotomy [80.10](#)
 kidney [55.01](#)

- pelvis [55.11](#)
- labia [71.09](#)
- lacrimal
 - canaliculus [09.52](#)
 - gland [09.0](#)
 - passage NEC [09.59](#)
 - punctum [09.51](#)
 - sac [09.53](#)
- larynx NEC [31.3](#)
- ligamentum flavum (spine) -- omit code
- liver [50.0](#)
- lung [33.1](#)
- lymphangioma [40.0](#)
- lymphatic structure (channel) (node) (vessel) [40.0](#)
- mastoid [20.21](#)
- mediastinum [34.1](#)
- meibomian gland [08.09](#)
- meninges (cerebral) [01.31](#)
 - spinal [03.09](#)
- midpalmar space [82.04](#)
- mouth NEC [27.92](#)
 - floor [27.0](#)
- muscle [83.02](#)
 - with division [83.19](#)
 - hand [82.19](#)
 - hand [82.02](#)
 - with division [82.19](#)
- myocardium [37.11](#)
- nailbed or nailfold [86.09](#)
- nasolacrimal duct (stricture) [09.59](#)
- neck [86.09](#)
- nerve (cranial) (peripheral) NEC [04.04](#)
 - root (spinal) [03.1](#)
- nose [21.1](#)
- omentum [54.19](#)
- orbit -- see also Orbitotomy [16.09](#)
- ovary [65.09](#)
 - laparoscopic [65.01](#)
- palate [27.1](#)
- palmar space (middle) [82.04](#)
- pancreas [52.09](#)
- pancreatic sphincter [51.82](#)
 - endoscopic [51.85](#)
- parapharyngeal (oral) (transcervical) [28.0](#)
- paronychia [86.09](#)
- parotid
 - gland or duct [26.0](#)
 - space [27.0](#)
- pelvirectal tissue [48.81](#)
- penis [64.92](#)
- perianal (skin) (tissue) [49.02](#)
 - abscess [49.01](#)
- perigastric [54.19](#)
- perineum (female) [71.09](#)
 - male [86.09](#)
- peripheral vessels

- lower limb
 - artery [38.08](#)
 - vein [38.09](#)
- upper limb (artery) (vein) [38.03](#)
- periprosthetic tissue [60.81](#)
- perirectal tissue [48.81](#)
- perirenal tissue [59.09](#)
- perisplenic [54.19](#)
- peritoneum [54.95](#)
 - by laparotomy [54.19](#)
 - pelvic (female) [70.12](#)
 - male [54.19](#)
- periureteral tissue [59.09](#)
- periurethral tissue [58.91](#)
- perivesical tissue [59.19](#)
- petrous pyramid (air cells) (apex) (mastoid) [20.22](#)
- pharynx, pharyngeal (bursa) [29.0](#)
 - space, lateral [27.0](#)
- pilonidal sinus (cyst) [86.03](#)
- pineal gland [07.52](#)
- pituitary (gland) [07.72](#)
- pleura NEC [34.09](#)
- popliteal space [86.09](#)
- postzygomatic space [27.0](#)
- pouch of Douglas [70.12](#)
- prostate (perineal approach) (transurethral approach) [60.0](#)
- pterygopalatine fossa [27.0](#)
- pulp canal (tooth) [24.0](#)
- Rathke's pouch [07.72](#)
- rectovaginal septum [48.81](#)
- rectum [48.0](#)
 - stricture [48.91](#)
- renal pelvis [55.11](#)
- retroperitoneum [54.0](#)
- retropharyngeal (oral) (transcervical) [28.0](#)
- salivary gland or duct [26.0](#)
- sclera [12.89](#)
- scrotum [61.0](#)
 - scrotal contents and testis, unilateral [62.00](#) (IM)
- sebaceous cyst [86.04](#)
- seminal vesicle [60.72](#)
- sinus -- see Sinusotomy
- Skene's duct or gland [71.09](#)
- skin [86.09](#)
 - with drainage [86.04](#)
 - breast [85.0](#)
 - cardiac pacemaker pocket, new site [37.79](#)
 - ear [18.09](#)
 - nose [21.1](#)
 - subcutaneous tunnel for pulse generator lead wire [86.99](#)
 - with initial procedure - omit code
 - thalamic stimulator pulse generator pocket, new site [86.09](#)
 - with initial insertion of battery package - omit code
 - tunnel, subcutaneous for pulse generator lead wire [86.99](#)
 - with initial procedure - omit code
- skull (bone) [01.24](#)

- soft tissue NEC [83.09](#)
 - with division [83.19](#)
 - hand [82.19](#)
 - hand [82.09](#)
 - with division [82.19](#)
- space of Retzius [59.19](#)
- spermatic cord [63.93](#)
- sphincter of Oddi [51.82](#)
 - endoscopic [51.85](#)
- spinal
 - cord [03.09](#)
 - nerve root [03.1](#)
- spleen [41.2](#)
- stomach [43.0](#)
- stye [08.09](#)
- subarachnoid space, cerebral [01.31](#)
- subcutaneous tissue [86.09](#)
 - with drainage [86.04](#)
 - tunnel
 - esophageal [42.86](#)
 - with anastomosis - see Anastomosis, esophagus, antesternal
 - pulse generator lead wire [86.99](#)
 - with initial procedure - omit code
- subdiaphragmatic space [54.19](#)
- subdural space, cerebral [01.31](#)
- sublingual space [27.0](#)
- submandibular space [27.0](#)
- submaxillary [86.09](#)
 - with drainage [86.04](#)
- submental space [27.0](#)
- subphrenic space [54.19](#)
- supraclavicular fossa [86.09](#)
 - with drainage [86.04](#)
- sweat glands, skin [86.04](#)
- temporal pouches [27.0](#)
- tendon (sheath) [83.01](#)
 - with division [83.13](#)
 - hand [82.11](#)
 - hand [82.01](#)
 - with division [82.11](#)
- testis [62.0](#)
 - [testis and scrotal content, unilateral](#) [62.00](#) (IM)
- thenar space [82.04](#)
- thymus (open) (other) [07.92](#)
 - thoracoscopic [07.95](#)
- thyroid (field) (gland) NEC [06.09](#)
 - postoperative [06.02](#)
- tongue NEC [25.94](#)
 - for tongue tie [25.91](#)
- tonsil [28.0](#)
- trachea NEC [31.3](#)
- tunica vaginalis [61.0](#)
- umbilicus [54.0](#)
- urachal cyst [54.0](#)
- ureter [56.2](#)
 - [open ureteral exploration](#) [56.22](#) (IM)

- urethra [58.0](#)
- uterus (corpus) [68.0](#)
 - cervix [69.96](#)
 - for termination of pregnancy [74.91](#)
 - septum (congenital) [68.22](#)
- uvula [27.71](#)
- vagina (cuff) (septum) (stenosis) [70.14](#)
 - for
 - incisional hematoma (episiotomy) [75.91](#)
 - obstetrical hematoma NEC [75.92](#)
 - pelvic abscess [70.12](#)
- vas deferens [63.6](#)
- vein [38.00](#)
 - abdominal [38.07](#)
 - head and neck NEC [38.02](#)
 - intracranial NEC [38.01](#)
 - lower limb [38.09](#)
 - thoracic NEC [38.05](#)
 - upper limb [38.03](#)
- vertebral column [03.09](#)
- vulva [71.09](#)
 - obstetrical [75.92](#)
- web, esophageal [42.01](#)
- Incudectomy NEC [19.3](#)
 - with
 - stapedectomy -- see also Stapedectomy [19.19](#)
 - tymppanoplasty -- see Tympanoplasty
- Incudopexy [19.19](#)
- Incudostapediopexy [19.19](#)
 - with incus replacement [19.11](#)
- Indentation, sclera, for buckling -- see also Buckling, scleral [14.49](#)
- Indicator dilution flow measurement [89.68](#)
- Induction
 - abortion
 - by
 - D and C [69.01](#)
 - insertion of prostaglandin suppository [96.49](#)
 - intra-amniotic injection (prostaglandin) (saline) [75.0](#)
 - labor
 - medical [73.4](#)
 - surgical [73.01](#)
 - intra- and extra-amniotic injection [73.1](#)
 - stripping of membranes [73.1](#)
- Inflation
 - belt wrap [93.99](#)
 - Eustachian tube [20.8](#)
 - fallopian tube [66.8](#)
 - with injection of therapeutic agent [66.95](#)
- Infolding, sclera, for buckling -- see also Buckling, scleral [14.49](#)
- Infraction, turbinates (nasal) [21.62](#)
- Infundibulectomy
 - hypophyseal -- see also Hypophysectomy, partial [07.63](#)
 - ventricle (heart) (right) [35.34](#)
 - in total repair of tetralogy of Fallot [35.81](#)
- Infusion (intra-arterial) (intravenous)

with
 disruption of blood brain barrier [BBBD] [00.19](#)
 Abciximab [99.20](#)
 antibiotic
 oxazolidinone class [00.14](#)
 antineoplastic agent (chemotherapeutic) [99.25](#)
 biological response modifier [BRM] [99.28](#)
 cintredekin besudotox [99.28](#)
 CLO [17.70](#)
 clofarabine [17.70](#)
 CLOLAR® [17.70](#)
 high-dose interleukin-2 [00.15](#)
 low-dose interleukin-2 [99.28](#)
 biological response modifier [BRM], antineoplastic agent [99.28](#)
 cintredekin besudotox [99.28](#)
 high-dose interleukin-2 [00.15](#)
 low-dose interleukin-2 [99.28](#)
 cancer chemotherapy agent NEC [99.25](#)
 cintredekin besudotox [99.28](#)
 CLO [17.70](#)
 clofarabine [17.70](#)
 CLOLAR® [17.70](#)
 drotrecogin alfa (activated) [00.11](#)
 electrolytes [99.18](#)
 enzymes, thrombolytic (streptokinase) (tissue plasminogen activator) (TPA) (urokinase)
 direct coronary artery [36.04](#)
 intravenous [99.10](#)
 Eptifibatide [99.20](#)
 gamma globulin [99.14](#)
 GP IIB/IIIa inhibitor [99.20](#)
 hormone substance NEC [99.24](#)
 human B-type natriuretic peptide (hBNP) [00.13](#)
 IgG (immunoglobulin) [99.14](#)
 immunoglobulin (IgG) (IVIG) (IVIg) [99.14](#)
 immunosuppressive antibody therapy [00.18](#)
 interleukin-2
 high-dose [00.15](#)
 low-dose [99.28](#)
 IVIG (immunoglobulin) (IVIg) [99.14](#)
 nesiritide [00.13](#)
 neuroprotective agent [99.75](#)
 nimodipine [99.75](#)
 nutritional substance -- see Nutrition
 platelet inhibitor
 direct coronary artery [36.04](#)
 intravenous [99.20](#)
 Proleukin (low-dose) [99.28](#)
 high-dose [00.15](#)
 prophylactic substance NEC [99.29](#)
 radioimmunoconjugate [92.28](#)
 radioimmunotherapy [92.28](#)
 radioisotope (liquid brachytherapy) (liquid I-125) [92.20](#)
 recombinant protein [00.11](#)
 reteplase [99.10](#)
 therapeutic substance NEC [99.29](#)
 thrombolytic agent (enzyme)(streptokinase) [99.10](#)

with percutaneous transluminal angioplasty

Note: Also use [00.40](#), [00.41](#), [00.42](#), or [00.43](#) to show the total number of vessels treated.

coronary [00.66](#)
 non-coronary vessel(s) [39.50](#)
 specified site NEC [39.50](#)
 direct intracoronary artery [36.04](#)
 tirofiban (HCL) [99.20](#)
 vaccine
 tumor [99.28](#)
 vasopressor [00.17](#)
[Initiation \(early\) of breast feeding 99.980 \(IM\)](#)
 Injection (into) (hypodermically) (intramuscularly) (intravenously) (acting locally or systemically)
 Actinomycin D, for cancer chemotherapy [99.25](#)
 adhesion barrier substance [99.77](#)
 alcohol
 nerve -- see Injection, nerve
 spinal [03.8](#)
 anterior chamber, eye (air) (liquid) (medication) [12.92](#)
 antibiotic [99.21](#)
 oxazolidinone class [00.14](#)
 anticoagulant [99.19](#)
 anti-D (Rhesus) globulin [99.11](#)
 antidote NEC [99.16](#)
 anti-infective NEC [99.22](#)
 antineoplastic agent (chemotherapeutic) NEC [99.25](#)
 biological response modifier [BRM] [99.28](#)
 cintredekin besudotox [99.28](#)
 high-dose interleukin-2 [00.15](#)
 low-dose interleukin-2 [99.28](#)
 antivenin [99.16](#)
 artificial erection of penis [62.93 \(IM\)](#)
 barrier substance, adhesion [99.77](#)
 BCG
 for chemotherapy [99.25](#)
 vaccine [99.33](#)
 biological response modifier [BRM], antineoplastic agent [99.28](#)
 cintredekin besudotox [99.28](#)
 high-dose interleukin-2 [00.15](#)
 low-dose interleukin-2 [99.28](#)
 bone marrow [41.92](#)
 transplant -- see Transplant, bone, marrow
 breast (therapeutic agent) [85.92](#)
 inert material (silicone) (bilateral) [85.52](#)
 unilateral [85.51](#)
 bursa (therapeutic agent) [83.96](#)
 hand [82.94](#)
 cancer chemotherapeutic agent [99.25](#)
 caudal -- see Injection, spinal
 cintredekin besudotox [99.28](#)
 contrast agent [99.290 \(IM\)](#)
 cortisone [99.23](#)
 costochondral junction [81.92](#)
 dinoprost-tromethine, intra-amniotic [75.0](#)
 disc, intervertebral (herniated) [80.52](#)
 ear, with alcohol [20.72](#)

electrolytes [99.18](#)
 enzymes, thrombolytic (streptokinase) (tissue plasminogen activator) (TPA) (urokinase)
 direct coronary artery [36.04](#)
 intravenous [99.10](#)
 epidural, spinal -- see Injection, spinal
 esophageal varices or blood vessel (endoscopic) (sclerosing agent) [42.33](#)
 Eustachian tube (inert material) [20.8](#)
 eye (orbit) (retrobulbar) [16.91](#)
 anterior chamber [12.92](#)
 subconjunctival [10.91](#)
 fascia [83.98](#)
 hand [82.96](#)
 gamma globulin [99.14](#)
 ganglion, sympathetic [05.39](#)
 ciliary [12.79](#)
 paravertebral stellate [05.39](#)
 gel, adhesion barrier - see Injection, adhesion barrier substance
 globulin
 anti-D (Rhesus) [99.11](#)
 gamma [99.14](#)
 Rh immune [99.11](#)
 heart [37.92](#)
 heavy metal antagonist [99.16](#)
 hemorrhoids (sclerosing agent) [49.42](#)
 hormone NEC [99.24](#)
 human B-type natriuretic peptide (hBNP) [00.13](#)
 IgG (immunoglobulin) [99.14](#)
 immune sera [99.14](#)
 immunoglobulin (IgG) (IVIG) (IVIg) [99.14](#)
 inert material -- see Implant, inert material
 IVIG (immunoglobulin) (IVIg) [99.14](#)
 inner ear, for destruction [20.72](#)
 insulin [99.17](#)
 intervertebral space for herniated disc [80.52](#)
 intra-amniotic
 for induction of
 abortion [75.0](#)
 labor [73.1](#)
 intrathecal -- see Injection, spinal
 joint (therapeutic agent) [81.92](#)
 temporomandibular [76.96](#)
 kidney (cyst) (therapeutic substance) NEC [55.96](#)
 larynx [31.0](#)
 ligament (joint) (therapeutic substance) [81.92](#)
 liver [50.94](#)
 lung, for surgical collapse [33.32](#)
 Methotrexate, for cancer chemotherapy [99.25](#)
 nerve (cranial) (peripheral) [04.80](#)
 agent NEC [04.89](#)
 alcohol [04.2](#)
 anesthetic for analgesia [04.81](#)
 for operative anesthesia -- omit code
 neurolytic [04.2](#)
 phenol [04.2](#)
 laryngeal (external) (recurrent) (superior) [31.91](#)
 optic [16.91](#)

- sympathetic [05.39](#)
- alcohol [05.32](#)
- anesthetic for analgesia [05.31](#)
- neurolytic agent [05.32](#)
- phenol [05.32](#)
- nesiritide [00.13](#)
- neuroprotective agent [99.75](#)
- nimodipine [99.75](#)
- orbit [16.91](#)
- pericardium [37.93](#)
- peritoneal cavity
 - air [54.96](#)
 - locally-acting therapeutic substance [54.97](#)
- platelet inhibitor
 - direct coronary artery [36.04](#)
 - intravenous [99.20](#)
- prophylactic substance NEC [99.29](#)
- prostate [60.92](#)
- radioimmunoconjugate [92.28](#)
- radioimmunotherapy [92.28](#)
- radioisotopes (intracavitary) (intravenous) [92.28](#)
- renal pelvis (cyst) [55.96](#)
- retrobulbar (therapeutic substance) [16.91](#)
 - for anesthesia -- omit code
- Rh immune globulin [99.11](#)
- RhoGAM [99.11](#)
- sclerosing agent NEC [99.29](#)
 - esophageal varices (endoscopic) [42.33](#)
 - hemorrhoids [49.42](#)
 - pleura [34.92](#)
 - treatment of malignancy (cytotoxic agent) [34.92](#) [[99.25](#)]
 - with tetracycline [34.92](#) [[99.21](#)]
 - varicose vein [39.92](#)
 - vein NEC [39.92](#)
- semicircular canals, for destruction [20.72](#)
- silicone -- see Implant, inert material
- skin (sclerosing agent) (filling material) [86.02](#)
- soft tissue [83.98](#)
 - hand [82.96](#)
- spinal (canal) NEC [03.92](#)
 - alcohol [03.8](#)
 - anesthetic agent for analgesia [03.91](#)
 - for operative anesthesia -- omit code
 - contrast material (for myelogram) [87.21](#)
 - destructive agent NEC [03.8](#)
 - neurolytic agent NEC [03.8](#)
 - phenol [03.8](#)
 - proteolytic enzyme (chymodiactin) (chymopapain) [80.52](#)
 - saline (hypothermic) [03.92](#)
 - steroid NEC [03.92](#)
- spinal nerve root (intrathecal) -- see Injection, spinal
- steroid NEC [99.23](#)
- subarachnoid, spinal -- see Injection, spinal
- subconjunctival [10.91](#)
- surfactant administration [96.010](#) (IM)
- tendon [83.97](#)

hand [82.95](#)
 testis [62.92](#)
 therapeutic agent NEC [99.29](#)
 thoracic cavity [34.92](#)
 thrombolytic agent (enzyme)(streptokinase) [99.10](#)
 with percutaneous transluminal angioplasty

Note: Also use [00.40](#), [00.41](#), [00.42](#), or [00.43](#) to show the total number of vessels treated.

coronary [00.66](#)
 non coronary vessels [39.50](#)
 specified site NEC [39.50](#)
 direct intracoronary artery [36.04](#)
 trachea [31.94](#)
 tranquilizer [99.26](#)
 tunica vaginalis (with aspiration) [61.91](#)
 tympanum [20.94](#)
 urethra (inert material)
 for repair of urinary stress incontinence
 collagen implant [59.72](#)
 endoscopic injection of implant [59.72](#)
 fat implant [59.72](#)
 polytef implant [59.72](#)
 vaccine
 tumor [99.28](#)
 varices, esophagus (endoscopic) (sclerosing agent) [42.33](#)
 varicose vein (sclerosing agent) [39.92](#)
 esophagus (endoscopic) [42.33](#)
 vestibule, for destruction [20.72](#)
 vitreous substitute (silicone) [14.75](#)
 for reattachment of retina [14.59](#)
 vocal cords [31.0](#)
 Inlay, tooth [23.3](#)
 Inoculation
 antitoxins -- see Administration, antitoxins
 toxoids -- see Administration, toxoids
 vaccine -- see Administration, vaccine
 Insemination, artificial [69.92](#)
 Insertion
 airway
 esophageal obturator [96.03](#)
 nasopharynx [96.01](#)
 oropharynx [96.02](#)
 Allen-Brown cannula [39.93](#)
 arch bars (orthodontic) [24.7](#)
 for immobilization (fracture) [93.55](#)
 atrial septal umbrella [35.52](#)
 Austin-Moore prosthesis [81.52](#)
 baffle, heart (atrial) (interatrial) (intra-atrial) [35.91](#)
 bag, cervix (nonobstetrical) [67.0](#)
 after delivery or abortion [75.8](#)
 to assist delivery or induce labor [73.1](#)
 Baker's (tube) (for stenting) [46.85](#)
 balloon
 gastric [44.93](#)
 heart (pulsation-type) (Kantrowitz) [37.61](#)
 intestine (for decompression) (for dilation) [46.85](#)

- with insertion of colonic stent
 - endoscopic [46.86](#)
 - other [46.87](#)
- band (adjustable)
 - gastric, laparoscopic [44.95](#)
 - Lap-Band™ [44.95](#)
- Barton's tongs (skull) (with synchronous skeletal traction) [02.94](#)
- bipolar endoprosthesis (femoral head) [81.52](#)
- Blakemore-Sengstaken tube [96.06](#)
- bone growth stimulator (invasive) (percutaneous) (semi-invasive) -- see category [78.9](#)
- bone morphogenetic protein(Infuse™) (OP-1™) (recombinant) (rhBMP) [84.52](#)
- bone void filler [84.55](#)
 - that with percutaneous vertebral augmentation [81.66](#)
 - that with percutaneous vertebroplasty [81.65](#)
- bougie, cervix, nonobstetrical [67.0](#)
 - to assist delivery or induce labor [73.1](#)
- breast implant (for augmentation) (bilateral) [85.54](#)
 - unilateral [85.53](#)
- bridge (dental) (fixed) [23.42](#)
 - removable [23.43](#)
- bubble (balloon), stomach [44.93](#)
- caliper tongs (skull) (with synchronous skeletal traction) [02.94](#)
- cannula
 - Allen-Brown [39.93](#)
 - for extracorporeal membrane oxygenation (ECMO) -- omit code
 - nasal sinus (by puncture) [22.01](#)
 - through natural ostium [22.02](#)
 - pancreatic duct [52.92](#)
 - endoscopic [52.93](#)
 - vessel to vessel [39.93](#)
- cardiac resynchronization device
 - defibrillator (biventricular defibrillator) (BiV ICD) (BiV pacemaker with defibrillator) (BiV pacing with defibrillator) (CRT-D) (device and one or more leads) (total system) [00.51](#)
 - left ventricular coronary venous lead only [00.52](#)
 - pulse generator only [00.54](#)
 - pacemaker (biventricular pacemaker) (BiV pacemaker) (CRT-P) (device and one or more leads) (total system) [00.50](#)
 - left ventricular coronary venous lead only [00.52](#)
 - pulse generator only [00.53](#)
- cardiac support device (CSD) (CorCap™) [37.41](#)
- carotid artery stent(s)(stent graft) [00.63](#)

Note: Also use [00.40](#), [00.41](#), [00.42](#), or [00.43](#) to show the total number of vessels treated. Use code [00.44](#) once to show procedure on a bifurcated vessel. In addition, use [00.45](#), [00.46](#), [00.47](#), or [00.48](#) to show the number of vascular stents inserted.

- catheter
 - abdomen of fetus, for intrauterine transfusion [75.2](#)
 - anterior chamber (eye), for permanent drainage
 - (17.2) [12.79](#)
 - artery [38.91](#)
 - bile duct(s) [51.59](#)
 - common [51.51](#)
 - endoscopic [51.87](#)
 - endoscopic [51.87](#)
 - bladder, indwelling [57.94](#)
 - suprapubic [57.18](#)

- percutaneous (closed) [57.17](#)
- bronchus [96.05](#)
 - with lavage [96.56](#)
- central venous NEC [38.93](#)
 - with guidance [38.97](#)
 - for
 - hemodialysis [38.95](#)
 - pressure monitoring [89.62](#)
 - peripherally inserted central catheter (PICC) [38.93](#)
- chest [34.04](#)
 - revision (with lysis of adhesions) [34.04](#)
 - thoroscopic [34.06](#)
 - thoroscopic [34.06](#)
- cranial cavity [01.26](#)
 - placement via burr hole(s) [01.28](#)
- esophagus (nonoperative) [96.06](#)
 - permanent tube [42.81](#)
- intercostal (with water seal), for drainage [34.04](#)
 - revision (with lysis of adhesions) [34.04](#)
 - thoroscopic [34.06](#)
 - thoroscopic [34.06](#)
- intracerebral [01.26](#)
 - placement via burr hole(s) [01.28](#)
- spinal canal space (epidural) (subarachnoid) (subdural) for infusion of therapeutic or palliative substances [03.90](#)
- Swan-Ganz (pulmonary) [89.64](#)
- transtracheal for oxygenation [31.99](#)
- vein NEC [38.93](#)
 - for renal dialysis [38.95](#)
- chest tube [34.04](#)
 - thoroscopic [34.06](#)
- cholechohepatic tube (for decompression) [51.43](#)
 - endoscopic [51.87](#)
- circulatory support device
 - CentriMag® [37.62](#)
 - external heart assist device
 - biventricular [37.60](#)
 - Impella® [37.68](#)
 - percutaneous [37.68](#)
 - temporary [37.62](#)
 - non-implantable [37.62](#)
 - pVAD (percutaneous VAD) [37.68](#)
 - TandemHeart® [37.68](#)
 - temporary non-implantable circulatory assist device [37.62](#)
- cochlear prosthetic device -- see Implant, cochlear prosthetic device
- contraceptive device (intrauterine) [69.7](#)
- CorCap™ [37.41](#)
- cordis cannula [54.98](#)
 - peritoneal dialysis catheter with laparoscopy technique [54.980](#) (IM)
 - peritoneal dialysis catheter: open technique [54.984](#) (IM)
 - peritoneal dialysis catheter: percutaneous technique [54.983](#) (IM)
 - peritoneal dialysis catheter: peritoneoscopy technique [54.982](#) (IM)
- coronary (artery)

Note: Also use [00.40](#), [00.41](#), [00.42](#), or [00.43](#) to show the total number of vessels treated. Use code [00.44](#) once to show procedure on a bifurcated vessel. In addition, use [00.45](#), [00.46](#), [00.47](#), or [00.48](#) to show the number of vascular stents inserted.

- stent, drug-eluting [36.07](#)
- stent, non-drug-eluting [36.06](#)
- Crosby-Cooney button [54.98](#)
 - peritoneal dialysis catheter with laparoscopy technique [54.980](#) (IM)
 - peritoneal dialysis catheter: open technique [54.984](#) (IM)
 - peritoneal dialysis catheter: percutaneous technique [54.983](#) (IM)
 - peritoneal dialysis catheter: peritoneoscopy technique [54.982](#) (IM)
- CRT-D (biventricular defibrillator) (BiV ICD) (BiV pacemaker with defibrillator) (BiV pacing with defibrillator) (cardiac resynchronization defibrillator) (device and one or more leads) [00.51](#)
 - left ventricular coronary venous lead only [00.52](#)
 - pulse generator only [00.54](#)
- CRT-P (biventricular pacemaker) (BiV pacemaker) (cardiac resynchronization pacemaker) (device and one or more leads) [00.50](#)
 - left ventricular coronary venous lead only [00.52](#)
 - pulse generator only [00.53](#)
- Crutchfield tongs (skull) (with synchronous skeletal traction) [02.94](#)
- Davidson button [54.98](#)
 - peritoneal dialysis catheter with laparoscopy technique [54.980](#) (IM)
 - peritoneal dialysis catheter: open technique [54.984](#) (IM)
 - peritoneal dialysis catheter: percutaneous technique [54.983](#) (IM)
 - peritoneal dialysis catheter: peritoneoscopy technique [54.982](#) (IM)
- denture (total) [99.97](#)
- device
 - adjustable gastric band and port [44.95](#)
 - bronchial device NOS [33.79](#)
 - bronchial substance NOS [33.79](#)
 - bronchial valve(s)
 - multiple lobes [33.73](#)
 - single lobe [33.71](#)
 - cardiac resynchronization - see Insertion, cardiac resynchronization device
 - cardiac support device (CSD) [37.41](#)
 - CorCap™ [37.41](#)
 - epicardial support device [37.41](#)
 - Lap-Band™ [44.95](#)
 - left atrial appendage [37.90](#)
 - left atrial filter [37.90](#)
 - left atrial occluder [37.90](#)
 - MitraClip® mitral leaflet clip [35.97](#)
 - prosthetic cardiac support device [37.41](#)
 - sternal fixation device with rigid plates [84.94](#)
 - vascular access [86.07](#)
 - ventricular support device [37.41](#)
- diaphragm, vagina [96.17](#)
- drainage tube
 - kidney [55.02](#)
 - pelvis [55.12](#)
 - renal pelvis [55.12](#)
- Dynesys® [84.82](#)
- elbow prosthesis (total) [81.84](#)
 - revision [81.97](#)
- electrode(s)
 - bone growth stimulator (invasive) (percutaneous) (semi-invasive) -- see category [78.9](#)

- brain [02.93](#)
 - depth [02.93](#)
 - foramen ovale [02.93](#)
 - sphenoidal [02.96](#)
- depth [02.93](#)
- foramen ovale [02.93](#)
- gastric [04.92](#)
- heart (initial) (transvenous) [37.70](#)
 - atrium (initial) [37.73](#)
 - replacement [37.76](#)
 - atrium and ventricle (initial) [37.72](#)
 - replacement [37.76](#)
 - epicardium (sternotomy or thoracotomy approach) [37.74](#)
 - left ventricular coronary venous system [00.52](#)
 - temporary transvenous pacemaker system [37.78](#)
 - during and immediately following cardiac surgery [39.64](#)
 - ventricle (initial) [37.71](#)
 - replacement [37.76](#)
- intracranial [02.93](#)
- osteogenic (for bone growth stimulation) -- see category [78.9](#)
- peripheral nerve [04.92](#)
- sacral nerve [04.92](#)
- sphenoidal [02.96](#)
- spine [03.93](#)
- electroencephalographic receiver -- see Implant, electroencephalographic receiver, by site
- electronic stimulator -- see Implant, electronic stimulator, by site
- electrostimulator -- see Implant, electronic stimulator, by site
- endograft(s), endovascular graft(s)
 - endovascular, abdominal aorta [39.71](#)
 - endovascular, head and neck vessels [39.72](#)
 - endovascular, other vessels (for aneurysm) [39.79](#)
 - endovascular, thoracic aorta [39.73](#)
- endoprosthesis
 - bile duct [51.87](#)
 - femoral head (bipolar) [81.52](#)
 - pancreatic duct [52.93](#)
- epidural pegs [02.93](#)
- external fixation device (bone) -- see category [78.1](#)
- facial bone implant (alloplastic) (synthetic) [76.92](#)
- filling material, skin (filling of defect) [86.02](#)
- filter
 - vena cava (inferior) (superior) (transvenous) [38.7](#)
- fixator, mini device (bone) -- see category [78.1](#)
- frame (stereotactic)
 - for radiosurgery [93.59](#)
- Gardner Wells tongs (skull) (with synchronous skeletal traction) [02.94](#)
- gastric bubble (balloon) [44.93](#)
- globe, into eye socket [16.69](#)
- Greenfield filter [38.7](#)
- halo device (skull) (with synchronous skeletal traction) [02.94](#)
- Harrington rod -- see *also* Fusion, spinal, by level
 - with dorsal, dorsolumbar fusion [81.05](#)
- Harris pin [79.15](#)
- heart
 - assist system - see Implant, heart assist system
 - cardiac support device (CSD) [37.41](#)

- circulatory assist system - see Implant, heart assist system
- CorCap™ [37.41](#)
- epicardial support device [37.41](#)
- Impella® [37.68](#)
- pacemaker -- see Insertion, pacemaker, cardiac
- prosthetic cardiac support device [37.41](#)
- pump (Kantrowitz) [37.62](#)
- valve -- see Replacement, heart valve
- ventricular support device [37.41](#)
- hip prosthesis (partial) [81.52](#)
 - revision NOS [81.53](#)
 - acetabular and femoral components (total) [00.70](#)
 - acetabular component only [00.71](#)
 - acetabular liner and/or femoral head only [00.73](#)
 - femoral component only [00.72](#)
 - femoral head only and/or acetabular liner [00.73](#)
 - partial
 - acetabular component only [00.71](#)
 - acetabular liner and/or femoral head only [00.73](#)
 - femoral component only [00.72](#)
 - femoral head only and/or acetabular liner [00.73](#)
 - total (acetabular and femoral components) [00.70](#)
 - total [81.51](#)
 - revision
 - acetabular and femoral components (total) [00.70](#)
 - total (acetabular and femoral components) [00.70](#)
- Holter valve [02.2](#)
 - With Endoscopic [02.20 \(IM\)](#)
- Hufnagel valve -- see Replacement, heart valve
- implant -- see Insertion, prosthesis
- infusion pump [86.06](#)
 - prostatic stent/coil with ultrasound control [86.060 \(IM\)](#)
 - prostatic stent/coil with visual [86.061 \(IM\)](#)
- interbody spinal fusion device [84.51](#)
- intercostal catheter (with water seal) for drainage [34.04](#)
 - revision (with lysis of adhesions) [34.04](#)
 - thoracoscopic [34.06](#)
- intra-arterial blood gas monitoring system [89.60](#)
- intrauterine
 - contraceptive device [69.7](#)
 - radium (intracavitary) [69.91](#)
 - tamponade (nonobstetric) [69.91](#)
- Kantrowitz
 - heart pump [37.62](#)
 - pulsation balloon (phase-shift) [37.61](#)
- keratoprosthesis [11.73](#)
- King-Mills umbrella device (heart) [35.52](#)
- Kirschner wire [93.44](#)
 - with reduction of fracture or dislocation -- see Reduction, fracture and Reduction, dislocation
- knee prosthesis (partial (total) [81.54](#)
 - revision NOS [81.55](#)
 - femoral component [00.82](#)
 - partial
 - femoral component [00.82](#)
 - patellar component [00.83](#)
 - tibial component [00.81](#)

tibial insert [00.84](#)
 patellar component [00.83](#)
 tibial component [00.81](#)
 tibial insert [00.84](#)
 total (all components) [00.80](#)
 Lap-Band™ [44.95](#)
 laminaria, cervix [69.93](#)
 larynx, valved tube [31.75](#)
 leads – see Insertion, electrode(s)
 lens, prosthetic (intraocular) [13.70](#)
 with cataract extraction, one-stage [13.71](#)
 secondary (subsequent to cataract extraction) [13.72](#)
 limb lengthening device, internal, NOS [84.54](#)
 with kinetic distraction [84.53](#)
 loop recorder [37.79](#)
 M-Brace™ [84.82](#)
 metal staples into epiphyseal plate – see also Stapling, epiphyseal plate [78.20](#)
 minifixator device (bone) – see category [78.1](#)
 Mobitz-Uddin umbrella, vena cava [38.7](#)
 mold, vagina [96.15](#)
 Moore (cup) [81.52](#)
 myringotomy device (button) (tube) [20.01](#)
 with intubation [20.01](#)
 nasobiliary drainage tube (endoscopic) [51.86](#)
 nasogastric tube
 for
 decompression, intestinal [96.07](#)
 feeding [96.6](#)
 naso-intestinal tube [96.08](#)
 nasolacrimal tube or stent [09.44](#)
 nasopancreatic drainage tube (endoscopic) [52.97](#)
 neuropacemaker – see Implant, neurostimulator, by site
 neurostimulator – see Implant, neurostimulator, by site
 non-coronary vessel
 stent(s) (stent graft)

Note: Also use [00.40](#), [00.41](#), [00.42](#), or [00.43](#) to show the total number of vessels treated. Use code [00.44](#) once to show procedure on a bifurcated vessel. In addition, use [00.45](#), [00.46](#), [00.47](#), or [00.48](#) to show the number of vascular stents inserted.

 with angioplasty or atherectomy [39.50](#)
 with bypass – omit code
 basilar [00.64](#)
 carotid [00.63](#)
 extracranial [00.64](#)
 intracranial [00.65](#)
 peripheral [39.90](#)
 bare, drug-coated [39.90](#)
 drug-eluting [00.55](#)
 vertebral [00.64](#)
 non-invasive (transcutaneous) (surface) stimulator [99.86](#)
 obturator (orthodontic) [24.7](#)
 ocular implant
 with synchronous
 enucleation [16.42](#)
 with muscle attachment to implant [16.41](#)
 evisceration [16.31](#)

- following or secondary to
 - enucleation [16.61](#)
 - evisceration [16.61](#)
- Ommaya reservoir [02.2](#)
 - With [Endoscopic 02.20 \(IM\)](#)
- orbital implant (stent) (outside muscle cone) [16.69](#)
 - with orbitotomy [16.02](#)
- orthodontic appliance (obturator) (wiring) [24.7](#)
- outflow tract prosthesis (gusset type) (heart)
 - in
 - pulmonary valvuloplasty [35.26](#)
 - total repair of tetralogy of Fallot [35.81](#)
- pacemaker
 - brain - see Implant, neurostimulator, brain
 - cardiac (device) (initial) (permanent) (replacement) [37.80](#)
 - dual-chamber device (initial) [37.83](#)
 - replacement [37.87](#)
 - during and immediately following cardiac surgery [39.64](#)
 - resynchronization (biventricular pacemaker) (BiV pacemaker) (CRT-P) (device)
 - device only (initial) (replacement) [00.53](#)
 - total system (device and one or more leads) [00.50](#)
 - transvenous lead into left ventricular coronary venous system [00.52](#)
 - single-chamber device (initial) [37.81](#)
 - rate responsive [37.82](#)
 - replacement [37.85](#)
 - rate responsive [37.86](#)
 - temporary transvenous pacemaker system [37.78](#)
 - during and immediately following cardiac surgery [39.64](#)
 - carotid [39.89](#)
 - gastric [04.92](#)
 - heart -- see Insertion, pacemaker, cardiac
 - intracranial - see Implant, neurostimulator, intracranial
 - neural - see Implant, neurostimulator, by site
 - peripheral nerve - see Implant, neurostimulator, peripheral nerve
 - spine - see Implant, neurostimulator, spine
 - pacing catheter -- see Insertion, pacemaker, cardiac
 - pack
 - auditory canal, external [96.11](#)
 - cervix (nonobstetrical) [67.0](#)
 - after delivery or abortion [75.8](#)
 - to assist delivery or induce labor [73.1](#)
 - rectum [96.19](#)
 - sella turcica [07.79](#)
 - vagina (nonobstetrical) [96.14](#)
 - after delivery or abortion [75.8](#)
 - palatal implant [27.64](#)
 - penile prosthesis (non-inflatable) (internal) [64.95](#)
 - inflatable (internal) [64.97](#)
 - peridontal splint (orthodontic) [24.7](#)
 - peripheral blood vessel -- see non-coronary
 - pessary
 - cervix [96.18](#)
 - to assist delivery or induce labor [73.1](#)
 - vagina [96.18](#)
 - pharyngeal valve, artificial [31.75](#)
 - port, vascular access [86.07](#)

prostaglandin suppository (for abortion) [96.49](#)
 prosthesis, prosthetic device
 acetabulum (partial) [81.52](#)
 hip [81.52](#)
 revision NOS [81.53](#)
 acetabular and femoral components (total) [00.70](#)
 acetabular component only [00.71](#)
 acetabular liner and/or femoral head only [00.73](#)
 femoral component only [00.72](#)
 femoral head only and/or acetabular liner [00.73](#)
 partial
 acetabular component only [00.71](#)
 acetabular liner and/or femoral head only [00.73](#)
 femoral component only [00.72](#)
 femoral head only and/or acetabular liner [00.73](#)
 total (acetabular and femoral components) [00.70](#)
 revision [81.53](#)
 ankle (total) [81.56](#)
 arm (bioelectric) (cineplastic) (kineplastic) [84.44](#)
 biliary tract [51.99](#)
 breast (bilateral) [85.54](#)
 unilateral [85.53](#)
 cardiac support device (CSD) (CorCap™) [37.41](#)
 chin (polyethylene) (silastic) [76.68](#)
 elbow (total) [81.84](#)
 revision [81.97](#)
 extremity (bioelectric) (cineplastic) (kineplastic) [84.40](#)
 lower [84.48](#)
 upper [84.44](#)
 fallopian tube [66.93](#)
 femoral head (Austin-Moore) (bipolar) (Eicher) (Thompson) [81.52](#)
 hip (partial) [81.52](#)
 revision NOS [81.53](#)
 acetabular and femoral components (total) [00.70](#)
 acetabular component only [00.71](#)
 acetabular liner and/or femoral head only [00.73](#)
 femoral component only [00.72](#)
 femoral head only and/or acetabular liner [00.73](#)
 partial
 acetabular component only [00.71](#)
 acetabular liner and/or femoral head only [00.73](#)
 femoral component only [00.72](#)
 femoral head only and/or acetabular liner [00.73](#)
 total (acetabular and femoral components) [00.70](#)
 total [81.51](#)
 revision
 acetabular and femoral components (total) [00.70](#)
 total (acetabular and femoral components) [00.70](#)
 joint -- see Arthroplasty
 knee (partial) (total) [81.54](#)
 revision NOS [81.55](#)
 femoral component [00.82](#)
 partial
 femoral component [00.82](#)
 patellar component [00.83](#)
 tibial component [00.81](#)

- tibial insert [00.84](#)
- patellar component [00.83](#)
- tibial component [00.81](#)
- tibial insert [00.84](#)
- total (all components) [00.80](#)
- leg (bioelectric) (cineplastic) (kineplastic) [84.48](#)
- lens [13.91](#)
- ocular (secondary) [16.61](#)
 - with orbital exenteration [16.42](#)
- outflow tract (gusset type) (heart)
 - in
 - pulmonary valvuloplasty [35.26](#)
 - total repair of tetralogy of Fallot [35.81](#)
- penis (internal) (noninflatable) [64.95](#)
 - with
 - construction [64.43](#)
 - reconstruction [64.44](#)
 - inflatable (internal) [64.97](#)
- Rosen (for urinary incontinence) [59.79](#)
- shoulder
 - partial [81.81](#)
 - revision [81.97](#)
 - total, NEC [81.80](#)
 - other [81.80](#)
 - reverse [81.88](#)
- spine
 - artificial disc, NOS [84.60](#)
 - cervical [84.62](#)
 - nucleus [84.61](#)
 - partial [84.61](#)
 - total [84.62](#)
 - lumbar, lumbosacral [84.65](#)
 - nucleus [84.64](#)
 - partial [84.64](#)
 - total [84.65](#)
 - thoracic (partial)(total) [84.63](#)
 - other device [84.59](#)
 - testicular (bilateral) (unilateral) [62.7](#)
 - toe [81.57](#)
 - hallux valgus repair [77.59](#)
 - vagina
 - synthetic [70.95](#)
- pseudophakos -- see also Insertion, lens [13.70](#)
- pump, infusion [86.06](#)
- radioactive isotope [92.27](#)
- radium [92.27](#)
- radon seeds [92.27](#)
- Reuter bobbin (with intubation) [20.01](#)
- Rickham reservoir [02.2](#)
 - With [Endoscopic 02.20 \(IM\)](#)
- Rosen prosthesis (for urinary incontinence) [59.79](#)
- Scribner shunt [39.93](#)
- Sengstaken-Blakemore tube [96.06](#)
- sensor (lead)
 - intra-aneurysm sac pressure monitoring device [00.58](#)
 - intra-arterial, for continuous blood gas monitoring [89.60](#)

intracardiac or great vessel hemodynamic monitoring [00.56](#)
 shunt - see Shunt
 sieve, vena cava [38.7](#)
 skeletal muscle stimulator [83.92](#)
 skull
 plate [02.05](#)
 stereotactic frame [93.59](#)
 tongs (Barton) (caliper) (Gardner Wells) (Vinke) (with synchronous skeletal traction) [02.94](#)
 spacer (cement)(joint)(methylmethacrylate) [84.56](#)
 spine [84.51](#)
 sphenoidal electrodes [02.96](#)
 spine
 bone void filler
 that with percutaneous vertebral augmentation [81.66](#)
 that with percutaneous vertebroplasty [81.65](#)
 cage (BAK) [84.51](#)
 facet replacement device(s) [84.84](#)
 interbody spinal fusion device [84.51](#)
 interspinous process decompression device [84.80](#)
 non-fusion stabilization device - see category [84.8](#)
 pedicle-based dynamic stabilization device(s) [84.82](#)
 posterior motion preservation device(s) - see category [84.8](#)
 spacer [84.51](#)
 Spitz-Holter valve [02.2](#)
 With [Endoscopic 02.20 \(IM\)](#)
 Steinmann pin [93.44](#)
 with reduction of fracture or dislocation -- see Reduction, fracture and Reduction, dislocation
 stent(s) (stent graft)
 artery (bare) (bonded) (drug coated) (non-drug-eluting)

Note: Also use [00.40](#), [00.41](#), [00.42](#), or [00.43](#) to show the total number of vessels treated. Use code [00.44](#) once to show procedure on a bifurcated vessel. In addition, use [00.45](#), [00.46](#), [00.47](#), or [00.48](#) to show the number of vascular stents inserted.

basilar [00.64](#)
 carotid [00.63](#)
 cerebrovascular
 cerebral (intracranial) [00.65](#)
 precerebral (extracranial) [00.64](#)
 carotid [00.63](#)
 coronary (bare) (bonded) (drug coated) (non-drug-eluting) [36.06](#)
 drug-eluting [36.07](#)
 extracranial [00.64](#)
 carotid [00.63](#)
 femoral artery, superficial [39.90](#)
 drug-eluting [00.60](#)
 non-drug-eluting [39.90](#)
 intracranial [00.65](#)
 non-coronary vessel
 basilar [00.64](#)
 carotid [00.63](#)
 extracranial [00.64](#)
 femoral artery, superficial [39.90](#)
 drug-eluting [00.60](#)
 non-drug-eluting [39.90](#)
 intracranial [00.65](#)
 peripheral [39.90](#)

bare, drug-coated [39.90](#)
 drug-eluting [00.55](#)
 vertebral [00.64](#)
 bile duct [51.43](#)
 endoscopic [51.87](#)
 percutaneous transhepatic [51.98](#)
 bronchial with bronchoscopy [33.95](#) (IM)
 colon
 endoscopic (fluoroscopic guidance) [46.86](#)
 other [46.87](#)
 coronary (artery) (bare) (bonded) (drug coated) (non-drug-eluting) [36.06](#)

Note: Also use [00.40](#), [00.41](#), [00.42](#), or [00.43](#) to show the total number of vessels treated. Use code [00.44](#) once to show procedure on a bifurcated vessel. In addition, use [00.45](#), [00.46](#), [00.47](#), or [00.48](#) to show the number of vascular stents inserted.

drug-eluting [36.07](#)
 esophagus (endoscopic) (fluoroscopic) [42.81](#)
 mesenteric [39.90](#)
 bare, drug-coated [39.90](#)
 drug-eluting [00.55](#)
 non-coronary vessel

Note: Also use [00.40](#), [00.41](#), [00.42](#), or [00.43](#) to show the total number of vessels treated. Use code [00.44](#) once to show procedure on a bifurcated vessel. In addition, use [00.45](#), [00.46](#), [00.47](#), or [00.48](#) to show the number of vascular stents inserted.

with angioplasty or atherectomy [39.50](#)
 with bypass -- omit code
 basilar [00.64](#)
 carotid [00.63](#)
 extracranial [00.64](#)
 intracranial [00.65](#)
 mesenteric [39.90](#)
 bare, drug-coated [39.90](#)
 drug-eluting [00.55](#)
 peripheral [39.90](#)
 bare, drug-coated [39.90](#)
 drug-eluting [00.55](#)
 renal [39.90](#)
 bare, drug-coated [39.90](#)
 drug-eluting [00.55](#)
 vertebral [00.64](#)
 pancreatic duct [52.92](#)
 endoscopic [52.93](#)
 peripheral [39.90](#)

Note: Also use [00.40](#), [00.41](#), [00.42](#), or [00.43](#) to show the total number of vessels treated. Use code [00.44](#) once to show procedure on a bifurcated vessel. In addition, use [00.45](#), [00.46](#), [00.47](#), or [00.48](#) to show the number of vascular stents inserted.

bare, drug-coated [39.90](#)
 drug-eluting [00.55](#)
 femoral artery, superficial, drug-eluting [00.60](#)
 precerebral [00.64](#)

Note: Also use [00.40](#), [00.41](#), [00.42](#), or [00.43](#) to show the total number of vessels treated. Use code [00.44](#) once to show procedure on a bifurcated vessel. In addition, use [00.45](#), [00.46](#), [00.47](#), or [00.48](#) to show the number of vascular stents inserted.

prostatic stent/coil with ultrasound control [86.060](#) (IM)
 prostatic stent/coil with visual [86.061](#) (IM)
 renal [39.90](#)
 bare, drug-coated [39.90](#)
 drug-eluting [00.55](#)
 subclavian [39.90](#)

Note: Also use [00.40](#), [00.41](#), [00.42](#), or [00.43](#) to show the total number of vessels treated. Use code [00.44](#) once to show procedure on a bifurcated vessel. In addition, use [00.45](#), [00.46](#), [00.47](#), or [00.48](#) to show the number of vascular stents inserted.

 bare, drug-coated [39.90](#)
 drug-eluting [00.55](#)
 tracheobronchial [96.05](#)
 urether (IM)
 endoscopic [59.80](#) (IM)
 vertebral [00.64](#)

Note: Also use [00.40](#), [00.41](#), [00.42](#), or [00.43](#) to show the total number of vessels treated. Use code [00.44](#) once to show procedure on a bifurcated vessel. In addition, use [00.45](#), [00.46](#), [00.47](#), or [00.48](#) to show the number of vascular stents inserted.

sternal fixation device with rigid plates [84.94](#)
 stimoceiver -- see Implant, neurostimulator, by site
 stimulator for bone growth -- see category [78.9](#)
 subdural
 grids [02.93](#)
 strips [02.93](#)
 suppository
 prostaglandin (for abortion) [96.49](#)
 vagina [96.49](#)
 Swan-Ganz catheter (pulmonary) [89.64](#)
 tampon
 esophagus [96.06](#)
 uterus [69.91](#)
 vagina [96.14](#)
 after delivery or abortion [75.8](#)
 Tandem™ heart [37.68](#)
 telescope (IMT) (miniature) [13.91](#)
 testicular prosthesis (bilateral) (unilateral) [62.7](#)
 tissue expander (skin) NEC [86.93](#)
 breast [85.95](#)
 tissue mandril (peripheral vessel) (Dacron) (Spark's type) [39.99](#)
 with
 blood vessel repair [39.56](#)
 vascular bypass or shunt -- see Bypass, vascular
 tongs, skull (with synchronous skeletal traction) [02.94](#)
 totally implanted device for bone growth (invasive) -- see category [78.9](#)
 tube -- see also Catheterization and Intubation
 bile duct [51.43](#)
 endoscopic [51.87](#)
 chest [34.04](#)
 revision (with lysis of adhesions) [34.04](#)

- thoroscopic [34.06](#)
- thoroscopic [34.06](#)
- endotracheal [96.04](#)
- esophagus (nonoperative) (Sengstaken) [96.06](#)
 - permanent (silicone) (Souttar) [42.81](#)
- feeding
 - esophageal [42.81](#)
 - gastric [96.6](#)
 - nasogastric [96.6](#)
- gastric
 - by gastrostomy -- see category [43.1](#)
 - for
 - decompression, intestinal [96.07](#)
 - feeding [96.6](#)
- intercostal (with water seal), for drainage [34.04](#)
 - revision (with lysis of adhesions) [34.04](#)
 - thoroscopic [34.06](#)
- Miller-Abbott (for intestinal decompression) [96.08](#)
- nasobiliary (drainage) [51.86](#)
- nasogastric (for intestinal decompression) NEC [96.07](#)
- naso-intestinal [96.08](#)
- nasopancreatic drainage (endoscopic) [52.97](#)
- pancreatic duct [52.92](#)
 - endoscopic [52.93](#)
- rectum [96.09](#)
- stomach (nasogastric) (for intestinal decompression) NEC [96.07](#)
 - for feeding [96.6](#)
- tracheobronchial [96.05](#)
- umbrella device
 - atrial septum (King-Mills) [35.52](#)
 - vena cava (Mobitz-Uddin) [38.7](#)
- ureteral stent (transurethral) [59.8](#)
 - with ureterotomy [59.8](#) [[56.2](#)]
- urinary sphincter, artificial (AUS) (inflatable) [58.93](#)
- vaginal mold [96.15](#)
- valve(s)
 - bronchus
 - multiple lobes [33.73](#)
 - single lobe [33.71](#)
- Holter [02.2](#)
 - With [Endoscopic 02.20 \(IM\)](#)
- Hufnagel -- see Replacement, heart valve
- pharyngeal (artificial) [31.75](#)
- Spitz-Holter [02.2](#)
 - With [Endoscopic 02.20 \(IM\)](#)
- vas deferens [63.95](#)
- vascular access device, totally implantable [86.07](#)
- vena cava sieve or umbrella [38.7](#)
- Vinke tongs (skull) (with synchronous skeletal traction) [02.94](#)
- X Stop™ [84.80](#)
- Instillation
 - bladder [96.49](#)
 - digestive tract, except gastric gavage [96.43](#)
 - genitourinary NEC [96.49](#)
 - radioisotope (intracavitary) (intravenous) [92.28](#)
 - thoracic cavity [34.92](#)

Insufflation

- Eustachian tube [20.8](#)
- fallopian tube (air) (dye) (gas) (saline) [66.8](#)
for radiography -- see Hysterosalpingography
- therapeutic substance [66.95](#)
- lumbar retroperitoneal, bilateral [88.15](#)

Intercricothyroidotomy (for assistance in breathing) [31.1](#)

Interleukin-2, infusion

- high-dose [00.15](#)
- low-dose [99.28](#)

Intermittent positive pressure breathing (IPPB) [93.91](#)

Interposition operation

- esophageal reconstruction (intrathoracic) (retrosternal) NEC -- see also Anastomosis, esophagus, with, interposition [42.58](#)
- antesternal or antethoracic NEC -- see also Anastomosis, esophagus, antesternal, with, interposition [42.68](#)
- uterine suspension [69.21](#)

Interrogation

- cardioverter-defibrillator, automatic (AICD)
 - with catheter based invasive electrophysiologic testing [37.26](#)
 - with NIPS (arrhythmia induction) [37.20](#)
 - interrogation only (bedside device check) [89.49](#)
- CRT-D (cardiac resynchronization defibrillator)
 - with catheter based invasive electrophysiologic testing [37.26](#)
 - with NIPS (arrhythmia induction) [37.20](#)
 - interrogation only (bedside device check) [89.49](#)
- CRT-P (cardiac resynchronization pacemaker)
 - with catheter based invasive electrophysiologic testing [37.26](#)
 - with NIPS (arrhythmia induction) [37.20](#)
 - interrogation only (bedside device check) [89.45](#)
- pacemaker
 - with catheter based invasive electrophysiologic testing [37.26](#)
 - with NIPS (arrhythmia induction) [37.20](#)
 - interrogation only (bedside device check) [89.45](#)

Interruption

- vena cava (inferior) (superior) [38.7](#)

Interview (evaluation) (diagnostic)

- medical, except psychiatric [89.05](#)
 - brief (abbreviated history) [89.01](#)
 - comprehensive (history and evaluation of new problem) [89.03](#)
 - limited (interval history) [89.02](#)
 - specified type NEC [89.04](#)
- psychiatric NEC [94.19](#)
 - follow-up [94.19](#)
 - initial [94.19](#)
 - pre-commitment [94.13](#)

Intimectomy [38.10](#)

- abdominal [38.16](#)
- aorta (arch) (ascending) (descending) [38.14](#)
- head and neck NEC [38.12](#)
- intracranial NEC [38.11](#)
- lower limb [38.18](#)
- thoracic NEC [38.15](#)
- upper limb [38.13](#)

Intraoperative anesthetic effect monitoring and titration (IAEMT) [00.94](#) [[89.14](#)]

Introduction

- orthodontic appliance [24.7](#)
- therapeutic substance (acting locally or systemically) NEC [99.29](#)
 - bursa [83.96](#)
 - hand [82.94](#)
 - fascia [83.98](#)
 - hand [82.96](#)
 - heart [37.92](#)
 - joint [81.92](#)
 - temporomandibular [76.96](#)
 - ligament (joint) [81.92](#)
 - pericardium [37.93](#)
 - soft tissue NEC [83.98](#)
 - hand [82.96](#)
 - tendon [83.97](#)
 - hand [82.95](#)
 - vein [39.92](#)
- Intubation -- *see also* Catheterization and Insertion
 - bile duct(s) [51.59](#)
 - common [51.51](#)
 - endoscopic [51.87](#)
 - endoscopic [51.87](#)
 - esophagus (nonoperative) (Sengstaken) [96.06](#)
 - permanent tube (silicone) (Souttar) [42.81](#)
 - Eustachian tube [20.8](#)
 - intestine (for decompression) [96.08](#)
 - lacrimal for
 - dilation [09.42](#)
 - tear drainage, intranasal [09.81](#)
 - larynx [96.05](#)
 - nasobiliary (drainage) [51.86](#)
 - nasogastric
 - for
 - decompression, intestinal [96.07](#)
 - feeding [96.6](#)
 - naso-intestinal [96.08](#)
 - nasolacrimal (duct) (with irrigation) [09.44](#)
 - nasopancreatic drainage (endoscopic) [52.97](#)
 - respiratory tract NEC [96.05](#)
 - small intestine (Miller-Abbott) [96.08](#)
 - stomach (nasogastric) (for intestinal decompression) NEC [96.07](#)
 - for feeding [96.6](#)
 - trachea [96.04](#)
 - ventriculocisternal [02.2](#)
 - with [Endoscopic 02.20 \(IM\)](#)
- Invagination, diverticulum
 - gastric [44.69](#)
 - laparoscopic [44.68](#)
 - pharynx [29.59](#)
 - stomach [44.69](#)
 - laparoscopic [44.68](#)
- Inversion
 - appendix [47.99](#)
 - diverticulum
 - gastric [44.69](#)
 - laparoscopic [44.68](#)
 - intestine

- large [45.49](#)
 - endoscopic [45.43](#)
 - small [45.34](#)
 - stomach [44.69](#)
 - laparoscopic [44.68](#)
 - tunica vaginalis [61.49](#)
- IOERT (intra-operative electron radiation therapy) [92.41](#)
- IOM (intra-operative neurophysiologic monitoring) [00.94](#)
- ionization, medical [99.27](#)
- iontherapy [99.27](#)
- iontophoresis [99.27](#)
- Iridectomy (basal) (buttonhole) (optical) (peripheral) (total) [12.14](#)
 - with
 - capsulectomy [13.65](#)
 - cataract extraction – see Extraction, cataract
 - filtering operation (for glaucoma) NEC [12.65](#)
 - scleral
 - fistulization [12.65](#)
 - thermocauterization [12.62](#)
 - trephination [12.61](#)
- Iridencleisis [12.63](#)
- Iridesis [12.63](#)
- Irido-capsulectomy [13.65](#)
- Iridocyclectomy [12.44](#)
- Iridocystectomy [12.42](#)
- Iridodesis [12.63](#)
- Iridoplasty NEC [12.39](#)
- Iridosclerectomy [12.65](#)
- Iridosclerotomy [12.69](#)
- Iridotasis [12.63](#)
- Iridotomy [12.12](#)
 - by photocoagulation [12.12](#)
 - with transfixion [12.11](#)
 - for iris bombé [12.11](#)
 - specified type NEC [12.12](#)
- Iron lung [93.99](#)
- Irradiation
 - gamma, stereotactic [92.32](#)
- Irrigation
 - anterior chamber (eye) [12.91](#)
 - bronchus NEC [96.56](#)
 - canaliculus [09.42](#)
 - catheter
 - ureter [96.46](#)
 - urinary, indwelling NEC [96.48](#)
 - vascular [96.57](#)
 - ventricular [02.41](#)
 - wound [96.58](#)
 - cholecystostomy [96.41](#)
 - cornea [96.51](#)
 - with removal of foreign body [98.21](#)
 - corpus cavernosum [64.98](#)
 - cystostomy [96.47](#)
 - ear (removal of cerumen) [96.52](#)
 - enterostomy [96.36](#)
 - eye [96.51](#)