

- spermatic cord [63.94](#)
- spinal (cord) (meninges) (nerve roots) [03.6](#)
- spleen [54.59](#)
  - laparoscopic [54.51](#)
- tendon [83.91](#)
  - by stretching or manipulation [93.27](#)
  - hand [82.91](#)
    - by stretching or manipulation [93.26](#)
- thorax [34.99](#)
- tongue [25.93](#)
- trachea [31.92](#)
- tubo-ovarian [65.89](#)
  - laparoscopic [65.81](#)
- ureter [59.02](#)
  - with freeing or repositioning of ureter [59.02](#)
  - intraluminal [56.81](#)
  - laparoscopic [59.03](#)
- urethra (intraluminal) [58.5](#)
- uterus [54.59](#)
  - intraluminal [68.21](#)
  - laparoscopic [54.51](#)
  - peritoneal [54.59](#)
    - laparoscopic [54.51](#)
- vagina (intraluminal) [70.13](#)
- vitreous (posterior approach) [14.74](#)
  - anterior approach [14.73](#)
- vulva [71.01](#)
- goniosynechia (with injection of air or liquid) [12.31](#)
- synechia (posterior) [12.33](#)
  - anterior (with injection of air or liquid) [12.32](#)

## M

Madlener operation (tubal ligation) [66.31](#)

Magnet extraction

- foreign body
  - anterior chamber, eye [12.01](#)
  - choroid [14.01](#)
  - ciliary body [12.01](#)
  - conjunctiva [98.22](#)
  - cornea [11.0](#)
  - eye, eyeball NEC [98.21](#)
    - anterior segment [12.01](#)
    - posterior segment [14.01](#)
  - intraocular (anterior segment) [12.01](#)
  - iris [12.01](#)
  - lens [13.01](#)
  - orbit [98.21](#)
  - retina [14.01](#)
  - sclera [12.01](#)
  - vitreous [14.01](#)

Magnetic resonance imaging (nuclear) -- see Imaging, magnetic resonance

Magnuson (-Stack) operation (arthroplasty for recurrent shoulder dislocation) [81.82](#)

Mako Tactile Guidance System™ [TGS] - see category [17.4](#)

Malleostapediopexy [19.19](#)

- with incus replacement [19.11](#)
- Malström's vacuum extraction [72.79](#)
- with episiotomy [72.71](#)
- Mammaplasty -- see Mammoplasty
- Mammectomy -- see also Mastectomy
  - subcutaneous (unilateral) [85.34](#)
  - with synchronous implant [85.33](#)
  - bilateral [85.36](#)
  - with synchronous implant [85.35](#)
- Mammillioplasty [85.87](#)
- Mammography NEC [87.37](#)
  - Mammography-guided stereotactic biopsy/localization of lesion or tissue of breast [85.111](#) (IM)
  - MR-guided stereotactic biopsy/localization of lesion or tissue of breast [85.110](#) (IM)
- Mammoplasty [85.89](#)
  - with
    - full-thickness graft [85.83](#)
    - Dorsalis pedis flap, free [85.709](#) (IM)
    - Fibular flap, free [85.704](#) (IM)
    - Groin flap, free [85.707](#) (IM)
    - Jejunal flap, free [85.708](#) (IM)
    - Lateral arm free [85.702](#) (IM)
    - Lymph node transfer flap, free [85.705](#) (IM)
    - Lymphovenous anastomosis [85.706](#) (IM)
    - muscle flap [85.85](#)
    - pedicle graft [85.84](#)
    - split-thickness graft [85.82](#)
    - Superomedial thigh flap [85.701](#) (IM)
    - Superficial Inferior Epigastric Arteri (SIEA) flap, free [85.703](#) (IM)
  - amputative (reduction) (bilateral) [85.32](#)
  - unilateral [85.31](#)
  - augmentation [85.50](#)
    - with
      - breast implant (bilateral) [85.54](#)
      - unilateral [85.53](#)
      - injection into breast (bilateral) [85.52](#)
      - unilateral [85.51](#)
  - reduction (bilateral) [85.32](#)
  - unilateral [85.31](#)
  - revision [85.89](#)
  - size reduction (gynecomastia) (bilateral) [85.32](#)
  - unilateral [85.31](#)
- Mammotomy [85.0](#)
- Manchester (-Donald) (-Fothergill) operation (uterine suspension) [69.22](#)
- Mandibulectomy (partial) [76.31](#)
  - total [76.42](#)
  - with reconstruction [76.41](#)
- Maneuver (method)
  - Bracht [72.52](#)
  - Credé [73.59](#)
  - De Lee (key-in-lock) [72.4](#)
  - Kristeller [72.54](#)
  - Loveset's (extraction of arms in breech birth) [72.52](#)
  - Mauriceau (-Smellie-Veit) [72.52](#)
  - Pinard (total breech extraction) [72.54](#)
  - Prague [72.52](#)

Ritgen [73.59](#)

Scanzoni (rotation) [72.4](#)

Van Hoom [72.52](#)

Wigand-Martin [72.52](#)

Manipulation

with reduction of fracture or dislocation -- see Reduction, fracture and Reduction, dislocation

enterostomy stoma (with dilation) [96.24](#)

intestine (intra-abdominal) [46.80](#)

large [46.82](#)

small [46.81](#)

joint

adhesions [93.26](#)

temporomandibular [76.95](#)

dislocation -- see Reduction, dislocation

lacrimal passage (tract) NEC [09.49](#)

muscle structures [93.27](#)

musculoskeletal (physical therapy) NEC [93.29](#)

nasal septum, displaced [21.88](#)

osteopathic NEC [93.67](#)

for general mobilization (general articulation) [93.61](#)

high-velocity, low-amplitude forces (thrusting) [93.62](#)

indirect forces [93.65](#)

isotonic, isometric forces [93.64](#)

low-velocity, high-amplitude forces (springing) [93.63](#)

to move tissue fluids [93.66](#)

rectum [96.22](#)

salivary duct [26.91](#)

stomach, intraoperative [44.92](#)

temporomandibular joint NEC [76.95](#)

ureteral calculus by catheter

with removal [56.0](#)

without removal [59.8](#)

uterus NEC [69.98](#)

gravid [75.99](#)

inverted

manual replacement (following delivery) [75.94](#)

surgical -- see Repair, inverted uterus

Manometry

esophageal [89.32](#)

spinal fluid [89.15](#)

urinary [89.21](#)

Manual arts therapy [93.81](#)

Mapping

cardiac (electrophysiologic) [37.27](#)

doppler (flow) [88.72](#)

electrocardiogram only [89.52](#)

Marckwald operation (cervical os repair) [67.59](#)

Marshall-Marchetti (-Krantz) operation (retropubic urethral suspension) [59.5](#)

Marsupialization -- see also Destruction, lesion, by site

cyst

Bartholin's [71.23](#)

brain [01.59](#)

cervical (nabothian) [67.31](#)

dental [24.4](#)

dentigerous [24.4](#)

kidney [55.31](#)

- larynx [30.01](#)
- liver [50.21](#)
- ovary [65.21](#)
  - laparoscopic [65.23](#)
- pancreas [52.3](#)
- pilonidal (open excision) (with partial closure) [86.21](#)
- salivary gland [26.21](#)
- spinal (intraspinal) (meninges) [03.4](#)
- spleen, splenic [41.41](#)
- lesion
  - brain [01.59](#)
  - cerebral [01.59](#)
  - liver [50.21](#)
- pilonidal cyst or sinus (open excision) (with partial closure) [86.21](#)
- pseudocyst, pancreas [52.3](#)
- ranula, salivary gland [26.21](#)
- Massage
  - cardiac (external) (manual) (closed) [99.63](#)
    - open [37.91](#)
  - prostatic [99.94](#)
  - rectal (for levator spasm) [99.93](#)
- MAST (military anti-shock trousers) [93.58](#)
- Mastectomy (complete) (prophylactic) (simple) (unilateral) [85.41](#)
  - with
    - excision of regional lymph nodes [85.43](#)
      - bilateral [85.44](#)
    - preservation of skin and nipple [85.34](#)
      - with synchronous implant [85.33](#)
        - bilateral [85.36](#)
        - with synchronous implant [85.35](#)
  - bilateral [85.42](#)
- extended
  - radical (Urban) (unilateral) [85.47](#)
    - bilateral [85.48](#)
  - simple (with regional lymphadenectomy) (unilateral) [85.43](#)
    - bilateral [85.44](#)
- modified radical (unilateral) [85.43](#)
  - bilateral [85.44](#)
- partial [85.23](#)
- radical (Halsted) (Meyer) (unilateral) [85.45](#)
  - bilateral [85.46](#)
  - extended (Urban) (unilateral) [85.47](#)
    - bilateral [85.48](#)
  - modified (unilateral) [85.43](#)
    - bilateral [85.44](#)
- subcutaneous [85.34](#)
  - with synchronous implant [85.33](#)
    - bilateral [85.36](#)
    - with synchronous implant [85.35](#)
- subtotal [85.23](#)

- Masters' stress test (two-step) [89.42](#)
- Mastoidectomy (cortical) (conservative) [20.49](#)
- complete (simple) [20.41](#)
- modified radical [20.49](#)
- radical [20.42](#)
  - modified [20.49](#)

- simple (complete) [20.41](#)
- Mastoidotomy [20.21](#)
- Mastoidotomypanectomy [20.42](#)
- Mastopexy [85.6](#)
- Mastoplasty -- see Mammoplasty
- Mastorrhaphy [85.81](#)
- Mastotomy [85.0](#)
- Matas operation (aneurysmorrhaphy) [39.52](#)
- Mayo operation
  - bunionectomy [77.59](#)
  - herniorrhaphy
    - laparoscopic [53.43](#)
    - with graft or prosthesis [53.42](#)
    - other and open with graft or prosthesis [53.41](#)
    - other open [53.49](#)
  - vaginal hysterectomy [68.59](#)
  - laparoscopically assisted (LAVH) [68.51](#)
- Maze procedure
  - Cox-maze, open [37.33](#)
  - maze, modified, endovascular [37.34](#)
  - maze, modified, open [37.33](#)
- Mazet operation (knee disarticulation) [84.16](#)
- McBride operation (bunionectomy with soft tissue correction) [77.53](#)
- McBurney operation -- see Repair, hernia, inguinal
- McCall operation (enterocele repair) [70.92](#)
- McCauley operation (release of clubfoot) [83.84](#)
- McDonald operation (encirclement suture, cervix) [67.59](#)
- McIndoe operation (vaginal construction) [70.61](#)
  - with graft or prosthesis [70.63](#)
- McKeever operation (fusion of first metatarsophalangeal joint for hallux valgus repair) [77.52](#)
- McKissock operation (breast reduction) [85.33](#)
- McReynolds operation (transposition of pterygium) [11.31](#)
- McVay operation
  - femoral hernia -- see Repair, hernia, femoral
  - inguinal hernia -- see Repair, hernia, inguinal
- Measurement
  - airway resistance [89.38](#)
  - anatomic NEC [89.39](#)
  - arterial blood gases [89.65](#)
    - basal metabolic rate (BMR) [89.39](#)
  - blood gases
    - arterial [89.65](#)
    - continuous intra-arterial [89.60](#)
    - venous [89.66](#)
  - body [93.07](#)
  - cardiac output (by)
    - Fick method [89.67](#)
    - indicator dilution technique [89.68](#)
    - oxygen consumption technique [89.67](#)
    - thermodilution indicator [89.68](#)
  - cardiovascular NEC [89.59](#)
  - central venous pressure [89.62](#)
  - coronary blood flow [89.69](#)
    - fractional flow reserve (FFR) [00.59](#)
    - intravascular pressure measurement [00.59](#)
  - gastric function NEC [89.39](#)

girth [93.07](#)  
 intelligence [94.01](#)  
 intracranial pressure [01.10](#)  
 intraocular tension or pressure [89.11](#)  
     as part of extended ophthalmologic work-up [95.03](#)  
 intrauterine pressure [75.35](#)  
 intravascular pressure [00.69](#)  
     coronary [00.59](#)  
     iliac [00.69](#)  
     intra-abdominal [00.69](#)  
     intrathoracic [00.67](#)  
         aorta [00.67](#)  
         aortic arch [00.67](#)  
         carotid [00.67](#)  
     mesenteric [00.69](#)  
     peripheral [00.68](#)  
     renal [00.69](#)  
 limb length [93.06](#)  
 lung volume [89.37](#)  
 mixed venous blood gases [89.66](#)  
 physiologic NEC [89.39](#)  
 portovenous pressure [89.62](#)  
 pulmonary airway flow, endoscopic [33.72](#)  
 range of motion [93.05](#)  
 renal clearance [89.29](#)  
 respiratory NEC [89.38](#)  
 skin fold thickness [93.07](#)  
 skull circumference [93.07](#)  
 sphincter of Oddi pressure [51.15](#)  
 systemic arterial  
     blood gases [89.65](#)  
     continuous intra-arterial [89.60](#)  
     pressure [89.61](#)  
 urine (bioassay) (chemistry) [89.29](#)  
 vascular [89.59](#)  
 venous blood gases [89.66](#)  
 vital capacity (pulmonary) [89.37](#)  
 Meatoplasty  
     ear [18.6](#)  
     urethra [58.47](#)  
 Meatotomy  
     ureter [56.1](#)  
     urethra [58.1](#)  
         internal [58.5](#)  
 Mechanical ventilation -- see Ventilation  
 Mediastinectomy [34.3](#)  
 Mediastinoscopy [34.22](#)  
 Mediastinotomy (Chamberlain procedure) [34.1](#)  
     with pneumonectomy [32.59](#)  
     thoracoscopic [32.50](#)  
     with exploration or biopsy (IM)  
         cervical approach [34.291](#) (IM)  
         transthoracic approach [34.292](#) (IM)  
 Meloplasty, facial [86.82](#)  
 Meningeorrhaphy (cerebral) [02.12](#)  
     spinal NEC [03.59](#)

- for
  - meningocele [03.51](#)
  - myelomeningocele [03.52](#)
- Meniscectomy (knee) NEC [80.6](#)
  - acromioclavicular [80.91](#)
  - sternoclavicular [80.91](#)
  - temporomandibular (joint) [76.5](#)
  - wrist [80.93](#)
- Menstrual extraction or regulation [69.6](#)
- Mentoplasty (augmentation) (with graft) (with implant) [76.68](#)
  - reduction [76.67](#)
- Mesenterectomy [54.4](#)
- Mesenteriopepy [54.75](#)
- Mesenteriplication [54.75](#)
- Mesocoloplication [54.75](#)
- Mesopexy [54.75](#)
- Metatarsectomy [77.98](#)
- Metroplasty [69.49](#)
- Microdissection (endoscopic/microscopic) [80.55](#) (IM)
- Microalaryngoscopy [31.421](#) (IM)
- Microligation for varicocele [63.10](#) (IM)
- Microsurgical epididymal sperm aspiration (MESA) [63.03](#) (IM)
- Microsurgical testicular sperm extraction (micro-TESE) [99.960](#) (IM)
- Mid forceps delivery [72.29](#)
- Mikulicz operation (exteriorization of intestine) (first stage) [46.03](#)
  - second stage [46.04](#)
- Miles operation (proctectomy), NOS [48.50](#)
  - laparoscopic [48.51](#)
  - open [48.52](#)
  - other [48.59](#)
- Military anti-shock trousers (MAST) [93.58](#)
- Millard operation (cheiloplasty) [27.54](#)
- Miller operation
  - midtarsal arthrodesis [81.14](#)
  - urethrovesical suspension [59.4](#)
- Millin-Read operation (urethrovesical suspension) [59.4](#)
- Mist therapy [93.94](#)
- Mitchell operation (hallux valgus repair) [77.51](#)
- MitraClip® mitral valve leaflet clip [35.97](#)
- Mobilization
  - joint NEC [93.16](#)
  - mandible [76.95](#)
  - neostrophingic (mitral valve) [35.12](#)
  - spine [93.15](#)
  - stapes (transcral) [19.0](#)
  - testis in scrotum [62.5](#)
- Modified radical neck dissection (IM)
  - bilateral [40.56](#) (IM)
  - unilateral [40.55](#) (IM)
- Mohs operation (chemosurgical excision of skin) [86.24](#)
- Molecular biological test-blood [90.57](#) (IM)
- Molegraphy [87.81](#)
- Monitoring
  - BIS (bispectral index) monitoring [00.94](#) [/89.14](#)
  - brain temperature [01.17](#)
  - cardiac output (by)

- ambulatory (ACM) [89.50](#)
- electrographic [89.54](#)
  - during surgery -- omit code
- Fick method [89.67](#)
- Holter-type device [89.50](#)
- indicator dilution technique [89.68](#)
- intracardiac or great vessel hemodynamic
  - sensor (lead) [00.56](#)
  - subcutaneous device [00.57](#)
- oxygen consumption technique [89.67](#)
- specified technique NEC [89.68](#)
- telemetry (cardiac) [89.54](#)
- thermodilution indicator [89.68](#)
- transesophageal (Doppler) (ultrasound) [89.68](#)
- central venous pressure [89.62](#)
- circulatory NEC [89.69](#)
- continuous intra-arterial blood gas [89.60](#)
- coronary blood flow (coincidence counting technique) [89.69](#)
  - fractional flow reserve (FFR) [00.59](#)
- intravascular pressure measurement [00.59](#)
- electroencephalographic [89.19](#)
  - radio-telemetered [89.19](#)
  - video [89.19](#)
- fetus (fetal heart)
  - antepartum
    - nonstress (fetal activity acceleration determinations) [75.34](#)
    - oxytocin challenge (contraction stress test) [75.35](#)
    - ultrasonography (early pregnancy) (Doppler) [88.78](#)
  - intrapartum (during labor) (extrauterine) (external) [75.34](#)
    - auscultatory (stethoscopy) -- omit code
    - internal (with contraction measurements) (ECG) [75.32](#)
    - intrauterine (direct) (ECG) [75.32](#)
    - phonocardiographic (extrauterine) [75.34](#)
    - pulsed ultrasound (Doppler) [88.78](#)
    - transcervical fetal oxygen saturation monitoring [75.38](#)
    - transcervical fetal SpO<sub>2</sub> monitoring [75.38](#)
- Holter-type device (cardiac) [89.50](#)
- IAEMT [intraoperative anesthetic effect monitoring and titration] [00.94](#) [/89.14/](#)
- intra-aneurysm sac pressure [00.58](#)
- intracranial oxygen [01.16](#)
- intracranial pressure [01.10](#)
- intraoperative anesthetic effect monitoring and titration [IAEMT] [00.94](#) [/89.14/](#)
- intravascular pressure [00.69](#)
  - coronary [00.59](#)
  - iliac [00.69](#)
  - intra-abdominal [00.69](#)
  - intrathoracic [00.67](#)
    - aorta [00.67](#)
    - aortic arch [00.67](#)
    - carotid [00.67](#)
  - mesenteric [00.69](#)
  - peripheral [00.68](#)
- renal [00.69](#)
- neurophysiologic
  - intra-operative [00.94](#)
- partial pressure of brain oxygen (PbtO<sub>2</sub>) [01.16](#)

- pulmonary artery
  - pressure [89.63](#)
  - wedge [89.64](#)
- sleep (recording) -- see categories [89.17](#)
- systemic arterial pressure [89.61](#)
  - intra-aneurysm sac pressure [00.58](#)
- telemetry (cardiac) [89.54](#)
- transesophageal cardiac output (Doppler) [89.68](#)
- ventricular pressure (cardiac) [89.62](#)
- Moore operation (arthroplasty) [81.52](#)
- Moschowitz
  - enterocele repair [70.92](#)
    - with graft or prosthesis [70.93](#)
  - herniorrhaphy -- see Repair, hernia, femoral
  - sigmoidopexy [46.63](#)
- Mountain resort sanitarium [93.98](#)
- Mouth-to-mouth resuscitation [93.93](#)
- Moxibustion [93.35](#)
- [MR-guided stereotactic biopsy/localization of lesion or tissue of breast 85.110 \(IM\)](#)
- MRI -- see Imaging, magnetic resonance
- Muller operation (banding of pulmonary artery) [38.85](#)
- Multiple sleep latency test (MSLT) [89.18](#)
- Mumford operation (partial claviculectomy) [77.81](#)
- Musculoplasty -- see *also* Repair, muscle [83.87](#)
  - hand -- see *also* Repair, muscle, hand [82.89](#)
- Music therapy [93.84](#)
- Mustard operation (interatrial transposition of venous return) [35.91](#)
- Myectomy [83.45](#)
  - anorectal [48.92](#)
  - eye muscle [15.13](#)
    - multiple [15.3](#)
  - for graft [83.43](#)
    - hand [82.34](#)
  - hand [82.36](#)
    - for graft [82.34](#)
  - levator palpebrae [08.33](#)
  - rectal [48.92](#)
- Myelogram, myelography (air) (gas) [87.21](#)
  - posterior fossa [87.02](#)
- Myelotomy
  - spine, spinal (cord) (tract) (one-stage) (two-stage) [03.29](#)
    - percutaneous [03.21](#)
- Myocardectomy (infarcted area) [37.33](#)
- Myocardiotomy [37.11](#)
- Myoclasia [83.99](#)
  - hand [82.99](#)
- Myomectomy (uterine) [68.29](#)
  - broad ligament [69.19](#)
- Myoplasty -- see *also* Repair, muscle [83.87](#)
  - hand -- see *also* Repair, muscle, hand [82.89](#)
  - mastoid [19.9](#)
- Myorrhaphy [83.65](#)
  - hand [82.46](#)
- Myosuture [83.65](#)
  - hand [82.46](#)
- Myotasis [93.27](#)