

- auricle [18.79](#)
- cartilage [18.79](#)
 - reconstruction [18.71](#)
- prominent or protruding [18.5](#)
- Otoscopy [18.11](#)
- Oto acoustic emission (OAE) [95.460](#) (IM)
- Outfolding, sclera, for buckling -- see also Buckling, scleral [14.49](#)
- Outfracture, turbinates (nasal) [21.62](#)
- Output and clearance, circulatory [92.05](#)
- Overdistension, bladder (therapeutic) [96.25](#)
- Overlapping, sclera, for buckling -- see also Buckling, scleral [14.49](#)
- Oversewing
 - left atrial appendage (LAA) [37.36](#)
 - pleural bleb [32.21](#)
 - ulcer crater (peptic) [44.40](#)
 - duodenum [44.42](#)
 - stomach [44.41](#)
- Oxford operation (for urinary incontinence) [59.4](#)
- Oximetry
 - fetal pulse [75.38](#)
- Oxygenation [93.96](#)
 - extracorporeal membrane (ECMO) [39.65](#)
 - High flow nasal canule oxygenation [93.960](#) (IM)
 - hyperbaric [93.95](#)
 - wound [93.59](#)
 - infusion therapy, Super [00.49](#)
- Oxygen therapy (catalytic) (pump) [93.96](#)
 - hyperbaric [93.95](#)
 - SuperSaturated [00.49](#)

P

- Pacemaker
 - cardiac -- see also Insertion, pacemaker, cardiac
 - intraoperative (temporary) [39.64](#)
 - temporary (during and immediately following cardiac surgery) [39.64](#)
- Packing -- see also Insertion, pack
 - auditory canal [96.11](#)
 - nose, for epistaxis (anterior) [21.01](#)
 - posterior (and anterior) [21.02](#)
 - rectal [96.19](#)
 - sella turcica [07.79](#)
 - vaginal [96.14](#)
- Palatoplasty [27.69](#)
 - for cleft palate [27.62](#)
 - secondary or subsequent [27.63](#)
- Palatorrhaphy [27.61](#)
 - for cleft palate [27.62](#)
- Pallidectomy [01.42](#)
- Pallidoansotomy [01.42](#)
- Pallidotomy [01.42](#)
 - by stereotactic radiosurgery [92.32](#)
 - cobalt 60 [92.32](#)
 - linear accelerator (LINAC) [92.31](#)
 - multi-source [92.32](#)

- particle beam [92.33](#)
- particulate [92.33](#)
- radiosurgery NEC [92.39](#)
- single source photon [92.31](#)
- Panas operation (linear proctotomy) [48.0](#)
- Pancoast operation (division of trigeminal nerve at foramen ovale) [04.02](#)
- Pancreatectomy (total) (with synchronous duodenectomy) [52.6](#)
 - partial NEC [52.59](#)
 - distal (tail) (with part of body) [52.52](#)
 - proximal (head) (with part of body) (with synchronous duodenectomy) [52.51](#)
 - radical [52.53](#)
 - subtotal [52.53](#)
 - radical [52.7](#)
 - subtotal [52.53](#)
- Pancreaticocystoduodenostomy [52.4](#)
- Pancreaticocystoenterostomy [52.4](#)
- Pancreaticocystogastrostomy [52.4](#)
- Pancreaticocystojejunostomy [52.4](#)
- Pancreaticoduodenectomy (total) [52.6](#)
 - partial NEC [52.59](#)
 - proximal [52.51](#)
 - radical subtotal [52.53](#)
 - radical (one-stage) (two-stage) [52.7](#)
 - subtotal [52.53](#)
- Pancreaticoduodenostomy [52.96](#)
- Pancreaticoenterostomy [52.96](#)
- Pancreaticogastrostomy [52.96](#)
- Pancreaticoileostomy [52.96](#)
- Pancreaticojejunostomy [52.96](#)
- Pancreatoduodenectomy (total) [52.6](#)
 - partial NEC [52.59](#)
 - radical (one-stage) (two-stage) [52.7](#)
 - subtotal [52.53](#)
- Pancreatogram [87.66](#)
 - endoscopic retrograde (ERP) [52.13](#)
- Pancreatolithotomy [52.09](#)
 - endoscopic [52.94](#)
- Pancreatotomy [52.09](#)
- Pancreolithotomy [52.09](#)
 - endoscopic [52.94](#)
- Panendoscopy [57.32](#)
 - specified site, other than bladder -- see Endoscopy, by site
 - through artificial stoma [57.31](#)
- Panhysterectomy (abdominal) [68.49](#)
 - laparoscopic [68.41](#)
 - vaginal [68.59](#)
 - laparoscopically assisted (LAVH) [68.51](#)
- Panniculectomy [86.83](#)
- Panniculotomy [86.83](#)
- Pantaloon operation (revision of gastric anastomosis) [44.5](#)
- Papillectomy, anal [49.39](#)
 - endoscopic [49.31](#)
- Papillotomy (pancreas) [51.82](#)
 - endoscopic [51.85](#)
- Paquin operation (ureteroneocystostomy) [56.74](#)
- Paracentesis

- abdominal (percutaneous) [54.91](#)
- anterior chamber, eye [12.91](#)
- bladder [57.11](#)
- cornea [12.91](#)
- eye (anterior chamber) [12.91](#)
- thoracic, thoracis [34.91](#)
- tympanum [20.09](#)
 - with intubation [20.01](#)
- Parasitology -- see Examination, microscopic
- Parathyroidectomy (partial) (subtotal) NEC [06.89](#)
 - complete [06.81](#)
 - ectopic [06.89](#)
 - global removal [06.81](#)
 - mediastinal [06.89](#)
 - total [06.81](#)
- Parenteral nutrition, total [99.15](#)
 - peripheral [99.15](#)
- Parotidectomy [26.30](#)
 - complete [26.32](#)
 - partial [26.31](#)
 - radical [26.32](#)
- Partsch operation (marsupialization of dental cyst) [24.4](#)
- Passage -- see Insertion and Intubation
- Passage of sounds, urethra [58.6](#)
- Patch
 - blood, spinal (epidural) [03.95](#)
 - graft -- see Graft
 - spinal, blood (epidural) [03.95](#)
 - subdural, brain [02.12](#)
- Patellapexy [78.46](#)
- Patellaplasty NEC [78.46](#)
- Patellectomy [77.96](#)
 - partial [77.86](#)
- Pattee operation (auditory canal) [18.6](#)
- PDT (percutaneous dilatational tracheostomy) - see Tracheostomy
- Pectenotomy -- see also Sphincterotomy, anal [49.59](#)
- [Peak nasal inspiratory flowmetry \(PNIF\) 21.290 \(IM\)](#)
- Pedicle flap -- see Graft, skin, pedicle
- Peet operation (splanchic resection) [05.29](#)
- PEG (percutaneous endoscopic gastrostomy) [43.11](#)
- PEGJJ (percutaneous [endoscopic] gastrojejunostomy) [44.32](#)
- PEJ (percutaneous endoscopic jejunostomy) [46.32](#)
- Pelvectomy, kidney (partial) [55.4](#)
- Pelvimetry [88.25](#)
 - gynecological [89.26](#)
- Pelviolithotomy [55.11](#)
- Pelvioplasty, kidney [55.87](#)
- Pelviostomy [55.12](#)
 - closure [55.82](#)
- Pelviotomy [77.39](#)
 - to assist delivery [73.94](#)
- Pelvi-ureteroplasty [55.87](#)
- Pemberton operation
 - osteotomy of ilium [77.39](#)
 - rectum (mobilization and fixation for prolapse repair) [48.76](#)
- Penectomy [64.3](#)

Pereyra operation (paraurethral suspension) [59.6](#)
 Perforation
 stapes footplate [19.0](#)
 Perfusion NEC [39.97](#)
 carotid artery [39.97](#)
 coronary artery [39.97](#)
 for
 chemotherapy NEC [99.25](#)
 hormone therapy NEC [99.24](#)
 head [39.97](#)
 hyperthermic (lymphatic), localized region or site [93.35](#)
 intestine (large) (local) [46.96](#)
 small [46.95](#)
 kidney, local [55.95](#)
 limb (lower) (upper) [39.97](#)
 liver, localized [50.93](#)
 neck [39.97](#)
 subarachnoid (spinal cord) (refrigerated saline) [03.92](#)
 total body [39.96](#)
 Pericardiectomy [37.31](#)
 Pericardiocentesis [37.0](#)
 Pericardiolysis [37.12](#)
 Pericardioplasty [37.49](#)
 Pericardiorrhaphy [37.49](#)
 Pericardiostomy (tube) [37.12](#)
 Pericardiotomy [37.12](#)
 Peridectomy [10.31](#)
 Perfusion
 Lung perfusion scan [92.150](#) (IM)
 Perilimbal suction [89.11](#)
 Perimetry [95.05](#)
 Perineoplasty [71.79](#)
 Perineorrhaphy [71.71](#)
 obstetrical laceration (current) [75.69](#)
 Perineotomy (nonobstetrical) [71.09](#)
 to assist delivery -- see Episiotomy
 Periosteotomy -- see also Incision, bone [77.10](#)
 facial bone [76.09](#)
 Perirectofistulectomy [48.93](#)
 Peritectomy [10.31](#)
 Peritomy [10.1](#)
 Peritoneocentesis [54.91](#)
 Peritoneoscopy [54.21](#)
 Peritoneotomy [54.19](#)
 Peritoneumectomy [54.4](#)
 Phacoemulsification (ultrasonic) (with aspiration) [13.41](#)
 Phacofragmentation (mechanical) (with aspiration) [13.43](#)
 posterior route [13.42](#)
 ultrasonic [13.41](#)
 Phalangectomy (partial) [77.89](#)
 claw toe [77.57](#)
 cockup toe [77.58](#)
 hammer toe [77.56](#)
 overlapping toe [77.58](#)
 total [77.99](#)
 Phalangization (fifth metacarpal) [82.81](#)

[Phalloplasty 64.490 \(IM\)](#)

Pharyngeal flap operation (cleft palate repair) [27.62](#)

secondary or subsequent [27.63](#)

Pharyngectomy (partial) [29.33](#)

with laryngectomy [30.3](#)

Pharyngogram [87.09](#)

contrast [87.06](#)

Pharyngolaryngectomy [30.3](#)

Pharyngoplasty (with silastic implant) [29.4](#)

for cleft palate [27.62](#)

secondary or subsequent [27.63](#)

Pharyngorrhaphy [29.51](#)

for cleft palate [27.62](#)

Pharyngoscopy [29.11](#)

[flexible endoscopic evaluation of swallowing \(FEES\) 29.13 \(IM\)](#)

Pharyngotomy [29.0](#)

Phenopeel (skin) [86.24](#)

Phlebectomy [38.60](#)

with

anastomosis [38.30](#)

abdominal [38.37](#)

head and neck NEC [38.32](#)

intracranial NEC [38.31](#)

lower limb [38.39](#)

thoracic NEC [38.35](#)

upper limb [38.33](#)

graft replacement [38.40](#)

abdominal [38.47](#)

head and neck NEC [38.42](#)

intracranial NEC [38.41](#)

lower limb [38.49](#)

thoracic NEC [38.45](#)

upper limb [38.43](#)

abdominal [38.67](#)

head and neck NEC [38.62](#)

intracranial NEC [38.61](#)

lower limb [38.69](#)

thoracic NEC [38.65](#)

upper limb [38.63](#)

varicose [38.50](#)

abdominal [38.57](#)

head and neck NEC [38.52](#)

intracranial NEC [38.51](#)

lower limb [38.59](#)

thoracic NEC [38.55](#)

upper limb [38.53](#)

Phlebogoniostomy [12.52](#)

Phlebography (contrast) (retrograde) [88.60](#)

by radioisotope -- see Scan, radioisotope, by site

adrenal [88.65](#)

femoral [88.66](#)

head [88.61](#)

hepatic [88.64](#)

impedance [88.68](#)

intra-abdominal NEC [88.65](#)

intrathoracic NEC [88.63](#)

- lower extremity NEC [88.66](#)
- neck [88.61](#)
- portal system [88.64](#)
- pulmonary [88.62](#)
- specified site NEC [88.67](#)
- vena cava (inferior) (superior) [88.51](#)
- Phleborrhaphy [39.32](#)
- Phlebotomy [38.99](#)
- Phonocardiogram, with ECG lead [89.55](#)
- Photochemotherapy NEC [99.83](#)
 - extracorporeal [99.88](#)
- Photocoagulation
 - ciliary body [12.73](#)
 - eye, eyeball [16.99](#)
 - iris [12.41](#)
 - macular hole -- see Photocoagulation, retina
 - orbital lesion [16.92](#)
 - retina
 - for
 - destruction of lesion [14.25](#)
 - reattachment [14.55](#)
 - repair of tear or defect [14.35](#)
 - laser (beam)
 - for
 - destruction of lesion [14.24](#)
 - reattachment [14.54](#)
 - repair of tear or defect [14.34](#)
 - xenon arc
 - for
 - destruction of lesion [14.23](#)
 - reattachment [14.53](#)
 - repair of tear or defect [14.33](#)
 - Photography [89.39](#)
 - fundus [95.11](#)
 - Photopheresis, therapeutic [99.88](#)
 - Phototherapy NEC [99.83](#)
 - newborn [99.83](#)
 - ultraviolet [99.82](#)
 - Phrenemphraxis [04.03](#)
 - for collapse of lung [33.31](#)
 - Phrenicectomy [04.03](#)
 - for collapse of lung [33.31](#)
 - Phrenicoexeresis [04.03](#)
 - for collapse of lung [33.31](#)
 - Phrenicotomy [04.03](#)
 - for collapse of lung [33.31](#)
 - Phrenicotripsy [04.03](#)
 - for collapse of lung [33.31](#)
 - Phrenoplasty [34.84](#)
 - Physical medicine -- see Therapy, physical
 - Physical therapy -- see Therapy, physical
 - Physiotherapy, chest [93.99](#)
 - PICC (peripherally inserted central catheter) [38.93](#)
 - Piercing ear, external (pinna) [18.01](#)
 - Pigmenting, skin [86.02](#)
 - Pilojection (aneurysm) (Gallagher) [39.52](#)

- Pinelectomy (complete) (total) [07.54](#)
 - partial [07.53](#)
- Pinealotomy (with drainage) [07.52](#)
- Pinning
 - bone -- see Fixation, bone, internal
 - ear [18.5](#)
- Pinsker operation (obliteration of nasoseptal telangiectasia) [21.07](#)
- Piper operation (forceps) [72.6](#)
- Pirogoff operation (ankle amputation through malleoli of tibia and fibula) [84.14](#)
- Pituitectomy (complete) (total) -- see also Hypophysectomy [07.69](#)
- Placentogram, placentography [88.46](#)
 - with radioisotope (RISA) [92.17](#)
- Planing, skin [86.25](#)
- Plantation, tooth (bud) (germ) [23.5](#)
 - prosthetic [23.6](#)
- Plasma exchange [99.07](#)
- Plasmapheresis, therapeutic [99.71](#)
- Plastic repair -- see Repair, by site
- Plasty -- see also Repair, by site
 - bladder neck (V-Y) [57.85](#)
 - skin (without graft) [86.89](#)
 - subcutaneous tissue [86.89](#)
- Platelet inhibitor (GP IIB/IIIa inhibitor only), infusion [99.20](#)
- Plateletpheresis, therapeutic [99.74](#)
- Play
 - psychotherapy [94.36](#)
 - therapy [93.81](#)
- Pleating
 - eye muscle [15.22](#)
 - multiple (two or more muscles) [15.4](#)
 - sclera, for buckling -- see also Buckling, scleral [14.49](#)
- Plethysmogram (carotid) [89.58](#)
 - air-filled (pneumatic) [89.58](#)
 - capacitance [89.58](#)
 - cerebral [89.58](#)
 - differential [89.58](#)
 - oculoplethysmogram [89.58](#)
 - penile [89.58](#)
 - photoelectric [89.58](#)
 - regional [89.58](#)
 - respiratory function measurement (body) [89.38](#)
 - segmental [89.58](#)
 - strain-gauge [89.58](#)
 - thoracic impedance [89.38](#)
 - venous occlusion [89.58](#)
 - water-filled [89.58](#)
- Plethysmography
 - CaverMap™ [89.58](#)
 - penile [89.58](#)
- Pleurectomy NEC [34.59](#)
- Pleurocentesis [34.91](#)
- Pleurodesis [34.6](#)
 - chemical [34.92](#)
 - with cancer chemotherapy substance [34.92](#) [[99.25](#)]
 - tetracycline [34.92](#) [[99.21](#)]
- Pleurolysis (for collapse of lung) [33.39](#)

Pleuropexy [34.99](#)
 Pleurosclerosis [34.6](#)
 chemical [34.92](#)
 with cancer chemotherapy substance [34.92](#) [[99.25](#)]
 tetracycline [34.92](#) [[99.21](#)]
 Pleurotomy [34.09](#)
 Plexectomy
 choroid [02.14](#)
 hypogastric [05.24](#)
 Plication
 aneurysm
 heart [37.32](#)
 annulus, heart valve [35.33](#)
 bleb (emphysematous), lung [32.21](#)
 broad ligament [69.22](#)
 diaphragm (for hernia repair) (thoracic approach) (thoracoabdominal approach) [53.81](#)
 eye muscle (oblique) (rectus) [15.22](#)
 multiple (two or more muscles) [15.4](#)
 fascia [83.89](#)
 hand [82.89](#)
 inferior vena cava [38.7](#)
 intestine (jejunum) (Noble) [46.62](#)
 Kelly (-Stoeckel) (urethrovesical junction) [59.3](#)
 levator, for blepharoptosis [08.34](#)
 ligament -- see also Arthroplasty [81.96](#)
 broad [69.22](#)
 round [69.22](#)
 uterosacral [69.22](#)
 mesentery [54.75](#)
 round ligament [69.22](#)
 sphincter, urinary bladder [57.85](#)
 stomach [44.69](#)
 laparoscopic [44.68](#)
 superior vena cava [38.7](#)
 tendon [83.85](#)
 hand [82.55](#)
 tricuspid valve (with repositioning) [35.14](#)
 ureter [56.89](#)
 urethra [58.49](#)
 urethrovesical junction [59.3](#)
 vein (peripheral) [39.59](#)
 vena cava (inferior) (superior) [38.7](#)
 ventricle (heart)
 aneurysm [37.32](#)
 Plicotomy, tympanum [20.23](#)
 Plombage, lung [33.39](#)
 Pneumocentesis [33.93](#)
 Pneumocisternogram [87.02](#)
 Pneumoencephalogram [87.01](#)
 Pneumogram, pneumography
 extraperitoneal [88.15](#)
 mediastinal [87.33](#)
 orbit [87.14](#)
 pelvic [88.13](#)
 peritoneum NEC [88.13](#)
 presacral [88.15](#)

- retroperitoneum [88.15](#)
- Pneumogynecography [87.82](#)
- Pneumomediastinography [87.33](#)
- Pneumonectomy (extended) (radical) (standard) (total) (with mediastinal dissection) [32.59](#)
 - partial
 - complete excision, one lobe [32.49](#)
 - resection (wedge), one lobe [32.39](#)
 - flap [32.50](#)
- Pneumonolysis (for collapse of lung) [33.39](#)
- Pneumonotomy (with exploration) [33.1](#)
- Pneumoperitoneum (surgically-induced) [54.96](#)
 - for collapse of lung [33.33](#)
 - pelvic [88.12](#)
- Pneumothorax (artificial) (surgical) [33.32](#)
 - intrapleural [33.32](#)
- Pneumoventriculogram [87.02](#)
- Politano-Leadbetter operation (ureteroneocystostomy) [56.74](#)
- Politzerization, Eustachian tube [20.8](#)
- Pollicization (with carry over of nerves and blood supply) [82.61](#)
- Polya operation (gastrectomy) [43.7](#)
- Polypectomy -- see also Excision, lesion, by site
 - esophageal [42.32](#)
 - endoscopic [42.33](#)
 - gastric (endoscopic) [43.41](#)
 - large intestine (colon) [45.42](#)
 - nasal [21.31](#)
 - rectum (endoscopic) [48.36](#)
- Polysomnogram [89.17](#)
- Pomeroy operation (ligation and division of fallopian tubes) [66.32](#)
- Poncet operation
 - lengthening of Achilles tendon [83.85](#)
 - urethroscopy, perineal [58.0](#)
- Porro operation (cesarean section) [74.99](#)
- Portoenterostomy (Kasai) [51.37](#)
- [Positional nystagmus test / Dix-halpike test 95.441 \(IM\)](#)
- Positrocephalogram [92.11](#)
- Positron emission tomography (PET) -- see Scan, radioisotope
- Postmortem examination [89.8](#)
- Potts-Smith operation (descending aorta-left pulmonary artery anastomosis) [39.0](#)
- Poudrage
 - intrapericardial [36.39](#)
 - pleural [34.6](#)
- PPN (peripheral parenteral nutrition) [99.15](#)
- Preparation (cutting), pedicle (flap) graft [86.71](#)
- Preputiotomy [64.91](#)
- Prescription for glasses [95.31](#)
- Pressurized
 - graft treatment [00.16](#)
- Printen and Mason operation (high gastric bypass) [44.31](#)
- Probing
 - canaliculus, lacrimal (with irrigation) [09.42](#)
 - lacrimal
 - canaliculi [09.42](#)
 - punctum (with irrigation) [09.41](#)
 - nasolacrimal duct (with irrigation) [09.43](#)
 - with insertion of tube or stent [09.44](#)

salivary duct (for dilation of duct) (for removal of calculus) [26.91](#)

with incision [26.0](#)

Procedure -- see also specific procedure

diagnostic NEC

abdomen (region) [54.29](#)

adenoid [28.19](#)

adrenal gland [07.19](#)

alveolus [24.19](#)

amnion [75.35](#)

anterior chamber, eye [12.29](#)

anus [49.29](#)

appendix [45.28](#)

biliary tract [51.19](#)

bladder [57.39](#)

blood vessel (any site) [38.29](#)

Blue light fluorescein test [21.292](#) (IM)

bone [78.80](#)

carpal, metacarpal [78.84](#)

clavicle [78.81](#)

facial [76.19](#)

femur [78.85](#)

fibula [78.87](#)

humerus [78.82](#)

marrow [41.38](#)

patella [78.86](#)

pelvic [78.89](#)

phalanges (foot) (hand) [78.89](#)

radius [78.83](#)

scapula [78.81](#)

specified site NEC [78.89](#)

tarsal, metatarsal [78.88](#)

thorax (ribs) (sternum) [78.81](#)

tibia [78.87](#)

ulna [78.83](#)

vertebrae [78.89](#)

brain [01.18](#)

breast [85.19](#)

bronchus [33.29](#)

buccal [27.24](#)

bursa [83.29](#)

canthus [08.19](#)

cecum [45.28](#)

cerebral meninges [01.18](#)

cervix [67.19](#)

chest wall [34.28](#)

choroid [14.19](#)

ciliary body [12.29](#)

clitoris [71.19](#)

colon [45.28](#)

conjunctiva [10.29](#)

cornea [11.29](#)

cul-de-sac [70.29](#)

dental [24.19](#)

diaphragm [34.28](#)

duodenum [45.19](#)

ear

external [18.19](#)
 inner and middle [20.39](#)
 epididymis [63.09](#)
 esophagus [42.29](#)
 Eustachian tube [20.39](#)
 extraocular muscle or tendon [15.09](#)
 eye [16.29](#)
 anterior chamber [12.29](#)
 posterior chamber [14.19](#)
 eyeball [16.29](#)
 eyelid [08.19](#)
 fallopian tube [66.19](#)
 fascia (any site) [83.29](#)
 fetus [75.35](#)
 gallbladder [51.19](#)
 ganglion (cranial) (peripheral) [04.19](#)
 sympathetic [05.19](#)
 gastric [44.19](#)
 globus pallidus [01.18](#)
 gum [24.19](#)
 heart [37.29](#)
 hepatic [50.19](#)
 hypophysis [07.19](#)
 ileum [45.19](#)
 intestine [45.29](#)
 large [45.28](#)
 small [45.19](#)
 iris [12.29](#)
 jejunum [45.19](#)
 joint (capsule) (ligament) (structure) NEC [81.98](#)
 facial [76.19](#)
 kidney [55.29](#)
 labia [71.19](#)
 lacrimal (system) [09.19](#)
 large intestine [45.28](#)
 larynx [31.48](#)
 ligament [81.98](#)
 uterine [68.19](#)
 liver [50.19](#)
 lung [33.29](#)
 lymphatic structure (channel) (gland) (node) (vessel) [40.19](#)
 mediastinum [34.29](#)
 meninges (cerebral) [01.18](#)
 spinal [03.39](#)
 mouth [27.29](#)
 muscle [83.29](#)
 extraocular (oblique) (rectus) [15.09](#)
 papillary (heart) [37.29](#)
 nail [86.19](#)
 nasopharynx [29.19](#)
 Flexible endoscopic evaluation of swallowing (FEES) [29.13](#) (IM)
 nerve (cranial) (peripheral) NEC [04.19](#)
 sympathetic [05.19](#)
 nipple [85.19](#)
 nose, nasal [21.29](#)
 Peak nasal inspiratory flowmetry (PNIF) [21.290](#) (IM)

[Smell test 21.291 \(IM\)](#)
[sinus 22.19](#)
[ocular 16.29](#)
[muscle 15.09](#)
[omentum 54.29](#)
[ophthalmologic 16.29](#)
[oral \(cavity\) 27.29](#)
[orbit 16.29](#)
[orthodontic 24.19](#)
[ovary 65.19](#)
[laparoscopic 65.14](#)
[palate 27.29](#)
[pancreas 52.19](#)
[papillary muscle \(heart\) 37.29](#)
[parathyroid gland 06.19](#)
[penis 64.19](#)
[perianal tissue 49.29](#)
[pericardium 37.29](#)
[periprosthetic tissue 60.18](#)
[perirectal tissue 48.29](#)
[perirenal tissue 59.29](#)
[peritoneum 54.29](#)
[periurethral tissue 58.29](#)
[perivesical tissue 59.29](#)
[pharynx 29.19](#)
[flexible endoscopic evaluation of swallowing \(FEES\) 29.13 \(IM\)](#)
[pineal gland 07.19](#)
[pituitary gland 07.19](#)
[pleura 34.28](#)
[posterior chamber, eye 14.19](#)
[prostate 60.18](#)
[pulmonary 33.29](#)
[rectosigmoid 48.29](#)
[rectum 48.29](#)
[renal 55.29](#)
[respiratory 33.29](#)
[retina 14.19](#)
[retroperitoneum 59.29](#)
[salivary gland or duct 26.19](#)
[sclera 12.29](#)
[scrotum 61.19](#)
[seminal vesicle 60.19](#)
[sigmoid 45.28](#)
[sinus, nasal 22.19](#)
[skin 86.19](#)
[skull 01.19](#)
[soft tissue 83.29](#)
[spermatic cord 63.09](#)
[sphincter of Oddi 51.19](#)
[spine, spinal \(canal\) \(cord\) \(meninges\) \(structure\) 03.39](#)
[spleen 41.39](#)
[stomach 44.19](#)
[subcutaneous tissue 86.19](#)
[sympathetic nerve 05.19](#)
[tarsus 09.19](#)
[tendon NEC 83.29](#)

- extraocular [15.09](#)
- testicle [62.19](#)
- thalamus [01.18](#)
- thoracic duct [40.19](#)
- thorax [34.28](#)
- thymus [07.19](#)
- thyroid gland [06.19](#)
- tongue [25.09](#)
- tonsils [28.19](#)
- tooth [24.19](#)
- trachea [31.49](#)
- tunica vaginalis [61.19](#)
- ureter [56.39](#)
- urethra [58.29](#)
- uterus and supporting structures [68.19](#)
- uvula [27.29](#)
- vagina [70.29](#)
- vas deferens [63.09](#)
- vesical [57.39](#)
- vessel (blood) (any site) [38.29](#)
- vitreous [14.19](#)
- vulva [71.19](#)
- fistulizing, sclera NEC [12.69](#)
- miscellaneous (nonoperative) NEC [99.99](#)
- respiratory (nonoperative) NEC [93.99](#)
- surgical -- see Operation
- Proctectasis [96.22](#)
- Proctectomy (partial) -- see *also* Resection, rectum [48.69](#)
 - abdominoperineal, NOS [48.50](#)
 - laparoscopic [48.51](#)
 - open [48.52](#)
 - other [48.59](#)
 - complete (Miles) (Rankin), NOS [48.50](#)
 - laparoscopic [48.51](#)
 - open [48.52](#)
 - other [48.59](#)
 - pull-through
 - laparoscopic [48.42](#)
 - not otherwise specified [48.40](#)
 - open [48.43](#)
 - other [48.49](#)
- Proctoclysis [96.37](#)
- Proctolysis [48.99](#)
- Proctopexy (Delorme) [48.76](#)
 - abdominal (Ripstein) [48.75](#)
- Proctoplasty [48.79](#)
- Proctorrhaphy [48.71](#)
- Proctoscopy [48.23](#)
 - with biopsy [48.24](#)
 - through stoma (artificial) [48.22](#)
 - transabdominal approach [48.21](#)
- Proctosigmoidectomy -- see *also* Resection, rectum [48.69](#)
- Proctosigmoidopexy [48.76](#)
- Proctosigmoidoscopy (rigid) [48.23](#)
 - with biopsy [48.24](#)
 - flexible [45.24](#)

- through stoma (artificial) [48.22](#)
- transabdominal approach [48.21](#)
- Proctostomy [48.1](#)
- Proctotomy (decompression) (linear) [48.0](#)
- Production -- see also Formation and Creation
 - atrial septal defect [35.42](#)
 - subcutaneous tunnel for esophageal anastomosis [42.86](#)
 - with anastomosis -- see Anastomosis, esophagus, antesternal
- Prognathic recession [76.64](#)
- Prophylaxis, dental (scaling) (polishing) [96.54](#)
- Prostatectomy (complete) (partial) NEC [60.69](#)
 - loop [60.29](#)
 - perineal [60.62](#)
 - radical (any approach) [60.5](#)
 - retropubic (punch) (transcapsular) [60.4](#)
 - suprapubic (punch) (transvesical) [60.3](#)
 - transcapsular NEC [60.69](#)
 - retropubic [60.4](#)
 - transperineal [60.62](#)
 - transurethral [60.29](#)
 - ablation (contact) (noncontact) by laser [60.21](#)
 - electrovaporization [60.29](#) / [60.24](#) (IM)
 - enucleative [60.29](#)
 - resection of prostate (TURP) [60.29](#)
 - ultrasound guided laser induced (TULIP) [60.21](#)
 - transvesical punch (suprapubic) [60.3](#)
- Prostatocystotomy [60.0](#)
- Prostatolithotomy [60.0](#)
- Prostatotomy (perineal) [60.0](#)
- Prostatovesiculectomy [60.5](#)
- Protection (of)
 - individual from his surroundings [99.84](#)
 - surroundings from individual [99.84](#)
- Psychoanalysis [94.31](#)
- Psychodrama [94.43](#)
- Psychotherapy NEC [94.39](#)
 - biofeedback [94.39](#)
 - exploratory verbal [94.37](#)
 - group [94.44](#)
 - for psychosexual dysfunctions [94.41](#)
 - play [94.36](#)
 - psychosexual dysfunctions [94.34](#)
 - supportive verbal [94.38](#)
- PTCA (percutaneous transluminal coronary angioplasty) -- see Angioplasty, balloon, coronary
- Ptyalectasis [26.91](#)
- Ptyalithotomy [26.0](#)
- Ptyalolithotomy [26.0](#)
- Pubiotomy [77.39](#)
 - assisting delivery [73.94](#)
- Pubococcygeoplasty [59.71](#)
- Puestow operation (pancreaticojejunostomy) [52.96](#)
- Pull-through
 - abdomino-anal [48.49](#)
 - abdominoperineal [48.49](#)
 - Duhamel type [48.65](#)
 - endorectal [48.41](#)

Pulmowrap [93.99](#)
Pulpectomy -- see also Therapy, root canal [23.70](#)
Pulpotomy -- see also Therapy, root canal [23.70](#)
Pump-oxygenator, for extracorporeal circulation [39.61](#)
 percutaneous [39.66](#)
Punch
 operation
 bladder neck, transurethral [57.49](#)
 prostate -- see Prostatectomy
 resection, vocal cords [30.22](#)
Puncture
 antrum (nasal) (bilateral) (unilateral) [22.01](#)
 artery NEC [38.98](#)
 for
 arteriography -- see also Arteriography [88.40](#)
 for
 coronary arteriography -- see also Arteriography, coronary [88.57](#)
 percutaneous vascular closure - *omit code*
 bladder, suprapubic (for drainage) NEC [57.18](#)
 needle [57.11](#)
 percutaneous (suprapubic) [57.17](#)
 bursa [83.94](#)
 hand [82.92](#)
 cisternal [01.01](#)
 with contrast media [87.02](#)
 cranial [01.09](#)
 with contrast media [87.02](#)
 craniobuccal pouch [07.72](#)
 craniopharyngioma [07.72](#)
 fallopian tube [66.91](#)
 fontanel, anterior [01.09](#)
 heart [37.0](#)
 for intracardiac injection [37.92](#)
 hypophysis [07.72](#)
 iris [12.12](#)
 joint [81.91](#)
 kidney (percutaneous) [55.92](#)
 larynx [31.98](#)
 lumbar (diagnostic) (removal of dye) [03.31](#)
 lung (for aspiration) [33.93](#)
 nasal sinus [22.01](#)
 pericardium [37.0](#)
 pituitary gland [07.72](#)
 pleural cavity [34.91](#)
 Rathke's pouch [07.72](#)
 spinal [03.31](#)
 spleen [41.1](#)
 for biopsy [41.32](#)
 sternal (for bone marrow biopsy) [41.31](#)
 donor for bone marrow transplant [41.91](#)
 vein NEC [38.99](#)
 for
 phlebography -- see also Phlebography [88.60](#)
 transfusion -- see Transfusion
 ventricular shunt tubing [01.02](#)
Pupillotomy [12.35](#)