

Pure tone audiometry [95.410](#) (IM)

Push-back operation (cleft palate repair) [27.62](#)

Putti-Platt operation (capsulorrhaphy of shoulder for recurrent dislocation) [81.82](#)

pVAD (percutaneous ventricular assist device) [37.68](#)

Pyelogram (intravenous) [87.73](#)

infusion (continuous) (diuretic) [87.73](#)

percutaneous [87.75](#)

retrograde [87.74](#)

Pyeloileostomy [56.71](#)

Pyelolithotomy [55.11](#)

Pyeloplasty [55.87](#)

Pyelorrhaphy [55.81](#)

Pyeloscopy [55.22](#)

Pyelostolithotomy, percutaneous [55.03](#)

Pyelostomy [55.12](#)

closure [55.82](#)

Pyelotomy [55.11](#)

Pyeloureteroplasty [55.87](#)

Pylorectomy [43.6](#)

Pyloroduodenotomy -- see category [44.2](#)

Pyloromyotomy (Ramstedt) (with wedge resection) [43.3](#)

Pyloroplasty (Finney) (Heineke-Mikulicz) [44.29](#)

dilation, endoscopic [44.22](#)

by incision [44.21](#)

not elsewhere classified [44.29](#)

revision [44.29](#)

Pylorostomy -- see Gastrostomy

Q

Quadrant resection of breast [85.22](#)

Quadricepsplasty (Thompson) [83.86](#)

Quarantine [99.84](#)

Quenuthoracoplasty [77.31](#)

Quotient, respiratory [89.38](#)

R

Rachicentesis [03.31](#)

Rachitomy [03.09](#)

Radiation therapy -- see *a/so* Therapy, radiation

teleradiotherapy -- see Teleradiotherapy

Radical neck dissection -- see Dissection, neck

Radicotomy [03.1](#)

Radiculectomy [03.1](#)

Radiculotomy [03.1](#)

Radiography (diagnostic) NEC [88.39](#)

abdomen, abdominal (flat plate) NEC [88.19](#)

wall (soft tissue) NEC [88.09](#)

adenoid [87.09](#)

ankle (skeletal) [88.28](#)

soft tissue [88.37](#)

bone survey [88.31](#)

bronchus [87.49](#)

chest (routine) [87.44](#)
 wall NEC [87.39](#)
 clavicle [87.43](#)
 computer assisted surgery (CAS) with fluoroscopy [00.33](#)
 contrast (air) (gas) (radio-opaque substance) NEC
 abdominal wall [88.03](#)
 arteries (by fluoroscopy) -- see Arteriography
 bile ducts NEC [87.54](#)
 bladder NEC [87.77](#)
 brain [87.02](#)
 breast [87.35](#)
 bronchus NEC (transcricoid) [87.32](#)
 endotracheal [87.31](#)
 epididymis [87.93](#)
 esophagus [87.61](#)
 fallopian tubes
 gas [87.82](#)
 opaque dye [87.83](#)
 fistula (sinus tract) -- see also Radiography, contrast, by site
 abdominal wall [88.03](#)
 chest wall [87.38](#)
 gallbladder NEC [87.59](#)
 intervertebral disc(s) [87.21](#)
 joints [88.32](#)
 larynx [87.07](#)
 lymph -- see Lymphangiogram
 mammary ducts [87.35](#)
 mediastinum [87.33](#)
 nasal sinuses [87.15](#)
 nasolacrimal ducts [87.05](#)
 nasopharynx [87.06](#)
 orbit [87.14](#)
 pancreas [87.66](#)
 pelvis
 gas [88.12](#)
 opaque dye [88.11](#)
 peritoneum NEC [88.13](#)
 retroperitoneum NEC [88.15](#)
 seminal vesicles [87.91](#)
 sinus tract -- see also Radiography, contrast, by site
 abdominal wall [88.03](#)
 chest wall [87.38](#)
 nose [87.15](#)
 skull [87.02](#)
 spinal disc(s) [87.21](#)
 trachea [87.32](#)
 uterus
 gas [87.82](#)
 opaque dye [87.83](#)
 vas deferens [87.94](#)
 veins (by fluoroscopy) -- see Phlebography
 vena cava (inferior) (superior) [88.51](#)
 dental NEC [87.12](#)
 diaphragm [87.49](#)
 digestive tract NEC [87.69](#)
 barium swallow [87.61](#)

lower GI series [87.64](#)
 small bowel series [87.63](#)
 upper GI series [87.62](#)
 elbow (skeletal) [88.22](#)
 soft tissue [88.35](#)
 epididymis NEC [87.95](#)
 esophagus [87.69](#)
 barium-swallow [87.61](#)
 eye [95.14](#)
 face, head, and neck [87.09](#)
 facial bones [87.16](#)
 fallopian tubes [87.85](#)
 foot [88.28](#)
 forearm (skeletal) [88.22](#)
 soft tissue [88.35](#)
 frontal area, facial [87.16](#)
 genital organs
 female NEC [87.89](#)
 male NEC [87.99](#)
 hand (skeletal) [88.23](#)
 soft tissue [88.35](#)
 head NEC [87.09](#)
 heart [87.49](#)
 hip (skeletal) [88.26](#)
 soft tissue [88.37](#)
 intestine NEC [87.65](#)
 kidney-ureter-bladder (KUB) [87.79](#)
 knee (skeletal) [88.27](#)
 soft tissue [88.37](#)
 KUB (kidney-ureter-bladder) [87.79](#)
 larynx [87.09](#)
 lower leg (skeletal) [88.27](#)
 soft tissue [88.37](#)
 lower limb (skeletal) NEC [88.29](#)
 soft tissue NEC [88.37](#)
 lung [87.49](#)
 mandible [87.16](#)
 maxilla [87.16](#)
 mediastinum [87.49](#)
 nasal sinuses [87.16](#)
 nasolacrimal duct [87.09](#)
 nasopharynx [87.09](#)
 neck NEC [87.09](#)
 nose [87.16](#)
 orbit [87.16](#)
 pelvis (skeletal) [88.26](#)
 pelvimetry [88.25](#)
 soft tissue [88.19](#)
 prostate NEC [87.92](#)
 retroperitoneum NEC [88.16](#)
 ribs [87.43](#)
 root canal [87.12](#)
 salivary gland [87.09](#)
 seminal vesicles NEC [87.92](#)
 shoulder (skeletal) [88.21](#)
 soft tissue [88.35](#)

- skeletal NEC [88.33](#)
 - series (whole or complete) [88.31](#)
- skull (lateral, sagittal or tangential projection) NEC [87.17](#)
- spine NEC [87.29](#)
 - cervical [87.22](#)
 - lumbosacral [87.24](#)
 - sacroccocygeal [87.24](#)
 - thoracic [87.23](#)
- sternum [87.43](#)
- supraorbital area [87.16](#)
- symphysis menti [87.16](#)
- teeth NEC [87.12](#)
 - full-mouth [87.11](#)
- thigh (skeletal) [88.27](#)
 - soft tissue [88.37](#)
- thyroid region [87.09](#)
- tonsils and adenoids [87.09](#)
- trachea [87.49](#)
- ultrasonic -- see Ultrasonography
- upper arm (skeletal) [88.21](#)
 - soft tissue [88.35](#)
- upper limb (skeletal) NEC [88.24](#)
 - soft tissue NEC [88.35](#)
- urinary system NEC [87.79](#)
- uterus NEC [87.85](#)
 - gravid [87.81](#)
- uvula [87.09](#)
- vas deferens NEC [87.95](#)
- wrist [88.23](#)
- zygomaticomaxillary complex [87.16](#)
- Radioimmunotherapy [92.28](#)
- Radioisotope
 - scanning -- see Scan, radioisotope
 - therapy -- see Therapy, radioisotope
- Radiology
 - diagnostic -- see Radiography
 - therapeutic -- see Therapy, radiation
- Radiosurgery, stereotactic [92.30](#)
 - cobalt 60 [92.32](#)
 - linear accelerator (LINAC) [92.31](#)
 - multi-source [92.32](#)
 - particle beam [92.33](#)
 - particulate [92.33](#)
 - radiosurgery NEC [92.39](#)
 - single source photon [92.31](#)
- Raising, pedicle graft [86.71](#)
- Ramadier operation (intrapetrosal drainage) [20.22](#)
- Ramisection (sympathetic) [05.0](#)
- Ramstedt operation (pyloromyotomy) (with wedge resection) [43.3](#)
- Range of motion testing [93.05](#)
- Rankin operation
 - exteriorization of intestine [46.03](#)
 - proctectomy (complete), NOS [48.50](#)
 - laparoscopic [48.51](#)
 - open [48.52](#)
 - other [48.59](#)

Rashkind operation (balloon septostomy) [35.41](#)
Rastelli operation (creation of conduit between right
ventricle and pulmonary artery) [35.92](#)
in repair of
pulmonary artery atresia [35.92](#)
transposition of great vessels [35.92](#)
truncus arteriosus [35.83](#)
Raz-Pereyra procedure (bladder neck suspension) [59.79](#)
RCSA (radical cryosurgical ablation) of prostate [60.62](#)
Readjustment -- see Adjustment
Reamputation, stump [84.3](#)
Reanastomosis -- see Anastomosis
Reattachment
amputated ear [18.72](#)
ankle [84.27](#)
arm (upper) NEC [84.24](#)
choroid and retina NEC [14.59](#)
by
cryotherapy [14.52](#)
diathermy [14.51](#)
electrocoagulation [14.51](#)
photocoagulation [14.55](#)
laser [14.54](#)
xenon arc [14.53](#)
ear (amputated) [18.72](#)
extremity [84.29](#)
ankle [84.27](#)
arm (upper) NEC [84.24](#)
fingers, except thumb [84.22](#)
thumb [84.21](#)
foot [84.26](#)
forearm [84.23](#)
hand [84.23](#)
leg (lower) NEC [84.27](#)
thigh [84.28](#)
thumb [84.21](#)
toe [84.25](#)
wrist [84.23](#)
finger [84.22](#)
thumb [84.21](#)
foot [84.26](#)
forearm [84.23](#)
hand [84.23](#)
joint capsule -- see also Arthroplasty [81.96](#)
leg (lower) NEC [84.27](#)
ligament -- see also Arthroplasty
uterosacral [69.22](#)
muscle [83.74](#)
hand [82.54](#)
papillary (heart) [35.31](#)
nerve (peripheral) [04.79](#)
nose (amputated) [21.89](#)
papillary muscle (heart) [35.31](#)
penis (amputated) [64.45](#)
retina (and choroid) NEC [14.59](#)
by

- cryotherapy [14.52](#)
 - diathermy [14.51](#)
 - electrocoagulation [14.51](#)
 - photocoagulation [14.55](#)
 - laser [14.54](#)
 - xenon arc [14.53](#)
- tendon (to tendon) [83.73](#)
 - hand [82.53](#)
 - to skeletal attachment [83.88](#)
 - hand [82.85](#)
- thigh [84.28](#)
- thumb [84.21](#)
- toe [84.25](#)
- tooth [23.5](#)
- uterosacral ligament(s) [69.22](#)
- vessels (peripheral) [39.59](#)
 - renal, aberrant [39.55](#)
- wrist [84.23](#)
- Recession
 - extraocular muscle [15.11](#)
 - multiple (two or more muscles) (with advancement or resection) [15.3](#)
 - gastrocnemius tendon (Strayer operation) [83.72](#)
 - levator palpebrae (superioris) muscle [08.38](#)
 - prognathic jaw [76.64](#)
 - tendon [83.72](#)
 - hand [82.52](#)
- Reclosure -- see also Closure
 - disrupted abdominal wall (postoperative) [54.61](#)
- Reconstruction (plastic) -- see also Construction and Repair, by site
 - alveolus, alveolar (process) (ridge) (with graft or implant) [24.5](#)
 - artery (graft) -- see Graft, artery
 - artificial stoma, intestine [46.40](#)
 - auditory canal (external) [18.6](#)
 - auricle (ear) [18.71](#)
 - bladder [57.87](#)
 - open enlargement [57.871](#) (IM)
 - with
 - ileum [57.87](#) [[45.51](#)]
 - sigmoid [57.87](#) [[45.52](#)]
 - bone, except facial -- see also Osteoplasty [78.40](#)
 - facial NEC [76.46](#)
 - with total ostectomy [76.44](#)
 - mandible [76.43](#)
 - with total mandibulectomy [76.41](#)
 - breast, total, NOS [85.70](#)
 - deep inferior epigastric artery perforator (DIEP) flap, free [85.74](#)
 - gluteal artery perforator (GAP) flap, free [85.76](#)
 - latissimus dorsi myocutaneous flap [85.71](#)
 - other [85.79](#)
 - superficial inferior epigastric artery (SIEA) flap, free [85.75](#)
 - superomedial thigh flap [85.701](#) (IM)
 - transverse rectus abdominis musculocutaneous (TRAM) flap, free [85.73](#)
 - transverse rectus abdominis myocutaneous (TRAM) flap, pedicled [85.72](#)
 - bronchus [33.48](#)
 - canthus (lateral) [08.59](#)
 - cardiac annulus [35.33](#)

[Carinal 33.481 \(IM\)](#)
 chest wall (mesh) (silastic) [34.79](#)
 cleft lip [27.54](#)
[Cloacal exstrophy repair 57.861 \(IM\)](#)
 conjunctival cul-de-sac [10.43](#)
 with graft (buccal mucous membrane) (free) [10.42](#)
 cornea NEC [11.79](#)
 diaphragm [34.84](#)
 ear (external) (auricle) [18.71](#)
 external auditory canal [18.6](#)
 meatus (new) (osseous skin-lined) [18.6](#)
 ossicles [19.3](#)
 prominent or protruding [18.5](#)
 eyebrow [08.70](#)
 eyelid [08.70](#)
 with graft or flap [08.69](#)
 hair follicle [08.63](#)
 mucous membrane [08.62](#)
 skin [08.61](#)
 tarsconjunctival (one-stage) (two-stage) [08.64](#)
 full-thickness [08.74](#)
 involving lid margin [08.73](#)
 partial-thickness [08.72](#)
 involving lid margin [08.71](#)
 eye socket [16.64](#)
 with graft [16.63](#)
 fallopian tube [66.79](#)
 foot and toes (with fixation device) [81.57](#)
 with prosthetic implant [81.57](#)
 frontonasal duct [22.79](#)
 hip (total) (with prosthesis) [81.51](#)
 intraoral [27.59](#)
 joint -- see Arthroplasty
 lymphatic (by transplantation) [40.9](#)
 mandible [76.43](#)
 with total mandibulectomy [76.41](#)
 mastoid cavity [19.9](#)
 mouth [27.59](#)
 nipple NEC [85.87](#)
 nose (total) (with arm flap) (with forehead flap) [21.83](#)
 ossicles (graft) (prosthesis) NEC [19.3](#)
 with
 stapedectomy [19.19](#)
 tympanoplasty [19.53](#)
 pelvic floor [71.79](#)
 penis (rib graft) (skin graft) (myocutaneous flap) [64.44](#)
 buried penis [64.440 \(IM\)](#)
 pharynx [29.4](#)
 scrotum (with pedicle flap) (with rotational flap) [61.49](#)
 skin (plastic) (without graft) NEC [86.89](#)
 with graft -- see Graft, skin
 subcutaneous tissue (plastic) (without skin graft) NEC [86.89](#)
 with graft -- see Graft, skin
 tendon pulley (with graft) (with local tissue) [83.83](#)
 for opponensplasty [82.71](#)
 hand [82.71](#)

thumb (osteoplastic) (with bone graft) (with skin graft) [82.69](#)
trachea (with graft) [31.75](#)
umbilicus
 laparoscopic [53.43](#)
 with graft or prosthesis [53.42](#)
 other and open with graft or prosthesis [53.41](#)
 other open [53.49](#)
ureteropelvic junction [55.87](#)
urethra [58.46](#)
vagina [70.62](#)
 with graft or prosthesis [70.64](#)
vas deferens, surgically divided [63.82](#)
Recontour, gingiva [24.2](#)
Recreational therapy [93.81](#)
Rectectomy -- see also Resection, rectum [48.69](#)
Rectopexy (Delorme) [48.76](#)
 abdominal (Ripstein) [48.75](#)
Rectoplasty [48.79](#)
Rectorectostomy [48.74](#)
Rectorrhaphy [48.71](#)
Rectosigmoidectomy -- see also Resection, rectum [48.69](#)
 transsacral [48.61](#)
Rectosigmoidostomy [45.94](#)
Rectostomy [48.1](#)
 closure [48.72](#)
Red cell survival studies [92.05](#)
Reduction - see also Excision, by site
 adipose tissue [86.83](#)
 batwing arms [86.83](#)
 breast (bilateral) [85.32](#)
 unilateral [85.31](#)
 bulbous tuberosities (mandible) (maxilla) (fibrous) (osseous) [24.31](#)
 buttocks [86.83](#)
 diastasis, ankle mortise (closed) [79.77](#)
 open [79.87](#)
 dislocation (of joint) (manipulation) (with cast) (with splint) (with traction device) (closed) [79.70](#)
 with fracture -- see Reduction, fracture, by site
 ankle (closed) [79.77](#)
 open [79.87](#)
 elbow (closed) [79.72](#)
 open [79.82](#)
 finger (closed) [79.74](#)
 open [79.84](#)
 foot (closed) [79.78](#)
 open [79.88](#)
 hand (closed) [79.74](#)
 open [79.84](#)
 hip (closed) [79.75](#)
 open [79.85](#)
 knee (closed) [79.76](#)
 open [79.86](#)
 open (with external fixation) (with internal fixation) [79.80](#)
 specified site NEC [79.89](#)
 shoulder (closed) [79.71](#)
 open [79.81](#)
 specified site (closed) NEC [79.79](#)

- open [79.89](#)
- temporomandibular (closed) [76.93](#)
 - open [76.94](#)
- toe (closed) [79.78](#)
 - open [79.88](#)
- wrist (closed) [79.73](#)
 - open [79.83](#)
- elephantiasis, scrotum [61.3](#)
- epistaxis -- *see also* Control, epistaxis [21.00](#)
- fracture (bone) (with cast) (with splint) (with traction device) (closed) [79.00](#)
 - with internal fixation [79.10](#)
- alveolar process (with stabilization of teeth)
 - mandible (closed) [76.75](#)
 - open [76.77](#)
 - maxilla (closed) [76.73](#)
 - open [76.77](#)
 - open [76.77](#)
- ankle -- *see* Reduction, fracture, leg
- arm (closed) NEC [79.02](#)
 - with internal fixation [79.12](#)
 - open [79.22](#)
 - with internal fixation [79.32](#)
- blow-out -- *see* Reduction, fracture, orbit
- carpal, metacarpal (closed) [79.03](#)
 - with internal fixation [79.13](#)
 - open [79.23](#)
 - with internal fixation [79.33](#)
- epiphysis -- *see* Reduction, separation
- facial (bone) NEC [76.70](#)
 - closed [76.78](#)
 - open [76.79](#)
- femur (closed) [79.05](#)
 - with internal fixation [79.15](#)
 - open [79.25](#)
 - with internal fixation [79.35](#)
- fibula (closed) [79.06](#)
 - with internal fixation [79.16](#)
 - open [79.26](#)
 - with internal fixation [79.36](#)
- foot (closed) NEC [79.07](#)
 - with internal fixation [79.17](#)
 - open [79.27](#)
 - with internal fixation [79.37](#)
- hand (closed) NEC [79.03](#)
 - with internal fixation [79.13](#)
 - open [79.23](#)
 - with internal fixation [79.33](#)
- humerus (closed) [79.01](#)
 - with internal fixation [79.11](#)
 - open [79.21](#)
 - with internal fixation [79.31](#)
- jaw (lower) -- *see also* Reduction, fracture, mandible
- upper -- *see* Reduction, fracture, maxilla
- larynx [31.64](#)
- leg (closed) NEC [79.06](#)
 - with internal fixation [79.16](#)

- open [79.26](#)
 - with internal fixation [79.36](#)
- malar (closed) [76.71](#)
 - open [76.72](#)
- mandible (with dental wiring) (closed) [76.75](#)
 - open [76.76](#)
- maxilla (with dental wiring) (closed) [76.73](#)
 - open [76.74](#)
- nasal (closed) [21.71](#)
 - open [21.72](#)
- open [79.20](#)
 - with internal fixation [79.30](#)
 - specified site NEC [79.29](#)
 - with internal fixation [79.39](#)
- orbit (rim) (wall) (closed) [76.78](#)
 - open [76.79](#)
- patella (open) (with internal fixation) [79.36](#)
- phalanges
 - foot (closed) [79.08](#)
 - with internal fixation [79.18](#)
 - open [79.28](#)
 - with internal fixation [79.38](#)
 - hand (closed) [79.04](#)
 - with internal fixation [79.14](#)
 - open [79.24](#)
 - with internal fixation [79.34](#)
- penis [64.46](#) (IM)
- radius (closed) [79.02](#)
 - with internal fixation [79.12](#)
 - open [79.22](#)
 - with internal fixation [79.32](#)
- skull [02.02](#)
- specified site (closed) NEC [79.09](#)
 - with internal fixation [79.19](#)
 - open [79.29](#)
 - with internal fixation [79.39](#)
- spine [03.53](#)
- tarsal, metatarsal (closed) [79.07](#)
 - with internal fixation [79.17](#)
 - open [79.27](#)
 - with internal fixation [79.37](#)
- tibia (closed) [79.06](#)
 - with internal fixation [79.16](#)
 - open [79.26](#)
 - with internal fixation [79.36](#)
- ulna (closed) [79.02](#)
 - with internal fixation [79.12](#)
 - open [79.22](#)
 - with internal fixation [79.32](#)
- vertebra [03.53](#)
- zygoma, zygomatic arch (closed) [76.71](#)
 - open [76.72](#)
- fracture dislocation -- see Reduction, fracture
- heart volume [37.35](#)
- hemorrhoids (manual) [49.41](#)
- hernia -- see also Repair, hernia

- manual [96.27](#)
- intussusception (open) [46.80](#)
 - with
 - fluoroscopy [96.29](#)
 - ionizing radiation enema [96.29](#)
 - ultrasonography guidance [96.29](#)
 - hydrostatic [96.29](#)
 - large intestine [46.82](#)
 - endoscopic (balloon) [46.85](#)
 - pneumatic [96.29](#)
 - small intestine [46.81](#)
- lung volume [32.22](#)
 - biologic lung volume reduction (BLVR) - see category [33.7](#)
- malrotation, intestine (manual) (surgical) [46.80](#)
 - large [46.82](#)
 - endoscopic (balloon) [46.85](#)
 - small [46.81](#)
- mammoplasty (bilateral) [85.32](#)
 - unilateral [85.31](#)
- prolapse
 - anus (operative) [49.94](#)
 - colostomy (manual) [96.28](#)
 - enterostomy (manual) [96.28](#)
 - ileostomy (manual) [96.28](#)
 - rectum (manual) [96.26](#)
 - uterus
 - by pessary [96.18](#)
 - surgical [69.22](#)
- ptosis overcorrection [08.37](#)
- retroversion, uterus by pessary [96.18](#)
- separation, epiphysis (with internal fixation) (closed) [79.40](#)
 - femur (closed) [79.45](#)
 - open [79.55](#)
 - fibula (closed) [79.46](#)
 - open [79.56](#)
 - humerus (closed) [79.41](#)
 - open [79.51](#)
 - open [79.50](#)
 - specified site (closed) NEC -- see also category [79.4](#)
 - open -- see category [79.5](#)
 - tibia (closed) [79.46](#)
 - open [79.56](#)
- size
 - abdominal wall (adipose) (pendulous) [86.83](#)
 - arms (adipose) (batwing) [86.83](#)
 - breast (bilateral) [85.32](#)
 - unilateral [85.31](#)
 - buttocks (adipose) [86.83](#)
 - finger (macroductyly repair) [82.83](#)
 - skin [86.83](#)
 - subcutaneous tissue [86.83](#)
 - thighs (adipose) [86.83](#)
- torsion
 - intestine (manual) (surgical) [46.80](#)
 - large [46.82](#)
 - endoscopic (balloon) [46.85](#)

- small [46.81](#)
 - kidney pedicle [55.84](#)
 - omentum [54.74](#)
 - spermatic cord [63.52](#)
 - with orchiopexy [62.5](#)
 - testis [63.52](#)
 - with orchiopexy [62.5](#)
 - uterus NEC [69.98](#)
 - gravid [75.99](#)
- ventricular [37.35](#)
- volvulus
 - intestine [46.80](#)
 - large [46.82](#)
 - endoscopic (balloon) [46.85](#)
 - small [46.81](#)
 - stomach [44.92](#)
- Reefing, joint capsule -- see also Arthroplasty [81.96](#)
- Re-entry operation (aorta) [39.54](#)
- Re-establishment, continuity -- see also Anastomosis
 - bowel [46.50](#)
 - fallopian tube [66.79](#)
 - vas deferens [63.82](#)
- Referral (for)
 - psychiatric aftercare (halfway house) (outpatient clinic) [94.52](#)
 - psychotherapy [94.51](#)
 - rehabilitation
 - alcoholism [94.53](#)
 - drug addiction [94.54](#)
 - psychologic NEC [94.59](#)
 - vocational [94.55](#)
- Reformation
 - cardiac pacemaker pocket, new site (skin) (subcutaneous) [37.79](#)
 - cardioverter/defibrillator (automatic) pocket, new site (skin) (subcutaneous) [37.79](#)
 - chamber of eye [12.99](#)
- Refracture
 - bone (for faulty union) -- see also Osteoclasia [78.70](#)
 - nasal bones [21.88](#)
- Refusion
 - spinal, NOS [81.30](#)
 - atlas-axis (anterior) (transoral) (posterior) [81.31](#)
 - axial lumbar interbody fusion (AxiaLIF®) [81.38](#)
 - cervical (C2 level or below) NEC [81.32](#)
 - anterior column (interbody), anterolateral (anterior) technique [81.32](#)
 - C1-C2 level (anterior) (posterior) [81.31](#)
 - posterior column, posterolateral (posterior) technique [81.33](#)
 - craniocervical (anterior)(transoral)(posterior) [81.31](#)
 - direct lateral interbody fusion (DLIF) [81.36](#)
 - dorsal, dorsolumbar NEC [81.35](#)
 - anterior column (interbody), anterolateral (anterior) (extracavitary) technique [81.34](#)
 - posterior column, posterolateral (posterior) technique [81.35](#)
 - extreme lateral interbody fusion (XLIF®) [81.36](#)
 - facet [81.37](#)
 - lumbar, lumbosacral NEC [81.38](#)
 - anterior column (interbody)
 - anterolateral (anterior) technique [81.36](#)
 - posterior technique [81.38](#)

anterior lumbar interbody fusion (ALIF) [81.36](#)
 lateral transverse process technique [81.37](#)
 posterior column, posterior (posterolateral) (transverse process) technique [81.37](#)
 posterior lumbar interbody fusion (PLIF) [81.38](#)
 transforaminal lumbar interbody fusion (TLIF) [81.38](#)
 number of vertebrae - see codes [81.62](#)
 occiput-C2 (anterior)(transoral)(posterior) [81.31](#)
 refusion NEC [81.39](#)

Note : Also use either [81.62](#) as an additional code to show the total number of vertebrae fused

Regional blood flow study [92.05](#)

Regulation, menstrual [69.6](#)

Rehabilitation programs NEC [93.89](#)

alcohol [94.61](#)

with detoxification [94.63](#)

combined alcohol and drug [94.67](#)

with detoxification [94.69](#)

drug [94.64](#)

with detoxification [94.66](#)

combined drug and alcohol [94.67](#)

with detoxification [94.69](#)

sheltered employment [93.85](#)

vocational [93.85](#)

Reimplantation

adrenal tissue (heterotopic) (orthotopic) [07.45](#)

artery [39.59](#)

renal, aberrant [39.55](#)

bile ducts following excision of ampulla of Vater [51.62](#)

extremity -- see Reattachment, extremity

fallopian tube into uterus [66.74](#)

kidney [55.61](#)

lung [33.5](#)

ovary [65.72](#)

laparoscopic [65.75](#)

pancreatic tissue [52.81](#)

parathyroid tissue (heterotopic) (orthotopic) [06.95](#)

pulmonary artery for hemitruncus repair [35.83](#)

renal vessel, aberrant [39.55](#)

testis in scrotum [62.5](#)

thyroid tissue (heterotopic) (orthotopic) [06.94](#)

tooth [23.5](#)

ureter into bladder [56.74](#)

Reinforcement -- see also Repair, by site

sclera NEC [12.88](#)

with graft [12.87](#)

Reinsertion -- see also Insertion or Revision

cystostomy tube [59.94](#)

fixation device (internal) -- see also Fixation, bone, internal [78.50](#)

heart valve (prosthetic) [35.95](#)

Holter (-Spitz) valve [02.42](#)

implant (expelled) (extruded)

eyeball (with conjunctival graft) [16.62](#)

orbital [16.62](#)

nephrostomy tube [55.93](#)

pyelostomy tube [55.94](#)

ureteral stent (transurethral) [59.8](#)

- with ureterotomy [59.8](#) [[56.2](#)]
- ureterostomy tube [59.93](#)
- valve
 - heart (prosthetic) [35.95](#)
 - ventricular (cerebral) [02.42](#)
- Relaxation -- see also Release training [94.33](#)
- Release
 - carpal tunnel (for nerve decompression) [04.43](#)
 - celiac artery axis [39.91](#)
 - central slip, extensor tendon hand (mallet finger repair) [82.84](#)
 - chordee [64.42](#)
 - clubfoot NEC [83.84](#)
 - de Quervain's tenosynovitis [82.01](#)
 - Dupuytren's contracture (by palmar fasciectomy) [82.35](#)
 - by fasciotomy (subcutaneous) [82.12](#)
 - with excision [82.35](#)
 - Fowler (mallet finger repair) [82.84](#)
 - joint (capsule) (adherent) (constrictive) -- see also Division, joint capsule [80.40](#)
 - laryngeal [31.92](#)
 - ligament -- see also Division, ligament [80.40](#)
 - median arcuate [39.91](#)
 - median arcuate ligament [39.91](#)
 - muscle (division) [83.19](#)
 - hand [82.19](#)
 - nerve (peripheral) NEC [04.49](#)
 - cranial NEC [04.42](#)
 - facial [04.421](#) (IM)
 - optic [04.420](#) (IM)
 - trigeminal [04.41](#)
 - pressure, intraocular [12.79](#)
 - scar tissue
 - skin [86.84](#)
 - stoma -- see Revision, stoma
 - tarsal tunnel [04.44](#)
 - tendon [83.13](#)
 - hand [82.11](#)
 - extensor, central slip (repair mallet finger) [82.84](#)
 - sheath [83.01](#)
 - hand [82.01](#)
 - tenosynovitis [83.01](#)
 - abductor pollicis longus [82.01](#)
 - de Quervain's [82.01](#)
 - external pollicis brevis [82.01](#)
 - hand [82.01](#)
 - torsion
 - intestine [46.80](#)
 - large [46.82](#)
 - endoscopic (balloon) [46.85](#)
 - small [46.81](#)
 - kidney pedicle [55.84](#)
 - ovary [65.95](#)
 - testes [63.52](#)
 - transverse carpal ligament (for nerve decompression) [04.43](#)
 - trigger finger or thumb [82.01](#)
 - urethral stricture [58.5](#)
 - Volkmann's contracture

- excision of scar, muscle [83.32](#)
- fasciotomy [83.14](#)
- muscle transplantation [83.77](#)
- web contracture (skin) [86.84](#)
- Relief -- see Release
- Relocation -- see also Revision
 - cardiac device (CRT-D) (CRT-P)(defibrillator) (pacemaker) pocket, new site (skin) (subcutaneous) [37.79](#)
 - CRT-D pocket [37.79](#)
 - CRT-P pocket [37.79](#)
 - subcutaneous device pocket NEC [86.09](#)
- Remobilization
 - joint [93.16](#)
 - stapes [19.0](#)
- Remodel
 - ventricle [37.35](#)
- Removal -- *see also* Excision
 - Abrams bar (chest wall) [34.01](#)
 - abscess -- see Incision, by site
 - adenoid tag(s) [28.6](#)
 - anal sphincter
 - with revision [49.75](#)
 - without revision [49.76](#)
 - arch bars (orthodontic) [24.8](#)
 - immobilization device [97.33](#)
 - arterial graft or prosthesis [39.49](#)
 - arteriovenous shunt (device) [39.43](#)
 - with creation of new shunt [39.42](#)
 - artificial heart
 - internal biventricular replacement system [37.55](#)
 - Barton's tongs (skull) [02.95](#)
 - with synchronous replacement [02.94](#)
 - bladder sphincter, artificial [58.99](#)
 - with replacement [58.93](#)
 - blood clot -- *see also* Incision, by site
 - bladder (by incision) [57.19](#)
 - without incision [57.0](#)
 - endoscopic [57.00](#) (IM)
 - kidney (without incision) [56.0](#)
 - by incision [55.01](#)
 - ureter
 - by incision [56.2](#)
 - open ureteral exploration [56.22](#) (IM)
 - bone fragment (chip) -- *see also* Incision, bone [77.10](#)
 - joint -- *see also* Arthrotomy [80.10](#)
 - necrotic -- *see also* Sequestrectomy, bone [77.00](#)
 - joint -- *see also* Arthrotomy [80.10](#)
 - skull [01.25](#)
 - with debridement compound fracture [02.02](#)
 - bone growth stimulator -- *see* category [78.6](#)
 - bony spicules, spinal canal [03.53](#)
 - brace [97.88](#)
 - breast implant [85.94](#)
 - tissue expander [85.96](#)
 - bronchial device or substance
 - endoscopic [33.78](#)

- calcareous deposit
 - bursa [83.03](#)
 - hand [82.03](#)
 - tendon, intratendinous [83.39](#)
 - hand [82.29](#)
- calcification, heart valve leaflets -- see Valvuloplasty, heart
- calculus
 - bile duct (by incision) [51.49](#)
 - endoscopic [51.88](#)
 - laparoscopic [51.88](#)
 - percutaneous [51.98](#)
 - bladder (by incision) [57.19](#)
 - without incision [57.0](#)
 - common duct (by incision) [51.41](#)
 - endoscopic [51.88](#)
 - laparoscopic [51.88](#)
 - percutaneous [51.96](#)
 - gallbladder [51.04](#)
 - endoscopic [51.88](#)
 - laparoscopic [51.88](#)
 - kidney (by incision) [55.01](#)
 - without incision (transurethral) [56.0](#)
 - percutaneous [55.03](#)
 - with fragmentation (ultrasound) [55.04](#)
 - renal pelvis (by incision) [55.11](#)
 - percutaneous nephostomy [55.03](#)
 - with fragmentation [55.04](#)
 - transurethral [56.0](#)
 - lacrimal
 - canaliculi [09.42](#)
 - by incision [09.52](#)
 - gland [09.3](#)
 - by incision [09.0](#)
 - passage(s) [09.49](#)
 - by incision [09.59](#)
 - punctum [09.41](#)
 - by incision [09.51](#)
 - sac [09.49](#)
 - by incision [09.53](#)
 - pancreatic duct (by incision) [52.09](#)
 - endoscopic [52.94](#)
 - perirenal tissue [59.09](#)
 - pharynx [29.39](#)
 - prostate [60.0](#)
 - salivary gland (by incision) [26.0](#)
 - by probe [26.91](#)
 - ureter (by incision) [56.2](#)
 - without incision [56.0](#)
 - urethra (by incision) [58.0](#)
 - without incision [58.6](#)
- caliper tongs (skull) [02.95](#)
- cannula
 - for extracorporeal membrane oxygenation (ECMO) -- omit code
- cardiac pacemaker (device) (initial) (permanent)(cardiac resynchronization device,CRT-P) [37.89](#)
 - with replacement (by)

- cardiac resynchronization pacemaker (CRT-P)
 - device only [00.53](#)
 - total system [00.50](#)
 - dual chamber device [37.87](#)
 - single-chamber device [37.85](#)
 - rate responsive [37.86](#)
- cardioverter/defibrillator pulse generator
 - without replacement (cardiac resynchronization defibrillator device (CRT-D)) [37.79](#)
- cast [97.88](#)
 - with reapplication [97.13](#)
 - lower limb [97.12](#)
 - upper limb [97.11](#)
- catheter (indwelling) -- see *also* Removal, tube
 - bladder [97.64](#)
 - cranial cavity [01.27](#)
 - middle ear (tympanum) [20.1](#)
 - ureter [97.62](#)
 - urinary [97.64](#)
 - ventricular (cerebral) [02.43](#)
 - with synchronous replacement [02.42](#)
- CCM (cardiac contractility modulation) without replacement (rechargeable pulse generator) (total system) [37.79](#)
- cerclage material, cervix [69.96](#)
- cerumen, ear [96.52](#)
- corneal epithelium [11.41](#)
 - for smear or culture [11.21](#)
- coronary artery obstruction (thrombus) [36.09](#)
 - direct intracoronary artery infusion [36.04](#)
 - open chest approach [36.03](#)
 - percutaneous transluminal (balloon)

Note: Also use [00.40](#), [00.41](#), [00.42](#), or [00.43](#) to show the total number of vessels treated. Use code [00.44](#) once to show procedure on a bifurcated vessel. In addition, use [00.45](#), [00.46](#), [00.47](#), or [00.48](#) to show the number of vascular stents inserted.

- Crutchfield tongs (skull) [02.95](#)
 - with synchronous replacement [02.94](#)
- cyst -- see *also* Excision, lesion, by site
 - dental [24.4](#)
 - lung [32.29](#)
 - endoscopic [32.28](#)
 - thoracoscopic [32.20](#)
- cystic duct remnant [51.61](#)
- decidua (by)
 - aspiration curettage [69.52](#)
 - curettage (D and C) [69.02](#)
 - manual [75.4](#)
- dental wiring (immobilization device) [97.33](#)
 - orthodontic [24.8](#)
- device (therapeutic) NEC [97.89](#)
 - abdomen NEC [97.86](#)
 - bronchus [33.78](#)
 - valve [33.78](#)
 - digestive system NEC [97.59](#)
 - drainage -- see Removal, tube
 - external fixation device [97.88](#)
 - mandibular NEC [97.36](#)

- minifixator (bone) -- see category [78.6](#)
- for musculoskeletal immobilization NEC [97.88](#)
- genital tract NEC [97.79](#)
- head and neck NEC [97.39](#)
- intrauterine contraceptive [97.71](#)
- spine [80.09](#)
- thorax NEC [97.49](#)
- trunk NEC [97.87](#)
- urinary system NEC [97.69](#)
- diaphragm, vagina [97.73](#)
- drainage device -- see Removal, tube
- dye, spinal canal [03.31](#)
- ectopic fetus (from) [66.02](#)
 - abdominal cavity [74.3](#)
 - extraperitoneal (intraligamentous) [74.3](#)
 - fallopian tube (by salpingostomy) [66.02](#)
 - by salpingotomy [66.01](#)
 - with salpingectomy [66.62](#)
 - intraligamentous [74.3](#)
 - ovarian [74.3](#)
 - peritoneal (following uterine or tubal rupture) [74.3](#)
 - site NEC [74.3](#)
 - tubal (by salpingostomy) [66.02](#)
 - by salpingotomy [66.01](#)
 - with salpingectomy [66.62](#)
- electrodes
 - bone growth stimulator -- see category [78.6](#)
 - brain [01.22](#)
 - depth [01.22](#)
 - with synchronous replacement [02.93](#)
 - foramen ovale [01.22](#)
 - with synchronous replacement [02.93](#)
 - sphenoidal -- omit code
 - with synchronous replacement [02.96](#)
 - cardiac pacemaker (atrial) (transvenous) (ventricular) [37.77](#)
 - with replacement [37.76](#)
 - carotid sinus [39.87](#)
 - with synchronous pulse generator removal (total system) [39.86](#)
 - with synchronous replacement [39.82](#)
 - depth [01.22](#)
 - with synchronous replacement [02.93](#)
 - epicardial (myocardial) [37.77](#)
 - with replacement (by)
 - atrial and/or ventricular lead(s) (electrode) [37.76](#)
 - epicardial lead [37.74](#)
 - epidural pegs [01.22](#)
 - with synchronous replacement [02.93](#)
 - foramen ovale [01.22](#)
 - with synchronous replacement [02.93](#)
 - gastric [04.93](#)
 - with synchronous replacement [04.92](#)
 - intracranial [01.22](#)
 - with synchronous replacement [02.93](#)
 - peripheral nerve [04.93](#)
 - with synchronous replacement [04.92](#)
 - sacral nerve [04.93](#)

- sphenoidal -- omit code
 - with synchronous replacement [02.96](#)
- spinal [03.94](#)
 - with synchronous replacement [03.93](#)
- temporary transvenous pacemaker system -- omit code
- electroencephalographic receiver (brain) (intracranial) [01.22](#)
 - with synchronous replacement [02.93](#)
- electronic
 - stimulator - see Removal, neurostimulator, by site
 - bladder [57.98](#)
 - bone [78.6](#)
 - skeletal muscle [83.93](#)
 - with synchronous replacement [83.92](#)
 - ureter [56.94](#)
- electrostimulator -- see Removal, electronic, stimulator, by site
- embolus [38.00](#)
 - with endarterectomy -- see Endarterectomy
- abdominal
 - artery [38.06](#)
 - vein [38.07](#)
- aorta (arch) (ascending) (descending) [38.04](#)
- arteriovenous shunt or cannula [39.49](#)
- bovine graft [39.49](#)
- head and neck vessel
 - endovascular approach [39.74](#)
 - open approach, intracranial vessels [38.01](#)
 - open approach, other vessels of head and neck [38.02](#)
- intracranial vessel
 - endovascular approach [39.74](#)
 - open approach, intracranial vessels [38.01](#)
 - open approach, other vessels of head and neck [38.02](#)
- lower limb
 - artery [38.08](#)
 - vein [38.09](#)
- pulmonary (artery) (vein) [38.05](#)
- thoracic vessel NEC [38.05](#)
- upper limb (artery) (vein) [38.03](#)
- embryo -- see Removal, ectopic fetus
- encircling tube, eye (episcleral) [14.6](#)
- epithelial downgrowth, anterior chamber [12.93](#)
- external fixation device [97.88](#)
 - mandibular NEC [97.36](#)
 - minifixator (bone) -- see category [78.6](#)
- extrauterine embryo -- see Removal, ectopic fetus
- eyeball [16.49](#)
 - with implant [16.42](#)
 - with attachment of muscles [16.41](#)
- fallopian tube -- see Salpingectomy
- feces (impacted) (by flushing) (manual) [96.38](#)
- fetus, ectopic -- see Removal, ectopic fetus
- fingers, supernumerary [86.26](#)
- fixation device
 - external [97.88](#)
 - mandibular NEC [97.36](#)
 - minifixator (bone) -- see category [78.6](#)
 - internal [78.60](#)

- carpal, metacarpal [78.64](#)
- clavicle [78.61](#)
- facial (bone) [76.97](#)
- femur [78.65](#)
- fibula [78.67](#)
- humerus [78.62](#)
- patella [78.66](#)
- pelvic [78.69](#)
- phalanges (foot) (hand) [78.69](#)
- radius [78.63](#)
- scapula [78.61](#)
- specified site NEC [78.69](#)
- tarsal, metatarsal [78.68](#)
- thorax (ribs) (sternum) [78.61](#)
- tibia [78.67](#)
- ulna [78.63](#)
- vertebrae [78.69](#)
- foreign body NEC -- see also Incision, by site [98.20](#)
 - abdominal (cavity) [54.92](#)
 - wall [54.0](#)
 - adenoid [98.13](#)
 - by incision [28.91](#)
 - alveolus, alveolar bone [98.22](#)
 - by incision [24.0](#)
 - antecubital fossa [98.27](#)
 - by incision [86.05](#)
 - anterior chamber [12.00](#)
 - by incision [12.02](#)
 - with use of magnet [12.01](#)
 - anus (intraluminal) [98.05](#)
 - by incision [49.93](#)
 - artificial stoma (intraluminal) [98.18](#)
 - auditory canal, external [18.02](#)
 - axilla [98.27](#)
 - by incision [86.05](#)
 - bladder (without incision) [57.0](#)
 - by incision [57.19](#)
 - bone, except fixation device -- see also Incision, bone [77.10](#)
 - alveolus, alveolar [98.22](#)
 - by incision [24.0](#)
 - brain [01.39](#)
 - without incision into brain [01.24](#)
 - breast [85.0](#)
 - bronchus (intraluminal) [98.15](#)
 - by incision [33.0](#)
 - bursa [83.03](#)
 - hand [82.03](#)
 - canthus [98.22](#)
 - by incision [08.51](#)
 - cerebral meninges [01.31](#)
 - cervix (intraluminal) NEC [98.16](#)
 - penetrating [69.97](#)
 - choroid (by incision) [14.00](#)
 - with use of magnet [14.01](#)
 - without use of magnet [14.02](#)
 - ciliary body (by incision) [12.00](#)

- with use of magnet [12.01](#)
- without use of magnet [12.02](#)
- conjunctiva (by magnet) [98.22](#)
- by incision [10.0](#)
- cornea [98.21](#)
- by
 - incision [11.1](#)
 - magnet [11.0](#)
- duodenum [98.03](#)
- by incision [45.01](#)
- ear (intraluminal) [98.11](#)
- with incision [18.09](#)
- epididymis [63.92](#)
- esophagus (intraluminal) [98.02](#)
- by incision [42.09](#)
- extrapleural (by incision) [34.01](#)
- eye, eyeball (by magnet) [98.21](#)
- anterior segment (by incision) [12.00](#)
- with use of magnet [12.01](#)
- without use of magnet [12.02](#)
- posterior segment (by incision) [14.00](#)
- with use of magnet [14.01](#)
- without use of magnet [14.02](#)
- superficial [98.21](#)
- eyelid [98.22](#)
- by incision [08.09](#)
- fallopian tube
- by salpingostomy [66.02](#)
- by salpingotomy [66.01](#)
- fascia [83.09](#)
- hand [82.09](#)
- foot [98.28](#)
- gall bladder [51.04](#)
- groin region (abdominal wall) (inguinal) [54.0](#)
- gum [98.22](#)
- by incision [24.0](#)
- hand [98.26](#)
- head and neck NEC [98.22](#)
- heart [37.11](#)
- internal fixation device -- see Removal, fixation device, internal
- intestine
 - by incision [45.00](#)
 - large (intraluminal) [98.04](#)
 - by incision [45.03](#)
 - small (intraluminal) [98.03](#)
 - by incision [45.02](#)
- intraocular (by incision) [12.00](#)
- with use of magnet [12.01](#)
- without use of magnet [12.02](#)
- iris (by incision) [12.00](#)
- with use of magnet [12.01](#)
- without use of magnet [12.02](#)
- joint structures -- see also Arthrotomy [80.10](#)
- kidney (transurethral) (by endoscopy) [56.0](#)
- by incision [55.01](#)
- pelvis (transurethral) [56.0](#)

- by incision [55.11](#)
- labia [98.23](#)
 - by incision [71.09](#)
- lacrimal
 - canaliculi [09.42](#)
 - by incision [09.52](#)
 - gland [09.3](#)
 - by incision [09.0](#)
 - passage(s) [09.49](#)
 - by incision [09.59](#)
 - punctum [09.41](#)
 - by incision [09.51](#)
 - sac [09.49](#)
 - by incision [09.53](#)
- large intestine (intraluminal) [98.04](#)
 - by incision [45.03](#)
- larynx (intraluminal) [98.14](#)
 - by incision [31.3](#)
- lens [13.00](#)
 - by incision [13.02](#)
 - with use of magnet [13.01](#)
- liver [50.0](#)
- lower limb, except foot [98.29](#)
 - foot [98.28](#)
- lung [33.1](#)
- mediastinum [34.1](#)
- meninges (cerebral) [01.31](#)
 - spinal [03.01](#)
- mouth (intraluminal) [98.01](#)
 - by incision [27.92](#)
- muscle [83.02](#)
 - hand [82.02](#)
- nasal sinus [22.50](#)
 - antrum [22.2](#)
 - with Caldwell-Luc approach [22.39](#)
 - ethmoid [22.51](#)
 - frontal [22.41](#)
 - maxillary [22.2](#)
 - with Caldwell-Luc approach [22.39](#)
 - sphenoid [22.52](#)
- nerve (cranial) (peripheral) NEC [04.04](#)
 - root [03.01](#)
- nose (intraluminal) [98.12](#)
 - by incision [21.1](#)
- oral cavity (intraluminal) [98.01](#)
 - by incision [27.92](#)
- orbit (by magnet) [98.21](#)
 - by incision [16.1](#)
- palate (penetrating) [98.22](#)
 - by incision [27.1](#)
- pancreas [52.09](#)
- penis [98.24](#)
 - by incision [64.92](#)
- pericardium [37.12](#)
- perineum (female) [98.23](#)
 - by incision [71.09](#)

- male [98.25](#)
 - by incision [86.05](#)
- perirenal tissue [59.09](#)
- peritoneal cavity [54.92](#)
- perivesical tissue [59.19](#)
- pharynx (intraluminal) [98.13](#)
 - by pharyngotomy [29.0](#)
- pleura (by incision) [34.09](#)
- popliteal space [98.29](#)
 - by incision [86.05](#)
- rectum (intraluminal) [98.05](#)
 - by incision [48.0](#)
- renal pelvis (transurethral) [56.0](#)
 - by incision [56.1](#)
- retina (by incision) [14.00](#)
 - with use of magnet [14.01](#)
 - without use of magnet [14.02](#)
- retroperitoneum [54.92](#)
- sclera (by incision) [12.00](#)
 - with use of magnet [12.01](#)
 - without use of magnet [12.02](#)
- scrotum [98.24](#)
 - by incision [61.0](#)
- sinus (nasal) [22.50](#)
 - antrum [22.2](#)
 - with Caldwell-Luc approach [22.39](#)
 - ethmoid [22.51](#)
 - frontal [22.41](#)
 - maxillary [22.2](#)
 - with Caldwell-Luc approach [22.39](#)
 - sphenoid [22.52](#)
- skin NEC [98.20](#)
 - by incision [86.05](#)
- skull [01.24](#)
 - with incision into brain [01.39](#)
- small intestine (intraluminal) [98.03](#)
 - by incision [45.02](#)
- soft tissue NEC [83.09](#)
 - hand [82.09](#)
- spermatic cord [63.93](#)
- spinal (canal) (cord) (meninges) [03.01](#)
- stomach (intraluminal) [98.03](#)
 - bubble (balloon) [44.94](#)
 - by incision [43.0](#)
- subconjunctival (by magnet) [98.22](#)
 - by incision [10.0](#)
- subcutaneous tissue NEC [98.20](#)
 - by incision [86.05](#)
- supraclavicular fossa [98.27](#)
 - by incision [86.05](#)
- tendon (sheath) [83.01](#)
 - hand [82.01](#)
- testis [62.0](#)
- thorax (by incision) [34.09](#)
- thyroid (field) (gland) (by incision) [06.09](#)
- tonsil [98.13](#)

- by incision [28.91](#)
- trachea (intraluminal) [98.15](#)
 - by incision [31.3](#)
- trunk NEC [98.25](#)
- tunica vaginalis [98.24](#)
- upper limb, except hand [98.27](#)
 - hand [98.26](#)
- ureter (transurethral) [56.0](#)
 - by incision [56.2](#)
- urethra (intraluminal) [98.19](#)
 - by incision [58.0](#)
- uterus (intraluminal) [98.16](#)
- vagina (intraluminal) [98.17](#)
 - by incision [70.14](#)
- vas deferens [63.6](#)
- vitreous (by incision) [14.00](#)
 - with use of magnet [14.01](#)
 - without use of magnet [14.02](#)
- vulva [98.23](#)
 - by incision [71.09](#)
- gallstones
 - bile duct (by incision) NEC [51.49](#)
 - endoscopic [51.88](#)
 - common duct (by incision) [51.41](#)
 - endoscopic [51.88](#)
 - percutaneous [51.96](#)
 - duodenum [45.01](#)
 - gallbladder [51.04](#)
 - endoscopic [51.88](#)
 - laparoscopic [51.88](#)
 - hepatic ducts [51.49](#)
 - endoscopic [51.88](#)
 - intestine [45.00](#)
 - large [45.03](#)
 - small NEC [45.02](#)
 - liver [50.0](#)
- Gardner Wells tongs (skull) [02.95](#)
 - with synchronous replacement [02.94](#)
- gastric band (adjustable), laparoscopic [44.97](#)
- gastric bubble (balloon) [44.94](#)
- granulation tissue -- see also Excision, lesion, by site
 - with repair -- see Repair, by site
 - cranial [01.6](#)
 - skull [01.6](#)
- halo traction device (skull) [02.95](#)
 - with synchronous replacement [02.94](#)
- heart assist system
 - with replacement [37.63](#)
 - intra-aortic balloon pump (IABP) [97.44](#)
 - nonoperative [97.44](#)
 - open removal [37.64](#)
 - percutaneous external device [97.44](#)
- heart replacement system
 - internal biventricular [37.55](#)
- hematoma -- see Drainage, by site
- Hoffman minifixator device (bone) -- see category [78.6](#)

- hydatidiform mole [68.0](#)
- impacted
 - feces (rectum) (by flushing) (manual) [96.38](#)
 - tooth [23.19](#)
 - from nasal sinus (maxillary) [22.61](#)
- implant
 - breast [85.94](#)
 - cochlear prosthetic device [20.99](#)
 - cornea [11.92](#)
 - lens (prosthetic) [13.8](#)
 - middle ear NEC [20.99](#)
 - ocular [16.71](#)
 - posterior segment [14.6](#)
 - orbit [16.72](#)
 - retina [14.6](#)
 - tympanum [20.1](#)
- implantable hemodynamic sensor (lead) and monitor device [37.79](#)
- internal biventricular heart replacement system [37.55](#)
- internal fixation device -- see Removal, fixation device, internal
- intra-aortic balloon pump (IABP) [97.44](#)
- intrauterine contraceptive device (IUD) [97.71](#)
- joint (structure) NOS [80.90](#)
 - ankle [80.97](#)
 - elbow [80.92](#)
 - foot and toe [80.98](#)
 - hand and finger [80.94](#)
 - hip [80.95](#)
 - knee [80.96](#)
 - other specified sites [80.99](#)
 - shoulder [80.91](#)
 - spine [80.99](#)
 - toe [80.98](#)
 - wrist [80.93](#)
- Kantrowitz heart pump [37.64](#)
 - nonoperative [97.44](#)
- keel (tantalum plate), larynx [31.98](#)
- kidney -- see also Nephrectomy
 - mechanical [55.98](#)
 - transplanted or rejected [55.53](#)
- laminaria (tent), uterus [97.79](#)
- leads (cardiac) -- see Removal, electrodes, cardiac pacemaker
- lesion -- see Excision, lesion, by site
- ligamentum flavum (spine) -- omit code
- ligature
 - fallopian tube [66.79](#)
 - ureter [56.86](#)
 - vas deferens [63.84](#)
- limb lengthening device, internal - see category [78.6](#)
- loop recorder [86.05](#)
- loose body
 - bone -- see Sequestrectomy, bone
 - joint [80.10](#)
 - mesh (surgical) -- see Removal, foreign body, by site
- lymph node -- see Excision, lymph, node
- minifixator device (bone) -- see category [78.6](#)
 - external fixation device [97.88](#)

Mulligan hood, fallopian tube [66.94](#)
 with synchronous replacement [66.93](#)
 muscle stimulator (skeletal) [83.93](#)
 with replacement [83.92](#)
 myringotomy device or tube [20.1](#)
 nail (bed) (fold) [86.23](#)
 internal fixation device -- see Removal, fixation device, internal
 necrosis
 skin [86.28](#)
 excisional [86.22](#)
 neuropacemaker - see Removal, neurostimulator, by site
 neurostimulator
 electrodes
 brain [01.22](#)
 with synchronous replacement [02.93](#)
 gastric [04.93](#)
 intracranial [01.22](#)
 with synchronous replacement [02.93](#)
 peripheral nerve [04.93](#)
 with synchronous replacement [04.92](#)
 sacral nerve [04.93](#)
 with synchronous replacement [04.92](#)
 spinal [03.94](#)
 with synchronous replacement [03.93](#)
 pulse generator (subcutaneous single array, dual array) [86.05](#)
 with synchronous replacement [86.96](#)
 dual array [86.95](#)
 rechargeable [86.98](#)
 single array [86.94](#)
 rechargeable [86.97](#)
 cranial [01.29](#)
 with synchronous replacement [01.20](#)
 nonabsorbable surgical material NEC -- see Removal, foreign body, by site
 odontoma (tooth) [24.4](#)
 orbital implant [16.72](#)
 osteocartilagenous loose body, joint structures -- see also Arthrotomy [80.10](#)
 outer attic wall (middle ear) [20.59](#)
 ovo-testis (unilateral) [62.3](#)
 bilateral [62.41](#)
 pacemaker
 brain (intracranial) -see Removal, neurostimulator
 cardiac (device) (initial) (permanent) [37.89](#)
 with replacement
 dual-chamber device [37.87](#)
 single-chamber device [37.85](#)
 rate responsive [37.86](#)
 electrodes (atrial) (transvenous) (ventricular) [37.77](#)
 with replacement [37.76](#)
 epicardium (myocardium) [37.77](#)
 with replacement (by)
 atrial and/or ventricular lead(s) (electrode) [37.76](#)
 epicardial lead [37.74](#)
 temporary transvenous pacemaker system -- omit code
 intracranial - see Removal, neurostimulator
 neural - see Removal, neurostimulator
 peripheral nerve - see Removal, neurostimulator

- spinal - see Removal, neurostimulator
- pack, packing
 - dental [97.34](#)
 - intrauterine [97.72](#)
 - nasal [97.32](#)
 - rectum [97.59](#)
 - trunk NEC [97.85](#)
 - vagina [97.75](#)
 - vulva [97.75](#)
- pantopaque dye, spinal canal [03.31](#)
- patella (complete) [77.96](#)
 - partial [77.86](#)
- pectus deformity implant device [34.01](#)
- pelvic viscera, en masse (female) [68.8](#)
 - male [57.71](#)
- pessary, vagina NEC [97.74](#)
- pharynx (partial) [29.33](#)
- phlebolith -- see Removal, embolus
- placenta (by)
 - aspiration curettage [69.52](#)
 - D and C [69.02](#)
 - manual [75.4](#)
- plaque, dental [96.54](#)
- plate, skull [02.07](#)
 - with synchronous replacement [02.05](#)
- polyp -- see also Excision, lesion, by site
 - esophageal [42.32](#)
 - endoscopic [42.33](#)
 - gastric (endoscopic) [43.41](#)
 - intestine [45.41](#)
 - endoscopic [45.42](#)
 - nasal [21.31](#)
- prosthesis
 - bile duct [51.95](#)
 - nonoperative [97.55](#)
 - cochlear prosthetic device [20.99](#)
 - dental [97.35](#)
 - eye [97.31](#)
 - facial bone [76.99](#)
 - fallopian tube [66.94](#)
 - with synchronous replacement [66.93](#)
 - joint structures
 - without replacement
 - ankle [80.07](#)
 - elbow [80.02](#)
 - foot and toe [80.08](#)
 - hand and finger [80.04](#)
 - hip [80.05](#)
 - knee [80.06](#)
 - shoulder [80.01](#)
 - specified site NEC [80.09](#)
 - spine [80.09](#)
 - unspecified site [80.00](#)
 - wrist [80.03](#)
 - with replacement- see Revision, joint replacement by site
- lens [13.8](#)

- penis (internal) without replacement [64.96](#)
- Rheos™ carotid sinus baroreflex activation device [86.05](#)
- Rosen (urethra) [59.99](#)
- testicular, by incision [62.0](#)
- urinary sphincter, artificial [58.99](#)
 - with replacement [58.93](#)
- pseudophakos [13.8](#)
- pterygium [11.39](#)
 - with corneal graft [11.32](#)
- pulse generator
 - cardiac pacemaker [37.86](#)
 - cardioverter/defibrillator [37.79](#)
 - carotid sinus [39.88](#)
 - with synchronous electrode removal (total system) [39.86](#)
 - with synchronous replacement [39.83](#)
 - neurostimulator - see Removal, neurostimulator, pulse generator
- pump assist device, heart [37.64](#)
 - with replacement [37.63](#)
 - nonoperative [97.44](#)
- radioactive material -- see Removal, foreign body, by site
- redundant skin, eyelid [08.86](#)
- rejected organ
 - kidney [55.53](#)
 - testis [62.42](#)
- reservoir, ventricular (Ommaya) (Rickham) [02.43](#)
 - with synchronous replacement [02.42](#)
- retained placenta (by)
 - aspiration curettage [69.52](#)
 - D and C [69.02](#)
 - manual [75.4](#)
- retinal implant [14.6](#)
- Rheos™ carotid sinus baroreflex activation device [86.05](#)
- rhinolith [21.31](#)
- rice bodies, tendon sheaths [83.01](#)
 - hand [82.01](#)
- Roger-Anderson minifixator device (bone) -- see category [78.6](#)
- root, residual (tooth) (buried) (retained) [23.11](#)
- Rosen prosthesis (urethra) [59.99](#)
- scleral buckle or implant [14.6](#)
- Scribner shunt [39.43](#)
- secondary membranous cataract (with iridectomy) [13.65](#)
- secundines (by)
 - aspiration curettage [69.52](#)
 - D and C [69.02](#)
 - manual [75.4](#)
- sequestrum -- see Sequestrectomy
- seton, anus [49.93](#)
- Shepard's tube (ear) [20.1](#)
- Shirodkar suture, cervix [69.96](#)
- shunt
 - arteriovenous [39.43](#)
 - with creation of new shunt [39.42](#)
 - lumbar-subarachnoid NEC [03.98](#)
 - pleurothecal [03.98](#)
 - salpingothecal [03.98](#)
 - spinal (thecal) NEC [03.98](#)

- subarachnoid-peritoneal [03.98](#)
- subarachnoid-ureteral [03.98](#)
- silastic tubes
 - ear [20.1](#)
 - fallopian tubes [66.94](#)
 - with synchronous replacement [66.93](#)
- skin
 - necrosis or slough [86.28](#)
 - excisional [86.22](#)
 - superficial layer (by dermabrasion) [86.25](#)
- skull tongs [02.95](#)
 - with synchronous replacement [02.94](#)
- spacer (cement) (joint)(methylmethacrylate) [84.57](#)
- splint [97.88](#)
- stent
 - bile duct [97.55](#)
 - larynx [31.98](#)
 - ureteral [97.62](#)
 - endoscopic [97.66](#) (IM)
 - urethral [97.65](#)
- stimulator - see Removal, neurostimulator
- subdural
 - grids [01.22](#)
 - strips [01.22](#)
- supernumerary digit(s) [86.26](#)
- suture(s) NEC [97.89](#)
 - abdominal wall [97.83](#)
 - by incision -- see Incision, by site
 - genital tract [97.79](#)
 - head and neck [97.38](#)
 - thorax [97.43](#)
 - trunk NEC [97.84](#)
 - uterine compression suture (B-Lynch) [69.90](#) (IM)
- symblepharon -- see Repair, symblepharon
- temporary transvenous pacemaker system -- omit code
- testis (unilateral) [62.3](#)
 - bilateral [62.41](#)
 - remaining or solitary [62.42](#)
- thrombus [38.00](#)
 - with endarterectomy -- see Endarterectomy
- abdominal
 - artery [38.06](#)
 - vein [38.07](#)
- aorta (arch) (ascending) (descending) [38.04](#)
- arteriovenous shunt or cannula [39.49](#)
- bovine graft [39.49](#)
- coronary artery [36.09](#)
- head and neck vessel NEC [38.02](#)
- intracranial vessel NEC [38.01](#)
- lower limb
 - artery [38.08](#)
 - vein [38.09](#)
- pulmonary (artery) (vein) [38.05](#)
- thoracic vessel NEC [38.05](#)
- upper limb (artery) (vein) [38.03](#)
- tissue expander (skin) NEC [86.05](#)

breast [85.96](#)
 toes, supernumerary [86.26](#)
 tongs, skull [02.95](#)
 with synchronous replacement [02.94](#)
 tonsil tag [28.4](#)
 tooth (by forceps) (multiple) (single) NEC [23.09](#)
 deciduous [23.01](#)
 odontectomy NOS [23.12](#) (IM)
 surgical NEC [23.19](#)
 impacted [23.19](#)
 impacted [23.13](#) (IM)
 residual root [23.11](#)
 root apex [23.73](#)
 with root canal therapy [23.72](#)
 trachoma follicles [10.33](#)
 T-tube (bile duct) [97.55](#)
 tube
 appendix [97.53](#)
 bile duct (T-tube) NEC [97.55](#)
 cholecystostomy [97.54](#)
 cranial cavity [01.27](#)
 cystostomy [97.63](#)
 ear (button) [20.1](#)
 gastrostomy [97.51](#)
 large intestine [97.53](#)
 liver [97.55](#)
 mediastinum [97.42](#)
 nephrostomy [97.61](#)
 pancreas [97.56](#)
 peritoneum [97.82](#)
 pleural cavity [97.41](#)
 pyelostomy [97.61](#)
 retroperitoneum [97.81](#)
 small intestine [97.52](#)
 thoracotomy [97.41](#)
 tracheostomy [97.37](#)
 tympanostomy [20.1](#)
 tympanum [20.1](#)
 ureterostomy [97.62](#)
 ureteral splint (stent) [97.62](#)
 with Endoscopic [97.66](#) (IM)
 urethral sphincter, artificial [58.99](#)
 with replacement [58.93](#)
 urinary sphincter, artificial [58.99](#)
 with replacement [58.93](#)
 utricle [20.79](#)
 valve
 vas deferens [63.85](#)
 ventricular (cerebral) [02.43](#)
 vascular graft or prosthesis [39.49](#)
 ventricular shunt or reservoir [02.43](#)
 with synchronous replacement [02.42](#)
 Vinke tongs (skull) [02.95](#)
 with synchronous replacement [02.94](#)
 vitreous (with replacement) [14.72](#)
 anterior approach (partial) [14.71](#)

- open sky technique [14.71](#)
- Wagner-Brooker minifixator device (bone) -- see category [78.6](#)
- wiring, dental (immobilization device) [97.33](#)
 - orthodontic [24.8](#)
- Renipuncture (percutaneous) [55.92](#)
- Renogram [92.03](#)
- Renotransplantation NEC [55.69](#)
 - Note: To report donor source:
 - cadaver [00.93](#)
 - live non-related donor [00.92](#)
 - live related donor [00.91](#)
 - live unrelated donor [00.92](#)
- Reopening -- see *also* Incision, by site
 - blepharorrhaphy [08.02](#)
 - canthorrhaphy [08.02](#)
 - cilia base [08.71](#)
 - craniotomy or craniectomy site [01.23](#)
 - fallopian tube (divided) [66.79](#)
 - iris in anterior chambers [12.97](#)
 - laminectomy or laminotomy site [03.02](#)
 - laparotomy site [54.12](#)
 - osteotomy site -- see *also* Incision, bone [77.10](#)
 - facial bone [76.09](#)
 - tarsorrhaphy [08.02](#)
 - thoracotomy site (for control of hemorrhage) (for examination) (for exploration) [34.03](#)
 - thyroid field wound (for control of hemorrhage) (for examination) (for exploration) (for removal of hematoma) [06.02](#)
- Repacking -- see Replacement, pack, by site
- Repair
 - Abdominal vesicovaginal fistula closure** [57.824](#) (IM)
 - abdominal wall [54.72](#)
 - adrenal gland [07.44](#)
 - alveolus, alveolar (process) (ridge) (with graft) (with implant) [24.5](#)
 - anal sphincter [49.79](#)
 - artificial sphincter
 - implantation [49.75](#)
 - revision [49.75](#)
 - laceration (by suture) [49.71](#)
 - obstetric (current) [75.62](#)
 - old [49.79](#)
 - aneurysm (false) (true) [39.52](#)
 - by or with
 - clipping [39.51](#)
 - coagulation [39.52](#)
 - coil, NEC (endovascular approach) [39.79](#)
 - head and neck
 - bare coils [39.75](#)
 - bioactive coils [39.76](#)
 - electrocoagulation [39.52](#)
 - excision or resection of vessel -- see *also* Aneurysmectomy, by site
 - with
 - anastomosis -- see Aneurysmectomy, with anastomosis, by site
 - graft replacement -- see Aneurysmectomy, with graft replacement, by site
 - endovascular graft [39.79](#)
 - abdominal aorta [39.71](#)
 - head and neck [39.72](#)

- lower extremity artery(s) [39.79](#)
- thoracic aorta [39.73](#)
- upper extremity artery(s) [39.79](#)
- filipuncture [39.52](#)
- graft replacement – see Aneurysmectomy, with graft
 - replacement, by site
- ligation [39.52](#)
- liquid tissue adhesive (glue) [39.79](#)
 - endovascular approach [39.79](#)
 - head and neck [39.72](#)
- methyl methacrylate [39.52](#)
 - endovascular approach [39.79](#)
 - head and neck [39.72](#)
- occlusion [39.52](#)
 - endovascular approach [39.79](#)
 - head and neck [39.72](#)
- suture [39.52](#)
- trapping [39.52](#)
- wiring [39.52](#)
- wrapping (gauze) (methyl methacrylate) (plastic) [39.52](#)
- coronary artery [36.91](#)
- heart [37.32](#)
- sinus of Valsalva [35.39](#)
- thoracic aorta (dissecting), by fenestration [39.54](#)
- anomalous pulmonary venous connection (total)
 - one-stage [35.82](#)
 - partial – see specific procedure
 - total [35.82](#)
- anular disc [80.54](#)
 - with graft or prosthesis [80.53](#)
- anulus fibrosus [80.54](#)
 - with graft or prosthesis [80.53](#)
- anus [49.79](#)
 - laceration (by suture) [49.71](#)
 - obstetric (current) [75.62](#)
 - old [49.79](#)
- aorta [39.31](#)
- aorticopulmonary window [39.59](#)
- arteriovenous fistula [39.53](#)
 - by or with
 - clipping [39.53](#)
 - coagulation [39.53](#)
 - coil, NEC (endovascular approach) [39.79](#)
 - head and neck vessels
 - bare coils [39.75](#)
 - bioactive coils [39.76](#)
 - division [39.53](#)
 - excision or resection – see *also* Aneurysmectomy, by site
 - with
 - anastomosis – see Aneurysmectomy, with anastomosis, by site
 - graft replacement – see Aneurysmectomy, with graft replacement, by site
 - ligation [39.53](#)
 - coronary artery [36.99](#)
 - occlusion [39.53](#)
 - endovascular approach [39.79](#)
 - head and neck [39.72](#)

suture [39.53](#)
artery NEC [39.59](#)
by
endovascular approach
abdominal aorta [39.71](#)
head and neck (embolization or occlusion) [39.72](#)
other repair (of aneurysm) [39.79](#)
percutaneous repair of intracranial vessel(s) (for stent insertion) [00.62](#)

Note: Also use [00.40](#), [00.41](#), [00.42](#), or [00.43](#) to show the total number of vessels treated. Use code [00.44](#) once to show procedure on a bifurcated vessel. In addition, use [00.45](#), [00.46](#), [00.47](#), or [00.48](#) to show the number of vascular stents inserted.

percutaneous repair of precerebral (extracranial) vessel(s) (for stent insertion) [00.61](#)

Note: Also use [00.40](#), [00.41](#), [00.42](#), or [00.43](#) to show the total number of vessels treated. Use code [00.44](#) once to show procedure on a bifurcated vessel. In addition, use [00.45](#), [00.46](#), [00.47](#), or [00.48](#) to show the number of vascular stents inserted.

non-coronary percutaneous transluminal angioplasty or atherectomy

Note: Also use [00.40](#), [00.41](#), [00.42](#), or [00.43](#) to show the total number of vessels treated. Use code [00.44](#) once to show procedure on a bifurcated vessel. In addition, use [00.45](#), [00.46](#), [00.47](#), or [00.48](#) to show the number of vascular stents inserted.

basilar [00.61](#)
carotid [00.61](#)
femoropopliteal [39.50](#)
iliac [39.50](#)
lower extremity NOS [39.50](#)
mesenteric [39.50](#)
renal [39.50](#)
upper extremity NOS [39.50](#)
vertebral [00.61](#)
with
patch graft [39.58](#)
with excision or resection of vessel -- see Arteriotomy, with graft replacement, by site
synthetic (Dacron) (Teflon) [39.57](#)
tissue (vein) (autogenous) (homograft) [39.56](#)
suture [39.31](#)
coronary NEC [36.99](#)
by angioplasty -- see Angioplasty, coronary
by atherectomy -- see Angioplasty, coronary
artificial opening -- see Repair, stoma
atrial septal defect [35.71](#)
with
prosthesis (open heart technique) [35.51](#)
closed heart technique [35.52](#)
tissue graft [35.61](#)
combined with repair of valvular and ventricular septal defects -- see Repair, endocardial cushion defect
in total repair of total anomalous pulmonary venous connection [35.82](#)
atrioventricular canal defect (any type) [35.73](#)
with
prosthesis [35.54](#)
tissue graft [35.63](#)
bifid digit (finger) [82.89](#)
bile duct NEC [51.79](#)

laceration (by suture) NEC [51.79](#)
 common bile duct [51.71](#)
 bladder NEC [57.89](#)
 cloacal exstrophy [57.861](#) (IM)
 exstrophy [57.86](#)
 with ureteral re-implantation [57.860](#) (IM)
 with osteotomy [57.77](#) (IM)
 for stress incontinence -- see Repair, stress
 incontinence
 laceration (by suture) [57.81](#)
 obstetric (current) [75.61](#)
 old [57.89](#)
 neck [57.85](#)
 laparoscopic [57.850](#) (IM)
 blepharophimosis [08.59](#)
 blepharoptosis [08.36](#)
 by
 frontalis muscle technique (with)
 fascial sling [08.32](#)
 suture [08.31](#)
 levator muscle technique [08.34](#)
 with resection or advancement [08.33](#)
 orbicularis oculi muscle sling [08.36](#)
 tarsal technique [08.35](#)
 blood vessel NEC [39.59](#)
 with
 patch graft [39.58](#)
 with excision or resection -- see Angiectomy, with graft replacement
 synthetic (Dacron) (Teflon) [39.57](#)
 tissue (vein) (autogenous) (homograft) [39.56](#)
 resection -- see Angiectomy
 suture [39.30](#)
 coronary artery NEC [36.99](#)
 by angioplasty -- see Angioplasty, coronary
 by atherectomy -- see Angioplasty, coronary
 peripheral vessel NEC [39.59](#)
 by angioplasty [39.50](#)

Note: Also use [00.40](#), [00.41](#), [00.42](#), or [00.43](#) to show the total number of vessels treated. Use code [00.44](#) once to show procedure on a bifurcated vessel. In addition, use [00.45](#), [00.46](#), [00.47](#), or [00.48](#) to show the number of vascular stents inserted.

by atherectomy [39.50](#)

Note: Also use [00.40](#), [00.41](#), [00.42](#), or [00.43](#) to show the total number of vessels treated. Use code [00.44](#) once to show procedure on a bifurcated vessel. In addition, use [00.45](#), [00.46](#), [00.47](#), or [00.48](#) to show the number of vascular stents inserted.

 by endovascular approach [39.79](#)
 bone NEC -- see also Osteoplasty -- see category [78.4](#)
 by synostosis technique -- see Arthrodesis
 accessory sinus [22.79](#)
 cranium NEC [02.06](#)
 with
 flap (bone) [02.03](#)
 graft (bone) [02.04](#)
 for malunion, nonunion, or delayed union of fracture -- see Repair, fracture, malunion or nonunion

nasal [21.89](#)
 skull NEC [02.06](#)
 with
 flap (bone) [02.03](#)
 graft (bone) [02.04](#)
 bottle, hydrocele of tunica vaginalis [61.2](#)
 brain (trauma) NEC [02.92](#)
 breast (plastic) -- see also Mammoplasty [85.89](#)
 Dorsalis pedis flap, free [85.709](#) (IM)
 Fibular flap, free [85.704](#) (IM)
 Groin flap, free [85.707](#) (IM)
 Jejunal flap, free [85.708](#) (IM)
 Lateral arm free [85.702](#) (IM)
 Lymph node transfer flap, free [85.705](#) (IM)
 Lymphovenous anastomosis [85.706](#) (IM)
 Superomedial thigh flap [85.701](#) (IM)
 Superficial Inferior Epigastric Arteri (SIEA) flap, free [85.703](#) (IM)
 broad ligament [69.29](#)
 bronchus NEC [33.48](#)
 laceration (by suture) [33.41](#)
 bunionette (with osteotomy) [77.54](#)
 canaliculus, lacrimal [09.73](#)
 canthus (lateral) [08.59](#)
 cardiac pacemaker NEC [37.89](#)
 electrode(s) (lead) NEC [37.75](#)
 cardioverter/defibrillator (automatic) pocket, (skin) (subcutaneous) [37.99](#)
 cerebral meninges [02.12](#)
 Carinal [33.481](#) (IM)
 cervix [67.69](#)
 internal os [67.59](#)
 transabdominal [67.51](#)
 transvaginal [67.59](#)
 aceration (by suture) [67.61](#)
 obstetric (current) [75.51](#)
 old [67.69](#)
 chest wall (mesh) (silastic) NEC [34.79](#)
 choanal atresia (IM)
 intranasal [29.910](#) (IM)
 transpalatal [29.911](#) (IM)
 chordae tendineae [35.32](#)
 choroid NEC [14.9](#)
 with retinal repair -- see Repair, retina
 cisterna chyli [40.69](#)
 claw toe [77.57](#)
 cleft
 hand [82.82](#)
 laryngotracheal [31.69](#)
 lip [27.54](#)
 palate [27.62](#)
 secondary or subsequent [27.63](#)
 coarctation of aorta -- see Excision, coarctation of aorta
 cochlear prosthetic device [20.99](#)
 external components only [95.49](#)
 cockup toe [77.58](#)
 colostomy [46.43](#)
 conjunctiva NEC [10.49](#)

- with scleral repair [12.81](#)
- laceration [10.6](#)
 - with repair of sclera [12.81](#)
- late effect of trachoma [10.49](#)
- cornea NEC [11.59](#)
 - with
 - conjunctival flap [11.53](#)
 - transplant -- see Keratoplasty
 - postoperative dehiscence [11.52](#)
- coronary artery NEC [36.99](#)
 - by angioplasty -- see Angioplasty, coronary
 - by atherectomy -- see Angioplasty, coronary
- cranium NEC [02.06](#)
 - with
 - flap (bone) [02.03](#)
 - graft (bone) [02.04](#)
- cusp, valve -- see Repair, heart, valve
- cystocele [70.51](#)
 - with graft or prosthesis [70.54](#)
 - and rectocele [70.50](#)
 - with graft or prosthesis [70.53](#)
- dental arch [24.8](#)
- diaphragm NEC [34.84](#)
- diastasis recti [83.65](#)
- diastematomyelia [03.59](#)
- ear (external) [18.79](#)
 - auditory canal or meatus [18.6](#)
 - auricle NEC [18.79](#)
 - cartilage NEC [18.79](#)
 - laceration (by suture) [18.4](#)
 - lop ear [18.79](#)
 - middle NEC [19.9](#)
 - prominent or protruding [18.5](#)
- ectropion [08.49](#)
 - by or with
 - lid reconstruction [08.44](#)
 - suture (technique) [08.42](#)
 - thermocauterization [08.41](#)
 - wedge resection [08.43](#)
- encephalocele (cerebral) [02.12](#)
- endocardial cushion defect [35.73](#)
 - with
 - prosthesis (grafted to septa) [35.54](#)
 - tissue graft [35.63](#)
- enterocele (female) [70.92](#)
 - with graft or prosthesis [70.93](#)
- male [53.9](#)
- enterostomy [46.40](#)
- entropion [08.49](#)
 - by or with
 - lid reconstruction [08.44](#)
 - suture (technique) [08.42](#)
 - thermocauterization [08.41](#)
 - wedge resection [08.43](#)
- epicanthus (fold) [08.59](#)
- epididymis (and spermatic cord) NEC [63.59](#)

- with vas deferens [63.89](#)
- epiglottis [31.69](#)
- episiotomy
 - routine following delivery -- see Episiotomy
 - secondary [75.69](#)
- epispadias [58.45](#)
 - First stage of hypospadias or epispadias staged repair [58.451](#) (IM)
 - Redo repair for hypospadias or epispadias [58.454](#) (IM)
 - Repair of epispadias with ureteric re-implantation [58.455](#) (IM)
 - Second stage of hypospadias or epispadias staged repair [58.452](#) (IM)
 - Single stage repair for hypospadias or epispadias [58.450](#) (IM)
- esophagus, esophageal NEC [42.89](#)
 - fistula NEC [42.84](#)
 - stricture [42.85](#)
- exstrophy of bladder [57.86](#)
- eye, eyeball [16.89](#)
 - multiple structures [16.82](#)
 - rupture [16.82](#)
 - socket [16.64](#)
 - with graft [16.63](#)
- eyebrow [08.89](#)
 - linear [08.81](#)
- eyelid [08.89](#)
 - full-thickness [08.85](#)
 - involving lid margin [08.84](#)
 - laceration [08.81](#)
 - full-thickness [08.85](#)
 - involving lid margin [08.84](#)
 - partial-thickness [08.83](#)
 - involving lid margin [08.82](#)
 - linear [08.81](#)
 - partial-thickness [08.83](#)
 - involving lid margin [08.82](#)
 - retraction [08.38](#)
- fallopian tube (with prosthesis) [66.79](#)
 - by
 - reanastomosis [66.79](#)
 - reimplantation into
 - ovary [66.72](#)
 - uterus [66.74](#)
 - suture [66.71](#)
- false aneurysm -- see Repair, aneurysm
- fascia [83.89](#)
 - by or with
 - arthroplasty -- see Arthroplasty
 - graft (fascial) (muscle) [83.82](#)
 - hand [82.72](#)
 - tendon [83.81](#)
 - hand [82.79](#)
 - suture (direct) [83.65](#)
 - hand [82.46](#)
 - hand [82.89](#)
 - by
 - graft NEC [82.79](#)
 - fascial [82.72](#)
 - muscle [82.72](#)

- suture (direct) [82.46](#)
- joint -- see Arthroplasty
- filtering bleb (corneal) (scleral) (by excision) [12.82](#)
- by
 - corneal graft -- see also Keratoplasty [11.60](#)
 - scleroplasty [12.82](#)
 - suture [11.51](#)
 - with conjunctival flap [11.53](#)
- fistula -- see also Closure, fistula
 - anovaginal [70.73](#)
 - arteriovenous [39.53](#)
 - clipping [39.53](#)
 - coagulation [39.53](#)
 - endovascular approach [39.79](#)
 - head and neck [39.72](#)
 - division [39.53](#)
 - excision or resection -- *see also* Aneurysmectomy, by site
 - with
 - anastomosis -- *see* Aneurysmectomy, with anastomosis, by site
 - graft replacement -- *see* Aneurysmectomy, with graft replacement, by site
 - ligation [39.53](#)
 - coronary artery [36.99](#)
 - occlusion [39.53](#)
 - endovascular approach [39.79](#)
 - head and neck [39.72](#)
 - suture [39.53](#)
- cervicovesical [57.84](#)
- cervix [67.62](#)
- choledochoduodenal [51.72](#)
- colovaginal [70.72](#)
- enterovaginal [70.74](#)
- enterovesical [57.83](#)
- esophagocutaneous [42.84](#)
- ileovesical [57.83](#)
- intestinovaginal [70.74](#)
- intestinoesical [57.83](#)
- oroantral [22.71](#)
- perirectal [48.93](#)
- pleuropericardial [37.49](#)
- rectovaginal [70.73](#)
- rectovesical [57.83](#)
- rectovesicovaginal [57.83](#)
- scrotum [61.42](#)
- sigmoidovaginal [70.74](#)
- sinus
 - nasal [22.71](#)
 - of Valsalva [35.39](#)
- splenocolic [41.95](#)
- urethroperineovesical [57.84](#)
- urethrovesical [57.84](#)
- urethrovesicovaginal [57.84](#)
- uteroesical [57.84](#)
- vagina NEC [70.75](#)
- vaginocutaneous [70.75](#)
- vaginoenteric NEC [70.74](#)
- vaginoileal [70.74](#)

- vaginoperineal [70.75](#)
- vaginovesical [57.84](#)
- vesicocervicovaginal [57.84](#)
- vesicocolic [57.83](#)
- vesicocutaneous [57.84](#)
- vesicoenteric [57.83](#)
- vesicointestinal [57.83](#)
- vesicometrorectal [57.83](#)
- vesicoperineal [57.84](#)
- vesicorectal [57.83](#)
- vesicosigmoidal [57.83](#)
- vesicosigmoidovaginal [57.83](#)
- vesicourethral [57.84](#)
- vesicourethrorectal [57.83](#)
- vesicouterine [57.84](#)
- vesicovaginal [57.84](#)
- vulva [71.72](#)
- vulvorectal [48.73](#)
- foramen ovale (patent) [35.71](#)
 - with
 - prosthesis (open heart technique) [35.51](#)
 - closed heart technique [35.52](#)
 - tissue graft [35.61](#)
- fracture -- see also Reduction, fracture
- larynx [31.64](#)
- malunion or nonunion (delayed) NEC -- see category [78.4](#)
 - with
 - graft -- see Graft, bone
 - insertion (of)
 - bone growth stimulator (invasive) -- see category [78.9](#)
 - internal fixation device [78.5](#)
 - manipulation for realignment -- see Reduction, fracture, by site, closed
 - osteotomy
 - with
 - correction of alignment -- see category [77.3](#)
 - with internal fixation device -- see categories [77.3](#) [[78.5](#)]
 - with intramedullary rod -- see categories [77.3](#) [[78.5](#)]
 - replacement arthroplasty -- see Arthroplasty
 - sequestrectomy -- see category [77.0](#)
 - Sofield type procedure -- see categories [77.3](#) [[78.5](#)]
 - synostosis technique -- see Arthrodesis
- penis [64.46](#) (IM)
- vertebra [03.53](#)
- funnel chest (with implant) [34.74](#)
- gallbladder [51.91](#)
- gastroschisis [54.71](#)
- great vessels NEC [39.59](#)
 - laceration (by suture) [39.30](#)
 - artery [39.31](#)
 - vein [39.32](#)
- hallux valgus NEC [77.59](#)
 - resection of joint with prosthetic implant [77.59](#)
- hammer toe [77.56](#)
- hand [82.89](#)
 - with graft or implant [82.79](#)
 - fascia [82.72](#)

- muscle [82.72](#)
- tendon [82.79](#)
- heart [37.49](#)
 - assist system [37.63](#)
 - septum [35.70](#)
 - with
 - prosthesis [35.50](#)
 - tissue graft [35.60](#)
 - atrial [35.71](#)
 - with
 - prosthesis (open heart technique) [35.51](#)
 - closed heart technique [35.52](#)
 - tissue graft [35.61](#)
 - combined with repair of valvular and ventricular septal defects -- see Repair, endocardial cushion defect
 - in total repair of
 - tetralogy of Fallot [35.81](#)
 - total anomalous pulmonary venous connection [35.82](#)
 - truncus arteriosus [35.83](#)
 - combined with repair of valvular defect -- see Repair, endocardial cushion defect
 - ventricular [35.72](#)
 - with
 - prosthesis (open heart technique) [35.53](#)
 - closed heart technique [35.55](#)
 - tissue graft [35.62](#)
 - combined with repair of valvular and atrial septal defects -- see Repair, endocardial cushion defect
 - in total repair of
 - tetralogy of Fallot [35.81](#)
 - total anomalous pulmonary venous connection [35.82](#)
 - truncus arteriosus [35.83](#)
 - total internal biventricular replacement system [37.52](#)
 - implantable battery [37.54](#)
 - implantable controller [37.54](#)
 - thoracic unit [37.53](#)
 - transcutaneous energy transfer [TET] device [37.54](#)
 - valve (cusps) (open heart technique) [35.10](#)
 - with prosthesis or tissue graft [35.20](#)
 - aortic (without replacement) [35.11](#)
 - with
 - prosthesis [35.22](#)
 - tissue graft [35.21](#)
 - combined with repair of atrial and ventricular septal defects -- see Repair, endocardial cushion defect
 - [Multiple valve repair / replacement 35.29 \(IM\)](#)
 - mitral (without replacement) [35.12](#)
 - with
 - leaflet clip implant [35.97](#)
 - MitraClip® [35.97](#)
 - prosthesis [35.24](#)
 - tissue graft [35.23](#)
 - balloon, percutaneous [35.96](#)
 - endovascular repair with implant [35.97](#)
 - percutaneous with leaflet clip implant [35.97](#)
 - pulmonary (without replacement) [35.13](#)

- with
 - prosthesis [35.26](#)
 - in total repair of tetralogy of Fallot [35.81](#)
 - tissue graft [35.25](#)
- tricuspid (without replacement) [35.14](#)
- with
 - prosthesis [35.28](#)
 - tissue graft [35.27](#)
- hepatic duct [51.79](#)
- hernia NEC [53.9](#)
 - anterior abdominal wall NEC (laparoscopic without graft or prosthesis) [53.59](#)
 - with prosthesis or graft
 - laparoscopic [53.63](#)
 - other and open [53.69](#)
 - colostomy [46.42](#)
 - crural [53.29](#)
 - cul-de-sac (Douglas') [70.92](#)
 - diaphragmatic
 - abdominal approach
 - laparoscopic [53.71](#)
 - other and open [53.72](#)
 - unspecified [53.75](#)
 - thoracic, thoracoabdominal approach [53.80](#)
 - laparoscopic [53.83](#)
 - other and open [53.84](#)
 - epigastric [53.59](#)
 - with prosthesis or graft [53.69](#)
 - esophageal hiatus
 - abdominal approach
 - laparoscopic [53.71](#)
 - other and open [53.72](#)
 - unspecified [53.75](#)
 - thoracic, thoracoabdominal approach [53.80](#)
 - fascia [83.89](#)
 - hand [82.89](#)
 - femoral (unilateral) [53.29](#)
 - with prosthesis or graft [53.21](#)
 - bilateral [53.39](#)
 - with prosthesis or graft [53.31](#)
 - Ferguson [53.00](#)
 - First stage of hypospadias or epispadias staged repair [58.451](#) (IM)
 - Halsted [53.00](#)
 - Hill-Allison (hiatal hernia repair, transpleural approach) [53.80](#)
 - hypogastric [53.59](#)
 - with prosthesis or graft [53.69](#)
 - incisional [53.51](#)
 - laparoscopic with prosthesis or graft [53.62](#)
 - other open with prosthesis or graft [53.61](#)
 - inguinal (unilateral) [53.00](#)
 - with prosthesis or graft [53.05](#)
 - bilateral [53.10](#)
 - with prosthesis or graft [53.17](#)
 - laparoscopic [17.24](#)
 - direct
 - laparoscopic with graft or prosthesis [17.21](#)
 - other and open (laparoscopic without graft or prosthesis) [53.11](#)

- with prosthesis or graft [53.14](#)
- direct and indirect
 - laparoscopic with graft or prosthesis [17.23](#)
 - other and open (laparoscopic without graft or prosthesis) [53.13](#)
 - with prosthesis or graft [53.16](#)
- indirect
 - laparoscopic with graft or prosthesis [17.22](#)
 - other and open (laparoscopic without graft or prosthesis) [53.12](#)
 - with prosthesis or graft [53.15](#)
- direct (unilateral)
 - with prosthesis or graft [53.03](#)
- and indirect (unilateral)
 - laparoscopic with graft or prosthesis [17.11](#)
 - other and open (laparoscopic without graft or prosthesis) [53.01](#)
 - with prosthesis or graft [53.03](#)
- laparoscopic with graft or prosthesis [17.11](#)
- other and open (laparoscopic without graft or prosthesis) [53.01](#)
- with prosthesis or graft [53.03](#)
- indirect (unilateral)
 - laparoscopic with graft or prosthesis [17.12](#)
 - other and open (laparoscopic without graft or prosthesis) [53.02](#)
 - with prosthesis or graft [53.04](#)
- internal [53.9](#)
- ischiatric [53.9](#)
- ischioirectal [53.9](#)
- laparoscopic with graft or prosthesis, NOS [17.13](#)
- lumbar [53.9](#)
- manual [96.27](#)
- obturator [53.9](#)
- omental [53.9](#)
- paraesophageal
 - laparoscopic [53.71](#)
 - other and open [53.72](#)
 - unspecified [53.75](#)
- parahiatal
 - laparoscopic [53.71](#)
 - other and open [53.72](#)
 - unspecified [53.75](#)
- paraileostomy [46.41](#)
- parasternal [53.82](#)
- paraumbilical
 - laparoscopic [53.43](#)
 - with graft or prosthesis [53.42](#)
 - other and open with graft or prosthesis [53.41](#)
 - other open [53.49](#)
- pericolostomy [46.42](#)
- perineal (enterocele) [53.9](#)
- preperitoneal [53.29](#)
- pudental [53.9](#)
- retroperitoneal [53.9](#)
- sciatic [53.9](#)
- scrotal -- see Repair, hernia, inguinal
- spigelian [53.59](#)
 - with prosthesis or graft [53.69](#)
- umbilical
 - laparoscopic [53.43](#)

- with graft or prosthesis [53.42](#)
 - other and open with graft or prosthesis [53.41](#)
 - other open [53.49](#)
- uveal [12.39](#)
- ventral (laparoscopic without graft or prosthesis) [53.59](#)
 - with prosthesis or graft
 - laparoscopic [53.63](#)
 - other and open [53.69](#)
 - incisional [53.51](#)
 - laparoscopic without graft or prosthesis [53.59](#)
 - other open with prosthesis or graft [53.61](#)
- hydrocele
 - round ligament [69.19](#)
 - spermatic cord [63.1](#)
 - Penile dorsal vein ligation [63.12](#) (IM)
 - tunica vaginalis [61.2](#)
- hymen [70.76](#)
- hypospadias [58.45](#)
 - First stage of hypospadias or epispadias staged repair [58.451](#) (IM)
 - Granuloplasty for hypospadias [58.456](#) (IM)
 - Hypospadias repair post urethral fistula operation [58.453](#) (IM)
 - Redo repair for hypospadias or epispadias [58.454](#) (IM)
 - Single stage repair for hypospadias or epispadias [58.450](#) (IM)
- ileostomy [46.41](#)
- ingrown toenail [86.23](#)
- intestine, intestinal NEC [46.79](#)
 - fistula -- see Closure, fistula, intestine
 - laceration
 - large intestine [46.75](#)
 - small intestine NEC [46.73](#)
 - stoma -- see Repair, stoma
- inverted uterus NEC [69.29](#)
 - manual
 - nonobstetric [69.94](#)
 - obstetric [75.94](#)
 - obstetrical
 - manual [75.94](#)
 - surgical [75.93](#)
 - vaginal approach [69.23](#)
- iris (rupture) NEC [12.39](#)
- jejunostomy [46.41](#)
- joint (capsule) (cartilage) NEC -- see also Arthroplasty [81.96](#)
- kidney NEC [55.89](#)
- knee (joint) NEC [81.47](#)
 - collateral ligaments [81.46](#)
 - cruciate ligaments [81.45](#)
 - five-in-one [81.42](#)
 - triad [81.43](#)
- labia -- see Repair, vulva
- laceration -- see Suture, by site
- lacrimal system NEC [09.99](#)
 - canaliculus [09.73](#)
 - punctum [09.72](#)
 - for eversion [09.71](#)
- laryngostomy [31.62](#)
- laryngotracheal cleft [31.69](#)

- larynx [31.69](#)
 - fracture [31.64](#)
 - laceration [31.61](#)
- leads (cardiac) NEC [37.75](#)
- ligament -- see also Arthroplasty [81.96](#)
 - broad [69.29](#)
 - collateral, knee NEC [81.46](#)
 - cruciate, knee NEC [81.45](#)
 - round [69.29](#)
 - uterine [69.29](#)
- lip NEC [27.59](#)
 - cleft [27.54](#)
 - laceration (by suture) [27.51](#)
- liver NEC [50.69](#)
 - laceration [50.61](#)
- lop ear [18.79](#)
- lung NEC [33.49](#)
 - Carinal reconstruction** [33.481](#) (IM)
- lymphatic (channel) (peripheral) NEC [40.9](#)
 - duct, left (thoracic) NEC [40.69](#)
- macroductyly [82.83](#)
- mallet finger [82.84](#)
- mandibular ridge [76.64](#)
- mastoid (antrum) (cavity) [19.9](#)
- meninges (cerebral) NEC [02.12](#)
 - spinal NEC [03.59](#)
 - meningocele [03.51](#)
 - myelomeningocele [03.52](#)
- meningocele (spinal) [03.51](#)
 - cranial [02.12](#)
- mesentery [54.75](#)
- mouth NEC [27.59](#)
 - laceration NEC [27.52](#)
- muscle NEC [83.87](#)
 - by
 - graft or implant (fascia) (muscle) [83.82](#)
 - hand [82.72](#)
 - tendon [83.81](#)
 - hand [82.79](#)
 - suture (direct) [83.65](#)
 - hand [82.46](#)
 - transfer or transplantation (muscle) [83.77](#)
 - hand [82.58](#)
 - hand [82.89](#)
 - by
 - graft or implant NEC [82.79](#)
 - fascia [82.72](#)
 - suture (direct) [82.46](#)
 - transfer or transplantation (muscle) [82.58](#)
 - musculotendinous cuff, shoulder [83.63](#)
 - myelomeningocele [03.52](#)
 - nasal
 - septum (perforation) NEC [21.88](#)
 - sinus NEC [22.79](#)
 - fistula [22.71](#)
 - nasolabial flaps (plastic) [21.86](#)

- nasopharyngeal atresia [29.4](#)
- nerve (cranial) (peripheral) NEC [04.79](#)
 - old injury [04.76](#)
 - revision [04.75](#)
 - sympathetic [05.81](#)
- nipple NEC [85.87](#)
- nose (external) (internal) (plastic) NEC -- see also Rhinoplasty [21.89](#)
 - laceration (by suture) [21.81](#)
- notched lip [27.59](#)
- omentum [54.74](#)
- omphalocele
 - laparoscopic [53.43](#)
 - with graft or prosthesis [53.42](#)
 - other and open with graft or prosthesis [53.41](#)
 - other open [53.49](#)
- orbit [16.89](#)
 - wound [16.81](#)
- ostium
 - primum defect [35.73](#)
 - with
 - prosthesis [35.54](#)
 - tissue graft [35.63](#)
 - secundum defect [35.71](#)
 - with
 - prosthesis (open heart technique) [35.51](#)
 - closed heart technique [35.52](#)
 - tissue graft [35.61](#)
- ovary [65.79](#)
 - with tube [65.73](#)
 - laparoscopic [65.76](#)
- overlapping toe [77.58](#)
- pacemaker
 - cardiac
 - device (permanent) [37.89](#)
 - electrodes (leads) NEC [37.75](#)
 - pocket (skin) (subcutaneous) [37.79](#)
- palate NEC [27.69](#)
 - cleft [27.62](#)
 - secondary or subsequent [27.63](#)
 - laceration (by suture) [27.61](#)
- pancreas NEC [52.95](#)
 - Wirsung's duct [52.99](#)
- papillary muscle (heart) [35.31](#)
- patent ductus arteriosus [38.85](#)
- [PDA stenting/PDA closure with device 38.850 \(IM\)](#)
- pectus deformity (chest) (carinatum) (excavatum) [34.74](#)
 - [thoracoscopy 34.75 \(IM\)](#)
- pelvic floor NEC [70.79](#)
 - obstetric laceration (current) [75.69](#)
 - old [70.79](#)
- penis NEC [64.49](#)
 - [first stage of hypospadias or epispadias staged repair 58.451 \(IM\)](#)
 - for epispadias or hypospadias [58.45](#)
 - [with ureteric re-implantation 58.455 \(IM\)](#)
 - [granuloplasty for hypospadias 58.456 \(IM\)](#)
 - [hypospadias repair post urethral fistula operation 58.453 \(IM\)](#)

- inflatable prosthesis [64.99](#)
- laceration [64.41](#)
 - [single stage repair for hypospadias or epispadias 58.450 \(IM\)](#)
- pericardium [37.49](#)
- perineum (female) [71.79](#)
 - laceration (by suture) [71.71](#)
 - obstetric (current) [75.69](#)
 - old [71.79](#)
 - male NEC [86.89](#)
 - laceration (by suture) [86.59](#)
- peritoneum NEC [54.73](#)
 - by suture [54.64](#)
- pharynx NEC [29.59](#)
 - laceration (by suture) [29.51](#)
 - plastic [29.4](#)
- pleura NEC [34.93](#)
- postcataract wound dehiscence [11.52](#)
 - with conjunctival flap [11.53](#)
- pouch of Douglas [70.52](#)
- primum ostium defect [35.73](#)
 - with
 - prosthesis [35.54](#)
 - tissue graft [35.63](#)
- prostate [60.93](#)
- ptosis, eyelid -- see Repair, blepharoptosis
- punctum, lacrimal NEC [09.72](#)
 - for correction of eversion [09.71](#)
- quadriceps (mechanism) [83.86](#)
- rectocele (posterior colporrhaphy) [70.52](#)
 - with graft or prosthesis [70.55](#)
 - and cystocele [70.50](#)
 - with graft or prosthesis [70.53](#)
- rectum NEC [48.79](#)
 - laceration (by suture) [48.71](#)
 - prolapse NEC [48.76](#)
 - abdominal approach [48.75](#)
 - STARR procedure [48.74](#)
- retina, retinal
 - detachment [14.59](#)
 - by
 - cryotherapy [14.52](#)
 - diathermy [14.51](#)
 - photocoagulation [14.55](#)
 - laser [14.54](#)
 - xenon arc [14.53](#)
 - scleral buckling -- see *also* Buckling, scleral [14.49](#)
 - tear or defect [14.39](#)
 - by
 - cryotherapy [14.32](#)
 - diathermy [14.31](#)
 - photocoagulation [14.35](#)
 - laser [14.34](#)
 - xenon arc [14.33](#)
- retroperitoneal tissue [54.73](#)
- rotator cuff (graft) (suture) [83.63](#)
- round ligament [69.29](#)

- ruptured tendon NEC [83.88](#)
 - hand [82.86](#)
- salivary gland or duct NEC [26.49](#)
- sclera, scleral [12.89](#)
 - fistula [12.82](#)
 - staphyloma NEC [12.86](#)
 - with graft [12.85](#)
- scrotum [61.49](#)
- sinus
 - nasal NEC [22.79](#)
 - of Valsalva (aneurysm) [35.39](#)
- skin (plastic) (without graft) [86.89](#)
 - laceration (by suture) [86.59](#)
- skull NEC [02.06](#)
 - with
 - flap (bone) [02.03](#)
 - graft (bone) [02.04](#)
- spermatic cord NEC [63.59](#)
 - laceration (by suture) [63.51](#)
- sphincter ani [49.79](#)
 - laceration (by suture) [49.71](#)
 - obstetric (current) [75.62](#)
 - old [49.79](#)
- spina bifida NEC [03.59](#)
 - meningocele [03.51](#)
 - myelomeningocele [03.52](#)
- spinal (cord) (meninges) (structures) NEC [03.59](#)
 - meningocele [03.51](#)
 - myelomeningocele [03.52](#)
- spleen [41.95](#)
- sternal defect [78.41](#)
- stoma
 - bile duct [51.79](#)
 - bladder [57.22](#)
 - bronchus [33.42](#)
 - common duct [51.72](#)
 - esophagus [42.89](#)
 - gallbladder [51.99](#)
 - hepatic duct [51.79](#)
 - intestine [46.40](#)
 - large [46.43](#)
 - small [46.41](#)
 - kidney [55.89](#)
 - larynx [31.63](#)
 - rectum [48.79](#)
 - stomach [44.69](#)
 - laparoscopic [44.68](#)
 - thorax [34.79](#)
 - trachea [31.74](#)
 - ureter [56.62](#)
 - urethra [58.49](#)
- stomach NEC [44.69](#)
 - laceration (by suture) [44.61](#)
 - laparoscopic [44.68](#)
- stress incontinence (urinary) NEC [59.79](#)
 - by

- anterior urethropexy [59.79](#)
- Burch [59.5](#)
- cystourethropexy (with levator muscle sling) [59.71](#)
- injection of implant (fat) (collagen) (polytef) [59.72](#)
- paraurethral suspension (Pereyra) [59.6](#)
- periurethral suspension [59.6](#)
- plication of urethrovesical junction [59.3](#)
- pubococcygeal sling [59.71](#)
- retropubic urethral suspension [59.5](#)
- suprapubic sling [59.4](#)
- tension free vaginal tape [59.79](#)
- urethrovesical suspension [59.4](#)
 - gracilis muscle transplant [59.71](#)
 - levator muscle sling [59.71](#)
- subcutaneous tissue (plastic) (without skin graft) [86.89](#)
 - laceration (by suture) [86.59](#)
- supracristal defect (heart) [35.72](#)
 - with
 - prosthesis (open heart technique) [35.53](#)
 - closed heart technique [35.55](#)
 - tissue graft [35.62](#)
- symblepharon NEC [10.49](#)
 - by division (with insertion of conformer) [10.5](#)
 - with free graft [10.41](#)
- syndactyly [86.85](#)
- synovial membrane, joint -- see Arthroplasty
- telecanthus [08.59](#)
- tendon [83.88](#)
 - by or with
 - arthroplasty -- see Arthroplasty
 - graft or implant (tendon) [83.81](#)
 - fascia [83.82](#)
 - hand [82.72](#)
 - hand [82.79](#)
 - muscle [83.82](#)
 - hand [82.72](#)
 - suture (direct) (immediate) (primary) -- see also Suture, tendon [83.64](#)
 - hand [82.45](#)
 - transfer for transplantation (tendon) [83.75](#)
 - hand [82.56](#)
 - hand [82.86](#)
 - by
 - graft or implant (tendon) [82.79](#)
 - suture (direct) (immediate) (primary) -- see also Suture, tendon, hand) [82.45](#)
 - transfer or transplantation (tendon) [82.56](#)
 - rotator cuff (direct suture) [83.63](#)
 - ruptured NEC [83.88](#)
 - hand [82.86](#)
 - sheath (direct suture) [83.61](#)
 - hand [82.41](#)
- testis NEC [62.69](#)
- tetralogy of Fallot
 - partial -- see specific procedure
 - total (one-stage) [35.81](#)
- thoracic duct NEC [40.69](#)
- thoracostomy [34.72](#)

thymus (gland) [07.93](#)
tongue NEC [25.59](#)
tooth NEC [23.2](#)
 by
 crown (artificial) [23.41](#)
 filling (amalgam) (plastic) (silicate) [23.2](#)
 inlay [23.3](#)
total anomalous pulmonary venous connection
 partial -- see specific procedure
 total (one-stage) [35.82](#)

- trachea NEC [31.79](#)
 - laceration (by suture) [31.71](#)
 - cervical [31.711](#) (IM)
 - intrathoracic [31.712](#) (IM)
- tricuspid atresia [35.94](#)
- truncus arteriosus
 - partial -- see specific procedure
 - total (one-stage) [35.83](#)
- tunica vaginalis [61.49](#)
 - laceration (by suture) [61.41](#)
- tympanum -- see Tympanoplasty
- ureter NEC [56.89](#)
 - laceration (by suture) [56.82](#)
 - Open divided ureteral repair [56.870](#) (IM)
- ureterocele [56.89](#)
- urethra NEC [58.49](#)
 - laceration (by suture) [58.41](#)
 - obstetric (current) [75.61](#)
 - old [58.49](#)
 - meatus [58.47](#)
- urethrocele (anterior colporrhaphy) (female) [70.51](#)
 - with graft or prosthesis [70.54](#)
 - and rectocele [70.50](#)
 - with graft or prosthesis [70.53](#)
- urinary sphincter, artificial (component) [58.99](#)
- urinary stress incontinence -- see Repair, stress incontinence
- uterus, uterine [69.49](#)
 - inversion -- see Repair, inverted uterus
 - laceration (by suture) [69.41](#)
 - obstetric (current) [75.50](#)
 - old [69.49](#)
 - ligaments [69.29](#)
 - by
 - interposition [69.21](#)
 - plication [69.22](#)
- uvula [27.73](#)
 - with synchronous cleft palate repair [27.62](#)
- vagina, vaginal (cuff) (wall) NEC [70.79](#)
 - anterior [70.51](#)
 - with graft or prosthesis [70.54](#)
 - with posterior repair [70.50](#)
 - with graft or prosthesis [70.53](#)
 - cystocele [70.51](#)
 - with graft or prosthesis [70.54](#)
 - and rectocele [70.50](#)
 - with graft or prosthesis [70.53](#)
 - enterocele [70.92](#)
 - with graft or prosthesis [70.93](#)
 - laceration (by suture) [70.71](#)
 - obstetric (current) [75.69](#)
 - old [70.79](#)
 - posterior [70.52](#)
 - with anterior repair [70.50](#)
 - with graft or prosthesis [70.53](#)

- rectocele [70.52](#)
 - with graft or prosthesis [70.55](#)
 - and cystocele [70.50](#)
 - with graft or prosthesis [70.53](#)
- urethrocele [70.51](#)
 - with graft or prosthesis [70.54](#)
 - and rectocele [70.50](#)
 - with graft or prosthesis [70.53](#)
- varicocele [63.1](#)
 - penile dorsal vein ligation [63.12](#) (IM)
- vas deferens [63.89](#)
 - by
 - anastomosis [63.82](#)
 - to epididymis [63.83](#)
 - reconstruction [63.82](#)
 - laceration (by suture) [63.81](#)
- vein NEC [39.59](#)
 - by
 - endovascular approach
 - head and neck(embolization or occlusion) [39.72](#)
 - with
 - patch graft [39.58](#)
 - with excision or resection of vessel -- see Phlebectomy, with graft replacement, by site
 - synthetic (Dacron) (Teflon) [39.57](#)
 - tissue (vein) (autogenous) (homograft) [39.56](#)
 - suture [39.32](#)
- ventricular septal defect [35.72](#)
 - with
 - prosthesis (open heart technique) [35.53](#)
 - closed heart technique [35.55](#)
 - in total repair of tetralogy of Fallot [35.81](#)
 - tissue graft [35.62](#)
 - combined with repair of valvular and atrial septal defects -- see Repair, endocardial cushion defect
 - in total repair of
 - tetralogy of Fallot [35.81](#)
 - truncus arteriosus [35.83](#)
- vertebral arch defect (spina bifida) [03.59](#)
- vulva NEC [71.79](#)
 - laceration (by suture) [71.71](#)
 - obstetric (current) [75.69](#)
 - old [71.79](#)
- Wirsung's duct [52.99](#)
- wound (skin) (without graft) [86.59](#)
 - abdominal wall [54.63](#)
 - dehiscence [54.61](#)
 - postcataract dehiscence (corneal) [11.52](#)
- Replacement
 - acetabulum (with prosthesis) [81.52](#)
 - ankle, total [81.56](#)
 - revision [81.59](#)
 - aortic valve (with prosthesis) [35.22](#)
 - with tissue graft [35.21](#)
 - artery -- see Graft, artery
 - bag -- see Replacement, pack or bag
 - Barton's tongs (skull) [02.94](#)

- bladder
 - [open enlargement 57.871 \(IM\)](#)
 - with
 - ileal loop [57.87 \[45.51\]](#)
 - sigmoid [57.87 \[45.52\]](#)
 - sphincter, artificial [58.93](#)
- bronchial device NOS [33.79](#)
- bronchial substance NOS [33.79](#)
- [bronchial stent using bronchoscopy 33.95 \(IM\)](#)
- bronchial valve(s)
 - multiple lobes [33.73](#)
 - single lobe [33.71](#)
- caliper tongs (skull) [02.94](#)
- cannula
 - arteriovenous shunt [39.94](#)
 - pancreatic duct [97.05](#)
 - vessel-to-vessel (arteriovenous) [39.94](#)
- cardiac contractility modulation (CCM)
 - rechargeable pulse generator only [17.52](#)
 - total system [17.51](#)
- cardiac resynchronization device
 - defibrillator (biventricular defibrillator) (BiV ICD) (BiV pacemaker with defibrillator) (BiV pacing with defibrillator) (CRT-D) (device and one or more leads) (total system) [00.51](#)
 - left ventricular coronary venous lead only [00.52](#)
 - pulse generator only [00.54](#)
 - pacemaker (biventricular pacemaker) (BiV pacemaker) (CRT-P) (device and one or more leads) (total system) [00.50](#)
 - left ventricular coronary venous lead only [00.52](#)
 - pulse generator only [00.53](#)
- cardioverter/defibrillator (total system) [37.94](#)
- leads only (electrodes) (sensing) (pacing) [37.97](#)
- pulse generator only [37.98](#)
- cast NEC [97.13](#)
- lower limb [97.12](#)
- upper limb [97.11](#)
- catheter
 - bladder (indwelling) [57.95](#)
 - cystostomy [59.94](#)
 - peritoneal dialysis catheter with laparoscopy technique [54.980 \(IM\)](#)
 - peritoneal dialysis catheter: open technique [54.984 \(IM\)](#)
 - peritoneal dialysis catheter: percutaneous technique [54.983 \(IM\)](#)
 - peritoneal dialysis catheter: peritoneoscopy technique [54.982 \(IM\)](#)
 - [Open replacement of indwelling peritoneal catheter for dialysis 57.940 \(IM\)](#)
 - ventricular shunt (cerebral) [02.42](#)
 - wound [97.15](#)
- CCM (cardiac contractility modulation)
 - rechargeable pulse generator only [17.52](#)
 - total system [17.51](#)
- [Continuous renal replacement therapy 39.952 \(IM\)](#)
- CRT-D (biventricular defibrillator) (BiV ICD) (BiV pacemaker with defibrillator) (BiV pacing with defibrillator) (cardiac resynchronization defibrillator)(device and one or more leads) [00.51](#)
- left ventricular coronary venous lead only [00.52](#)
- pulse generator only [00.54](#)
- CRT-P (biventricular pacemaker) (BiV pacemaker) (cardiac resynchronization pacemaker) (device and one or more leads) [00.50](#)
- left ventricular coronary venous lead only [00.52](#)

pulse generator only [00.53](#)
 Crutchfield tongs (skull) [02.94](#)
 cystostomy tube (catheter) [59.94](#)
 device
 subcutaneous for intracardiac or great vessel hemodynamic monitoring [00.57](#)
 diaphragm, vagina [97.24](#)
 disc - see Replacement, intervertebral disc
 drain -- see also Replacement, tube
 vagina [97.26](#)
 vulva [97.26](#)
 wound, musculoskeletal or skin [97.16](#)
 ear (prosthetic) [18.71](#)
 elbow (joint), total [81.84](#)
 electrode(s) -- see Implant, electrode or lead by site or name of device
 brain
 depth [02.93](#)
 foramen ovale [02.93](#)
 sphenoidal [02.96](#)
 carotid sinus [39.82](#)
 with synchronous pulse generator replacement (total system) [39.81](#)
 depth [02.93](#)
 foramen ovale [02.93](#)
 gastric [04.92](#)
 intracranial [02.93](#)
 pacemaker - see Replacement, pacemaker, electrode(s)
 peripheral nerve [04.92](#)
 sacral nerve [04.92](#)
 sphenoidal [02.96](#)
 spine [03.93](#)
 electroencephalographic receiver (brain) (intracranial) [02.93](#)
 electronic
 cardioverter/defibrillator -- see Replacement, cardioverter/defibrillator
 leads (electrode)(s) -- see Replacement, electrode(s)
 stimulator -- see also Implant, electronic stimulator, by site
 bladder [57.97](#)
 muscle (skeletal) [83.92](#)
 ureter [56.93](#)
 electrostimulator -- see Implant, electronic stimulator, by site
 enterostomy device (tube)
 large intestine [97.04](#)
 small intestine [97.03](#)
 epidural pegs [02.93](#)
 femoral head, by prosthesis [81.52](#)
 revision [81.53](#)
 Gardner Wells tongs (skull) [02.94](#)
 gastric band, laparoscopic [44.96](#)
 gastric port device (subcutaneous) [44.96](#)
 graft -- see Graft
 halo traction device (skull) [02.94](#)
 Harrington rod (with refusion of spine) - see Refusion, spinal
 heart
 artificial
 total internal biventricular replacement system [37.52](#)
 implantable battery [37.54](#)
 implantable controller [37.54](#)
 thoracic unit [37.53](#)

- transcutaneous energy transfer [TET] device [37.54](#)
- total internal biventricular replacement system [37.52](#)
 - implantable battery [37.54](#)
 - implantable controller [37.54](#)
 - thoracic unit [37.53](#)
- transcutaneous energy transfer [TET] device [37.54](#)
- valve (with prosthesis) (with tissue graft) [35.20](#)
 - aortic (with prosthesis) [35.22](#)
 - with tissue graft [35.21](#)
 - mitral (with prosthesis) [35.24](#)
 - with tissue graft [35.23](#)
 - poppet (prosthetic) [35.95](#)
 - pulmonary (with prosthesis) [35.26](#)
 - with tissue graft [35.25](#)
 - in total repair of tetralogy of Fallot [35.81](#)
 - tricuspid (with prosthesis) [35.28](#)
 - with tissue graft [35.27](#)
- hip (partial) (with fixation device) (with prosthesis) (with traction) [81.52](#)
 - acetabulum [81.52](#)
 - revision [81.53](#)
 - femoral head [81.52](#)
 - revision [81.53](#)
 - total [81.51](#)
 - revision [81.53](#)
- intervertebral disc
 - artificial, NOS [84.60](#)
 - cervical [84.62](#)
 - nucleus [84.61](#)
 - partial [84.61](#)
 - total [84.62](#)
 - lumbar, lumbosacral [84.65](#)
 - nucleus [84.64](#)
 - partial [84.64](#)
 - total [84.65](#)
 - thoracic (partial) (total) [84.63](#)
- inverted uterus -- see Repair, inverted uterus
- iris NEC [12.39](#)
- kidney, mechanical [55.97](#)
 - [Continuous renal replacement therapy 39.952 \(IM\)](#)
- knee (bicompartamental) (hemijoint) (partial) (total) (tricompartamental) (unicompartamental) [81.54](#)
 - revision [81.55](#)
- laryngeal stent [31.93](#)
- leads (electrode)(s) -- see Replacement, electrode(s)
- mechanical kidney [55.97](#)
- mitral valve (with prosthesis) [35.24](#)
 - with tissue graft [35.23](#)
- Mulligan hood, fallopian tube [66.93](#)
- muscle stimulator (skeletal) [83.92](#)
- nephrostomy tube [55.93](#)
- neuropacemaker -- see Implant, neurostimulator, by site
- neurostimulator -- see *also* Implant, neurostimulator, by site
 - skeletal muscle [83.92](#)
- pacemaker
 - brain - see Implant, neurostimulator, brain
 - cardiac device (initial) (permanent)
 - dual-chamber device [37.87](#)

- resynchronization - see Replacement,CRT-P
- single-chamber device [37.85](#)
 - rate responsive [37.86](#)
- electrode(s), cardiac (atrial) (transvenous) (ventricular) [37.76](#)
 - epicardium (myocardium) [37.74](#)
 - left ventricular coronary venous system [00.52](#)
- gastric - see Implant, neurostimulator, gastric
- intracranial - see Implant, neurostimulator, intracranial
- neural - see Implant, neurostimulator, by site
- peripheral nerve - see Implant, neurostimulator, peripheral nerve
- sacral nerve - see Implant, neurostimulator, sacral nerve
- spine - see Implant, neurostimulator, spine
- temporary transvenous pacemaker system [37.78](#)
- pack or bag
 - nose [97.21](#)
 - teeth, tooth [97.22](#)
 - vagina [97.26](#)
 - vulva [97.26](#)
 - wound [97.16](#)
- pessary, vagina NEC [97.25](#)
- [prolonged intermittent renal replacement therapy 39.951 \(IM\)](#)
- prosthesis
 - acetabulum [81.53](#)
 - arm (bioelectric) (cineplastic) (kineplastic) [84.44](#)
 - biliary tract [51.99](#)
 - cochlear [20.96](#)
 - channel (single) [20.97](#)
 - multiple [20.98](#)
 - elbow [81.97](#)
 - extremity (bioelectric) (cineplastic) (kineplastic) [84.40](#)
 - lower [84.48](#)
 - upper [84.44](#)
 - fallopian tube (Mulligan hood) (stent) [66.93](#)
 - femur [81.53](#)
 - leg (bioelectric) (cineplastic) (kineplastic) [84.48](#)
 - penis (internal) (non-inflatable) [64.95](#)
 - inflatable (internal) [64.97](#)
 - pulmonary valve (with prosthesis) [35.26](#)
 - with tissue graft [35.25](#)
 - in total repair of tetralogy of Fallot [35.81](#)
 - pyelostomy tube [55.94](#)
 - [Open replacement of indwelling peritoneal catheter for dialysis 57.940 \(IM\)](#)
 - rectal tube [96.09](#)
 - Rheos™ carotid sinus baroreflex activation device [39.81](#)
 - sensor (lead)
 - intracardiac or great vessel hemodynamic monitoring [00.56](#)
 - shoulder NEC [81.83](#)
 - partial [81.81](#)
 - total, NEC [81.80](#)
 - other [81.80](#)
 - reverse [81.88](#)
 - skull
 - plate [02.05](#)
 - tongs [02.94](#)
 - spacer (cement) (joint) (methylmethacrylate) [84.56](#)
 - specified appliance or device NEC 97.29

- spinal motion preservation device
 - facet replacement device(s) [84.84](#)
 - interspinous process device(s) [84.80](#)
 - pedicle-based dynamic stabilization device(s) [84.82](#)
- splint 97.14
- stent
 - bile duct [97.05](#)
 - bronchial with bronchoscopy [33.95](#) (IM)
 - fallopian tube [66.93](#)
 - larynx [31.93](#)
 - pancreatic duct [97.05](#)
 - trachea [31.93](#)
 - ureter (IM)
 - endoscopic [56.97](#) (IM)
- stimoceiver -- see Implant, stimoceiver, by site
- stimulator
 - electrode(s)
 - carotid sinus [39.82](#)
 - with synchronous pulse generator replacement (total system) [39.81](#)
 - pulse generator
 - carotid sinus [39.83](#)
 - with synchronous electrode(s) replacement (total system) [39.81](#)
- subdural
 - grids [02.93](#)
 - strips [02.93](#)
- testis in scrotum [62.5](#)
- tongs, skull [02.94](#)
- tracheal stent [31.93](#)
- tricuspid valve (with prosthesis) [35.28](#)
 - with tissue graft [35.27](#)
- tube
 - bile duct [97.05](#)
 - bladder [57.95](#)
 - cystostomy [59.94](#)
 - esophagostomy [97.01](#)
 - gastrostomy [97.02](#)
 - large intestine [97.04](#)
 - nasogastric [97.01](#)
 - nephrostomy [55.93](#)
 - pancreatic duct [97.05](#)
 - pyelostomy [55.94](#)
 - rectal [96.09](#)
 - small intestine [97.03](#)
 - tracheostomy [97.23](#)
 - ureterostomy [59.93](#)
 - ventricular (cerebral) [02.42](#)
- umbilical cord, prolapsed [73.92](#)
- ureter (with)
 - bladder flap [56.74](#)
 - ileal segment implanted into bladder [56.89](#) [45.51](#)
- ureterostomy tube [59.93](#)
- urethral sphincter, artificial [58.93](#)
- urinary sphincter, artificial [58.93](#)
- valve
 - heart -- see also Replacement, heart valve poppet (prosthetic) [35.95](#)
 - Multiple valve repair / replacement [35.29](#) (IM)

- ventricular (cerebral) [02.42](#)
- ventricular shunt (catheter) (valve) [02.42](#)
- Vinke tongs (skull) [02.94](#)
- vitreous (silicone) [14.75](#)
 - for retinal reattachment [14.59](#)
- Replant, replantation -- *see also* Reattachment
- extremity -- *see* Reattachment, extremity
- penis [64.45](#)
- scalp [86.51](#)
- tooth [23.5](#)
- Reposition
 - Canalith repositioning therapy [93.391](#) (IM)
 - cardiac pacemaker
 - electrode(s) (atrial) (transvenous) (ventricular) [37.75](#)
 - pocket [37.79](#)
 - cardiac resynchronization defibrillator (CRT-D) - *see* Revision, cardiac resynchronization defibrillator
 - cardiac resynchronization pacemaker (CRT-P) - *see* Revision, cardiac resynchronization pacemaker
 - cardioverter/defibrillator (automatic)
 - lead(s) (epicardial patch) (pacing) (sensing) [37.75](#)
 - pocket [37.79](#)
 - pulse generator [37.79](#)
 - cilia base [08.71](#)
 - implantable hemodynamic sensor (lead) and monitor device [37.79](#)
 - iris [12.39](#)
 - neurostimulator
 - leads
 - subcutaneous, without device replacement [86.09](#)
 - within brain [02.93](#)
 - within or over gastric nerve [04.92](#)
 - within or over peripheral nerve [04.92](#)
 - within or over sacral nerve [04.92](#)
 - within spine [03.93](#)
 - pulse generator
 - subcutaneous, without device replacement [86.09](#)
 - renal vessel, aberrant [39.55](#)
 - subcutaneous device pocket NEC [86.09](#)
 - thyroid tissue [06.94](#)
 - tricuspid valve (with plication) [35.14](#)
- Resection -- *see also* Excision, by site
- abdominoendorectal (combined), NOS [48.50](#)
 - laparoscopic [48.51](#)
 - open [48.52](#)
 - other [48.59](#)
- abdominoperineal (rectum), NOS [48.50](#)
 - pull-through (Altemeier) (Swenson) NEC [48.49](#)
 - Duhamel type [48.65](#)
 - laparoscopic [48.42](#)
 - not otherwise specified [48.40](#)
 - open [48.43](#)
- alveolar process and palate (en bloc) [27.32](#)
- aneurysm -- *see* Aneurysmectomy
- aortic valve (for subvalvular stenosis) [35.11](#)
- artery -- *see* Arteriotomy
- bile duct NEC [51.69](#)
 - common duct NEC [51.63](#)
- bladder (partial) (segmental) (transvesical) (wedge) [57.6](#)

- complete or total [57.79](#)
- lesion NEC [57.59](#)
 - transurethral approach [57.49](#)
- neck [57.59](#)
 - transurethral approach [57.49](#)
- blood vessel -- see Angiectomy
- bone (IM)
 - Temporal [20.73](#) (IM)
- brain [01.59](#)
 - by
 - stereotactic radiosurgery [92.30](#)
 - cobalt 60 [92.32](#)
 - linear accelerator (LINAC) [92.31](#)
 - multi-source [92.32](#)
 - particle beam [92.33](#)
 - particulate [92.33](#)
 - radiosurgery NEC [92.39](#)
 - single source photon [92.31](#)
- hemisphere [01.52](#)
- lobe [01.53](#)
- breast -- see also Mastectomy
 - quadrant [85.22](#)
 - segmental [85.23](#)
- broad ligament [69.19](#)
- bronchus (sleeve) (wide sleeve) [32.1](#)
 - block (en bloc) (with radical dissection of brachial plexus, bronchus, lobe of lung, ribs, and sympathetic nerves) [32.6](#)
- bursa [83.5](#)
 - hand [82.31](#)
- cecum (and terminal ileum)
 - laparoscopic [17.32](#)
 - open and other [45.72](#)
- cerebral meninges [01.51](#)
- chest wall [34.4](#)
- clavicle [77.81](#)
- clitoris [71.4](#)
- colon (partial) (segmental)
 - ascending (cecum and terminal ileum)
 - laparoscopic [17.32](#)
 - open and other [45.72](#)
 - cecum (and terminal ileum)
 - laparoscopic [17.32](#)
 - open and other [45.72](#)
 - complete
 - laparoscopic [45.81](#)
 - open [45.82](#)
 - other [45.83](#)
 - unspecified [45.83](#)
 - descending (sigmoid)
 - laparoscopic [17.36](#)
 - open and other [45.76](#)
 - for interposition [45.52](#)
 - Hartmann
 - laparoscopic [17.35](#)
 - open and other [45.75](#)
 - hepatic flexure

- laparoscopic [17.33](#)
- open and other [45.73](#)
- laparoscopic [17.39](#)
- left radical (hemicolon)
 - laparoscopic [17.35](#)
 - open and other [45.75](#)
- multiple segmental
 - laparoscopic [17.31](#)
 - open and other [45.71](#)
- open and other [45.79](#)
- right radical (hemicolon) (ileocelectomy)
 - laparoscopic [17.33](#)
 - open and other [45.73](#)
- segmental NEC
 - laparoscopic [17.39](#)
 - multiple
 - laparoscopic [17.31](#)
 - open and other [45.71](#)
 - open and other [45.79](#)
- sigmoid
 - laparoscopic [17.36](#)
 - open and other [45.76](#)
- splenic flexure
 - laparoscopic [17.35](#)
 - open and other [45.75](#)
- total
 - laparoscopic [45.81](#)
 - open [45.82](#)
 - other [45.83](#)
 - unspecified [45.83](#)
- transverse
 - laparoscopic [17.34](#)
 - open and other [45.74](#)
- conjunctiva, for pterygium [11.39](#)
- corneal graft [11.32](#)
- cornual (fallopian tube) (unilateral) [66.69](#)
- bilateral [66.63](#)
- diaphragm [34.81](#)
- endaural [20.79](#)
- endorectal (pull-through) (Soave) [48.41](#)
- combined abdominal, NOS [48.50](#)
- laparoscopic [48.51](#)
- open [48.52](#)
- other [48.59](#)
- esophagus (partial) (subtotal) -- see also Esophagectomy [42.41](#)
- total [42.42](#)
- exteriorized intestine -- see Resection, intestine, exteriorized
- fascia [83.44](#)
- for graft [83.43](#)
- hand [82.34](#)
- hand [82.35](#)
- for graft [82.34](#)
- gallbladder (total) [51.22](#)
- gastric (partial) (sleeve) (subtotal) NEC -- see also Gastrectomy [43.89](#)
- with anastomosis NEC [43.89](#)
- esophagogastric [43.5](#)

- gastroduodenal [43.6](#)
- gastrogastric [43.89](#)
- gastrojejunal [43.7](#)
- complete or total NEC [43.99](#)
 - with intestinal interposition [43.91](#)
- radical NEC [43.99](#)
 - with intestinal interposition [43.91](#)
- wedge [43.42](#)
 - endoscopic [43.41](#)
- hallux valgus (joint) -- see also Bunionectomy with prosthetic implant [77.59](#)
- hepatic
 - duct [51.69](#)
 - flexure (colon)
 - laparoscopic [17.33](#)
 - open and other [45.73](#)
- infundibula, heart (right) [35.34](#)
- intestine (partial) NEC
 - cecum (with terminal ileum)
 - laparoscopic [17.32](#)
 - open and other [45.72](#)
 - exteriorized (large intestine) [46.04](#)
 - small intestine [46.02](#)
 - for interposition [45.50](#)
 - large intestine [45.52](#)
 - small intestine [45.51](#)
 - hepatic flexure
 - laparoscopic [17.33](#)
 - open and other [45.73](#)
 - ileum [45.62](#)
 - with cecum
 - laparoscopic [17.32](#)
 - open and other [45.72](#)
 - laparoscopic [17.39](#)
 - large (partial) (segmental) NEC
 - for interposition [45.52](#)
 - laparoscopic [17.39](#)
 - multiple segmental
 - laparoscopic [17.31](#)
 - open and other [45.71](#)
 - other [45.79](#)
 - total
 - laparoscopic [45.81](#)
 - open [45.82](#)
 - other [45.83](#)
 - unspecified [45.83](#)
 - unspecified [45.79](#)
- left hemicolon
 - laparoscopic [17.35](#)
 - open and other [45.75](#)
- multiple segmental (large intestine)
 - laparoscopic [17.31](#)
 - open and other [45.71](#)
 - small intestine [45.61](#)
- open and other [45.79](#)
- right hemicolon
 - laparoscopic [17.33](#)

- open and other [45.73](#)
- segmental (large intestine)
 - laparoscopic [17.39](#)
 - multiple
 - laparoscopic [17.31](#)
 - open and other [45.71](#)
 - open and other [45.79](#)
 - small intestine [45.62](#)
 - multiple [45.61](#)
- sigmoid
 - laparoscopic [17.36](#)
 - open and other [45.76](#)
- small (partial) (segmental) NEC [45.62](#)
 - for interposition [45.51](#)
 - multiple segmental [45.61](#)
 - total [45.63](#)
- total
 - large intestine
 - laparoscopic [45.81](#)
 - open [45.82](#)
 - other [45.83](#)
 - unspecified [45.83](#)
 - small intestine [45.63](#)
- joint structure NEC – see also Arthroectomy [80.90](#)
- kidney (segmental) (wedge) [55.4](#)
- larynx – see also Laryngectomy
 - submucous [30.29](#)
- lesion – see Excision, lesion, by site
- levator palpebrae muscle [08.33](#)
- ligament – see also Arthroectomy [80.90](#)
 - broad [69.19](#)
 - round [69.19](#)
 - uterine [69.19](#)
- lip (wedge) [27.43](#)
- liver (partial) (wedge) [50.22](#)
 - lobe (total) [50.3](#)
 - total [50.4](#)
- lung (wedge) NEC [32.29](#)
 - endoscopic [32.28](#)
 - segmental (any part) [32.39](#)
 - thoracoscopic [32.30](#)
 - thoracoscopic [32.20](#)
 - volume reduction [32.22](#)
 - biologic lung volume reduction (BLVR) - see category [33.7](#)
- meninges (cerebral) [01.51](#)
 - spinal [03.4](#)
- mesentery [54.4](#)
- muscle [83.45](#)
 - extraocular [15.13](#)
 - with
 - advancement or recession of other eye muscle [15.3](#)
 - suture of original insertion [15.13](#)
 - levator palpebrae [08.33](#)
 - Muller's, for blepharoptosis [08.35](#)
 - orbicularis oculi [08.20](#)
 - tarsal, for blepharoptosis [08.35](#)

- for graft [83.43](#)
 - hand [82.34](#)
 - hand [82.36](#)
 - for graft [82.34](#)
 - ocular -- see Resection, muscle, extraocular
- myocardium [37.33](#)
- nasal septum (submucous) [21.5](#)
- nerve (cranial) (peripheral) NEC [04.07](#)
 - phrenic [04.03](#)
 - for collapse of lung [33.31](#)
 - sympathetic [05.29](#)
 - vagus -- see Vagotomy
- nose (complete) (extended) (partial) (radical) [21.4](#)
- omentum [54.4](#)
- orbitomaxillary, radical [16.51](#)
- ovary -- see also Oophorectomy
 - wedge [65.22](#)
 - laparoscopic [65.24](#)
- palate (bony) (local) [27.31](#)
 - by wide excision [27.32](#)
 - soft [27.49](#)
- pancreas (total) (with synchronous duodenectomy) [52.6](#)
 - partial NEC [52.59](#)
 - distal (tail) (with part of body) [52.52](#)
 - proximal (head) (with part of body) (with synchronous duodenectomy) [52.51](#)
 - radical subtotal [52.53](#)
 - radical (one-stage) (two-stage) [52.7](#)
 - subtotal [52.53](#)
- pancreaticoduodenal -- see also Pancreatectomy [52.6](#)
- pelvic viscera (en masse) (female) [68.8](#)
 - male [57.71](#)
- penis [64.3](#)
- pericardium (partial) (for)
 - chronic constrictive pericarditis [37.31](#)
 - drainage [37.12](#)
 - removal of adhesions [37.31](#)
- peritoneum [54.4](#)
- pharynx (partial) [29.33](#)
- phrenic nerve [04.03](#)
 - for collapse of lung [33.31](#)
- prostate -- see also Prostatectomy
 - transurethral (punch) [60.29](#)
- pterygium [11.39](#)
- radial head [77.83](#)
- rectosigmoid -- see also Resection, rectum [48.69](#)
- rectum (partial) NEC [48.69](#)
 - with
 - pelvic exenteration [68.8](#)
 - transsacral sigmoidectomy [48.61](#)
 - abdominoendorectal (combined), NOS [48.50](#)
 - laparoscopic [48.51](#)
 - open [48.52](#)
 - other [48.59](#)
 - abdominoperineal, NOS [48.50](#)
 - laparoscopic [48.51](#)
 - open [48.52](#)

- other [48.59](#)
- pull-through NEC [48.49](#)
 - Duhamel type [48.65](#)
 - laparoscopic [48.42](#)
 - not otherwise specified [48.40](#)
 - open [48.43](#)
- anterior [48.63](#)
 - laparoscopic [48.631](#) (IM)
 - with colostomy (synchronous) [48.62](#)
- Duhamel [48.65](#)
- endorectal [48.41](#)
 - combined abdominal, NOS [48.50](#)
 - laparoscopic [48.51](#)
 - open [48.52](#)
 - other [48.59](#)
- posterior [48.64](#)
- pull-through NEC [48.49](#)
 - endorectal [48.41](#)
 - laparoscopic [48.42](#)
 - not otherwise specified [48.40](#)
 - open [48.43](#)
- STARR procedure [48.74](#)
- submucosal (Soave) [48.41](#)
 - combined abdominal, NOS [48.50](#)
 - laparoscopic [48.51](#)
 - open [48.52](#)
 - other [48.59](#)
- rib (transaxillary) [77.91](#)
 - as operative approach -- omit code
 - incidental to thoracic operation -- omit code
- right ventricle (heart), for infundibular stenosis [35.34](#)
- root (tooth) (apex) [23.73](#)
 - with root canal therapy [23.72](#)
 - residual or retained [23.11](#)
- round ligament [69.19](#)
- sclera [12.65](#)
 - with scleral buckling -- see also Buckling, scleral [14.49](#)
 - lamellar (for retinal reattachment) [14.49](#)
 - with implant [14.41](#)
- scrotum [61.3](#)
- soft tissue NEC [83.49](#)
 - hand [82.39](#)
- sphincter of Oddi [51.89](#)
- spinal cord (meninges) [03.4](#)
- splanchnic [05.29](#)
- splenic flexure (colon) [45.75](#)
- sternum [77.81](#)
 - radical resection [34.41](#) (IM)
- stomach (partial) (sleeve) (subtotal) NEC -- see also Gastrectomy [43.89](#)
 - with anastomosis NEC [43.89](#)
 - esophagogastric [43.5](#)
 - gastroduodenal [43.6](#)
 - gastrogastric [43.89](#)
 - gastrojejunal [43.7](#)
 - complete or total NEC [43.99](#)

- with intestinal interposition [43.91](#)
- fundus [43.89](#)
- radical NEC [43.99](#)
 - with intestinal interposition [43.91](#)
- wedge [43.42](#)
 - endoscopic [43.41](#)
- submucous
 - larynx [30.29](#)
 - nasal septum [21.5](#)
 - vocal cords [30.22](#)
- synovial membrane (complete) (partial) -- see also Synovectomy [80.70](#)
- tarsolevator [08.33](#)
- tendon [83.42](#)
 - hand [82.33](#)
- temporal Bone [20.73](#) (IM)
- thoracic structures (block) (en bloc) (radical) (brachial plexus, bronchus, lobes of lung, ribs, and sympathetic nerves) [32.6](#)
- thorax [34.4](#)
- tongue [25.2](#)
 - wedge [25.1](#)
- tooth root [23.73](#)
 - with root canal therapy [23.72](#)
 - apex (abscess) [23.73](#)
 - with root canal therapy [23.72](#)
 - residual or retained [23.11](#)
- trachea [31.5](#)
- transurethral
 - bladder NEC [57.49](#)
 - prostate [60.29](#)
- transverse colon
 - laparoscopic [17.34](#)
 - open and other [45.74](#)
- turbinates -- see Turbinectomy
- ureter (partial) [56.41](#)
 - total [56.42](#)
- ureterocele (IM)
 - endoscopic [56.43](#) (IM)
- uterus -- see Hysterectomy
- vein -- see Phlebectomy
- ventricle (heart) [37.35](#)
 - infundibula [35.34](#)
- vesical neck [57.59](#)
 - transurethral [57.49](#)
- vocal cords (punch) [30.22](#)

Respirator, volume-controlled (Bennett) (Byrd) -- see Ventilation

Restoration

- cardioesophageal angle [44.66](#)
 - laparoscopic [44.67](#)
- dental NEC [23.49](#)
 - by
 - application of crown (artificial) [23.41](#)
 - insertion of bridge (fixed) [23.42](#)
 - removable [23.43](#)
- extremity -- see Reattachment, extremity
- eyebrow [08.70](#)
 - with graft [08.63](#)

- eye socket [16.64](#)
 - with graft [16.63](#)
- tooth NEC [23.2](#)
 - by
 - crown (artificial) [23.41](#)
 - filling (amalgam) (plastic) (silicate) [23.2](#)
 - inlay [23.3](#)
- Restrictive
 - gastric band, laparoscopic [44.95](#)
- Resurfacing, hip [00.86](#)
 - acetabulum [00.87](#)
 - with femoral head [00.85](#)
 - femoral head [00.86](#)
 - with acetabulum [00.85](#)
 - partial NOS [00.85](#)
 - acetabulum [00.87](#)
 - femoral head [00.86](#)
 - total (acetabulum and femoral head) [00.85](#)
- Resuscitation
 - artificial respiration [93.93](#)
 - cardiac [99.60](#)
 - cardioversion [99.62](#)
 - atrial [99.61](#)
 - defibrillation [99.62](#)
 - external massage [99.63](#)
 - open chest [37.91](#)
 - intracardiac injection [37.92](#)
 - cardiopulmonary [99.60](#)
 - endotracheal intubation [96.04](#)
 - manual [93.93](#)
 - mouth-to-mouth [93.93](#)
 - pulmonary [93.93](#)
- Resuture
 - abdominal wall [54.61](#)
 - cardiac septum prosthesis [35.95](#)
 - chest wall [34.71](#)
 - heart valve prosthesis (poppet) [35.95](#)
 - wound (skin and subcutaneous tissue) (without graft) NEC [86.59](#)
- Retavase, infusion [99.10](#)
- Reteplase, infusion [99.10](#)
- Retightening (noninvasive)
 - external fixator device - *omit code*
- Retinaculotomy NEC -- see also Division, ligament [80.40](#)
 - carpal tunnel (flexor) [04.43](#)
- Retraining
 - cardiac [93.36](#)
 - vocational [93.85](#)
- Retrogasserian neurotomy [04.02](#)
- Revascularization
 - cardiac (heart muscle) (myocardium) (direct) [36.10](#)
 - with
 - bypass anastomosis
 - abdominal artery to coronary artery [36.17](#)
 - aortocoronary (catheter stent) (homograft) (prosthesis) (saphenous vein graft) [36.10](#)
 - one coronary vessel [36.11](#)
 - two coronary vessels [36.12](#)

- three coronary vessels [36.13](#)
- four coronary vessels [36.14](#)
- Aortocoronary bypass for heart revascularization with IVS Rupture Repair [36.101](#) (IM)
- Aortocoronary bypass for heart revascularization with surgical ventricular restoration [36.100](#) (IM)
- Aortocoronary bypass for heart revascularization with valve procedure [36.18](#) (IM)
- gastroepiploic artery to coronary artery [36.17](#)
- internal mammary-coronary artery (single vessel) [36.15](#)
 - double vessel [36.16](#)
 - specified type NEC [36.19](#)
- thoracic artery-coronary artery (single vessel) [36.15](#)
 - double vessel [36.16](#)
- implantation of artery into heart (muscle) (myocardium) (ventricle) [36.2](#)
- indirect [36.2](#)
- specified type NEC [36.39](#)
- transmyocardial
 - endoscopic [36.33](#)
 - endovascular [36.34](#)
 - open chest [36.31](#)
 - percutaneous [36.34](#)
 - specified type NEC [36.32](#)
 - thoracoscopic [36.33](#)
- Reversal, intestinal segment [45.50](#)
 - large [45.52](#)
 - small [45.51](#)
- Revision
 - amputation stump [84.3](#)
 - current traumatic -- see Amputation
 - anastomosis
 - biliary tract [51.94](#)
 - blood vessel [39.49](#)
 - gastric, gastrointestinal (with jejunal interposition) [44.5](#)
 - intestine (large) [46.94](#)
 - small [46.93](#)
 - pleurothecal [03.97](#)
 - pyelointestinal [56.72](#)
 - salpingothecal [03.97](#)
 - subarachnoid-peritoneal [03.97](#)
 - subarachnoid-ureteral [03.97](#)
 - ureterointestinal [56.72](#)
 - ankle replacement (prosthesis) [81.59](#)
 - anterior segment (eye) wound (operative) NEC [12.83](#)
 - arteriovenous shunt (cannula) (for dialysis) [39.42](#)
 - arthroplasty -- see Arthroplasty
 - Revision artificial erection device [64.970](#) (IM)
 - bone flap, skull [02.06](#)
 - breast implant [85.93](#)
 - bronchostomy [33.42](#)
 - bypass graft (vascular) [39.49](#)
 - abdominal - coronary artery [36.17](#)
 - aortocoronary (catheter stent)(with prosthesis) (with saphenous vein graft)(with vein graft) [36.10](#)
 - one coronary vessel [36.11](#)
 - two coronary vessels [36.12](#)
 - three coronary vessels [36.13](#)
 - four coronary vessels [36.14](#)
 - aortocoronary bypass for heart revascularization with IVS Rupture Repair [36.101](#) (IM)

aortocoronary bypass for heart revascularization with surgical ventricular restoration [36.100](#) (IM)
aortocoronary bypass for heart revascularization with valve procedure [36.18](#) (IM)
CABG - see Revision, aortocoronary bypass graft
chest tube - see intercostal catheter
coronary artery bypass graft (CABG) - see Revision, aortocoronary bypass graft, abdominal -
coronary artery bypass, and internal mammary - coronary artery bypass
intercostal catheter (with lysis of adhesions) [34.04](#)
thoracoscopic [34.06](#)
internal mammary - coronary artery (single) [36.15](#)
double vessel [36.16](#)
cannula, vessel-to-vessel (arteriovenous) [39.94](#)
canthus, lateral [08.59](#)
cardiac pacemaker
device (permanent) [37.89](#)
electrode(s) (atrial) (transvenous) (ventricular) [37.75](#)
pocket [37.79](#)
cardiac resynchronization defibrillator (CRT-D)
device [37.79](#)
electrode(s) [37.75](#)
pocket [37.79](#)
cardiac resynchronization pacemaker (CRT-P)
device (permanent) [37.89](#)
electrode(s) (atrial) (transvenous) (ventricular) [37.75](#)
pocket [37.79](#)
cardioverter/defibrillator (automatic) pocket [37.79](#)
cholecystostomy [51.99](#)
cleft palate repair [27.63](#)
colostomy [46.43](#)
conduit, urinary [56.52](#)
cystostomy (stoma) [57.22](#)
disc-see Revision, intervertebral disc
elbow replacement (prosthesis) [81.97](#)
enterostomy (stoma) [46.40](#)
large intestine [46.43](#)
small intestine [46.41](#)
enucleation socket [16.64](#)
with graft [16.63](#)
esophagostomy [42.83](#)
exenteration cavity [16.66](#)
with secondary graft [16.65](#)
extraocular muscle surgery [15.6](#)
fenestration, inner ear [20.62](#)
filtering bleb [12.66](#)
fixation device (broken) (displaced) -- see also Fixation, bone, internal [78.50](#)
flap or pedicle graft (skin) [86.75](#)
foot replacement (prosthesis) [81.59](#)
gastric anastomosis (with jejunal interposition) [44.5](#)
gastric band, laparoscopic [44.96](#)
gastric port device
laparoscopic [44.96](#)
gastroduodenostomy (with jejunal interposition) [44.5](#)
gastrointestinal anastomosis (with jejunal interposition) [44.5](#)
gastrojejunostomy [44.5](#)
gastrostomy [44.69](#)
laparoscopic [44.68](#)
hand replacement (prosthesis) [81.97](#)

heart procedure NEC [35.95](#)
hip replacement NOS [81.53](#)
 acetabular and femoral components (total) [00.70](#)
 acetabular component only [00.71](#)
 acetabular liner and/or femoral head only [00.73](#)
 femoral component only [00.72](#)
 femoral head only and/or acetabular liner [00.73](#)
 partial
 acetabular component only [00.71](#)
 acetabular liner and/or femoral head only [00.73](#)
 femoral component only [00.72](#)
 femoral head only and/or acetabular liner [00.73](#)
 total (acetabular and femoral components) [00.70](#)
Holter (-Spitz) valve [02.42](#)
ileal conduit [56.52](#)
ileostomy [46.41](#)
intervertebral disc, artificial (partial) (total) NOS [84.69](#)
 cervical [84.66](#)
 lumbar, lumbosacral [84.68](#)
 thoracic [84.67](#)
Jejunioileal bypass [46.93](#)
jejunostomy [46.41](#)
joint replacement
 acetabular and femoral components (total) [00.70](#)
 acetabular component only [00.71](#)
 acetabular liner and/or femoral head only [00.73](#)
 ankle [81.59](#)
 elbow [81.97](#)
 femoral component only [00.72](#)
 femoral head only and/or acetabular liner [00.73](#)
 foot [81.59](#)
 hand [81.97](#)
 hip [81.53](#)
 acetabular and femoral components (total) [00.70](#)
 acetabular component only [00.71](#)
 acetabular liner and/or femoral head only [00.73](#)
 femoral component only [00.72](#)
 femoral head only and/or acetabular liner [00.73](#)
 partial
 acetabular component only [00.71](#)
 acetabular liner and/or femoral head only [00.73](#)
 femoral component only [00.72](#)
 femoral head only and/or acetabular liner [00.73](#)
 total (acetabular and femoral components) [00.70](#)
 knee [81.55](#)
 knee replacement NOS [81.55](#)
 femoral component [00.82](#)
 partial
 femoral component [00.82](#)
 patellar component [00.83](#)
 tibial component [00.81](#)
 tibial insert [00.84](#)
 patellar component [00.83](#)
 tibial component [00.81](#)
 tibial insert [00.84](#)
 total (all components) [00.80](#)

lower extremity NEC [81.59](#)
 toe [81.59](#)
 upper extremity [81.97](#)
 wrist [81.97](#)
 knee replacement (prosthesis) NOS [81.55](#)
 femoral component [00.82](#)
 partial
 femoral component [00.82](#)
 patellar component [00.83](#)
 tibial component [00.81](#)
 tibial insert [00.84](#)
 patellar component [00.83](#)
 tibial component [00.81](#)
 tibial insert [00.84](#)
 total (all components) [00.80](#)
 laryngostomy [31.63](#)
 lateral canthus [08.59](#)
 mallet finger [82.84](#)
 mastoid antrum [19.9](#)
 mastoidectomy [20.92](#)
 nephrostomy [55.89](#)
 neuroplasty [04.75](#)
 ocular implant [16.62](#)
 orbital implant [16.62](#)
 pocket
 cardiac device (defibrillator) (pacemaker)
 with initial insertion of cardiac device - *omit code*
 new site (cardiac device pocket)(skin)(subcutaneous) [37.79](#)
 carotid sinus stimulation pulse generator [39.85](#)
 with initial insertion of pulse generator - *omit code*
 intracardiac hemodynamic monitoring [37.79](#)
 subcutaneous device pocket NEC
 with initial insertion of generator or device - *omit code*
 new site [86.09](#)
 thalamic stimulator pulse generator
 with initial insertion of battery package - *omit code*
 new site (skin)(subcutaneous) [86.09](#)
 previous mastectomy site -- see categories [85.0](#)
 proctostomy [48.79](#)
 prosthesis
 acetabular and femoral components (total) [00.70](#)
 acetabular component only [00.71](#)
 acetabular liner and/or femoral head only [00.73](#)
 ankle [81.59](#)
 artificial erection device [64.970](#) (IM)
 breast [85.93](#)
 elbow [81.97](#)
 femoral component only [00.72](#)
 femoral head only and/or acetabular liner [00.73](#)
 foot [81.59](#)
 hand [81.97](#)
 heart valve (poppet) [35.95](#)
 hip [81.53](#)
 acetabular component only [00.71](#)
 acetabular liner and/or femoral head only [00.73](#)
 femoral component only [00.72](#)

- femoral head only and/or acetabular liner [00.73](#)
- partial
 - acetabular component only [00.71](#)
 - acetabular liner and/or femoral head only [00.73](#)
 - femoral component only [00.72](#)
 - femoral head only and/or acetabular liner [00.73](#)
 - acetabular and femoral components (total) [00.70](#)
 - total (acetabular and femoral components) [00.70](#)
- knee NOS [81.55](#)
- femoral component [00.82](#)
- partial
 - femoral component [00.82](#)
 - patellar component [00.83](#)
 - tibial component [00.81](#)
 - tibial insert [00.84](#)
 - patellar component [00.83](#)
 - tibial component [00.81](#)
 - tibial insert [00.84](#)
 - total (all components) [00.80](#)
- lower extremity NEC [81.59](#)
- shoulder [81.97](#)
- spine
 - facet replacement device(s) [84.85](#)
 - interspinous process device(s) [84.81](#)
 - pedicle-based dynamic stabilization device(s) [84.83](#)
- toe [81.59](#)
- upper extremity [81.97](#)
- wrist [81.97](#)
- ptosis overcorrection [08.37](#)
- pyelostomy [55.12](#)
- pyloroplasty [44.29](#)
- rhinoplasty [21.84](#)
- scar
 - skin [86.84](#)
 - with excision [86.3](#)
- scleral fistulization [12.66](#)
- shoulder replacement (prosthesis) [81.97](#)
- shunt
 - arteriovenous (cannula) (for dialysis) [39.42](#)
 - lumbar-subarachnoid NEC [03.97](#)
 - peritoneojugular [54.99](#)
 - peritoneovascular [54.99](#)
 - pleurothecal [03.97](#)
 - salpingothecal [03.97](#)
 - spinal (thecal) NEC [03.97](#)
 - subarachnoid-peritoneal [03.97](#)
 - subarachnoid-ureteral [03.97](#)
 - ventricular (cerebral) [02.42](#)
 - ventriculoperitoneal
 - at peritoneal site [54.95](#)
 - at ventricular site [02.42](#)
- stapedectomy NEC [19.29](#)
 - with incus replacement (homograft) (prosthesis) [19.21](#)
- stimulator
 - electrode(s)
 - carotid sinus [39.84](#)

- pulse generator
 - carotid sinus [39.85](#)
- stoma
 - bile duct [51.79](#)
 - bladder (vesicostomy) [57.22](#)
 - bronchus [33.42](#)
 - common duct [51.72](#)
 - esophagus [42.89](#)
 - gallbladder [51.99](#)
 - hepatic duct [51.79](#)
 - intestine [46.40](#)
 - large [46.43](#)
 - small [46.41](#)
 - kidney [55.89](#)
 - larynx [31.63](#)
 - rectum [48.79](#)
 - stomach [44.69](#)
 - laparoscopic [44.68](#)
 - thorax [34.79](#)
 - trachea [31.74](#)
 - ureter [56.62](#)
 - urethra [58.49](#)
- tack operation [20.79](#)
- toe replacement (prosthesis) [81.59](#)
- tracheostomy [31.74](#)
- tunnel
 - pulse generator lead wire [86.99](#)
 - with initial procedure - omit code
- tympaanoplasty [19.6](#)
- uretero-ileostomy, cutaneous [56.52](#)
- ureterostomy (cutaneous) (stoma) NEC [56.62](#)
 - ileal [56.52](#)
- urethroostomy [58.49](#)
- urinary conduit [56.52](#)
- vascular procedure (previous) NEC [39.49](#)
- ventricular shunt (cerebral) [02.42](#)
- vesicostomy stoma [57.22](#)
- wrist replacement (prosthesis) [81.97](#)
- Rhinectomy [21.4](#)
- Rhinocheiloplasty [27.59](#)
 - cleft lip [27.54](#)
- Rhinomanometry [89.12](#)
- Rhinoplasty (external) (internal) NEC [21.87](#)
 - augmentation (with graft) (with synthetic implant) [21.85](#)
 - limited [21.86](#)
 - revision [21.84](#)
 - tip [21.86](#)
 - twisted nose [21.84](#)
- Rhinorrhaphy (external) (internal) [21.81](#)
 - for epistaxis [21.09](#)
- Rhinoscopy [21.21](#)
- Rhinoseptoplasty [21.84](#)
- Rhinotomy [21.1](#)
- Rhizotomy (radiofrequency) (spinal) [03.1](#)
 - acoustic [04.01](#)
 - trigeminal [04.02](#)