

Index to Procedures

A

Abbe operation
 construction of vagina [70.61](#)
 with graft or prosthesis [70.63](#)
 intestinal anastomosis – see Anastomosis, intestine
 Abciximab, infusion [99.20](#)
 Abdominal vesicovaginal fistula closure [57.824](#) (IM)
 Abdominocentesis [54.91](#)
 Abdominohysterectomy [68.49](#)
 laparoscopic [68.41](#)
 Abdominoplasty [86.83](#)
 Abdominoscopy [54.21](#)
 Abdominouterotomy [68.0](#)
 obstetrical [74.99](#)
 Abduction, arytenoid [31.69](#)
 AbioCor® total replacement heart [37.52](#)
 Ablation
 biliary tract (lesion) by ERCP [51.64](#)
 endometrial (hysteroscopic) [68.23](#)
 inner ear (cryosurgery) (ultrasound) [20.79](#)
 by injection [20.72](#)
 lesion
 esophagus [42.39](#)
 endoscopic [42.33](#)
 heart
 by peripherally inserted catheter [37.34](#)
 endovascular approach [37.34](#)
 maze procedure (Cox-maze)
 endovascular approach [37.34](#)
 open approach [37.33](#)
 thoracoscopic approach [37.37](#)
 thoracoscopic approach [37.37](#)
 intestine
 large [45.49](#)
 endoscopic [45.43](#)
 large intestine [45.49](#)
 endoscopic [45.43](#)
 liver [50.26](#)
 laparoscopic [50.25](#)
 open [50.23](#)
 percutaneous [50.24](#)
 lung [32.26](#)
 bronchoscopic thermoplasty [32.27](#)
 open [32.23](#)
 percutaneous [32.24](#)
 thoracoscopic [32.25](#)
 renal [55.35](#)
 laparoscopic [55.34](#)
 open [55.32](#)
 percutaneous [55.33](#)
 pituitary [07.69](#)

- by
 - Cobalt-60 [92.32](#)
 - implantation (strontium-yttrium) (Y) NEC [07.68](#)
 - transfrontal approach [07.64](#)
 - transphenoidal approach [07.65](#)
 - proton beam (Bragg peak) [92.33](#)
- prostate
 - by
 - cryoablation [60.62](#)
 - laser, transurethral [60.21](#)
 - radical cryosurgical ablation (RCSA) [60.62](#)
 - radiofrequency thermotherapy [60.97](#)
 - transurethral needle ablation (TUNA) [60.97](#)
- tissue
 - heart - see Ablation, lesion, heart
 - liver - see Ablation, lesion, liver
 - lung - see Ablation, lesion, lung
 - renal - see Ablation, lesion, renal
- thyroid
 - [Percutaneous ablation of thyroid 06.96 \(IM\)](#)
- Abortion, therapeutic [69.51](#)
 - by
 - aspiration curettage [69.51](#)
 - dilation and curettage [69.01](#)
 - hysterectomy – see Hysterectomy
 - hysterotomy [74.91](#)
 - insertion
 - laminaria [69.93](#)
 - prostaglandin suppository [96.49](#)
 - intra-amniotic injection (saline) [75.0](#)
- Abrasion
 - corneal epithelium [11.41](#)
 - for smear or culture [11.21](#)
 - epicardial surface [36.39](#)
 - pleural [34.6](#)
 - skin [86.25](#)
- Abscission, cornea [11.49](#)
- Absorptiometry photon (dual) (single) [88.98](#)
- Aburel operation (intra-amniotic injection for abortion) [75.0](#)
- Accouchement forcé [73.99](#)
- Acetabulectomy [77.85](#)
- Acetabuloplasty NEC [81.40](#)
 - with prosthetic implant [81.52](#)
- Achillorrhaphy [83.64](#)
 - delayed [83.62](#)
- Achillotenotomy [83.11](#)
 - plastic [83.85](#)
- Achillotomy [83.11](#)
 - plastic [83.85](#)
- Acid peel, skin [86.24](#)
- Acromionectomy [77.81](#)
- Acromioplasty [81.83](#)
 - for recurrent dislocation of shoulder [81.82](#)
 - partial replacement [81.81](#)
 - total replacement, NEC [81.80](#)
 - other [81.80](#)

- reverse [81.88](#)
- Actinotherapy [99.82](#)
- Activities of daily living (ADL)
 - therapy [93.83](#)
 - training for the blind [93.78](#)
- Acupuncture [99.92](#)
 - with smouldering moxa [93.35](#)
 - for anesthesia [99.91](#)
- Adams operation
 - advancement of round ligament [69.22](#)
 - crushing of nasal septum [21.88](#)
 - excision of palmar fascia [82.35](#)
- Adenectomy -- see also Excision, by site
 - prostate NEC [60.69](#)
 - retropubic [60.4](#)
- Adenoidectomy (without tonsillectomy) [28.6](#)
 - with tonsillectomy [28.3](#)
- Adhesiolysis -- see also Lysis, adhesions
 - for collapse of lung [33.39](#)
 - middle ear [20.23](#)
- Adipectomy [86.83](#)
- Adjustment
 - cardiac pacemaker program (reprogramming) -- omit code
 - cochlear prosthetic device (external components) [95.49](#)
 - dental [99.97](#)
 - gastric restrictive device (laparoscopic) [44.98](#)
 - occlusal [24.8](#)
 - orthopedic device (noninvasive)
 - external fixator - omit code
 - spectacles [95.31](#)
- Administration (of) -- see also Injection
 - Activase® [99.10](#)
 - adhesion barrier substance [99.77](#)
 - Alteplase (tPA, generic) [99.10](#)
 - Anistreplase (tPA, generic) [99.10](#)
 - antitoxins NEC [99.58](#)
 - botulism [99.57](#)
 - diphtheria [99.58](#)
 - gas gangrene [99.58](#)
 - scarlet fever [99.58](#)
 - tetanus [99.56](#)
 - artificial erection of penis with injection [62.93](#) (IM)
 - Bender Visual-Motor Gestalt test [94.02](#)
 - Benton Visual Retention test [94.02](#)
 - DrotAA [00.11](#)
 - Eminase® [99.10](#)
 - inhaled nitric oxide [00.12](#)
 - intelligence test or scale (Stanford-Binet) (Wechsler) (adult) (children) [94.01](#)
 - Minnesota Multiphasic Personality Inventory (MMPI) [94.02](#)
 - MMPI (Minnesota Multiphasic Personality Inventory) [94.02](#)
 - neuroprotective agent
 - Proleukin® (low-dose) [99.28](#)
 - high-dose 00.1599.75
 - psychologic test [94.02](#)
 - Retavase® [99.10](#)
 - Reteplase (tPA, generic) [99.10](#)

Stanford-Binet test [94.01](#)
Streptase® [99.10](#)
Streptokinase (tPA, generic) [99.10](#)
Surfactant [96.010](#) (IM)
Tenecteplase (tPA, generic) [99.10](#)
TNKase™ [99.10](#)
toxoid
 diphtheria [99.36](#)
 with tetanus and pertussis, combined (DTP) [99.39](#)
 tetanus [99.38](#)
 with diphtheria and pertussis, combined (DTP) [99.39](#)
vaccine -- *see also* Vaccination
 BCG [99.33](#)
 measles-mumps-rubella (MMR) [99.48](#)
 poliomyelitis [99.41](#)
 TAB [99.32](#)
Wechsler
 Intelligence Scale (adult) (children) [94.01](#)
 Memory Scale [94.02](#)
Xigris® [00.11](#)
Adrenalectomy (unilateral) [07.22](#)
 with partial removal of remaining gland [07.29](#)
 bilateral [07.3](#)
 partial [07.29](#)
 subtotal [07.29](#)
 complete [07.3](#)
 partial NEC [07.29](#)
 remaining gland [07.3](#)
 subtotal NEC [07.29](#)
 total [07.3](#)
Adrenorrhaphy [07.44](#)
Adrenotomy (with drainage) [07.41](#)
Advancement
 extraocular muscle [15.12](#)
 multiple (with resection or recession) [15.3](#)
 eyelid muscle [08.59](#)
 eye muscle [15.12](#)
 multiple (with resection or recession) [15.3](#)
 graft -- *see* Graft
 leaflet (heart) [35.10](#)
 pedicle (flap) [86.72](#)
 profundus tendon (Wagner) [82.51](#)
 round ligament [69.22](#)
 tendon [83.71](#)
 hand [82.51](#)
 profundus (Wagner) [82.51](#)
 Wagner (profundus tendon) [82.51](#)
AESOP® (Automated Endoscopic System for Optimal Positioning) - *see* category [17.4](#)
Albee operation
 bone peg, femoral neck [78.05](#)
 graft for slipping patella [78.06](#)
 sliding inlay graft, tibia [78.07](#)
Albert operation (arthrodesis of knee) [81.22](#)
Aldridge (-Studdiford) operation (urethral sling) [59.5](#)
Alexander operation
 prostatectomy

- perineal [60.62](#)
- suprapubic [60.3](#)
- shortening of round ligaments [69.22](#)
- Alexander-Adams operation (shortening of round ligaments) [69.22](#)
- Alimentation, parenteral [99.29](#)
- Allograft -- see Graft
- Almoor operation (extrapetrosal drainage) [20.22](#)
- Altemeier operation (perineal rectal pull-through) [48.49](#)
- Alveolectomy (interradicular) (intraseptal) (radical) (simple) (with graft) (with implant) [24.5](#)
- Alveoloplasty (with graft or implant) [24.5](#)
- Alveolotomy (apical) [24.0](#)
- Ambulatory cardiac monitoring (ACM) [89.50](#)
- Ammon operation (dacryocystotomy) [09.53](#)
- Amniocentesis (transuterine) (diagnostic) [75.1](#)
 - with intra-amniotic injection of saline [75.0](#)
- Amniography [87.81](#)
- Amnioinfusion [75.37](#)
- Amnioscopy, internal [75.31](#)
- Amniotomy [73.09](#)
 - to induce labor [73.01](#)
- Amputation (cineplastic) (closed flap) (guillotine) (kineplastic) (open) [84.91](#)
 - abdominopelvic [84.19](#)
 - above-elbow [84.07](#)
 - above-knee (AK) [84.17](#)
 - ankle (disarticulation) [84.13](#)
 - through malleoli of tibia and fibula [84.14](#)
 - arm NEC [84.00](#)
 - through
 - carpals [84.03](#)
 - elbow (disarticulation) [84.06](#)
 - forearm [84.05](#)
 - humerus [84.07](#)
 - shoulder (disarticulation) [84.08](#)
 - wrist (disarticulation) [84.04](#)
 - upper [84.07](#)
 - Batch-Spittler-McFaddin (knee disarticulation) [84.16](#)
 - below-knee (BK) NEC [84.15](#)
 - conversion into above-knee amputation [84.17](#)
 - Boyd (hip disarticulation) [84.18](#)
 - Callander's (knee disarticulation) [84.16](#)
 - carpals [84.03](#)
 - cervix [67.4](#)
 - Chopart's (midtarsal) [84.12](#)
 - clitoris [71.4](#)
 - Dieffenbach (hip disarticulation) [84.18](#)
 - Dupuytren's (shoulder disarticulation) [84.08](#)
 - ear, external [18.39](#)
 - elbow (disarticulation) [84.06](#)
 - finger, except thumb [84.01](#)
 - thumb [84.02](#)
 - foot (middle) [84.12](#)
 - forearm [84.05](#)
 - forefoot [84.12](#)
 - forequarter [84.09](#)
 - Gordon-Taylor (hindquarter) [84.19](#)
 - Gritti-Stokes (knee disarticulation) [84.16](#)

Guyon (ankle) [84.13](#)
 hallux [84.11](#)
 hand [84.03](#)
 Hey's (foot) [84.12](#)
 hindquarter [84.19](#)
 hip (disarticulation) [84.18](#)
 humerus [84.07](#)
 interscapulothoracic [84.09](#)
 interthoracoscapular [84.09](#)
 King-Steelquist (hindquarter) [84.19](#)
 Kirk (thigh) [84.17](#)
 knee (disarticulation) [84.16](#)
 Kutler (revision of current traumatic amputation of finger) [84.01](#)
 Larry (shoulder disarticulation) [84.08](#)
 leg NEC [84.10](#)
 above knee (AK) [84.17](#)
 below knee (BK) [84.15](#)
 through
 ankle (disarticulation) [84.13](#)
 femur (AK) [84.17](#)
 foot [84.12](#)
 hip (disarticulation) [84.18](#)
 tibia and fibula (BK) [84.15](#)
 Lisfranc
 foot [84.12](#)
 shoulder (disarticulation) [84.08](#)
 Littlewood (forequarter) [84.09](#)
 lower limb NEC -- see *also* Amputation, leg [84.10](#)
 Mazet (knee disarticulation) [84.16](#)
 metacarpal [84.03](#)
 metatarsal [84.11](#)
 head (bunionectomy) [77.59](#)
 metatarsophalangeal (joint) [84.11](#)
 midtarsal [84.12](#)
 nose [21.4](#)
 penis (circle) (complete) (flap) (partial) (radical) [64.3](#)
 partial amputation of penis [64.30](#) (IM)
 Pirogoff's (ankle amputation through malleoli of tibia and fibula) [84.14](#)
 ray
 finger [84.01](#)
 foot [84.11](#)
 toe (metatarsal head) [84.11](#)
 root (apex) (tooth) [23.73](#)
 with root canal therapy [23.72](#)
 shoulder (disarticulation) [84.08](#)
 Sorondo-Ferre (hindquarter) [84.19](#)
 S. P. Rogers (knee disarticulation) [84.16](#)
 supracondyler, above-knee [84.17](#)
 supramalleolar, foot [84.14](#)
 Syme's (ankle amputation through malleoli of tibia and fibula) [84.14](#)
 thigh [84.17](#)
 thumb [84.02](#)
 toe (through metatarsophalangeal joint) [84.11](#)
 transcarpal [84.03](#)
 transmetatarsal [84.12](#)

upper limb NEC -- see *also* Amputation, arm [84.00](#)
wrist (disarticulation) [84.04](#)
Amygdalohippocampotomy [01.39](#)
Amygdalohippocampectomy [01.59](#)
Amygdalotomy [01.39](#)
Analysis
 cardiac rhythm device (AICD) (CRT-D) (CRT-P) (pacemaker) -see Interrogation
 character [94.03](#)
 gastric [89.39](#)
 psychologic [94.31](#)
 transactional
 group [94.44](#)
 individual [94.39](#)
Anastomosis
 abdominal artery to coronary artery [37.17](#)
 accessory-facial nerve [04.72](#)
 accessory-hypoglossal nerve [04.73](#)
 anus (with formation of endorectal ileal pouch) [45.95](#)
 aorta (descending)-pulmonary (artery) [39.0](#)
 aorta-renal artery [39.24](#)
 aorta-subclavian artery [39.22](#)
 aortoceliac [39.26](#)
 aorto(ilio)femoral [39.25](#)
 aortomesenteric [39.26](#)
 appendix [47.99](#)
 arteriovenous NEC [39.29](#)
 for renal dialysis [39.27](#)
 Insertion of permanent central dialysis catheter [39.271](#) (IM)
 Insertion of temporary central dialysis catheter [39.270](#) (IM)
 artery (suture of distal to proximal end) [39.31](#)
 with
 bypass graft [39.29](#)
 extracranial-intracranial [EC-IC] [39.28](#)
 excision or resection of vessel -- see Arteriotomy, with anastomosis, by site
 revision [39.49](#)
 bile ducts [51.39](#)
 bladder NEC [57.88](#)
 with
 isolated segment of intestine [57.87](#) [45.50]
 colon (sigmoid) [57.87](#) [45.52]
 ileum [57.87](#) [45.51]
 open loop of ileum [57.87](#) [45.51]
 to intestine [57.88](#)
 ileum [57.87](#) [45.51]
 bowel -- see *also* Anastomosis, intestine [45.90](#)
 bronchotracheal [33.48](#)
 bronchus [33.48](#)
 carotid-subclavian artery [39.22](#)
 caval-mesenteric vein [39.1](#)
 caval-pulmonary artery [39.21](#)
 cervicoesophageal [42.59](#)
 colohypopharyngeal (intrathoracic) [42.55](#)
 antesternal or antethoracic [42.65](#)
 common bile duct [51.39](#)
 common pulmonary trunk and left atrium (posterior wall) [35.82](#)
 cystic bile duct [51.39](#)

cystocolic [57.88](#)
 direct anastomosis for renal artery repair [39.590](#) (IM)
 direct anastomosis for renal vein repair [39.591](#) (IM)
 epididymis to vas deferens [63.83](#)
 esophagocolic (intrathoracic) NEC [42.56](#)
 with interposition [42.55](#)
 antesternal or antethoracic NEC [42.66](#)
 with interposition [42.65](#)
 esophagocologastric (intrathoracic) [42.55](#)
 antesternal or antethoracic [42.65](#)
 esophagoduodenal (intrathoracic) NEC [42.54](#)
 with interposition [42.53](#)
 esophagoenteric (intrathoracic) NEC -- see *also* Anastomosis, esophagus, to intestinal segment
 [42.54](#)
 antesternal or antethoracic NEC -- see *also* Anastomosis, esophagus, antesternal, to intestinal
 segment [42.64](#)
 esophagoesophageal (intrathoracic) [42.51](#)
 antesternal or antethoracic [42.61](#)
 esophagogastric (intrathoracic) [42.52](#)
 antesternal or antethoracic [42.62](#)
 esophagus (intrapleural) (intrathoracic) (retrosternal) NEC [42.59](#)
 with
 gastrectomy (partial) [43.5](#)
 complete or total [43.99](#)
 interposition (of) NEC [42.58](#)
 colon [42.55](#)
 jejunum [42.53](#)
 small bowel [42.53](#)
 antesternal or antethoracic NEC [42.69](#)
 with
 interposition (of) NEC [42.68](#)
 colon [42.65](#)
 jejunal loop [42.63](#)
 small bowel [42.63](#)
 rubber tube [42.68](#)
 to intestinal segment NEC [42.64](#)
 with interposition [42.68](#)
 colon NEC [42.66](#)
 with interposition [42.65](#)
 small bowel NEC [42.64](#)
 with interposition [42.63](#)
 to intestinal segment (intrathoracic) NEC [42.54](#)
 with interposition [42.58](#)
 antesternal or antethoracic NEC [42.64](#)
 with interposition [42.68](#)
 colon (intrathoracic) NEC [42.56](#)
 with interposition [42.55](#)
 antesternal or antethoracic [42.66](#)
 with interposition [42.65](#)
 small bowel NEC [42.54](#)
 with interposition [42.53](#)
 antesternal or antethoracic [42.64](#)
 with interposition [42.63](#)
 facial-accessory nerve [04.72](#)
 facial-hypoglossal nerve [04.71](#)
 fallopian tube [66.73](#)

by reanastomosis [66.79](#)
 gallbladder [51.35](#)
 to
 hepatic ducts [51.31](#)
 intestine [51.32](#)
 pancreas [51.33](#)
 stomach [51.34](#)
 gastroepiploic artery to coronary artery [36.17](#)
 hepatic duct [51.39](#)
 hypoglossal-accessory nerve [04.73](#)
 hypoglossal-facial nerve [04.71](#)
 ileal loop to bladder [57.87](#) [[45.51](#)]
 ileoanal [45.95](#)
 ileorectal [45.93](#)
 inferior vena cava and portal vein [39.1](#)
 internal mammary artery (to)
 coronary artery (single vessel) [36.15](#)
 double vessel [36.16](#)
 myocardium [36.2](#)
 intestine [45.90](#)
 large-to-anus [45.95](#)
 large-to-large [45.94](#)
 large-to-rectum [45.94](#)
 large-to-small [45.93](#)
 small-to-anus [45.95](#)
 small-to-large [45.93](#)
 small-to-rectal stump [45.92](#)
 small-to-small [45.91](#)
 intrahepatic [51.79](#)
 intrathoracic vessel NEC [39.23](#)
 kidney (pelvis) [55.86](#)
 lacrimal sac to conjunctiva [09.82](#)
 left-to-right (systemic-pulmonary artery) [39.0](#)
 lymphatic (channel) (peripheral) [40.9](#)
 mesenteric-caval [39.1](#)
 mesocaval [39.1](#)
 nasolacrimal [09.81](#)
 nerve (cranial) (peripheral) NEC [04.74](#)
 accessory-facial [04.72](#)
 accessory-hypoglossal [04.73](#)
 hypoglossal-facial [04.71](#)
 pancreas (duct) (to) [52.96](#)
 bile duct [51.39](#)
 gall bladder [51.33](#)
 intestine [52.96](#)
 jejunum [52.96](#)
 stomach [52.96](#)
 pleurothecal (with valve) [03.79](#)
 portacaval [39.1](#)
 portal vein to inferior vena cava [39.1](#)
 pulmonary-aortic (Pott's) [39.0](#)
 pulmonary artery and superior vena cava [39.21](#)
 pulmonary-innominate artery (Blalock) [39.0](#)
 pulmonary-subclavian artery (Blalock-Taussig) [39.0](#)
 pulmonary vein and azygos vein [39.23](#)
 pyeloileocutaneous [56.51](#)

pyeloureterovesical [55.86](#)
 radial artery [36.19](#)
 rectum, rectal NEC [48.74](#)
 stump to small intestine [45.92](#)
 renal (pelvis) [55.86](#)
 direct anastomosis for renal artery repair [39.590](#) (IM)
 direct anastomosis for renal vein repair [39.591](#) (IM)
 vein and splenic vein [39.1](#)
 renoportal [39.1](#)
 salpingohectical (with valve) [03.79](#)
 splenic to renal veins [39.1](#)
 splenorenal (venous) [39.1](#)
 arterial [39.26](#)
 subarachnoid-peritoneal (with valve) [03.71](#)
 subarachnoid-ureteral (with valve) [03.72](#)
 subclavian-aortic [39.22](#)
 superior vena cava to pulmonary artery [39.21](#)
 systemic-pulmonary artery [39.0](#)
 thoracic artery (to)
 coronary artery (single) [36.15](#)
 double [36.16](#)
 myocardium [36.2](#)
 ureter (to) NEC [56.79](#)
 bladder [56.74](#)
 colon [56.71](#)
 ileal pouch (bladder) [56.51](#)
 ileum [56.71](#)
 intestine [56.71](#)
 skin [56.61](#)
 ureterocalyceal [55.86](#)
 ureterocolic [56.71](#)
 ureterovesical [56.74](#)
 urethra (end-to-end) [58.44](#)
 vas deferens [63.82](#)
 veins (suture of proximal to distal end) (with bypass graft) [39.29](#)
 with excision or resection of vessel -- see Phlebectomy, with anastomosis, by site
 mesenteric to vena cava [39.1](#)
 portal to inferior vena cava [39.1](#)
 revision [39.49](#)
 splenic and renal [39.1](#)
 ventricle, ventricular (intracerebral) (with valve) -- see *also* Shunt, ventricular [02.2](#)
 with Endoscopic [02.20](#) (IM)
 ventriculoatrial (with valve) [02.32](#)
 ventriculocaval (with valve) [02.32](#)
 ventriculomastoid (with valve) [02.31](#)
 ventriculopleural (with valve) [02.33](#)
 vesicle -- see Anastomosis, bladder
 Anderson operation (tibial lengthening) [78.37](#)
 Anel operation (dilation of lacrimal duct) [09.42](#)
 Anesthesia
 acupuncture for [99.91](#)
 cryoanalgesia nerve (cranial) (peripheral) [04.2](#)
 spinal -- omit code
 Aneurysmectomy [38.60](#)
 with
 anastomosis [38.30](#)

- abdominal
 - artery [38.36](#)
 - vein [38.37](#)
- aorta (arch) (ascending) (descending) [38.34](#)
- head and neck NEC [38.32](#)
- intracranial NEC [38.31](#)
- lower limb
 - artery [38.38](#)
 - vein [38.39](#)
- thoracic NEC [38.35](#)
- upper limb (artery) (vein) [38.33](#)
- graft replacement (interposition) [38.40](#)
- abdominal
 - aorta
 - endovascular approach [39.71](#)
 - open approach [38.44](#)
 - Zenith® Renu™ AAA graft [39.71](#)
 - artery [38.46](#)
 - vein [38.47](#)
- aorta (arch) (ascending) (descending thoracic)
 - abdominal [38.44](#)
 - thoracic [38.45](#)
 - thoracoabdominal [38.45](#) [[38.44](#)]
- head and neck NEC [38.42](#)
- intracranial NEC [38.41](#)
- lower limb
 - artery [38.48](#)
 - vein [38.49](#)
- thoracic NEC [38.45](#)
- upper limb (artery) (vein) [38.43](#)
- abdominal
 - artery [38.66](#)
 - vein [38.67](#)
- aorta (arch) (ascending) (descending) [38.64](#)
- atrial, auricular [37.32](#)
- head and neck NEC [38.62](#)
- heart [37.32](#)
- intracranial NEC [38.61](#)
- lower limb
 - artery [38.68](#)
 - vein [38.69](#)
- sinus of Valsalva [35.39](#)
- thoracic NEC [38.65](#)
- upper limb (artery) (vein) [38.63](#)
- ventricle (myocardium) [37.32](#)
- Aneurysmoplasty -- see Aneurysmorrhaphy
- Aneurysmorrhaphy NEC [39.52](#)
- by or with
 - anastomosis -- see Aneurysmectomy, with anastomosis, by site
 - clipping [39.51](#)
 - coagulation [39.52](#)
 - electrocoagulation [39.52](#)
 - endovascular graft
 - abdominal aorta [39.71](#)
 - lower extremity artery(s) [39.79](#)
 - thoracic aorta [39.73](#)

- upper extremity artery(s) [39.79](#)
- excision or resection -- see also Aneurysmectomy, by site
- with
 - anastomosis -- see Aneurysmectomy, with anastomosis, by site
 - graft replacement -- see Aneurysmectomy, with graft replacement, by site
- filipuncture [39.52](#)
- graft replacement -- see Aneurysmectomy, with graft replacement, by site
- methyl methacrylate [39.52](#)
- suture [39.52](#)
- wiring [39.52](#)
- wrapping [39.52](#)
- Matas' [39.52](#)
- Aneurysmotomy -- see Aneurysmectomy
- Angiectomy
 - with
 - anastomosis [38.30](#)
 - abdominal
 - artery [38.36](#)
 - vein [38.37](#)
 - aorta (arch) (ascending) (descending) [38.34](#)
 - head and neck NEC [38.32](#)
 - intracranial NEC [38.31](#)
 - lower limb
 - artery [38.38](#)
 - vein [38.39](#)
 - thoracic vessel NEC [38.35](#)
 - upper limb (artery) (vein) [38.33](#)
 - graft replacement (interposition) [38.40](#)
 - abdominal
 - aorta [38.44](#)
 - artery [38.46](#)
 - vein [38.47](#)
 - aorta (arch) (ascending) (descending thoracic)
 - abdominal [38.44](#)
 - thoracic [38.45](#)
 - thoracoabdominal [38.45](#) [[38.44](#)]
 - head and neck NEC [38.42](#)
 - intracranial NEC [38.41](#)
 - lower limb
 - artery [38.48](#)
 - vein [38.49](#)
 - thoracic vessel NEC [38.45](#)
 - upper limb (artery) (vein) [38.43](#)
- Angiocardiography (selective) [88.50](#)
- carbon dioxide (negative contrast) [88.58](#)
- combined right and left heart [88.54](#)
- intra-operative coronary fluorescence vascular [88.59](#)
- left heart (aortic valve) (atrium) (ventricle) (ventricular outflow tract) [88.53](#)
 - combined with right heart [88.54](#)
- right heart (atrium) (pulmonary valve) (ventricle) (ventricular outflow tract) [88.52](#)
 - combined with left heart [88.54](#)
- SPY, coronary [88.59](#)
- vena cava (inferior) (superior) [88.51](#)
- Angiography (arterial) -- see also Arteriography [88.40](#)
 - by C.A.T. - see Scan, C.A.T., by site
 - by computed tomography - see Scan, C.A.T., by site

by magnetic resonance – see Imaging, magnetic resonance, by site
 by radioisotope -- see Scan, radioisotope, by site
 by ultrasound -- see Ultrasonography, by site
 basilar [88.41](#)
 brachial [88.49](#)
 carotid (internal) [88.41](#)
 celiac [88.47](#)
 cerebral (posterior circulation) [88.41](#)
 coronary NEC [88.57](#)
 intra-operative fluorescence vascular [88.59](#)
 eye (fluorescein) [95.12](#)
 femoral [88.48](#)
 heart [88.50](#)
 intra-abdominal NEC [88.47](#)
 intracranial [88.41](#)
 intrathoracic vessels NEC [88.44](#)
 lower extremity NEC [88.48](#)
 neck [88.41](#)
 non-coronary, intra-operative fluorescence [17.71](#)
 placenta [88.46](#)
 pulmonary [88.43](#)
 renal [88.45](#)
 specified artery NEC [88.49](#)
 transfemoral [88.48](#)
 upper extremity NEC [88.49](#)
 veins -- see Phlebography
 vertebral [88.41](#)

Angioplasty (laser) -- see *also* Repair, blood vessel

Note: Also use [00.40](#), [00.41](#), [00.42](#), or [00.43](#) to show the total number of vessels treated. Use code [00.44](#) once to show procedure on a bifurcated vessel. In addition, use [00.45](#), [00.46](#), [00.47](#), or [00.48](#) to show the number of vascular stents inserted.

balloon (percutaneous transluminal) NEC [39.50](#)
 coronary artery [00.66](#)
 coronary [36.09](#)
 open chest approach [36.03](#)
 percutaneous transluminal (balloon) [00.66](#)
 percutaneous transluminal (balloon) (single vessel)
 basilar [00.61](#)
 carotid [00.61](#)
 cerebral (intracranial) [00.62](#)
 cerebrovascular
 cerebral (intracranial) [00.62](#)
 precerebral (extracranial) [00.61](#)
 carotid [00.61](#)
 coronary (balloon) [00.66](#)
 femoropopliteal [39.50](#)
 iliac [39.50](#)
 lower extremity NOS [39.50](#)
 mesenteric [39.50](#)
 peripheral NEC [39.50](#)
 precerebral (extracranial) [00.61](#)
 carotid [00.61](#)
 renal [39.50](#)
 subclavian [39.50](#)
 upper extremity NOS [39.50](#)

- vertebral [00.61](#)
- specified site NEC [39.50](#)
 - cerebrovascular
 - cerebral (intracranial) [00.62](#)
 - precerebral (extracranial) [00.61](#)
 - peripheral [39.50](#)
- Angiorrhaphy [39.30](#)
 - artery [39.31](#)
 - vein [39.32](#)
- Angioscopy, percutaneous [38.22](#)
 - eye (fluorescein) 95.12
- Angiotomy [38.00](#)
 - abdominal
 - artery [38.06](#)
 - vein [38.07](#)
 - aorta (arch) (ascending) (descending) [38.04](#)
 - head and neck NEC [38.02](#)
 - intracranial NEC [38.01](#)
 - lower limb
 - artery [38.08](#)
 - vein [38.09](#)
 - thoracic NEC [38.05](#)
 - upper limb (artery) (vein) [38.03](#)
- Angiotripsy [39.98](#)
- Ankylosis, production of -- see Arthrodesis
- Annuloplasty (heart) (posteromedial) [35.33](#)
- Anoplasty [49.79](#)
 - with hemorrhoidectomy [49.46](#)
- Anoscopy [49.21](#)
- Antibiogram -- see Examination, microscopic
- Antiembotic filter, vena cava [38.7](#)
- Antiphobic treatment 94.39
- Antrectomy
 - mastoid [20.49](#)
 - maxillary [22.39](#)
 - radical [22.31](#)
 - pyloric [43.6](#)
- Antrostomy -- see Antrotomy
- Antrotomy (exploratory) (nasal sinus) [22.2](#)
 - Caldwell-Luc (maxillary sinus) [22.39](#)
 - with removal of membrane lining [22.31](#)
 - intranasal [22.2](#)
 - with external approach (Caldwell-Luc) [22.39](#)
 - radical [22.31](#)
 - maxillary (simple) [22.2](#)
 - with Caldwell-Luc approach [22.39](#)
 - with removal of membrane lining [22.31](#)
 - external (Caldwell-Luc approach) [22.39](#)
 - with removal of membrane lining [22.31](#)
 - radical (with removal of membrane lining) [22.31](#)
- Antrum window operation -- see Antrotomy, maxillary
- Aorticopulmonary window operation [39.59](#)
- Aortogram, aortography (abdominal) (retrograde) (selective) (translumbar) [88.42](#)
- Aortoplasty (aortic valve) (gusset type) [35.11](#)
- Aortotomy [38.04](#)
- Apexcardiogram (with ECG lead) [89.57](#)

Apheresis, therapeutic - see category [99.7](#)

Apicectomy

lung [32.39](#)

thoracoscopic [32.30](#)

petrous pyramid [20.59](#)

tooth (root) [23.73](#)

with root canal therapy [23.72](#)

Apicoectomy [23.73](#)

with root canal therapy [23.72](#)

Apicolysis (lung) [33.39](#)

Apicostomy, alveolar [24.0](#)

Aponeurectomy [83.42](#)

hand [82.33](#)

Aponeurorrhaphy -- see also Suture, tendon [83.64](#)

hand -- see also Suture, tendon, hand [82.45](#)

Aponeurotomy [83.13](#)

hand [82.11](#)

Appendectomy (with drainage) [47.09](#)

incidental [47.19](#)

laparoscopic [47.11](#)

laparoscopic [47.01](#)

Appendicectomy (with drainage) [47.09](#)

incidental [47.19](#)

laparoscopic [47.11](#)

laparoscopic [47.01](#)

Appendicocostomy [47.91](#)

Appendicoenterostomy [47.91](#)

Appendicolysis [54.59](#)

with appendectomy [47.09](#)

laparoscopic [47.01](#)

other [47.09](#)

laparoscopic [54.51](#)

Appendicostomy [47.91](#)

closure [47.92](#)

Appendicotomy [47.2](#)

Application

adhesion barrier substance [99.77](#)

anti-shock trousers [93.58](#)

arch bars (orthodontic) [24.7](#)

for immobilization (fracture) [93.55](#)

barrier substance, adhesion [99.77](#)

Barton's tongs (skull) (with synchronous skeletal traction) [02.94](#)

bone growth stimulator (surface) (transcutaneous) [99.86](#)

bone morphogenetic protein (Infuse TM)(OP-1TM)(recombinant)(rhBMP) [84.52](#)

Bryant's traction [93.44](#)

with reduction of fracture or dislocation -- see Reduction, fracture and Reduction, dislocation

Buck's traction [93.46](#)

caliper tongs (skull) (with synchronous skeletal traction) [02.94](#)

cast (fiberglass) (plaster) (plastic) NEC [93.53](#)

with reduction of fracture or dislocation -- see Reduction, fracture and Reduction, dislocation

spica [93.51](#)

cervical collar [93.52](#)

with reduction of fracture or dislocation -- see Reduction, fracture and Reduction, dislocation

clamp, cerebral aneurysm (Crutchfield) (Silverstone) [39.51](#)

croupette, croup tent [93.94](#)

crown (artificial) [23.41](#)

Crutchfield tongs (skull) (with synchronous skeletal traction) [02.94](#)
Dunlop's traction [93.44](#)
 with reduction of fracture or dislocation -- see Reduction, fracture and Reduction, dislocation
elastic stockings [93.59](#)
electronic gaiter [93.59](#)
external fixator device (bone) [78.10](#)
 carpal, metacarpal [78.14](#)
 clavicle [78.11](#)
 computer assisted (dependent) [84.73](#)
 femur [78.15](#)
 fibula [78.17](#)
 humerus [78.12](#)
 hybrid device or system [84.73](#)
 Ilizarov type [84.72](#)
 monoplanar system or device [84.71](#)
 patella [78.16](#)
 pelvic [78.19](#)
 phalanges (foot) (hand) [78.19](#)
 radius [78.13](#)
 ring device or system [84.72](#)
 scapula [78.11](#)
 Sheffield type [84.72](#)
 specified site NEC [78.19](#)
 tarsal, metatarsal [78.18](#)
 thorax (ribs) (sternum) [78.11](#)
 tibia [78.17](#)
 ulna [78.13](#)
 vertebrae [78.19](#)
forceps, with delivery -- see Delivery, forceps
graft -- see Graft
gravity (G-) suit [93.59](#)
intermittent pressure device [93.59](#)
Jewett extension brace [93.59](#)
Jobst pumping unit (reduction of edema) [93.59](#)
Lyman Smith traction [93.44](#)
 with reduction of fracture or dislocation -- see Reduction, fracture and Reduction, dislocation
MAST (military anti-shock trousers) [93.58](#)
Minerva jacket [93.52](#)
minifixator device (bone) -- see category [78.1](#)
neck support (molded) [93.52](#)
obturator (orthodontic) [24.7](#)
orthodontic appliance (obturator) (wiring) [24.7](#)
pelvic sling [93.44](#)
 with reduction of fracture or dislocation -- see Reduction, fracture and Reduction, dislocation
peridontal splint (orthodontic) [24.7](#)
plaster jacket [93.51](#)
 Minerva [93.52](#)
pressure
 dressing (bandage) (Gibney) (Robert Jones') (Shanz) [93.56](#)
 trousers (anti-shock) (MAST) [93.58](#)
prosthesis for missing ear [18.71](#)
Russell's traction [93.44](#)
 with reduction of fracture or dislocation -- see Reduction, fracture and Reduction, dislocation
splint, for immobilization (plaster) (pneumatic) (tray) [93.54](#)
 with fracture reduction -- see Reduction, fracture
stereotactic head frame [93.59](#)

strapping (non-traction) [93.59](#)
substance, adhesion barrier [99.77](#)
Thomas collar [93.52](#)
 with reduction of fracture or dislocation -- see Reduction, fracture and Reduction, dislocation
traction
 with reduction of fracture or dislocation -- see Reduction, fracture and Reduction, dislocation
 adhesive tape (skin) [93.46](#)
 boot [93.46](#)
 Bryant's [93.44](#)
 Buck's [93.46](#)
 Cotrel's [93.42](#)
 Dunlop's [93.44](#)
 gallows [93.46](#)
 Lyman Smith [93.44](#)
 Russell's [93.44](#)
 skeletal NEC [93.44](#)
 intermittent [93.43](#)
 skin, limbs NEC [93.46](#)
 spinal NEC [93.42](#)
 with skull device (caliper) (Crutchfield) (Gardner-Wells) (halo) (Vinke) (tongs) [93.41](#)
 with synchronous insertion [02.94](#)
 Thomas' splint [93.45](#)
 Unna's paste boot [93.53](#)
 vasopneumatic device [93.58](#)
 Velpeau dressing [93.59](#)
 Vinke tongs (skull) (with synchronous skeletal traction) [02.94](#)
 wound dressing NEC [93.57](#)
Aquapheresis [99.78](#)
Arc lamp -- see Photocoagulation
Arcuplasty [81.66](#)
Arrest
 bone growth (epiphyseal) [78.20](#)
 by stapling -- see Stapling, epiphyseal plate
 femur [78.25](#)
 fibula [78.27](#)
 humerus [78.22](#)
 radius [78.23](#)
 tibia [78.27](#)
 ulna [78.23](#)
 cardiac, induced (anoxic) (circulatory) [39.63](#)
 circulatory, induced (anoxic) [39.63](#)
 hemorrhage -- see Control, hemorrhage
Arslan operation (fenestration of inner ear) [20.61](#)
Arterectomy [38.60](#)
 with
 anastomosis [38.30](#)
 abdominal [38.36](#)
 aorta (arch) (ascending) (descending) [38.34](#)
 head and neck NEC [38.32](#)
 intracranial NEC [38.31](#)
 lower limb [38.38](#)
 thoracic NEC [38.35](#)
 upper limb [38.33](#)
 graft replacement (interposition) [38.40](#)
 abdominal
 aorta [38.44](#)

- aorta (arch) (ascending) (descending thoracic) (thoracic)
 - abdominal [38.44](#)
 - thoracic [38.45](#)
 - thoracoabdominal [38.45](#) [[38.44](#)]
- head and neck NEC [38.42](#)
- intracranial NEC [38.41](#)
- lower limb [38.48](#)
- thoracic NEC [38.45](#)
- upper limb [38.43](#)
- abdominal [38.66](#)
- aorta (arch) (ascending) (descending) [38.64](#)
- head and neck NEC [38.62](#)
- intracranial NEC [38.61](#)
- lower-limb [38.68](#)
- thoracic NEC [38.65](#)
- upper limb [38.63](#)
- Arteriography (contrast) (fluoroscopic) (retrograde) [88.40](#)
 - by
 - radioisotope -- see Scan, radioisotope
 - ultrasound (Doppler) -- see Ultrasonography, by site
 - aorta (arch) (ascending) (descending) [88.42](#)
 - basilar [88.41](#)
 - brachial [88.49](#)
 - carotid (internal) [88.41](#)
 - cerebral (posterior circulation) [88.41](#)
 - coronary (direct) (selective) NEC [88.57](#)
 - double catheter technique (Judkins) (Ricketts and Abrams) [88.56](#)
 - intra-operative fluorescence vascular [88.59](#)
 - single catheter technique (Sones) [88.55](#)
 - Doppler (ultrasonic) -- see Ultrasonography, by site
 - femoral [88.48](#)
 - head and neck [88.41](#)
 - intra-abdominal NEC [88.47](#)
 - intrathoracic NEC [88.44](#)
 - lower extremity [88.48](#)
 - placenta [88.46](#)
 - pulmonary [88.43](#)
 - radioisotope -- see Scan, radioisotope
 - renal [88.45](#)
 - specified site NEC [88.49](#)
 - SPY, coronary [88.59](#)
 - superior mesenteric artery [88.47](#)
 - transfemoral [88.48](#)
 - ultrasound -- see Ultrasonography, by site
 - upper extremity [88.49](#)
- Arterioplasty -- see Repair, artery
- Arteriorrhaphy [39.31](#)
- Arteriotomy [38.00](#)
 - abdominal [38.06](#)
 - aorta (arch) (ascending) (descending) [38.04](#)
 - head and neck NEC [38.02](#)
 - intracranial NEC [38.01](#)
 - lower limb [38.08](#)
 - thoracic NEC [38.05](#)
 - upper limb [38.03](#)
- Arteriovenostomy [39.29](#)

- for renal dialysis [39.27](#)
 - Insertion of permanent central dialysis catheter [39.271](#) (IM)
 - Insertion of temporary central dialysis catheter [39.270](#) (IM)
- Arthrectomy [80.90](#)
 - ankle [80.97](#)
 - elbow [80.92](#)
 - foot and toe [80.98](#)
 - hand and finger [80.94](#)
 - hip [80.95](#)
 - intervertebral disc -- see category [80.5](#)
 - knee [80.96](#)
 - semilunar cartilage [80.6](#)
 - shoulder [80.91](#)
 - specified site NEC [80.99](#)
 - spine NEC [80.99](#)
 - wrist [80.93](#)
- Arthrocentesis [81.91](#)
 - for arthrography -- see Arthrogram
- Arthrodesis (compression) (extra-articular) (intra-articular) (with bone graft) (with fixation device) [81.20](#)
 - ankle [81.11](#)
 - carporadial [81.25](#)
 - cricoarytenoid [31.69](#)
 - elbow [81.24](#)
 - finger [81.28](#)
 - foot NEC [81.17](#)
 - hip [81.21](#)
 - interphalangeal
 - finger [81.28](#)
 - toe NEC [77.58](#)
 - claw toe repair [77.57](#)
 - hammer toe repair [77.56](#)
 - ischiofemoral [81.21](#)
 - knee [81.22](#)
 - lumbosacral, lumbar NEC [81.08](#)
 - ALIF (anterior lumbar interbody fusion) [81.06](#)
 - anterior column (interbody)
 - anterolateral (anterior) technique [81.06](#)
 - posterior technique [81.08](#)
 - axial lumbar interbody fusion (AxiaLIF®) [81.08](#)
 - direct lateral interbody fusion (DLIF) [81.06](#)
 - extreme lateral interbody fusion (XLIF®) [81.06](#)
 - facet [81.07](#)
 - lateral transverse process technique [81.07](#)
 - PLIF (posterior lumbar interbody fusion) [81.08](#)
 - TLIF (transforaminal lumbar interbody fusion) [81.08](#)
- McKeever (metatarsophalangeal) [81.16](#)
- metacarpocarpal [81.26](#)
- metacarpophalangeal [81.27](#)
- metatarsophalangeal [81.16](#)
- midtarsal [81.14](#)
- pantalar [81.11](#)
- sacroiliac [81.08](#)
- shoulder [81.23](#)
- specified joint NEC [81.29](#)
- spinal -- see also Fusion, spinal [81.00](#)
- subtalar [81.13](#)

- tarsometatarsal [81.15](#)
- tibiotalar [81.11](#)
- toe NEC [77.58](#)
 - claw toe repair [77.57](#)
 - hammer toe repair [77.56](#)
- triple [81.12](#)
- wrist [81.26](#)
- Arthroendoscopy -- see Arthroscopy
- Arthroereisis, subtalar joint [81.18](#)
- Arthrogram, arthrography [88.32](#)
 - temporomandibular [87.13](#)
- Arthrolysis [93.26](#)
- Arthroplasty (with fixation device) (with traction) [81.96](#)
 - ankle [81.49](#)
 - carpals [81.75](#)
 - with prosthetic implant [81.74](#)
 - carpocarpal, carpometacarpal [81.75](#)
 - with prosthetic implant [81.74](#)
 - Carroll and Taber (proximal interphalangeal joint) [81.72](#)
 - cup (partial hip) [81.52](#)
 - Curtis (interphalangeal joint) [81.72](#)
 - elbow [81.85](#)
 - with prosthetic replacement (partial) (total) [81.84](#)
 - femoral head NEC [81.40](#)
 - with prosthetic implant [81.52](#)
 - finger(s) [81.72](#)
 - with prosthetic implant [81.71](#)
 - foot (metatarsal) with joint replacement [81.57](#)
 - Fowler (metacarpophalangeal joint) [81.72](#)
 - hand (metacarpophalangeal) (interphalangeal) [81.72](#)
 - with prosthetic implant [81.71](#)
 - hip (with bone graft) [81.40](#)
 - cup (partial hip) [81.52](#)
 - femoral head NEC [81.40](#)
 - with prosthetic implant [81.52](#)
 - with total replacement [81.51](#)
 - partial replacement [81.52](#)
 - total replacement [81.51](#)
 - interphalangeal joint [81.72](#)
 - with prosthetic implant [81.71](#)
 - Kessler (carpometacarpal joint) [81.74](#)
 - knee -- see also Repair, knee [81.47](#)
 - prosthetic replacement (bicompartamental) (hemijoint) (partial) (total) (tricompartamental) (unicompartamental) [81.54](#)
 - revision [81.55](#)
 - metacarpophalangeal joint [81.72](#)
 - with prosthetic implant [81.71](#)
 - shoulder [81.83](#)
 - prosthetic replacement (partial) [81.81](#)
 - total, NEC [81.80](#)
 - other [81.80](#)
 - reverse [81.88](#)
 - for recurrent dislocation [81.82](#)
 - temporomandibular [76.5](#)
 - toe NEC [77.58](#)
 - with prosthetic replacement [81.57](#)

- for hallux valgus repair [77.59](#)
- wrist [81.75](#)
 - with prosthetic implant [81.74](#)
 - total replacement [81.73](#)
- Arthroscopy [80.20](#)
 - ankle [80.27](#)
 - elbow [80.22](#)
 - finger [80.24](#)
 - foot [80.28](#)
 - hand [80.24](#)
 - hip [80.25](#)
 - knee [80.26](#)
 - shoulder [80.21](#)
 - specified site NEC [80.29](#)
 - toe [80.28](#)
 - wrist [80.23](#)
- Arthrostomy -- see also Arthrotomy [80.10](#)
- Arthrotomy [80.10](#)
 - as operative approach -- omit code with
 - arthrography -- see Arthrogram
 - arthroscopy -- see Arthroscopy
 - injection of drug [81.92](#)
 - removal of prosthesis without replacement -- see Removal, prosthesis, joint structures
 - ankle [80.17](#)
 - elbow [80.12](#)
 - foot and toe [80.18](#)
 - hand and finger [80.14](#)
 - hip [80.15](#)
 - knee [80.16](#)
 - shoulder [80.11](#)
 - specified site NEC [80.19](#)
 - spine [80.19](#)
 - wrist [80.13](#)
- Artificial
 - erection of penis with injection [62.93](#) (IM)
 - heart [37.52](#)
 - AbioCor® [37.52](#)
 - CardioWest™ (TAH-t) [37.52](#)
 - insemination [69.92](#)
 - kidney [39.95](#)
 - rupture of membranes [73.09](#)
- Arytenoidectomy [30.29](#)
- Arytenoidopexy [31.69](#)
- Asai operation (larynx) [31.75](#)
- Aspiration
 - abscess -- see Aspiration, by site
 - anterior chamber, eye (therapeutic) [12.91](#)
 - diagnostic [12.21](#)
 - aqueous (eye) (humor) (therapeutic) [12.91](#)
 - diagnostic [12.21](#)
 - ascites [54.91](#)
 - Bartholin's gland (cyst) (percutaneous) [71.21](#)
 - biopsy -- see Biopsy, by site
 - bladder (catheter) [57.0](#)
 - percutaneous (needle) [57.11](#)

bone marrow (for biopsy) [41.31](#)
 from donor for transplant [41.91](#)
 stem cell [99.79](#)
 branchial cleft cyst [29.0](#)
 breast [85.91](#)
 bronchus [96.05](#)
 with lavage [96.56](#)
 bursa (percutaneous) [83.94](#)
 hand [82.92](#)
 calculus, bladder [57.0](#)
 cataract [13.3](#)
 with
 phacoemulsification [13.41](#)
 phacofragmentation [13.43](#)
 posterior route [13.42](#)
 chest [34.91](#)
 cisternal [01.01](#)
 cranial (puncture) [01.09](#)
 craniobuccal pouch [07.72](#)
 craniopharyngioma [07.72](#)
 cul-de-sac (abscess) [70.0](#)
 curettage, uterus [69.59](#)
 after abortion or delivery [69.52](#)
 diagnostic [69.59](#)
 to terminate pregnancy [69.51](#)
 cyst -- see Aspiration, by site
 diverticulum, pharynx [29.0](#)
 endotracheal [96.04](#)
 with lavage [96.56](#)
 epididymal sperm / percutaneous epididymal sperm aspiration (PESA) [63.02](#) (IM)
 extradural [01.09](#)
 eye (anterior chamber) (therapeutic) [12.91](#)
 diagnostic [12.21](#)
 fallopian tube [66.91](#)
 fascia [83.95](#)
 hand [82.93](#)
 gallbladder (percutaneous) [51.01](#)
 hematoma -- see also Aspiration, by site
 obstetrical [75.92](#)
 incisional 75.91
 hydrocele, tunica vaginalis [61.91](#)
 hygroma -- see Aspiration, by site
 hyphema [12.91](#)
 hypophysis [07.72](#)
 intracranial space (epidural) (extradural) (subarachnoid) (subdural) (ventricular) [01.09](#)
 through previously implanted catheter or reservoir (Ommaya) (Rickham) [01.02](#)
 joint [81.91](#)
 for arthrography -- see Arthrogram
 kidney (cyst) (pelvis) (percutaneous) (therapeutic) [55.92](#)
 diagnostic [55.23](#)
 liver (percutaneous) [50.91](#)
 lung (percutaneous) (puncture) (needle) (trocar) [33.93](#)
 thoroscopic [33.20](#)
 middle ear [20.09](#)
 with intubation [20.01](#)
 muscle [83.95](#)

- hand [82.93](#)
- nail [86.01](#)
- nasal sinus [22.00](#)
 - by puncture [22.01](#)
 - through natural ostium [22.02](#)
- nasotracheal [96.04](#)
 - with lavage [96.56](#)
- orbit, diagnostic [16.22](#)
- ovary [65.91](#)
- percutaneous -- see Aspiration, by site
- pericardium (wound) [37.0](#)
- pituitary gland [07.72](#)
- pleural cavity [34.91](#)
- prostate (percutaneous) [60.91](#)
- Rathke's pouch [07.72](#)
- seminal vesicles [60.71](#)
- seroma -- see Aspiration, by site
- skin [86.01](#)
- soft tissue NEC [83.95](#)
 - hand [82.93](#)
- spermatocele [63.91](#)
- spinal (puncture) [03.31](#)
- spleen (cyst) [41.1](#)
- stem cell [99.79](#)
- subarachnoid space (cerebral) [01.09](#)
- subcutaneous tissue [86.01](#)
- subdural space (cerebral) [01.09](#)
- tendon [83.95](#)
 - hand [82.93](#)
- testis [62.91](#)
 - Testicular sperm (IM)
 - aspiration (TESA) [63.96](#) (IM)
 - extraction (TESE) [63.97](#) (IM)
- thymus [07.92](#)
 - thoracoscopic [07.95](#)
- thyroid (field) (gland) [06.01](#)
 - postoperative [06.02](#)
- trachea [96.04](#)
 - with lavage [96.56](#)
 - percutaneous [31.99](#)
- tunica vaginalis (hydrocele) (percutaneous) [61.91](#)
- vitreous (and replacement) [14.72](#)
 - diagnostic [14.11](#)
- Assessment
 - fitness to testify [94.11](#)
 - mental status [94.11](#)
 - nutritional status [89.39](#)
 - personality [94.03](#)
 - temperament [94.02](#)
 - vocational [93.85](#)
- Assistance
 - cardiac -- see also Resuscitation, cardiac
 - extracorporeal circulation [39.61](#)
 - endotracheal respiratory -- see category [96.7](#)
 - hepatic, extracorporeal [50.92](#)
 - respiratory (endotracheal) (mechanical) -- see Ventilation, mechanical

Astragalectomy [77.98](#)
Asymmetrogammagram -- see Scan, radioisotope
Atherectomy
 cerebrovascular - see Angioplasty
 coronary -- see Angioplasty
 peripheral [39.50](#)
Atrio commissurotomy (mitral valve) [35.12](#)
Atrioplasty NEC [37.99](#)
 combined with repair of valvular and ventricular septal defects -- see Repair, endocardial cushion defect
 septum (heart) NEC [35.71](#)
Atrioseptopexy -- see also Repair, atrial septal defect [35.71](#)
Atrioseptoplasty -- see also Repair, atrial septal defect [35.71](#)
Atrioseptostomy (balloon) [35.41](#)
Atriotomy [37.11](#)
Atrioventriculostomy (cerebral-heart) [02.32](#)
Attachment
 abutment (screw) for prosthetic ear device
 percutaneous [20.99](#)
 eye muscle
 orbicularis oculi to eyebrow [08.36](#)
 rectus to frontalis [15.9](#)
 omental flap [86.742](#) (IM)
 pedicle (flap) graft [86.74](#)
 hand [86.73](#)
 lip [27.57](#)
 mouth [27.57](#)
 pharyngeal flap (for cleft palate repair) [27.62](#)
 secondary or subsequent [27.63](#)
 prosthetic ear device, abutment [20.99](#)
 retina -- see Reattachment, retina
 simple & small local skin flap, genitals [86.743](#) (IM)
Atticoantrostomy (ear) [20.49](#)
Atticoantrotomy (ear) [20.49](#)
Atticotomy (ear) [20.23](#)
Audiometry (Beckesy 5-tone) (impedance) (stapedial reflex response) (subjective) [95.41](#)
 brainstem evoked response (BERA) [95.462](#) (IM)
 free field test (visual reinforcement audiometry, behavioral observational audiometry, play audiometry) [95.415](#) (IM)
 impedance audiometry/tympanometry [95.412](#) (IM)
 other audiometry test (SISI test, ABLB test, tinnitogram, decay) [95.418](#) (IM)
 pure tone audiometry [95.410](#) (IM)
 speech audiometry [95.411](#) (IM)
Auditory steady state response (ASSR) [95.463](#) (IM)
Augmentation
 bladder [57.87](#)
 open enlargement [57.871](#) (IM)
 breast -- see Mammoplasty, augmentation
 buttock ("fanny-lift") [86.89](#)
 chin [76.68](#)
 genioplasty [76.68](#)
 mammoplasty -- see Mammoplasty, augmentation
 outflow tract (pulmonary valve) (gusset type) [35.26](#)
 in total repair of tetralogy of Fallot [35.81](#)
 vocal cord(s) [31.0](#)
Auriclectomy [18.39](#)