

Autograft -- see Graft
 Autologous -- see Blood, transfusion
 Automatic BERA [95.461](#) (IM)
 Autopsy [89.8](#)
 Autotransfusion (whole blood) [99.02](#) -- see Blood, transfusion
 Autotransplant, autotransplantation -- see also Reimplantation
 adrenal tissue (heterotopic) (orthotopic) [07.45](#)
 kidney [55.61](#)
 lung -- see Transplant, transplantation, lung [33.5](#)
 ovary [65.72](#)
 laparoscopic [65.75](#)
 pancreatic tissue [52.81](#)
 parathyroid tissue (heterotopic) (orthotopic) [06.95](#)
 thyroid tissue (heterotopic) (orthotopic) [06.94](#)
 tooth [23.5](#)
 Avulsion, nerve (cranial) (peripheral) NEC [04.07](#)
 acoustic [04.01](#)
 phrenic [33.31](#)
 sympathetic [05.29](#)
 Azygography [88.63](#)

B

Bacterial smear -- see Examination, microscopic
 Baffes operation (interatrial transposition of venous return) [35.91](#)
 Baffle, atrial or interatrial [35.91](#)
 Balanoplasty [64.69](#)
 Baldy-Webster operation (uterine suspension) [69.22](#)
 Ballistocardiography [89.59](#)
 Balloon
 angioplasty -- see Angioplasty, balloon
 pump, intra-aortic [37.61](#)
 systostomy (atrial) [35.41](#)
 Ball operation
 herniorrhaphy -- see Repair, hernia, inguinal
 undercutting [40.92](#)
 Bandage [93.37](#)
 elastic [93.56](#)
 Banding
 gastric [44.68](#)
 vertical [44.68](#)
 pulmonary artery [38.85](#)
 Bankhart operation (capsular repair into glenoid, for shoulder dislocation) [81.82](#)
 Bardenheuer operation (ligation of innominate artery) [38.85](#)
 Barium swallow [87.61](#)
 Barkan operation (goniotomy) [12.52](#)
 with goniotomy [12.53](#)
 Barr operation (transfer of tibialis posterior tendon) [83.75](#)
 Barsky operation (closure of cleft hand) [82.82](#)
 Basal metabolic rate [89.39](#)
 Basiotripsy [73.8](#)
 Bassett operation (vulvectomy with inguinal lymph node dissection) [71.5](#) [40.3]
 Bassini operation -- see Repair, hernia, inguinal
 Batch-Spittler-McFaddin operation (knee disarticulation) [84.16](#)
 Batista operation (partial ventriculectomy) (ventricular reduction) (ventricular remodeling) [37.35](#)

Bearing surface, hip
 ceramic-on-ceramic [00.76](#)
 ceramic-on-polyethylene [00.77](#)
 metal-on-metal [00.75](#)
metal-on-polyethylene [00.74](#)
Beck operation
 aorta-coronary sinus shunt [36.39](#)
 epicardial poudrage [36.39](#)
Beck-Jianu operation (permanent gastrostomy) [43.19](#)
Behavior modification [94.33](#)
Bell-Beutner operation (subtotal abdominal hysterectomy) [68.39](#)
 laparoscopic [68.31](#)
Belsey operation (esophagogastric sphincter) [44.65](#)
Benenenti operation (rotation of bulbous urethra) [58.49](#)
Berke operation (levator resection of eyelid) [08.33](#)
Bicuspidization of heart valve [35.10](#)
 aortic [35.11](#)
 mitral [35.12](#)
Bicycle dynamometer [93.01](#)
Biesenberger operation (size reduction of breast, bilateral) [85.32](#)
 unilateral [85.31](#)
Bifurcation, bone -- *see also* Osteotomy [77.30](#)
Bigelow operation (litholapaxy) [57.0](#)
Billite therapy (ultraviolet) [99.82](#)
Billroth I operation (partial gastrectomy with gastroduodenostomy) [43.6](#)
Billroth II operation (partial gastrectomy with gastrojejunostomy) [43.7](#)
Binnie operation (hepatopexy) [50.69](#)
Biofeedback, psychotherapy [94.39](#)
Biopsy
 abdominal wall [54.22](#)
 adenoid [28.11](#)
 adrenal gland NEC [07.11](#)
 closed [07.11](#)
 open [07.12](#)
 percutaneous (aspiration) (needle) [07.11](#)
 alveolus [24.12](#)
 anus [49.23](#)
 appendix [45.26](#)
 artery (any site) [38.21](#)
 aspiration -- *see* Biopsy, by site
 bile ducts [51.14](#)
 closed (endoscopic) [51.14](#)
 open [51.13](#)
 percutaneous (needle) [51.12](#)
 laparoscopic [51.120](#) (IM)
 bladder [57.33](#)
 closed [57.33](#)
 open [57.34](#)
 transurethral [57.33](#)
 blood vessel (any site) [38.21](#)
 bone [77.40](#)
 carpal, metacarpal [77.44](#)
 clavicle [77.41](#)
 facial [76.11](#)
 femur [77.45](#)
 fibula [77.47](#)

- humerus [77.42](#)
- marrow [41.31](#)
- patella [77.46](#)
- pelvic [77.49](#)
- phalanges (foot) (hand) [77.49](#)
- radius [77.43](#)
- scapula [77.41](#)
- specified site NEC [77.49](#)
- tarsal, metatarsal [77.48](#)
- thorax (ribs) (sternum) [77.41](#)
- tibia [77.47](#)
- ulna [77.43](#)
- vertebrae [77.49](#)
- bowel – see Biopsy, intestine
- brain NEC [01.13](#)
 - closed [01.13](#)
 - open [01.14](#)
 - percutaneous (needle) [01.13](#)
- breast [85.11](#)
 - blind [85.11](#)
 - closed [85.11](#)
 - Mammography-guided stereotactic biopsy/localization of lesion or tissue of breast [85.111](#) (IM)
 - MR-guided stereotactic biopsy/localization of lesion or tissue of breast [85.110](#) (IM)
 - open [85.12](#)
 - percutaneous (needle) (Vimm-Silverman) [85.11](#)
- bronchus NEC [33.24](#)
 - brush [33.24](#)
 - closed (endoscopic) [33.24](#)
 - open [33.25](#)
 - transbronchoscopic needle aspiration (TBNA) [33.24](#)
 - Wang needle (transbronchoscopic) [33.24](#)
 - washings [33.24](#)
- bursa [83.21](#)
- cardioesophageal (junction) [44.14](#)
 - closed (endoscopic) [44.14](#)
 - open [44.15](#)
- cecum [45.25](#)
 - brush [45.25](#)
 - closed (endoscopic) [45.25](#)
 - open [45.26](#)
- cerebral meninges NEC [01.11](#)
 - closed [01.11](#)
 - open [01.12](#)
 - percutaneous (needle) [01.11](#)
- cervix (punch) [67.12](#)
 - conization (sharp) [67.2](#)
- chest wall [34.23](#)
- clitoris [71.11](#)
- colon [45.25](#)
 - brush [45.25](#)
 - closed (endoscopic) [45.25](#)
 - open [45.26](#)
- conjunctiva [10.21](#)
- cornea [11.22](#)
- cul-de-sac [70.23](#)
- diaphragm [34.27](#)

- duodenum [45.14](#)
 - brush [45.14](#)
 - closed (endoscopic) [45.14](#)
 - open [45.15](#)
- ear (external) [18.12](#)
 - middle or inner [20.32](#)
- endocervix [67.11](#)
- endometrium NEC [68.16](#)
 - by
 - aspiration curettage [69.59](#)
 - dilation and curettage [69.09](#)
 - closed (endoscopic) [68.16](#)
 - open [68.13](#)
- epididymis [63.01](#)
- esophagus [42.24](#)
 - closed (endoscopic) [42.24](#)
 - open [42.25](#)
- extraocular muscle or tendon [15.01](#)
- eye [16.23](#)
 - muscle (oblique) (rectus) [15.01](#)
- eyelid [08.11](#)
- fallopian tube [66.11](#)
- fascia [83.21](#)
- fetus [75.33](#)
- gallbladder [51.12](#)
 - closed (endoscopic) [51.14](#)
 - open [51.13](#)
 - percutaneous (needle) [51.12](#)
- ganglion (cranial) (peripheral) NEC [04.11](#)
 - closed [04.11](#)
 - open [04.12](#)
 - percutaneous (needle) [04.11](#)
 - sympathetic nerve [05.11](#)
- gum [24.11](#)
- heart [37.25](#)
- hypophysis -- see also Biopsy, pituitary gland [07.15](#)
- ileum [45.14](#)
 - brush [45.14](#)
 - closed (endoscopic) [45.14](#)
 - open [45.15](#)
- intestine NEC [45.27](#)
 - large [45.25](#)
 - brush [45.25](#)
 - closed (endoscopic) [45.25](#)
 - open [45.26](#)
 - small [45.14](#)
 - brush [45.14](#)
 - closed (endoscopic) [45.14](#)
 - open [45.15](#)
- intra-abdominal mass [54.24](#)
 - closed [54.24](#)
 - percutaneous (needle) [54.24](#)
- iris [12.22](#)
- jejunum [45.14](#)
 - brush [45.14](#)
 - closed (endoscopic) [45.14](#)

- open [45.15](#)
- joint structure (aspiration) [80.30](#)
 - ankle [80.37](#)
 - elbow [80.32](#)
 - foot and toe [80.38](#)
 - hand and finger [80.34](#)
 - hip [80.35](#)
 - knee [80.36](#)
 - shoulder [80.31](#)
 - specified site NEC [80.39](#)
 - spine [80.39](#)
 - wrist [80.33](#)
- kidney [55.23](#)
 - closed [55.23](#)
 - open [55.24](#)
 - percutaneous (aspiration) (needle) [55.23](#)
- labia [71.11](#)
- lacrimal
 - gland [09.11](#)
 - sac [09.12](#)
- larynx [31.43](#)
 - brush [31.43](#)
 - closed (endoscopic) [31.43](#)
 - open [31.45](#)
- lip [27.23](#)
- liver [50.11](#)
 - closed [50.11](#)
 - laparoscopic [50.14](#)
 - open [50.12](#)
 - percutaneous (aspiration) (needle) [50.11](#)
 - transjugular [50.13](#)
 - transvenous [50.13](#)
- lung NEC [33.27](#)
 - brush [33.24](#)
 - closed (percutaneous) (needle) [33.26](#)
 - brush [33.24](#)
 - endoscopic [33.27](#)
 - brush [33.24](#)
 - endoscopic [33.27](#)
 - brush [33.24](#)
 - open [33.28](#)
 - thoracoscopic [33.20](#)
 - transbronchial [33.27](#)
 - transthoracic [33.26](#)
- lymphatic structure (channel) (node) (vessel) [40.11](#)
- mediastinum NEC [34.25](#)
 - closed [34.25](#)
 - open [34.26](#)
 - percutaneous (needle) [34.25](#)
- meninges (cerebral) NEC [01.11](#)
 - closed [01.11](#)
 - open [01.12](#)
 - percutaneous (needle) [01.11](#)
- spinal [03.32](#)
- mesentery [54.23](#)
- mouth NEC [27.24](#)

- muscle [83.21](#)
 - extraocular [15.01](#)
 - ocular [15.01](#)
- nasopharynx [29.12](#)
 - [Flexible endoscopic evaluation of swallowing \(FEES\) 29.13 \(IM\)](#)
- nerve (cranial) (peripheral) NEC [04.11](#)
 - closed [04.11](#)
 - open [04.12](#)
 - percutaneous (needle) [04.11](#)
 - sympathetic [05.11](#)
- nose, nasal [21.22](#)
 - sinus [22.11](#)
 - closed (endoscopic) (needle) [22.11](#)
 - open [22.12](#)
- ocular muscle or tendon [15.01](#)
- omentum
 - closed [54.24](#)
 - open [54.23](#)
 - percutaneous (needle) [54.24](#)
- orbit [16.23](#)
 - by aspiration [16.22](#)
- ovary [65.12](#)
 - by aspiration [65.11](#)
 - laparoscopic [65.13](#)
- palate (bony) [27.21](#)
 - soft [27.22](#)
- pancreas [52.11](#)
 - closed (endoscopic) [52.11](#)
 - open [52.12](#)
 - percutaneous (aspiration) (needle) [52.11](#)
- pancreatic duct [52.14](#)
 - closed (endoscopic) [52.14](#)
- parathyroid gland [06.13](#)
- penis [64.11](#)
- perianal tissue [49.22](#)
- pericardium [37.24](#)
- periprosthetic [60.15](#)
- perirectal tissue [48.26](#)
- perirenal tissue [59.21](#)
- peritoneal implant
 - closed [54.24](#)
 - open [54.23](#)
 - percutaneous (needle) [54.24](#)
- peritoneum
 - closed [54.24](#)
 - open [54.23](#)
 - percutaneous (needle) [54.24](#)
- periurethral tissue [58.24](#)
- perivesical tissue [59.21](#)
- pharynx, pharyngeal [29.12](#)
 - [Flexible endoscopic evaluation of swallowing \(FEES\) 29.13 \(IM\)](#)
- pineal gland [07.17](#)
- pituitary gland [07.15](#)
 - transfrontal approach [07.13](#)
 - transsphenoidal approach [07.14](#)
- pleura, pleural [34.24](#)

- thoroscopic [34.20](#)
- prostate NEC [60.11](#)
 - closed (transurethral) [60.11](#)
 - open [60.12](#)
 - percutaneous (needle) [60.11](#)
 - transrectal [60.11](#)
- rectum [48.24](#)
 - brush [48.24](#)
 - closed (endoscopic) [48.24](#)
 - open [48.25](#)
- retroperitoneal tissue [54.24](#)
- salivary gland or duct [26.11](#)
 - closed (needle) [26.11](#)
 - open [26.12](#)
- scrotum [61.11](#)
- seminal vesicle NEC [60.13](#)
 - closed [60.13](#)
 - open [60.14](#)
 - percutaneous (needle) [60.13](#)
- sigmoid colon [45.25](#)
 - brush [45.25](#)
 - closed (endoscopic) [45.25](#)
 - open [45.26](#)
- sinus, nasal [22.11](#)
 - closed (endoscopic) (needle) [22.11](#)
 - open [22.12](#)
- skin (punch) [86.11](#)
- skull [01.15](#)
- soft palate [27.22](#)
- soft tissue NEC [86.11](#)
 - closed (needle) (punch) [86.11](#)
 - open [83.21](#)
- spermatic cord [63.01](#)
- sphincter of Oddi [51.14](#)
 - closed (endoscopic) [51.14](#)
 - open [51.13](#)
- spinal cord (meninges) [03.32](#)
- spleen [41.32](#)
 - closed [41.32](#)
 - open [41.33](#)
 - percutaneous (aspiration) (needle) [41.32](#)
- stomach [44.14](#)
 - brush [44.14](#)
 - closed (endoscopic) [44.14](#)
 - open [44.15](#)
- subcutaneous tissue (punch) [86.11](#)
- supraglottic mass [29.12](#)
 - flexible endoscopic evaluation of swallowing (FEES) [29.13](#) (IM)
- sympathetic nerve [05.11](#)
- tendon [83.21](#)
 - extraocular [15.01](#)
 - ocular [15.01](#)
- testis NEC [62.11](#)
 - closed [62.11](#)
 - open [62.12](#)
 - percutaneous (needle) [62.11](#)

thymus [07.16](#)
 thyroid gland NEC [06.11](#)
 closed [06.11](#)
 open [06.12](#)
 percutaneous (aspiration) (needle) [06.11](#)
 tongue [25.01](#)
 closed (needle) [25.01](#)
 open [25.02](#)
 tonsil [28.11](#)
 trachea [31.44](#)
 brush [31.44](#)
 closed (endoscopic) [31.44](#)
 open [31.45](#)
 tunica vaginalis [61.11](#)
 umbilicus [54.22](#)
 ureter [56.33](#)
 closed (percutaneous) [56.32](#)
 endoscopic [56.33](#)
 open [56.34](#)
 transurethral [56.33](#)
 urethra [58.23](#)
 uterus, uterine (endometrial) [68.16](#)
 by
 aspiration curettage [69.59](#)
 dilation and curettage [69.09](#)
 closed (endoscopic) [68.16](#)
 ligaments [68.15](#)
 closed (endoscopic) [68.15](#)
 open [68.14](#)
 open [68.13](#)
 uvula [27.22](#)
 vagina [70.24](#)
 vas deferens [63.01](#)
 vein (any site) [38.21](#)
 vulva [71.11](#)
 BiPAP [93.90](#)
 delivered by
 endotracheal tube - see category [96.7](#)
 tracheostomy - see category [96.7](#)
 BIS (bispectral index) monitoring [00.94](#) [[89.14](#)]
 Bischoff operation (ureteroneocystostomy) [56.74](#)
 Bisection -- see also Excision
 hysterectomy [68.39](#)
 laparoscopic [68.31](#)
 ovary [65.29](#)
 laparoscopic [65.25](#)
 stapes foot plate 19.79
 with incus replacement [19.11](#)
 Bischoff operation (spinal myelotomy) [03.29](#)
 B-Lynch (Uterine compression suture) [69.90](#) (IM)
 Blalock operation (systemic-pulmonary anastomosis) [39.0](#)
 Blalock-Hanlon operation (creation of atrial septal defect) [35.42](#)
 Blalock-Taussig operation (subclavian-pulmonary anastomosis) [39.0](#)
 Blascovic operation (resection and advancement of levator palpebrae superioris) [08.33](#)
 Blepharectomy [08.20](#)
 Blepharoplasty -- see also Reconstruction, eyelid [08.70](#)

- extensive [08.44](#)
- Blepharorrhaphy [08.52](#)
 - division or severing [08.02](#)
- Blepharotomy [08.09](#)
- Blind rehabilitation therapy NEC [93.78](#)
- Block
 - caudal -- see Injection, spinal celiac ganglion or plexus [05.31](#)
 - dissection
 - breast
 - bilateral [85.46](#)
 - unilateral [85.45](#)
 - bronchus [32.6](#)
 - larynx [30.3](#)
 - lymph nodes [40.50](#)
 - neck [40.40](#)
 - vulva [71.5](#)
 - epidural, spinal -- see Injection, spinal
 - gasserian ganglion [04.81](#)
 - intercostal nerves [04.81](#)
 - intrathecal -- see injection, spinal
 - nerve (cranial) (peripheral) NEC [04.81](#)
 - paravertebral stellate ganglion [05.31](#)
 - peripheral nerve [04.81](#)
 - spinal nerve root (intrathecal) -- see Injection, spinal
 - stellate (ganglion) [05.31](#)
 - subarachnoid, spinal -- see Injection, spinal
 - sympathetic nerve [05.31](#)
 - trigeminal nerve [04.81](#)
- Blood
 - flow study, Doppler-type (ultrasound) -- see Ultrasonography
 - patch, spine (epidural) [03.95](#)
 - transfusion
 - antihemophilic factor [99.06](#)
 - autologous
 - collected prior to surgery [99.02](#)
 - intraoperative [99.00](#)
 - perioperative [99.00](#)
 - postoperative [99.00](#)
 - previously collected [99.02](#)
 - salvage [99.00](#)
 - blood expander [99.08](#)
 - blood surrogate [99.09](#)
 - coagulation factors [99.06](#)
 - exchange [99.01](#)
 - granulocytes [99.09](#)
 - hemodilution [99.03](#)
 - other substance [99.09](#)
 - packed cells [99.04](#)
 - plasma [99.07](#)
 - platelets [99.05](#)
 - serum, other [99.07](#)
 - thrombocytes [99.05](#)
- Blount operation
 - femoral shortening (with blade plate) [78.25](#)
 - by epiphyseal stapling [78.25](#)
- Boari operation (bladder flap) [56.74](#)

Bobb operation (cholelithotomy) [51.04](#)
Bone
 age studies [88.33](#)
 mineral density study [88.98](#)
Bonney operation (abdominal hysterectomy) [68.49](#)
 laparoscopic [68.41](#)
Borthen operation (iridotaxis) [12.63](#)
Bost operation
 plantar dissection [80.48](#)
 radiocarpal fusion [81.26](#)
Bosworth operation
 arthroplasty for acromioclavicular separation [81.83](#)
 fusion of posterior lumbar and lumbosacral spine [81.08](#)
 for pseudarthrosis [81.38](#)
 resection of radial head ligaments (for tennis elbow) [80.92](#)
 shelf procedure, hip [81.40](#)
Bottle repair of hydrocele, tunica-vaginalis [61.2](#)
Boyd operation (hip disarticulation) [84.18](#)
Brachytherapy
 intravascular [92.27](#)
Brainstem evoked response audiometry/auditory potential (BERA/BAEP) for hearing assessment [95.462](#)
 (IM)
 Automatic BERA [95.461](#)
Brauer operation (cardiolysis) [37.10](#)
Breech extraction – see Extraction, breech
Bricker operation (ileoureterostomy) [56.51](#)
Brisement (forcé) [93.26](#)
Bristow operation (repair of shoulder dislocation) [81.82](#)
Brock operation (pulmonary valvotomy) [35.03](#)
Brockman operation (soft tissue release for clubfoot) [83.84](#)
Bronchial provocation test [89.390](#) (IM)
Bronchogram, bronchography [87.32](#)
 endotracheal [87.31](#)
 transcricoid [87.32](#)
Bronchoplasty [33.48](#)
Bronchorrhaphy [33.41](#)
Bronchoscopy NEC [33.23](#)
 with biopsy [33.24](#)
 lung [33.27](#)
 brush [33.24](#)
 with endobronchoscopy ultrasound during bronchoscopic therapeutic intervention or diagnostic [33.240](#) (IM)
 with rigid bronchoscopy procedure [33.230](#) (IM)
 fiberoptic [33.22](#)
 with biopsy [33.24](#)
 lung [33.27](#)
 brush [33.24](#)
 through tracheostomy [33.21](#)
 with biopsy [33.24](#)
 lung [33.27](#)
 brush [33.24](#)
Bronchspirometry [89.38](#)
Bronchostomy [33.0](#)
 closure [33.42](#)
Bronchotomy [33.0](#)
Browne (-Denis) operation (hypospadias repair) [58.45](#)

- First stage of hypospadias or epispadias staged repair [58.451](#) (IM)
- Granuloplasty for hypospadias [58.456](#) (IM)
- Hypospadias repair post urethral fistula operation [58.453](#) (IM)
- Repair of epispadias with ureteric re-implantation [58.455](#) (IM)
- Second stage of hypospadias or epispadias staged repair [58.452](#) (IM)
- Brunschwig operation (temporary gastrostomy) [43.19](#)
- Buckling, scleral [14.49](#)
 - with
 - air tamponade [14.49](#)
 - implant (silicone) (vitreous) [14.41](#)
 - resection of sclera [14.49](#)
 - vitrectomy [14.49](#)
 - vitreous implant (silicone) [14.41](#)
- Bunionectomy (radical) [77.59](#)
 - with
 - arthrodesis [77.52](#)
 - osteotomy of first metatarsal [77.51](#)
 - resection of joint with prosthetic implant [77.59](#)
 - soft tissue correction NEC [77.53](#)
- Bunnell operation (tendon transfer) [82.56](#)
- Burch procedure (retropubic urethral suspension for urinary stress incontinence) [59.5](#)
- Burgess operation (amputation of ankle) [84.14](#)
- Burn dressing [93.57](#)
- Burr holes [01.24](#)
- Bursectomy [83.5](#)
 - hand [82.31](#)
- Bursocentesis [83.94](#)
 - hand [82.92](#)
- Bursotomy [83.03](#)
 - hand [82.03](#)
- Burying of fimbriae in uterine wall [66.97](#)
- Bypass
 - abdominal - coronary artery [36.17](#)
 - aortocoronary (catheter stent) (with prosthesis) (with saphenous vein graft) (with vein graft) [36.10](#)
 - one coronary vessel [36.11](#)
 - two coronary vessels [36.12](#)
 - three coronary vessels [36.13](#)
 - four coronary vessels [36.14](#)
 - aortocoronary bypass for heart revascularization with IVS Rupture Repair [36.101](#) (IM)
 - aortocoronary bypass for heart revascularization with surgical ventricular restoration [36.100](#) (IM)
 - aortocoronary bypass for heart revascularization with valve procedure [36.18](#) (IM)
 - arterial (graft) (mandril grown graft) (vein graft) NEC [39.29](#)
 - carotid-cerebral [39.28](#)
 - carotid-vertebral [39.28](#)
 - extracranial-intracranial [EC-IC] [39.28](#)
 - intra-abdominal NEC [39.26](#)
 - intrathoracic NEC [39.23](#)
 - peripheral NEC [39.29](#)
 - cardiopulmonary [39.61](#)
 - open [39.61](#)
 - percutaneous (closed) [39.66](#)
 - carotid-cerebral [39.28](#)
 - carotid-vertebral [39.28](#)
 - coronary -- see also Bypass, aortocoronary [36.10](#)
 - extracranial-intracranial [EC-IC] [39.28](#)
 - gastric [44.39](#)

- high [44.31](#)
- laparoscopic [44.38](#)
- Printen and Mason [44.31](#)
- gastroduodenostomy (Jaboulay's) [44.39](#)
 - laparoscopic [44.38](#)
 - percutaneous [endoscopic] [44.32](#)
- gastroenterostomy [44.39](#)
 - laparoscopic [44.38](#)
- gastroepiploic - coronary artery [36.17](#)
- gastrogastrostomy [44.39](#)
 - laparoscopic [44.38](#)
- graft, pressurized treatment [00.16](#)
- heart-lung (complete) (partial) [39.61](#)
 - open [39.61](#)
 - percutaneous (closed) [39.66](#)
- high gastric [44.31](#)
- ileo-jejunal [45.91](#)
- internal mammary-coronary artery (single) [36.13](#)
 - double vessel [36.16](#)
- jejunal-ileum [45.91](#)
- pulmonary [39.61](#)
 - open [39.61](#)
 - percutaneous (closed) [39.66](#)
- shunt
 - intestine
 - large-to-large [45.94](#)
 - small-to-large [45.93](#)
 - small-to-small [45.91](#)
 - stomach [44.39](#)
 - high gastric [44.31](#)
 - laparoscopic [44.38](#)
- terminal ileum [45.93](#)
- vascular (arterial) (graft) (mandril grown graft) (vein graft) NEC [39.29](#)
 - aorta-carotid-brachial [39.22](#)
 - aorta-iliac-femoral [39.25](#)
 - aorta-renal [39.24](#)
 - aorta-subclavian-carotid [39.22](#)
 - aortic-superior mesenteric [39.26](#)
 - aortocarotid [39.22](#)
 - aortoceliac [39.26](#)
 - aortocoronary -- see also Bypass, aortocoronary [36.10](#)
 - [aortocoronary bypass for heart revascularization with IVS Rupture Repair 36.101 \(IM\)](#)
 - [aortocoronary bypass for heart revascularization with surgical ventricular restoration 36.100 \(IM\)](#)
 - [aortocoronary bypass for heart revascularization with valve procedure 36.18 \(IM\)](#)
 - aortofemoral [39.25](#)
 - aortofemoral-popliteal [39.25](#)
 - aortoiliac [39.25](#)
 - to popliteal [39.25](#)
 - aortoiliofemoral [39.25](#)
 - aortomesenteric [39.26](#)
 - aortopopliteal [39.25](#)
 - aortorenal [39.24](#)
 - aortosubclavian [39.22](#)
 - axillary-brachial [39.29](#)
 - axillary-femoral (superficial) [39.29](#)
 - axillofemoral (superficial) [39.29](#)