

ileal conduit [56.35](#)
 through stoma (artificial) [57.31](#)
 Cystostomy
 closed (suprapubic) (percutaneous) [57.17](#)
 open (suprapubic) [57.18](#)
 percutaneous (closed) (suprapubic) [57.17](#)
 suprapubic
 closed [57.17](#)
 open [57.18](#)
 Cystotomy (open) (for removal of calculi) [57.19](#)
 Cystourethrogram (retrograde) (voiding) [87.76](#)
 Cystourethropexy (by) [59.79](#)
 levator muscle sling [59.71](#)
 retropubic suspension [59.5](#)
 suprapubic suspension [59.4](#)
 Cystourethroplasty [57.85](#)
 Cystourethroscopy [57.32](#)
 with biopsy
 bladder [57.33](#)
 ureter [56.33](#)
 Cytology -- see Examination, microscopic

D

Dacryoadenectomy [09.20](#)
 partial [09.22](#)
 total [09.23](#)
 Dacryoadenotomy [09.0](#)
 Dacryocystectomy (complete) (partial) [09.6](#)
 Dacryocystogram [87.05](#)
 Dacryocystorhinostomy (DCR) (by intubation) (external) (intranasal) [09.81](#)
 Dacryocystostomy [09.53](#)
 Dacryocystosyringotomy [09.53](#)
 Dacryocystotomy [09.53](#)
 Dahlman operation (excision of esophageal diverticulum) [42.31](#)
 Dana operation (posterior rhizotomy) [03.1](#)
 Danforth operation (fetal) [73.8](#)
 Darrach operation (ulnar resection) [77.83](#)
 da Vinci® (S HD) Surgical System - see category [17.4](#)
 Davis operation (intubated ureterotomy) [56.2](#)
 open ureteral exploration [56.22](#) (IM)
 Deaf training [95.49](#)
 Debridement
 abdominal wall [54.3](#)
 bone -- see also Excision, lesion, bone [77.60](#)
 fracture -- see Debridement, open fracture
 brain [01.59](#)
 burn (skin) [86.28](#)
 excisional [86.22](#)
 nonexcisional [86.28](#)
 bursa [83.5](#)
 cerebral meninges [01.51](#)
 dental [96.54](#)
 fascia [83.39](#)
 flap graft [86.75](#)

graft (flap) (pedicle) [86.75](#)
 heart valve (calcified) -- see Valvuloplasty, heart
 infection (skin) [86.28](#)
 excisional [86.22](#)
 nail (bed) (fold) [86.27](#)
 nonexcisional [86.28](#)
 joint -- see Excision, lesion, joint
 meninges (cerebral) [01.51](#)
 spinal [03.4](#)
 muscle [83.45](#)
 hand [82.36](#)
 nail (bed) (fold) [86.27](#)
 nerve (peripheral) [04.07](#)
 open fracture (compound) [79.60](#)
 arm NEC [79.62](#)
 carpal, metacarpal [79.63](#)
 facial bone [76.2](#)
 femur [79.65](#)
 fibula [79.66](#)
 foot NEC [79.67](#)
 hand NEC [79.63](#)
 humerus [79.61](#)
 leg NEC [79.66](#)
 phalanges
 foot [79.68](#)
 hand [79.64](#)
 radius [79.62](#)
 specified site NEC [79.69](#)
 tarsal, metatarsal [79.67](#)
 tibia [79.66](#)
 ulna [79.62](#)
 patella [77.66](#)
 pedicle graft [86.75](#)
 skin or subcutaneous tissue (burn) (infection) (wound) [86.28](#)
 cardioverter/defibrillator (automatic) pocket [37.79](#)
 excisional [86.22](#)
 graft [86.75](#)
 nail, nail bed, or nail fold [86.27](#)
 nonexcisional [86.28](#)
 pacemaker pocket [37.79](#)
 pocket
 cardiac device NEC [37.79](#)
 cardiac pacemaker [37.79](#)
 cardioverter/defibrillator (automatic) [37.79](#)
 skull [01.25](#)
 compound fracture [02.02](#)
 spinal cord (meninges) [03.4](#)
 tendon [83.39](#)
 VersaJet™ [86.28](#)
 wound (skin) [86.28](#)
 excisional [86.22](#)
 nonexcisional [86.28](#)
 Decapitation, fetal [73.8](#)
 Decapsulation, kidney [55.91](#)
 Deceased donor nephrectomy (cadaver) [55.521](#) (IM)
 Declotting -- see also Removal, thrombus

arteriovenous cannula or shunt [39.49](#)

Decompression

anus (imperforate) [48.0](#)

biliary tract [51.49](#)

by intubation [51.43](#)

endoscopic [51.87](#)

percutaneous [51.98](#)

brain [01.24](#)

carpal tunnel [04.43](#)

cauda equina [03.09](#)

chamber [93.97](#)

colon [96.08](#)

by incision [45.03](#)

endoscopic (balloon) [46.85](#)

common bile duct [51.42](#)

by intubation [51.43](#)

endoscopic [51.87](#)

percutaneous [51.98](#)

cranial [01.24](#)

for skull fracture [02.02](#)

endolymphatic sac [20.79](#)

ganglion (peripheral) NEC [04.49](#)

cranial NEC [04.42](#)

gastric [96.07](#)

heart [37.0](#)

intestine [96.08](#)

by incision [45.00](#)

endoscopic (balloon) [46.85](#)

intracranial [01.24](#)

labyrinth [20.79](#)

laminectomy [03.09](#)

laminotomy [03.09](#)

median nerve [04.43](#)

muscle [83.02](#)

hand [82.02](#)

nerve (peripheral) NEC [04.49](#)

auditory [04.42](#)

cranial NEC [04.42](#)

Facial with or without graft [04.421](#) (IM)

median [04.43](#)

Optic [04.420](#) (IM)

trigeminal (root) [04.41](#)

orbit -- see also Orbitotomy [16.09](#)

pancreatic duct [52.92](#)

endoscopic [52.93](#)

pericardium [37.0](#)

rectum [48.0](#)

skull fracture [02.02](#)

spinal cord (canal) [03.09](#)

tarsal tunnel [04.44](#)

tendon (sheath) [83.01](#)

hand [82.01](#)

thoracic outlet

by

myotomy (division of scalenus anticus muscle) [83.19](#)

tenotomy [83.13](#)

- trigeminal (nerve root) [04.41](#)
- Decortication
 - arterial [05.25](#)
 - brain [01.51](#)
 - cerebral meninges [01.51](#)
 - heart [37.31](#)
 - kidney [55.91](#)
 - lung (partial) (total) [34.51](#)
 - thoracoscopic [34.52](#)
 - nasal turbinates -- see Turbinectomy
 - nose [21.89](#)
 - ovary [65.29](#)
 - laparoscopic [65.25](#)
 - periarterial [05.25](#)
 - pericardium [37.31](#)
 - ventricle, heart (complete) [37.31](#)
- Decoy, E2F [00.16](#)
- Deepening
 - alveolar ridge [24.5](#)
 - buccolabial sulcus [24.91](#)
 - lingual sulcus [24.91](#)
- Defatting, flap or pedicle graft [86.75](#)
- Defibrillation, electric (external) (internal) [99.62](#)
 - automatic cardioverter/defibrillator - see category [37.9](#)
- de Grandmont operation (tarsectomy) [08.35](#)
- Delaying of pedicle graft [86.71](#)
- Delivery (with)
 - assisted spontaneous [73.59](#)
 - breech extraction (assisted) [72.52](#)
 - partial [72.52](#)
 - with forceps to aftercoming head [72.51](#)
 - total [72.54](#)
 - with forceps to aftercoming head [72.53](#)
 - unassisted (spontaneous delivery) -- omit code
 - cesarean section -- see Cesarean section
 - Credé maneuver [73.59](#)
 - De Lee maneuver [72.4](#)
- forceps [72.9](#)
 - application to aftercoming head (Piper) [72.6](#)
 - with breech extraction
 - partial [72.51](#)
 - total [72.53](#)
 - Barton's [72.4](#)
 - failed [73.3](#)
 - high [72.39](#)
 - with episiotomy [72.31](#)
 - low (outlet) [72.0](#)
 - with episiotomy [72.1](#)
 - mid [72.29](#)
 - with episiotomy [72.21](#)
 - outlet (low) [72.0](#)
 - with episiotomy [72.1](#)
 - rotation of fetal head [72.4](#)
 - trial [73.3](#)
 - instrumental NEC [72.9](#)
 - specified NEC [72.8](#)

- key-in-lock rotation [72.4](#)
- Kielland rotation [72.4](#)
- Malstrom's extraction [72.79](#)
 - with episiotomy [72.71](#)
- manually assisted (spontaneous) [73.59](#)
- spontaneous (unassisted) [73.59](#)
 - assisted [73.59](#)
- vacuum extraction [72.79](#)
 - with episiotomy [72.71](#)
- Delorme operation
 - pericardiectomy [37.31](#)
 - proctopexy [48.76](#)
 - repair of prolapsed rectum [48.76](#)
 - thoracoplasty [33.34](#)
- [Deltpectoral flap 86.741](#) (IM)
- Denervation
 - aortic body [39.89](#)
 - carotid body [39.89](#)
 - facet, percutaneous (radiofrequency) [03.96](#)
 - ovarian [65.94](#)
 - paracervical uterine [69.3](#)
 - uterosacral [69.3](#)
- Denker operation (radical maxillary antrotomy) [22.31](#)
- Dennis-Barco operation -- see Repair, hernia, femoral
- Denonvillier operation (limited rhinoplasty) [21.86](#)
- Densitometry, bone (serial) (radiographic) [88.98](#)
- Depilation, skin [86.92](#)
- Derlacki operation (tympanoplasty) [19.4](#)
- Dermabond [86.59](#)
- Dermabrasion (laser) [86.25](#)
 - for wound debridement [86.28](#)
- Derotation -- see Reduction, torsion
- Desensitization
 - allergy [99.12](#)
 - psychologic [94.33](#)
- Desmotomy -- see *a/so* Division, ligament [80.40](#)
- Destruction
 - breast [85.20](#)
 - chorioretinopathy -- see *a/so* Destruction, lesion, choroid [14.29](#)
 - ciliary body [12.74](#)
 - epithelial downgrowth, anterior chamber [12.93](#)
 - fallopian tube [66.39](#)
 - with
 - crushing (and ligation) [66.31](#)
 - by endoscopy (laparoscopy) [66.21](#)
 - division (and ligation) [66.32](#)
 - by endoscopy (culdoscopy) (hysteroscopy) (laparoscopy) (peritoneoscopy) [66.22](#)
 - ligation [66.39](#)
 - with
 - crushing [66.31](#)
 - by endoscopy (laparoscopy) [66.21](#)
 - division [66.32](#)
 - by endoscopy (culdoscopy) (hysteroscopy) (laparoscopy) (peritoneoscopy) [66.22](#)
 - fetus [73.8](#)
 - hemorrhoids [49.49](#)
 - by

- cryotherapy [49.44](#)
 - sclerotherapy [49.42](#)
- inner ear NEC [20.79](#)
 - by injection [20.72](#)
- intervertebral disc (NOS) [80.50](#)
 - by injection [80.52](#)
 - by other specified method [80.59](#)
 - herniated (nucleus pulposus) [80.51](#)
- LAA [37.36](#)
- lacrimal sac [09.6](#)
- left atrial appendage [37.36](#)
- lesion (local)
 - anus [49.39](#)
 - endoscopic [49.31](#)
 - Bartholin's gland [71.24](#)
 - by
 - aspiration [71.21](#)
 - excision [71.24](#)
 - incision [71.22](#)
 - marsupialization [71.23](#)
- biliary ducts [51.69](#)
 - endoscopic [51.64](#)
- bladder [57.59](#)
 - transurethral [57.49](#)
- bone -- see Excision, lesion, bone
- bowel -- see Destruction, lesion, intestine
- brain (transtemporal approach) NEC [01.59](#)
 - by stereotactic radiosurgery [92.30](#)
 - cobalt 60 [92.32](#)
 - linear accelerator (LINAC) [92.31](#)
 - multi-source [92.32](#)
 - particle beam [92.33](#)
 - particulate [92.33](#)
 - radiosurgery NEC [92.39](#)
 - single source photon [92.31](#)
- breast NEC [85.20](#)
- bronchus NEC [32.09](#)
 - endoscopic [32.01](#)
- cerebral NEC [01.59](#)
 - meninges [01.51](#)
- cervix [67.39](#)
 - by
 - cauterization [67.32](#)
 - cryosurgery, cryoconization [67.33](#)
 - electroconization [67.32](#)
- choroid [14.29](#)
 - by
 - cryotherapy [14.22](#)
 - diathermy [14.21](#)
 - implantation of radiation source [14.27](#)
 - photocoagulation [14.25](#)
 - laser [14.24](#)
 - xenon arc [14.23](#)
 - radiation therapy [14.26](#)
- ciliary body (nonexcisional) [12.43](#)
 - by excision [12.44](#)

- conjunctiva [10.32](#)
 - by excision [10.31](#)
- cornea NEC [11.49](#)
 - by
 - cryotherapy [11.43](#)
 - electrocauterization [11.42](#)
 - thermocauterization [11.42](#)
- cul-de-sac [70.32](#)
- duodenum NEC [45.32](#)
 - by excision [45.31](#)
 - endoscopic [45.30](#)
 - endoscopic [45.30](#)
- esophagus (chemosurgery) (cryosurgery) (electroresection) (fulguration) NEC [42.39](#)
 - by excision [42.32](#)
 - endoscopic [42.33](#)
 - endoscopic [42.33](#)
- eye NEC [16.93](#)
- eyebrow [08.25](#)
- eyelid [08.25](#)
 - excisional -- see Excision, lesion, eyelid
- heart
 - by catheter ablation [37.34](#)
 - by endovascular approach [37.34](#)
 - by open approach [37.33](#)
 - by thoracoscopic approach [37.37](#)
 - left atrial appendage [37.36](#)
- intestine (large) [45.49](#)
 - by excision [45.41](#)
 - endoscopic [45.43](#)
 - polypectomy [45.42](#)
 - endoscopic [45.43](#)
 - polypectomy [45.42](#)
 - small [45.34](#)
 - by excision [45.33](#)
- intranasal [21.31](#)
- iris (nonexcisional) NEC [12.41](#)
 - by excision [12.42](#)
- kidney [55.39](#)
 - by marsupialization [55.31](#)
- lacrimal sac [09.6](#)
- larynx [30.09](#)
- liver [50.29](#)
- lung [32.29](#)
 - endoscopic [32.28](#)
 - thoracoscopic [32.20](#)
- meninges (cerebral) [01.51](#)
 - spinal [03.4](#)
- nerve (peripheral) [04.07](#)
 - sympathetic [05.29](#)
- nose [21.30](#)
 - intranasal [21.31](#)
 - specified NEC [21.32](#)
- ovary
 - by
 - aspiration [65.91](#)
 - excision [65.29](#)

- laparoscopic [65.25](#)
- cyst by rupture (manual) [65.93](#)
- palate (bony) (local) [27.31](#)
 - wide [27.32](#)
- pancreas [52.22](#)
 - by marsupialization [52.3](#)
 - endoscopic [52.21](#)
- pancreatic duct [52.22](#)
 - endoscopic [52.21](#)
- penis [64.2](#)
- pharynx (excisional) [29.39](#)
- pituitary gland
 - by stereotactic radiosurgery [92.30](#)
 - cobalt 60 [92.32](#)
 - linear accelerator (LINAC) [92.31](#)
 - multi-source [92.32](#)
 - particle beam [92.33](#)
 - particulate [92.33](#)
 - radiosurgery NEC [92.39](#)
 - single source photon [92.31](#)
- rectum (local) [48.32](#)
 - by
 - cryosurgery [48.34](#)
 - electrocoagulation [48.32](#)
 - excision [48.35](#)
 - fulguration [48.32](#)
 - laser (Argon) [48.33](#)
 - polyp [48.36](#)
 - radical [48.31](#)
- retina [14.29](#)
 - by
 - cryotherapy [14.22](#)
 - diathermy [14.21](#)
 - implantation of radiation source [14.27](#)
 - photocoagulation [14.25](#)
 - laser [14.24](#)
 - xenon arc [14.23](#)
 - radiation therapy [14.26](#)
- salivary gland NEC [26.29](#)
 - by marsupialization [26.21](#)
- sclera [12.84](#)
- scrotum [61.3](#)
- skin NEC [86.3](#)
- sphincter of Oddi [51.69](#)
 - endoscopic [51.64](#)
- spinal cord (meninges) [03.4](#)
- spleen [41.42](#)
 - by marsupialization [41.41](#)
- stomach NEC [43.49](#)
 - by excision [43.42](#)
 - endoscopic [43.41](#)
 - endoscopic [43.41](#)
- subcutaneous tissue NEC [86.3](#)
- testis [62.2](#)
- tissue of heart -see Excision, lesion, heart
- tongue [25.1](#)

- urethra (excisional) [58.39](#)
 - endoscopic [58.31](#)
- uterus [68.29](#)
- nerve (cranial) (peripheral) (by cryoanalgesia) (by radiofrequency) [04.2](#)
 - sympathetic, by injection of neurolytic agent [05.32](#)
- neuroma
 - acoustic [04.01](#)
 - by craniotomy [04.01](#)
 - by stereotactic radiosurgery [92.30](#)
 - cobalt 60 [92.32](#)
 - linear accelerator (LINAC) [92.31](#)
 - multi-source [92.32](#)
 - particle beam [92.33](#)
 - particulate [92.33](#)
 - radiosurgery NEC [92.39](#)
 - single source photon [92.31](#)
- cranial [04.07](#)
- Morton's [04.07](#)
- peripheral
 - Morton's [04.07](#)
- prostate (prostatic tissue)
 - by
 - cryotherapy [60.62](#)
 - microwave [60.96](#)
 - radiofrequency [60.97](#)
 - transurethral microwave thermotherapy (TUMT) [60.96](#)
 - transurethral needle ablation (TUNA) [60.97](#)
 - TULIP (transurethral (ultrasound) guided laser induced prostatectomy) [60.21](#)
 - TUMT (transurethral microwave thermotherapy) [60.96](#)
 - TUNA (transurethral needle ablation) [60.97](#)
- semicircular canals, by injection [20.72](#)
- vestibule, by injection [20.72](#)
- Detachment, uterosacral ligaments [69.3](#)
- Determination
 - mental status (clinical) (medicolegal) (psychiatric) NEC [94.11](#)
 - psychologic NEC [94.09](#)
 - vital capacity (pulmonary) [89.37](#)
- Detorsion
 - intestine (twisted) (volvulus) [46.80](#)
 - large [46.82](#)
 - endoscopic (balloon) [46.85](#)
 - small [46.81](#)
 - kidney [55.84](#)
 - ovary [65.95](#)
 - spermatic cord [63.52](#)
 - with orchiopexy [62.5](#)
 - testis [63.52](#)
 - with orchiopexy [62.5](#)
 - volvulus [46.80](#)
 - endoscopic (balloon) [46.85](#)
- Detoxification therapy [94.25](#)
 - alcohol [94.62](#)
 - with rehabilitation [94.63](#)
 - combined alcohol and drug [94.68](#)
 - with rehabilitation [94.69](#)
 - drug [94.65](#)

- with rehabilitation [94.66](#)
- combined alcohol and drug [94.68](#)
- with rehabilitation [94.69](#)
- Devascularization, stomach [44.99](#)
- Device
 - CorCap™ [37.41](#)
 - external fixator - see Fixator, external
- Dewebbing
 - esophagus [42.01](#)
 - syndactyly (fingers) (toes) [86.85](#)
- Dextrorotation -- see Reduction, torsion
- Dialysis
 - hemodiafiltration, hemofiltration (extracorporeal) [39.95](#)
 - kidney (extracorporeal) [39.95](#)
 - liver [50.92](#)
 - peritoneal [54.98](#)
 - peritoneal dialysis catheter with laparoscopy technique [54.980](#) (IM)
 - peritoneal dialysis catheter: open technique [54.984](#) (IM)
 - peritoneal dialysis catheter: percutaneous technique [54.983](#) (IM)
 - peritoneal dialysis catheter: peritoneoscopy technique [54.982](#) (IM)
 - renal (extracorporeal) [39.95](#)
- Diaphanoscopy
 - nasal sinuses [89.35](#)
 - skull (newborn) [89.16](#)
- Diaphysectomy -- see category [77.8](#)
- Diathermy [93.34](#)
 - choroid -- see Diathermy, retina
 - nasal turbinates [21.61](#)
 - retina
 - for
 - destruction of lesion [14.21](#)
 - reattachment [14.51](#)
 - repair of tear [14.31](#)
 - surgical -- see Destruction, lesion, by site
 - turbinates (nasal) [21.61](#)
- Dickson operation (fascial transplant) [83.82](#)
- Dickson-Diveley operation (tendon transfer and arthrodesis to correct claw toe) [77.57](#)
- Dieffenbach operation (hip disarticulation) [84.18](#)
- Dilation
 - achalasia [42.92](#)
 - ampulla of Vater [51.81](#)
 - endoscopic [51.84](#)
 - anus, anal (sphincter) [96.23](#)
 - biliary duct
 - endoscopic [51.84](#)
 - pancreatic duct [52.99](#)
 - endoscopic [52.98](#)
 - percutaneous (endoscopy) [51.98](#)
 - sphincter
 - of Oddi [51.81](#)
 - endoscopic [51.84](#)
 - pancreatic [51.82](#)
 - endoscopic [51.85](#)
 - bladder [96.25](#)
 - neck [57.92](#)
 - bronchus [33.91](#)

- with bronchoscopy (rigid) with or without balloon [33.94](#) (IM)
- cervix (canal) [67.0](#)
 - obstetrical [73.1](#)
 - to assist delivery [73.1](#)
- choanae (nasopharynx) [29.91](#)
- colon (endoscopic) (balloon) [46.85](#)
 - with insertion of colonic stent
 - endoscopic [46.86](#)
 - other [46.87](#)
- colostomy stoma [96.24](#)
- duodenum (endoscopic) (balloon) [46.85](#)
 - with insertion of colonic stent
 - endoscopic [46.86](#)
 - other [46.87](#)
- endoscopic -- see Dilation, by site
- enterostomy stoma [96.24](#)
- esophagus (by bougie) (by sound) [42.92](#)
- fallopian tube [66.96](#)
- foreskin (newborn) [99.95](#)
- frontonasal duct [96.21](#)
- gastrojejunostomy site, endoscopic [44.22](#)
- heart valve -- see Valvulotomy, heart
- ileostomy stoma [96.24](#)
- ileum (endoscopic) (balloon) [46.85](#)
 - with insertion of colonic stent
 - endoscopic [46.86](#)
 - other [46.87](#)
- intestinal stoma (artificial) [96.24](#)
- intestine (endoscopic) (balloon) [46.85](#)
 - with insertion of colonic stent
 - endoscopic [46.86](#)
 - other [46.87](#)
- jejunum (endoscopic) (balloon) [46.85](#)
 - with insertion of colonic stent
 - endoscopic [46.86](#)
 - other [46.87](#)
- lacrimal
 - duct [09.42](#)
 - punctum [09.41](#)
- larynx [31.98](#)
- lymphatic structure(s) (peripheral) [40.9](#)
- nares [21.99](#)
- nasolacrimal duct (retrograde) [09.43](#)
 - with insertion of tube or stent [09.44](#)
- nasopharynx [29.91](#)
- pancreatic duct [52.99](#)
 - endoscopic [52.98](#)
- pharynx [29.91](#)
- prostatic urethra (transurethral) (balloon) [60.95](#)
- punctum, lacrimal papilla [09.41](#)
- pylorus
 - by incision [44.21](#)
 - endoscopic [44.22](#)
- rectum [96.22](#)
- salivary duct [26.91](#)
- sphenoid ostia [22.52](#)

- sphincter
 - anal [96.23](#)
 - cardiac [42.92](#)
 - of Oddi [51.81](#)
 - endoscopic [51.84](#)
 - pancreatic [51.82](#)
 - endoscopic [51.85](#)
 - pylorus, endoscopic [44.22](#)
 - by incision [44.21](#)
- Stenson's duct [26.91](#)
- trachea [31.99](#)
- ureter [59.8](#)
 - meatus [56.91](#)
- ureterovesical orifice [59.8](#)
- urethra [58.6](#)
 - prostatic (transurethral) (balloon) [60.95](#)
 - endoscopic [56.910](#) (IM)
- urethrovesical junction [58.6](#)
- vagina (instrumental) (manual) NEC [96.16](#)
- vesical neck [57.92](#)
- Wharton's duct [26.91](#)
- Wirsung's duct [52.99](#)
 - endoscopic [52.98](#)
- Dilation and curettage, uterus (diagnostic) [69.09](#)
 - after
 - abortion [69.02](#)
 - delivery [69.02](#)
 - to terminate pregnancy [69.01](#)
- Diminution, ciliary body [12.74](#)
- Disarticulation [84.91](#)
 - ankle [84.13](#)
 - elbow [84.06](#)
 - finger, except thumb [84.01](#)
 - thumb [84.02](#)
 - hip [84.18](#)
 - knee [84.16](#)
 - shoulder [84.08](#)
 - thumb [84.02](#)
 - toe [84.11](#)
 - wrist [84.04](#)
- Discectomy - see Discectomy
- Dissection
 - capsular membrane [13.64](#)
 - cataract (Wheeler knife) (Ziegler knife) [13.2](#)
 - congenital [13.69](#)
 - secondary membrane [13.64](#)
 - iris [12.12](#)
 - lens (capsule) (Wheeler knife) (Ziegler knife) (with capsulotomy) [13.2](#)
 - orbitomaxillary, radical [16.51](#)
 - pupillary [13.2](#)
 - secondary membrane (after cataract) [13.64](#)
 - vitreous strands (posterior approach) [14.74](#)
 - anterior approach [14.73](#)
- Discogram, diskogram [87.21](#)
- Discolysis (by injection) [80.52](#)

Disectomy (discectomy), intervertebral [80.51](#)
 with corpectomy [80.99](#)
 herniated (nucleus pulposus) [80.51](#)
 percutaneous [80.59](#)
Dispensing (with fitting)
 contact lens [95.32](#)
 low vision aids NEC [95.33](#)
 spectacles [95.31](#)
Disruption
 blood brain barrier via infusion [BBBD] [00.19](#)
Dissection -- see *a/so* Excision
 aneurysm [38.60](#)
 artery-vein-nerve bundle [39.91](#)
 branchial cleft fistula or sinus [29.52](#)
 bronchus [32.1](#)
 femoral hernia [53.29](#)
 groin, radical [40.54](#)
 larynx block (en bloc) [30.3](#)
 mediastinum with pneumonectomy [32.59](#)
 thoracoscopic [32.50](#)

- neck, radical [40.40](#)
 - Modified (IM)
 - bilateral [40.56](#) (IM)
 - unilateral [40.55](#) (IM)
 - with laryngectomy [30.4](#)
 - bilateral [40.42](#)
 - unilateral [40.41](#)
- orbital fibrous bands [16.92](#)
- pterygium (with reposition) [11.31](#)
- radical neck -- see Dissection, neck, radical
- retroperitoneal NEC [59.00](#)
- thoracic structures (block) (en bloc) (radical) (brachial plexus, bronchus, lobe of lung, ribs, and sympathetic nerves) [32.6](#)
- vascular bundle [39.91](#)
- Distention, bladder (therapeutic) (intermittent) [96.25](#)
- Diversion
 - biliopancreatic (BPD) [43.7](#) [[45.51](#)] [[45.91](#)]
 - with duodenal switch [43.89](#) [[45.51](#)] [[45.91](#)]
 - urinary
 - cutaneous [56.61](#)
 - ileal conduit [56.51](#)
 - internal NEC [56.71](#)
 - ureter to
 - intestine [56.71](#)
 - skin [56.61](#)
 - uretero-ileostomy [56.51](#)
- Diversional therapy [93.81](#)
- Diverticulectomy
 - bladder (suprapubic) [57.59](#)
 - transurethral approach [57.49](#)
 - duodenum [45.31](#)
 - endoscopic [45.30](#)
 - esophagus [42.31](#)
 - endoscopic [42.33](#)
 - esophagomyotomy [42.7](#)
 - hypopharyngeal (by cricopharyngeal myotomy) [29.32](#)
 - intestine
 - large [45.41](#)
 - endoscopic [45.43](#)
 - small [45.33](#)
 - kidney [55.39](#)
 - Meckel's [45.33](#)
 - pharyngeal (by cricopharyngeal myotomy) [29.32](#)
 - pharyngoesophageal (by cricopharyngeal myotomy) [29.32](#)
 - stomach [43.42](#)
 - endoscopic [43.41](#)
 - urethra [58.39](#)
 - endoscopic [58.31](#)
- Division
 - Achilles tendon [83.11](#)
 - adductor tendon (hip) [83.12](#)
 - adhesions -- see Lysis, adhesions
 - angle of mandible (open) [76.62](#)
 - closed [76.61](#)
 - anterior synechiae [12.32](#)
 - aponeurosis [83.13](#)

arcuate ligament (spine) -- omit code
 arteriovenous fistula (with ligation) [39.53](#)
 artery (with ligation) [38.80](#)
 abdominal [38.86](#)
 aorta (arch) (ascending) (descending) [38.84](#)
 head and neck NEC [38.82](#)
 intracranial NEC [38.81](#)
 lower limb [38.88](#)
 thoracic NEC [38.85](#)
 upper limb [38.83](#)
 bladder neck [57.91](#)
 blepharorrhaphy [08.02](#)
 blood vessels, cornea [10.1](#)
 bone -- see also Osteotomy [77.30](#)
 brain tissue [01.32](#)
 cortical adhesions [02.91](#)
 canaliculus [09.52](#)
 canthorrhaphy [08.02](#)
 cartilage [80.40](#)
 ankle [80.47](#)
 elbow [80.42](#)
 foot and toe [80.48](#)
 hand and finger [80.44](#)
 hip [80.45](#)
 knee [80.46](#)
 shoulder [80.41](#)
 specified site NEC [80.49](#)
 spine [80.49](#)
 wrist [80.43](#)
 cerebral tracts [01.32](#)
 chordae tendineae [35.32](#)
 common wall between posterior left atrium and coronary sinus (with roofing of resultant defect with patch graft) [35.82](#)
 congenital web
 larynx [31.98](#)
 pharynx [29.54](#)
 endometrial synechiae [68.21](#)
 fallopian tube -- see Ligation, fallopian tube
 fascia [83.14](#)
 hand [82.12](#)
 frenulum, frenum
 labial [27.91](#)
 lingual [25.91](#)
 tongue [25.91](#)
 ganglion, sympathetic [05.0](#)
 glossopharyngeal nerve [29.92](#)
 goniosynechiae [12.31](#)
 hypophyseal stalk -- see also Hypophysectomy, partial [07.63](#)
 iliotibial band [83.14](#)
 isthmus
 horseshoe kidney [55.85](#)
 thyroid [06.91](#)
 joint capsule [80.40](#)
 ankle [80.47](#)
 elbow [80.42](#)
 foot and toe [80.48](#)

hand and finger [80.44](#)
 hip [80.45](#)
 knee [80.46](#)
 shoulder [80.41](#)
 specified site NEC [80.49](#)
 wrist [80.43](#)
 labial frenum [27.91](#)
 lacrimal ductules [09.0](#)
 laryngeal nerve (external) (recurrent) (superior) [31.91](#)
 ligament [80.40](#)
 ankle [80.47](#)
 arcuate (spine) -- omit code
 canthal [08.36](#)
 elbow [80.42](#)
 foot and toe [80.48](#)
 hand and finger [80.44](#)
 hip [80.45](#)
 knee [80.46](#)
 palpebrae [08.36](#)
 shoulder [80.41](#)
 specified site NEC [80.49](#)
 spine [80.49](#)
 arcuate -- omit code
 flavum -- omit code
 uterosacral [69.3](#)
 wrist [80.43](#)
 ligamentum flavum (spine) -- omit code
 meninges (cerebral) [01.31](#)
 muscle [83.19](#)
 hand [82.19](#)
 nasolacrimal duct stricture (with drainage) [09.59](#)
 nerve (cranial) (peripheral) NEC [04.03](#)
 acoustic [04.01](#)
 adrenal gland [07.42](#)
 auditory [04.01](#)
 glossopharyngeal [29.92](#)
 lacrimal branch [05.0](#)
 laryngeal (external) (recurrent) (superior) [31.91](#)
 phrenic [04.03](#)
 for collapse of lung [33.31](#)
 root, spinal or intraspinal [03.1](#)
 sympathetic [05.0](#)
 tracts
 cerebral [01.32](#)
 spinal cord [03.29](#)
 percutaneous [03.21](#)
 trigeminal [04.02](#)
 vagus -- *see also* Vagotomy [44.00](#)
 vestibular [04.01](#)
 otosclerotic process or material, middle ear [19.0](#)
 papillary muscle (heart) [35.31](#)
 patent ductus arteriosus [38.85](#)
 PDA stenting/PDA closure with device [38.850](#) (IM)
 penile adhesions [64.93](#)
 posterior synechiae [12.33](#)
 pylorus (with wedge resection) [43.3](#)

rectum (stricture) [48.91](#)
 scalenus anticus muscle [83.19](#)
 Skene's gland [71.3](#)
 soft tissue NEC [83.19](#)
 hand [82.19](#)
 sphincter
 anal (external) (internal) [49.59](#)
 left lateral [49.51](#)
 posterior [49.52](#)
 cardiac [42.7](#)
 of Oddi [51.82](#)
 endoscopic [51.85](#)
 pancreatic [51.82](#)
 endoscopic [51.85](#)
 spinal
 cord tracts [03.29](#)
 percutaneous [03.21](#)
 nerve root [03.1](#)
 symblepharon (with insertion of conformer) [10.5](#)
 synechiae
 endometrial [68.21](#)
 iris (posterior) [12.33](#)
 anterior [12.32](#)
 tarsorrhaphy [08.02](#)
 tendon [83.13](#)
 Achilles [83.11](#)
 adductor (hip) [83.12](#)
 hand [82.11](#)
 trabeculae carneae cordis (heart) [35.35](#)
 tympanum [20.23](#)
 uterosacral ligaments [69.3](#)
 vaginal septum [70.14](#)
 vas deferens [63.71](#)
 vein (with ligation) [38.80](#)
 abdominal [38.87](#)
 head and neck NEC [38.82](#)
 intracranial NEC [38.81](#)
 lower limb [38.89](#)
 varicose [38.59](#)
 thoracic NEC [38.85](#)
 upper limb [38.83](#)
 varicose [38.50](#)
 abdominal [38.57](#)
 head and neck NEC [38.52](#)
 intracranial NEC [38.51](#)
 lower limb [38.59](#)
 thoracic NEC [38.55](#)
 upper limb [38.53](#)
 vitreous, cicatricial bands (posterior approach) [14.74](#)
 anterior approach [14.73](#)
 Dix-halpike test/positional nystagmus test [95.441](#) (IM)
 Doleris operation (shortening of round ligaments) [69.22](#)
 D'Ombrain operation (excision of pterygium with corneal graft) [11.32](#)
 Domestic tasks therapy [93.83](#)
 Dopplergram, Doppler flow mapping -- see also Ultrasonography
 aortic arch [88.73](#)

breast [88.790](#) (IM)

head and neck [88.71](#)

heart [88.72](#)

doppler heart [88.721](#) (IM)

thorax NEC [88.73](#)

Dorrance operation (push-back operation for cleft palate) [27.62](#)

Dorsalis pedis flap, free [85.709](#) (IM)

Dotter operation (transluminal angioplasty) [39.59](#)

Douche, vagina [96.44](#)

Douglas' operation (suture of tongue to lip for micrognathia) [25.59](#)

Downstream® System (AO therapy) (aqueous oxygen) [00.49](#)

Doyle operation (paracervical uterine denervation) [69.3](#)

Drainage

by

anastomosis -- see Anastomosis

aspiration -- see Aspiration

incision -- see Incision

abdomen [54.19](#)

percutaneous [54.91](#)

abscess -- see *also* Drainage, by site and Incision, by site

appendix [47.2](#)

with appendectomy [47.09](#)

laparoscopic [47.01](#)

parapharyngeal (oral) (transcervical) [28.0](#)

peritonsillar (oral) (transcervical) [28.0](#)

retropharyngeal (oral) (transcervical) [28.0](#)

thyroid (field) (gland) [06.09](#)

percutaneous (needle) [06.01](#)

postoperative [06.02](#)

tonsil, tonsillar (oral) (transcervical) [28.0](#)

antecubital fossa [86.04](#)

appendix [47.91](#)

with appendectomy [47.09](#)

laparoscopic [47.01](#)

abscess [47.2](#)

with appendectomy [47.09](#)

laparoscopic [47.01](#)

axilla [86.04](#)

bladder (without incision) [57.0](#)

with endoscopic blood clots evacuation [57.00](#) (IM)

by indwelling catheter [57.94](#)

percutaneous suprapubic (closed) [57.17](#)

suprapubic NEC [57.18](#)

buccal space [27.0](#)

bursa [83.03](#)

by aspiration [83.94](#)

hand [82.92](#)

hand [82.03](#)

by aspiration [82.92](#)

radial [82.03](#)

ulnar [82.03](#)

cerebrum, cerebral (meninges) (ventricle) (incision) (trephination) [01.39](#)

by

anastomosis -- see Shunt, ventricular

aspiration [01.09](#)

through previously implanted catheter [01.02](#)

chest (closed) [34.04](#)
 open (by incision) [34.09](#)
 thoroscopic [34.06](#)
 cranial sinus (incision) (trephination) [01.21](#)
 by aspiration [01.09](#)
 cul-de-sac [70.12](#)
 by aspiration [70.0](#)
 cyst -- see also Drainage, by site and Incision, by site
 pancreas (by catheter) [52.01](#)
 by marsupialization [52.3](#)
 internal (anastomosis) [52.4](#)
 pilonidal [86.03](#)
 spleen, splenic (by marsupialization) [41.41](#)
 duodenum (tube) [46.39](#)
 by incision [45.01](#)
 ear
 external [18.09](#)
 inner [20.79](#)
 middle (by myringotomy) [20.09](#)
 with intubation [20.01](#)
 epidural space, cerebral (incision) (trephination) [01.24](#)
 by aspiration [01.09](#)
 extradural space, cerebral (incision) (trephination) [01.24](#)
 by aspiration [01.09](#)
 extraperitoneal [54.0](#)
 facial region [27.0](#)
 fascial compartments, head and neck [27.0](#)
 fetal hydrocephalic head (needling) (trocar) [73.8](#)
 gallbladder [51.04](#)
 by
 anastomosis [51.35](#)
 aspiration [51.01](#)
 incision [51.04](#)
 groin region (abdominal wall) (inguinal) [54.0](#)
 skin [86.04](#)
 subcutaneous tissue [86.04](#)
 hematoma -- see Drainage, by site and Incision, by site
 hydrocephalic head (needling) (trocar) [73.8](#)
 hypochondrium [54.0](#)
 intra-abdominal [54.19](#)
 iliac fossa [54.0](#)
 infratemporal fossa [27.0](#)
 intracranial space (epidural) (extradural) (incision) (trephination) [01.24](#)
 by aspiration [01.09](#)
 subarachnoid or subdural (incision) (trephination) [01.31](#)
 by aspiration [01.09](#)
 intraperitoneal [54.19](#)
 percutaneous [54.91](#)
 kidney (by incision) [55.01](#)
 by
 anastomosis [55.86](#)
 catheter [59.8](#)
 pelvis (by incision) [55.11](#)
 liver [50.0](#)
 by aspiration [50.91](#)
 Ludwig's angina [27.0](#)

- lung (by incision) [33.1](#)
 - by punch (needle) (trocar) [33.93](#)
- midpalmar space [82.04](#)
- mouth floor [27.0](#)
- mucocoele, nasal sinus [22.00](#)
 - by puncture [22.01](#)
 - through natural ostium [22.02](#)
- omentum [54.19](#)
 - percutaneous [54.91](#)
- ovary (aspiration) [65.91](#)
 - by incision [65.09](#)
 - laparoscopic [65.01](#)
- palmar space (middle) [82.04](#)
- pancreas (by catheter) [52.01](#)
 - by anastomosis [52.96](#)
- parapharyngeal [28.0](#)
- paronychia [86.04](#)
- parotid space [27.0](#)
- pelvic peritoneum (female) [70.12](#)
 - male [54.19](#)
- pericardium [37.0](#)
- perigastric [54.19](#)
 - percutaneous [54.91](#)
- perineum
 - female [71.09](#)
 - male [86.04](#)
- perisplenic tissue [54.19](#)
 - percutaneous [54.91](#)
- peritoneum [54.19](#)
 - pelvic (female) [70.12](#)
 - percutaneous [54.91](#)
- peritonsillar [28.0](#)
- pharyngeal space, lateral [27.0](#)
- pilonidal cyst or sinus [86.03](#)
- pleura (closed) [34.04](#)
 - open (by incision) [34.09](#)
 - thoracoscopic [34.06](#)
- popliteal space [86.04](#)
- postural [93.99](#)
- postzygomatic space [27.0](#)
- pseudocyst, pancreas [52.3](#)
 - by anastomosis [52.4](#)
- pterygopalatine fossa [27.0](#)
- retropharyngeal [28.0](#)
- scrotum [61.0](#)
- skin [86.04](#)
- spinal (canal) (cord) [03.09](#)
 - by anastomosis -- see Shunt, spinal
 - diagnostic [03.31](#)
- spleen [41.2](#)
 - cyst (by marsupialization) [41.41](#)
- subarachnoid space, cerebral (incision) (trephination) [01.31](#)
 - by aspiration [01.09](#)
- subcutaneous tissue [86.04](#)
- subdiaphragmatic [54.19](#)
 - percutaneous [54.91](#)

- subdural space, cerebral (incision) (trephination) [01.31](#)
 - by aspiration [01.09](#)
- subhepatic space [54.19](#)
 - percutaneous [54.91](#)
- sublingual space [27.0](#)
- submental space [27.0](#)
- subphrenic space [54.19](#)
 - percutaneous [54.91](#)
- supraclavicular fossa [86.04](#)
- temporal pouches [27.0](#)
- tendon (sheath) [83.01](#)
 - hand [82.01](#)
- thenar space [82.04](#)
- thorax (closed) [34.04](#)
 - open (by incision) [34.09](#)
 - thoroscopic [34.06](#)
- thyroglossal tract (by incision) [06.09](#)
 - by aspiration [06.01](#)
- thyroid (field) (gland) (by incision) [06.09](#)
 - by aspiration [06.01](#)
 - postoperative [06.02](#)
- tonsil [28.0](#)
- tunica vaginalis [61.0](#)
- ureter (by catheter) [59.8](#)
 - by
 - anastomosis NEC -- see *a/so* Anastomosis, ureter [56.79](#)
 - incision [56.2](#)
 - open ureteral exploration [56.22](#) (IM)
- ventricle (cerebral) (incision) NEC [02.39](#)
 - by
 - anastomosis -- see Shunt, ventricular
 - aspiration [01.09](#)
 - through previously implanted catheter [01.02](#)
- vertebral column [03.09](#)
- Drawing test [94.08](#)
- Dressing
 - burn [93.57](#)
 - ulcer [93.56](#)
 - wound [93.57](#)
- Drilling
 - bone -- see *a/so* Incision, bone [77.10](#)
 - ovary [65.99](#)
- Drotrecogin alfa (activated), infusion [00.11](#)
- Ductogram, mammary [87.35](#)
- Duhamel operation (abdominoperineal pull-through) [48.65](#)
- Duhrssen's
 - incisions (cervix, to assist delivery) [73.93](#)
 - operation (vaginofixation of uterus) [69.22](#)
- Dunn operation (triple arthrodesis) [81.12](#)
- Duodenectomy [45.62](#)
 - with
 - gastrectomy -- see Gastrectomy
 - pancreatectomy -- see Pancreatectomy
- Duodenocholedochotomy [51.51](#)
- Duodenoduodenostomy [45.91](#)
 - proximal to distal segment [45.62](#)