

Duodenoileostomy [45.91](#)
 Duodenojejunostomy [45.91](#)
 Duodenorrhaphy [46.71](#)
 Duodenoplasty [46.79](#)
 Duodenoscopy [45.13](#)
 through stoma (artificial) [45.12](#)
 transabdominal (operative) [45.11](#)
 Duodenostomy [46.39](#)
 Duodenotomy [45.01](#)
 Dupuytren operation
 fasciectomy [82.35](#)
 fasciotomy [82.12](#)
 with excision [82.35](#)
 shoulder disarticulation [84.08](#)
 Durabond [86.59](#)
 Duraplasty [02.12](#)
 Durham (-Caldwell) operation (transfer of biceps femoris tendon) [83.75](#)
 DuToit and Roux operation (staple capsulorrhaphy of shoulder) [81.82](#)
 DuVries operation (tenoplasty) [83.88](#)
 Dwyer operation
 fasciotomy [83.14](#)
 soft tissue release NEC [83.84](#)
 wedge osteotomy, calcaneus [77.28](#)

E

E2F decoy [00.16](#)
 Eagleton operation (extrapetrosal drainage) [20.22](#)
 ECG -- see Electrocardiogram
 Echocardiography [88.72](#)
 intracardiac (heart chambers) (ICE) [37.28](#)
 intravascular (coronary vessels) [00.24](#)
 transesophageal [88.72](#)
 transesophageal echocardiography (TEE) [88.720](#) (IM)
 monitoring (Doppler) (ultrasound) [89.68](#)
 Echoencephalography [88.71](#)
 Echography -- see Ultrasonography
 Echogynography [88.79](#)
 Echopacentogram [88.78](#)
 ECMO (extracorporeal membrane oxygenation) [39.65](#)
 Eden-Hybinette operation (glenoid bone block) [78.01](#)
 Educational therapy (bed-bound children) (handicapped) [93.82](#)
 EEG (electroencephalogram) [89.14](#)
 monitoring (radiographic) (video) [89.19](#)
 Effler operation (heart) [36.2](#)
 Effleurage [93.39](#)
 EGD (esophagogastroduodenoscopy) [45.13](#)
 with closed biopsy [45.16](#)
 Eggers operation
 tendon release (patellar retinacula) [83.13](#)
 tendon transfer (biceps femoris tendon) (hamstring tendon) [83.75](#)
 EKG -- see *also* Electrocardiogram [89.52](#)
 Elastic hosiery [93.59](#)
 Electrical evoked auditory brain stem response [20.33](#) (IM)
 Electrical compound action potential [20.34](#) (IM)

[Electrical stapedial reflex threshold 20.35 \(IM\)](#)
Electrocardiogram (with 12 or more leads) [89.52](#)
 with vectorcardiogram [89.53](#)
 fetal (scalp), intrauterine [75.32](#)
rhythm (with one to three leads) [89.51](#)
Electrocautery -- see also Cauterization
 cervix [67.32](#)
 corneal lesion (ulcer) [11.42](#)
 esophagus [42.39](#)
 endoscopic [42.33](#)
Electrocoagulation -- see also Destruction, lesion, by site
 aneurysm (cerebral) (peripheral vessels) [39.52](#)
 cervix [67.32](#)
 cystoscopic [57.49](#)
 ear
 external [18.29](#)
 inner [20.79](#)
 middle [20.51](#)
 fallopian tube (lesion) [66.61](#)
 for tubal ligation -- see Ligation, fallopian tube
 gasserian ganglion [04.02](#)
 nasal turbinates [21.61](#)
 nose, for epistaxis (with packing) [21.03](#)
 ovary [65.29](#)
 laparoscopic [65.25](#)
 prostatic bed [60.94](#)
 rectum (polyp) [48.32](#)
 radical [48.31](#)
 retina (for)
 destruction of lesion [14.21](#)
 reattachment [14.51](#)
 repair of tear [14.31](#)
 round ligament [69.19](#)
 semicircular canals [20.79](#)
 urethrovesical junction, transurethral [57.49](#)
 uterine ligament [69.19](#)
 uterosacral ligament [69.19](#)
 uterus [68.29](#)
 vagina [70.33](#)
 vulva [71.3](#)
Electrocochleography [20.31](#)
Electroconization, cervix [67.32](#)
Electroconvulsive therapy (ECT) [94.27](#)
[Electroconvulsive therapy \(ECT\), conventional 94.270 \(IM\)](#)
[Electroconvulsive therapy \(ECT\), with premedication 94.271 \(IM\)](#)
Electroencephalogram (EEG) [89.14](#)
 monitoring (radiographic) (video) [89.19](#)
Electrogastrogram [44.19](#)
Electrokeratotomy [11.49](#)
Electrolysis
 ciliary body [12.71](#)
hair follicle [86.92](#)
 retina (for)
 destruction of lesion [14.21](#)
 reattachment [14.51](#)
 repair of tear [14.31](#)

- skin [86.92](#)
- subcutaneous tissue [86.92](#)
- Electromyogram, electromyography (EMG) (muscle) [93.08](#)
 - eye [95.25](#)
 - urethral sphincter [89.23](#)
- Electronarcosis 94.29
- Electronic gaiter 93.59
- Electronystagmogram (ENG) 95.24
- Electro-oculogram (EOG) 95.22
- Electroresection -- see also Destruction, lesion, by site
 - bladder neck (transurethral) [57.49](#)
 - esophagus [42.39](#)
 - endoscopic [42.33](#)
 - prostate (transurethral) [60.29](#)
 - stomach [43.49](#)
 - endoscopic [43.41](#)
- Electroretinogram (ERG) 95.21
- Electroshock therapy (EST) 94.27
 - subconvulsive 94.26
- Elevation
 - bone fragments (fractured)
 - orbit [76.79](#)
 - sinus (nasal)
 - frontal [22.79](#)
 - maxillary [22.79](#)
 - skull (with debridement) [02.02](#)
 - spinal [03.53](#)
 - pedicle graft 86.71
- Elliot operation (scleral trephination with iridectomy) [12.61](#)
- Ellis Jones operation (repair of peroneal tendon) [83.88](#)
- Ellison operation (reinforcement of collateral ligament) [81.44](#)
- Elmslie-Cholmeley operation (tarsal wedge osteotomy) [77.28](#)
- Eloesser operation
 - thoracoplasty [33.34](#)
 - thoracostomy [34.09](#)
- Elongation -- see Lengthening
- Embolectomy [38.00](#)
 - with endarterectomy -- see Endarterectomy
 - abdominal
 - artery [38.06](#)
 - vein [38.07](#)
 - aorta (arch) (ascending) (descending) [38.04](#)
 - arteriovenous shunt or cannula [39.49](#)
 - bovine graft [39.49](#)
 - head and neck NEC [38.02](#)
 - intracranial NEC [38.01](#)
 - lower limb
 - artery [38.08](#)
 - vein [38.09](#)
 - mechanical
 - endovascular
 - head and neck [39.74](#)
 - pulmonary (artery) (vein) [38.05](#)
 - thoracic NEC [38.05](#)
 - upper limb (artery) (vein) [38.03](#)
- Embolization (transcatheter)

- adhesive (glue) [39.79](#)
 - head and neck [39.72](#)
 - arteriovenous fistula [39.53](#)
 - endovascular [39.72](#)
 - artery (selective) [38.80](#)
 - by
 - endovascular approach [39.79](#)
 - head and neck vessels [39.72](#)
 - bare coils [39.75](#)
 - bioactive coils [39.76](#)
 - percutaneous transcatheter infusion [99.29](#)
 - abdominal NEC [38.86](#)
 - duodenal (transcatheter) [44.44](#)
 - gastric (transcatheter) [44.44](#)
 - renal (transcatheter) [38.86](#)
 - aorta (arch) (ascending) (descending) [38.84](#)
 - duodenal (transcatheter) [44.44](#)
 - gastric (transcatheter) [44.44](#)
 - head and neck NEC [38.82](#)
 - intracranial NEC [38.81](#)
 - lower limb [38.88](#)
 - renal (transcatheter) [38.86](#)
 - thoracic NEC [38.85](#)
 - upper limb [38.83](#)
 - AVM, intracranial, endovascular approach [39.72](#)
 - carotid cavernous fistula [39.53](#)
 - chemoembolization [99.25](#)
 - coil, endovascular [39.79](#)
 - head and neck [39.75](#)
 - bare coils [39.75](#)
 - bioactive coils [39.76](#)
 - vein (selective) [38.80](#)
 - by
 - endovascular approach [39.79](#)
 - head and neck [39.72](#)
 - abdominal NEC [38.87](#)
 - duodenal (transcatheter) [44.44](#)
 - gastric (transcatheter) [44.44](#)
 - duodenal (transcatheter) [44.44](#)
 - gastric (transcatheter) [44.44](#)
- Embryotomy [73.8](#)
- EMG -- see Electromyogram
- Emmet operation (cervix) [67.61](#)
- Encephalocentesis -- see also Puncture [01.09](#)
 - fetal head, transabdominal [73.8](#)
- Encephalography (cisternal puncture) (fractional) (lumbar) (pneumoencephalogram) [87.01](#)
- Encephalopuncture [01.09](#)
- Encircling procedure -- see also Cerclage
 - sclera, for buckling [14.49](#)
 - with implant [14.41](#)
- Enderarterectomy (gas) (with patch graft) [38.10](#)
 - abdominal [38.16](#)
 - aorta (arch) (ascending) (descending) [38.14](#)
 - coronary artery -- see category [36.0](#)
 - open chest approach [36.03](#)
 - head and neck (open) NEC [38.12](#)

Note: Also use [00.40](#), [00.41](#), [00.42](#), or [00.43](#) to show the total number of vessels treated. Use code [00.44](#) once to show procedure on a bifurcated vessel. In addition, use [00.45](#), [00.46](#), [00.47](#), or [00.48](#) to show the number of vascular stents inserted.

percutaneous approach, intracranial vessel(s) [00.62](#)
 percutaneous approach, precerebral (extracranial) vessel(s) [00.61](#)
 intracranial (open) NEC [38.11](#)

Note: Also use [00.40](#), [00.41](#), [00.42](#), or [00.43](#) to show the total number of vessels treated. Use code [00.44](#) once to show procedure on a bifurcated vessel. In addition, use [00.45](#), [00.46](#), [00.47](#), or [00.48](#) to show the number of vascular stents inserted.

percutaneous approach, intracranial vessel(s) [00.62](#)
 lower limb [38.18](#)
 thoracic NEC [38.15](#)
 upper limb [38.13](#)
 Endoaneurysmorrhaphy -- see *a/so* Aneurysmorrhaphy [39.52](#)
 by or with
 endovascular graft
 abdominal aorta [39.71](#)
 lower extremity artery(s) [39.79](#)
 thoracic aorta [39.73](#)
 upper extremity artery(s) [39.79](#)
 Endobronchoscopy ultrasound during bronchoscopic therapeutic intervention or diagnostic [33.240](#) (IM)
 Endolymphatic (-subarachnoid) shunt [20.71](#)
 Endometrectomy (uterine) (internal) [68.29](#)
 bladder [57.59](#)
 cul-de-sac [70.32](#)
 Endoprosthesis
 bile duct [51.87](#)
 femoral head (bipolar) [81.52](#)
 Endoscopy
 with biopsy -- see Biopsy, by site, closed
 anus [49.21](#)
 biliary tract (operative) [51.11](#)
 by retrograde cholangiography (ERC) [51.11](#)
 by retrograde cholangiopancreatography (ERCP) [51.10](#)
 intraoperative [51.11](#)
 percutaneous (via T-tube or other tract) [51.98](#)
 with removal of common duct stones [51.96](#)
 bladder [57.32](#)
 through stoma (artificial) [57.31](#)
 destruction of bladder lesion / tissue [56.911](#) (IM)
 laser destruction of bladder lesion / tissue [56.912](#) (IM)
 bronchus NEC [33.23](#)
 with biopsy [33.24](#)
 with rigid bronchoscopy procedure [33.230](#) (IM)
 fiberoptic [33.22](#)
 through stoma (artificial) [33.21](#)
 colon [45.23](#)
 through stoma (artificial) [45.22](#)
 transabdominal (operative) [45.21](#)
 cul-de-sac [70.22](#)
 ear [18.11](#)
 external ear [18.14](#) (IM)
 esophagus NEC [42.23](#)
 through stoma (artificial) [42.22](#)

- transabdominal (operative) [42.21](#)
- ileum [45.13](#)
 - through stoma (artificial) [45.12](#)
 - transabdominal (operative) [45.11](#)
- intestine NEC [45.24](#)
 - large [45.24](#)
 - fiberoptic (flexible) [45.23](#)
 - through stoma (artificial) [45.22](#)
 - transabdominal (intraoperative) [45.21](#)
 - small [45.13](#)
 - esophagogastroduodenoscopy (EGD) [45.13](#)
 - with closed biopsy [45.16](#)
 - through stoma (artificial) [45.12](#)
 - transabdominal (operative) [45.11](#)
- jejunum [45.13](#)
 - through stoma (artificial) [45.12](#)
 - transabdominal (operative) [45.11](#)
- kidney [55.21](#)
- larynx [31.42](#)
 - through stoma (artificial) [31.41](#)
- lung -- see Bronchoscopy
- mediastinum (transpleural) [34.22](#)
- medial maxillectomy [76.34](#) (IM)
- nasal sinus [22.19](#)
- nose [21.21](#)
- pancreatic duct [52.13](#)
- partial maxillectomy/open medial maxillectomy [76.32](#) (IM)
- pelvis [55.22](#)
- peritoneum [54.21](#)
- pharynx [29.11](#)
 - Flexible endoscopic evaluation of swallowing (FEES) [29.13](#) (IM)
- rectum [48.23](#)
 - through stoma (artificial) [48.22](#)
 - transabdominal (operative) [48.21](#)
- sinus, nasal [22.19](#)
 - medial maxillectomy [76.34](#) (IM)
 - partial maxillectomy/open medial maxillectomy [76.32](#) (IM)
 - total maxillectomy [76.33](#) (IM)
- stomach NEC [44.13](#)
 - through stoma (artificial) [44.12](#)
 - transabdominal (operative) [44.11](#)
- total maxillectomy [76.33](#) (IM)
- thorax (transpleural) [34.21](#)
- thyroid (IM)
 - thyroidectomy [06.32](#) (IM)
- trachea NEC [31.42](#)
 - through stoma (artificial) [31.41](#)
- transpleural
 - mediastinum [34.22](#)
 - thorax [34.21](#)
- ureter [56.31](#)
 - flexible ureterorenoscopy without stone fragmentation [56.37](#) (IM)
 - semi rigid ureterorenoscopy without stone fragmentation [56.36](#) (IM)
 - ureteral dilation [56.910](#) (IM)
 - ureteric stent removal [97.66](#) (IM)
 - ureteric stent replacement [56.97](#) (IM)

ureterocele resection [56.43](#) (IM)

- urethra [58.22](#)
 - incision of external urethral sphincter [56.96](#) (IM)
 - urethral stent insertion [59.80](#) (IM)
- uterus [68.12](#)
- vagina [70.21](#)
- ventriculostomy (IM)
- Enema (transanal) NEC [96.39](#)
 - for removal of impacted feces [96.38](#)
- ENG (electronystagmogram) [95.24](#)
- Enlargement
 - aortic lumen, thoracic [38.14](#)
 - atrial septal defect (pre-existing) [35.41](#)
 - in repair of total anomalous pulmonary venous connection [35.82](#)
 - eye socket [16.64](#)
 - foramen ovale (pre-existing) [35.41](#)
 - in repair of total anomalous pulmonary venous connection [35.82](#)
 - intestinal stoma [46.40](#)
 - large intestine [46.43](#)
 - small intestine [46.41](#)
 - introitus [96.16](#)
 - orbit (eye) [16.64](#)
 - palpebral fissure [08.51](#)
 - punctum [09.41](#)
 - sinus tract (skin) [86.89](#)
- Enterectomy NEC [45.63](#)
- Enteroanastomosis
 - large-to-large intestine [45.94](#)
 - small-to-large intestine [45.93](#)
 - small-to-small intestine [45.91](#)
- Enteroclectomy [53.9](#)
 - female [70.92](#)
 - with graft or prosthesis [70.93](#)
 - vaginal [70.92](#)
 - with graft or prosthesis [70.93](#)
- Enterocentesis [45.00](#)
 - duodenum [45.01](#)
 - large intestine [45.03](#)
 - small intestine NEC [45.02](#)
- Entercholecystostomy [51.32](#)
- Enteroclysis (small bowel) [96.43](#)
- Enteroclectomy NEC [45.79](#)
- Enterocolostomy [45.93](#)
- Enteroentectomy [46.99](#)
- Enteroenterostomy [45.90](#)
 - small-to-large intestine [45.93](#)
 - small-to-small intestine [45.91](#)
- Enterogastrostomy [44.39](#)
 - laparoscopic [44.38](#)
- Enterolithotomy [45.00](#)
- Enterolysis [54.59](#)
 - laparoscopic [54.51](#)
- Enteropancreatostomy [52.96](#)
- Enterorrhaphy [46.79](#)
 - large intestine [46.75](#)
 - small intestine [46.73](#)
- Enterostomy NEC [46.39](#)

- cecum -- see also Colostomy [46.10](#)
- colon (transverse) -- see also Colostomy [46.10](#)
 - loop [46.03](#)
- delayed opening [46.31](#)
- duodenum [46.39](#)
 - loop [46.01](#)
- feeding NEC [46.39](#)
 - percutaneous (endoscopic) [46.32](#)
- ileum (Brooke) (Dragstedt) [46.20](#)
 - loop [46.01](#)
- jejunum (feeding) [46.39](#)
 - loop [46.01](#)
 - percutaneous (endoscopic) [46.32](#)
- sigmoid colon -- see also Colostomy [46.10](#)
 - loop [46.03](#)
- transverse colon -- see also Colostomy [46.10](#)
 - loop [46.03](#)
- Enterotomy [45.00](#)
 - large intestine [45.03](#)
 - small intestine [45.02](#)
- Enucleation -- see also Excision, lesion, by site
- cyst
 - broad ligament [69.19](#)
 - dental [24.4](#)
 - liver [50.29](#)
 - ovarian [65.29](#)
 - laparoscopic [65.25](#)
 - parotid gland [26.29](#)
 - salivary gland [26.29](#)
 - skin [86.3](#)
 - subcutaneous tissue [86.3](#)
- eyeball [16.49](#)
 - with implant (into Tenon's capsule) [16.42](#)
 - with attachment of muscles [16.41](#)
- EOG (electro-oculogram) [95.22](#)
- Epicardiectomy [36.39](#)
- Epididymectomy [63.4](#)
 - with orchidectomy (unilateral) [62.3](#)
 - bilateral [62.41](#)
- Epididymogram [87.93](#)
- Epididymoplasty [63.59](#)
- Epididymorrhaphy [63.81](#)
- Epididymotomy [63.92](#)
- Epididymovasostomy [63.83](#)
- Epiglottidectomy [30.21](#)
- Epikeratophakia [11.76](#)
- Epilation
 - eyebrow (forceps) [08.93](#)
 - cryosurgical [08.92](#)
 - electrosurgical [08.91](#)
 - eyelid (forceps) NEC [08.93](#)
 - cryosurgical [08.92](#)
 - electrosurgical [08.91](#)
 - skin [86.92](#)
- Epiphysiodesis -- see also Arrest, bone growth -- see category [78.2](#)
- Epiphysiolysis -- see also Arrest, bone growth -- see category [78.2](#)

- Epiploectomy [54.4](#)
- Epiploexy [54.74](#)
- Epiplorrhaphy [54.74](#)
- Episioperineoplasty [71.79](#)
- Episioperineorrhaphy [71.71](#)
 - obstetrical [75.69](#)
- Episioplasty [71.79](#)
- Episioproctotomy [73.6](#)
- Episiorrhaphy [71.71](#)
 - following episiotomy -- see Episiotomy
 - for obstetrical laceration [75.69](#)
- Episiotomy (with subsequent episiorrhaphy) [73.6](#)
 - high forceps [72.31](#)
 - low forceps [72.1](#)
 - mid forceps [72.21](#)
 - nonobstetrical [71.09](#)
 - outlet forceps [72.1](#)
- EPS (electrophysiologic stimulation)
 - as part of intraoperative testing - omit code
 - catheter based invasive electrophysiologic testing [37.26](#)
 - device interrogation only without arrhythmia induction (bedside check) [89.45](#)
 - noninvasive programmed electrical stimulation (NIPS) [37.20](#)
- Eptifibatide, infusion [99.20](#)
- Equalization, leg
 - lengthening -- see category [78.3](#)
 - shortening -- see category [78.2](#)
- Equilibration (occlusal) [24.8](#)
- Equiloudness balance [95.43](#)
- ERC (endoscopic retrograde cholangiography) [51.11](#)
- ERCP (endoscopic retrograde cholangiopancreatography) [51.10](#)
 - cannulation of pancreatic duct [52.93](#)
- ERG (electroretinogram) [95.21](#)
- ERP (endoscopic retrograde pancreatography) [52.13](#)
- Eruption, tooth, surgical [24.6](#)
- Erythrocytapheresis, therapeutic [99.73](#)
- Escharectomy [86.22](#)
- Escharotomy [86.09](#)
- Esophageal voice training (postlaryngectomy) [93.73](#)
- Esophagectomy [42.40](#)
 - abdominothoracocervical (combined) (synchronous) [42.42](#)
 - partial or subtotal [42.41](#)
 - total [42.42](#)
- Esophagocologastrostomy (intrathoracic) [42.55](#)
 - antesternal or antethoracic [42.65](#)
- Esophagocolostomy (intrathoracic) NEC [42.56](#)
 - with interposition of colon [42.55](#)
 - antesternal or antethoracic NEC [42.66](#)
 - with interposition of colon [42.65](#)
- Esophagoduodenostomy (intrathoracic) NEC [42.54](#)
 - with
 - complete gastrectomy [43.99](#)
 - interposition of small bowel [42.53](#)
- Esophagoenterostomy (intrathoracic) NEC -- see also Anastomosis, esophagus, to intestinal segment [42.54](#)
 - antesternal or antethoracic -- see also Anastomosis, esophagus, antesternal, to intestinal segment [42.64](#)

Esophagoesophagostomy (intrathoracic) [42.51](#)
 antesternal or antethoracic [42.61](#)
 Esophagogastrrectomy [43.99](#)
 Esophagogastroduodenoscopy (EGD) [45.13](#)
 with closed biopsy [45.16](#)
 through stoma (artificial) [45.12](#)
 transabdominal (operative) [45.11](#)
 Esophagogastromyotomy [42.7](#)
 Esophagogastropexy [44.65](#)
 Esophagogastroplasty [44.65](#)
 Esophagogastrosctomy NEC [44.13](#)
 through stoma (artificial) [44.12](#)
 transabdominal (operative) [44.11](#)
 Esophagogastrostomy (intrathoracic) [42.52](#)
 with partial gastrectomy [43.5](#)
 antesternal or antethoracic [42.62](#)
 Esophagoileostomy (intrathoracic) NEC [42.54](#)
 with interposition of small bowel [42.53](#)
 antesternal or antethoracic NEC [42.64](#)
 with interposition of small bowel [42.63](#)
 Esophagojejunostomy (intrathoracic) NEC [42.54](#)
 with
 complete gastrectomy [43.99](#)
 interposition of small bowel [42.53](#)
 antesternal or antethoracic NEC [42.64](#)
 with interposition of small bowel [42.63](#)
 Esophagomyotomy [42.7](#)
 Esophagoplasty NEC [42.89](#)
 Esophagorrhaphy [42.82](#)
 Esophagoscopy NEC [42.23](#)
 by incision (operative) [42.21](#)
 with closed biopsy [42.24](#)
 through stoma (artificial) [42.22](#)
 transabdominal (operative) [42.21](#)
 Esophagostomy [42.10](#)
 cervical [42.11](#)
 thoracic [42.19](#)
 Esophagotomy NEC [42.09](#)
 Estes operation (ovary) [65.72](#)
 laparoscopic [65.75](#)
 Estlander operation (thoracoplasty) [33.34](#)
 ESWL (extracorporeal shockwave lithotripsy) NEC [98.59](#)
 bile duct [98.52](#)
 bladder [98.51](#)
 gallbladder [98.52](#)
 kidney [98.51](#)
 Kock pouch (urinary diversion) [98.51](#)
 renal pelvis [98.51](#)
 specified site NEC [98.59](#)
 ureter [98.51](#)
 Ethmoidectomy [22.63](#)
 Ethmoidectomy dextra [22.631](#) (IM)
 Ethmoidectomy sinistra [22.630](#) (IM)
 Ethmoidotomy [22.51](#)
 Ethmoidotomy dextra [22.511](#) (IM)
 Ethmoidotomy sinistra [22.510](#) (IM)

Eustachian tube function test [95.414](#) (IM)

Evacuation

- abscess -- see Drainage, by site
- anterior chamber (eye) (aqueous) (hyphema) [12.91](#)
- cyst -- see also Excision, lesion, by site
 - breast [85.91](#)
 - kidney [55.01](#)
 - liver [50.29](#)
- hematoma -- see also Incision, hematoma
 - obstetrical [75.92](#)
 - incisional [75.91](#)
- hemorrhoids (thrombosed) [49.47](#)
- pelvic blood clot (by incision) [54.19](#)
 - by
 - culdocentesis [70.0](#)
 - culdoscopy [70.22](#)
- retained placenta
 - with curettage [69.02](#)
 - manual [75.4](#)
- streptothrix from lacrimal duct [09.42](#)

Evaluation (of)

- audiological [95.43](#)
- cardiac rhythm device (CRT-D) (CRT-P) (AICD) (pacemaker) - see Interrogation
- criminal responsibility, psychiatric [94.11](#)
- functional (physical therapy) [93.01](#)
- hearing NEC [95.49](#)
- orthotic (for brace fitting) [93.02](#)
- prosthetic (for artificial limb fitting) [93.03](#)
- psychiatric NEC [94.19](#)
 - commitment [94.13](#)
- psychologic NEC [94.08](#)
- swallowing (IM)

[Flexible endoscopic evaluation of swallowing \(FEES\) 29.13](#) (IM)

- testimony capacity, psychiatric [94.11](#)

Evans operation (release of clubfoot) [83.84](#)

Evisceration

- eyeball [16.39](#)
 - with implant (into scleral shell) [16.31](#)
- ocular contents [16.39](#)
 - with implant (into scleral shell) [16.31](#)
- orbit -- see also Exenteration, orbit [16.59](#)
- pelvic (anterior) (posterior) (partial) (total) (female) [68.8](#)
 - male [57.71](#)

Evulsion

- nail (bed) (fold) [86.23](#)
- skin [86.3](#)
- subcutaneous tissue [86.3](#)

Examination (for)

- breast
 - manual [89.36](#)
 - radiographic NEC [87.37](#)
 - thermographic [88.85](#)
 - ultrasonic [88.73](#)
- cervical rib (by x-ray) [87.43](#)
- colostomy stoma (digital) [89.33](#)
- dental (oral mucosa) (peridontal) [89.31](#)

- radiographic NEC [87.12](#)
- enterostomy stoma (digital) [89.33](#)
- ear
 - external
 - With microscopic [18.13](#) (IM)
 - With endoscopic [18.14](#) (IM)
- eye 95.09
 - color vision [95.06](#)
 - comprehensive [95.02](#)
 - dark adaptation [95.07](#)
 - limited (with prescription of spectacles) [95.01](#)
 - under anesthesia [95.04](#)
- fetus, intrauterine [75.35](#)
- general physical [89.7](#)
- glaucoma [95.03](#)
- gynecological [89.26](#)
- hearing [95.47](#)
- Lung
 - Bronchodilator (reversibility) examination [89.383](#) (IM)
 - Diffusion lung capacity test [89.381](#) (IM)
 - Peak expiratory flow rate examination [89.382](#) (IM)
 - Residual lung volume examination [89.385](#) (IM)
 - Thoracic gas volume examination [89.384](#) (IM)

microscopic (specimen) (of) [91.9](#)

Note81 -- Use the following fourth-digit subclassification with categories 90-91 to identify type of examination:

- 1 bacterial smear
- 2 culture
- 3 culture and sensitivity
- 4 parasitology
- 40 parasitology culture and others (IM)
- 41 Parasite and fungal serology / molecular examination (IM)
- 42 Fungal culture yeast and susceptibility test (IM)
- 43 Fungal culture mold and susceptibility test (IM)
- 49 Parasitology smear (IM)
- 5 toxicology
- 6 cell block and Papanicolaou smear
- 60 cell block (IM)
- 61 papanicolaou and giemsa smear (IM)
- 69 other cell block and papanicolaou smear (IM)
- 9 other microscopic examination
- 90 Microscopic Histopathology examination of specimen from biopsy (IM)
- 91 Microscopic Histopathology examination of specimen from debulking (IM)
- 92 Microscopic Histochemistry examination (IM)
- 93 Microscopic Immunohistochemistry examination (IM)
- 94 Microscopic ISH examination (IM)
- 95 Microscopic CISH examination (IM)
- 96 Microscopic FISH examination (IM)
- 97 Microscopic FCR examination (IM)
- 99 Other Microscopic examination (IM)

adenoid [90.3](#)
 adrenal gland [90.1](#)
 amnion [91.4](#)
 anus [90.9](#)
 appendix [90.9](#)
 bile ducts [91.0](#)
 bladder [91.3](#)
 blood [90.5](#)
 bone [91.5](#)
 marrow [90.6](#)
 brain [90.0](#)
 breast [91.6](#)
 bronchus [90.4](#)
 bursa [91.5](#)
 cartilage [91.5](#)
 cervix [91.4](#)
 chest wall [90.4](#)
 chorion [91.4](#)
 colon [90.9](#)
 cul-de-sac [91.1](#)
 dental [90.8](#)
 diaphragm [90.4](#)
 duodenum [90.8](#)
 ear [90.3](#)
 endocrine gland NEC [90.1](#)
 esophagus [90.8](#)

eye [90.2](#)
 fallopian tube [91.4](#)
 fascia [91.5](#)
 female genital tract [91.4](#)
 fetus [91.4](#)
 gallbladder [91.0](#)
 hair [91.6](#)
 ileum [90.9](#)
 jejunum [90.9](#)
 joint fluid [91.5](#)
 kidney [91.2](#)
 large intestine [90.9](#)
 larynx [90.3](#)
 ligament [91.5](#)
 liver [91.0](#)
 lung [90.4](#)
 lymph (node) [90.7](#)
 meninges [90.0](#)
 mesentery [91.1](#)
 mouth [90.8](#)
 muscle [91.5](#)
 musculoskeletal system [91.5](#)
 nails [91.6](#)
 nerve [90.0](#)
 nervous system [90.0](#)
 nose [90.3](#)
 omentum [91.1](#)
 operative wound [91.7](#)
 ovary [91.4](#)
 pancreas [91.0](#)
 parathyroid gland [90.1](#)
 penis [91.3](#)
 perirenal tissue [91.2](#)
 peritoneum (fluid) [91.1](#)
 periureteral tissue [91.2](#)
 perivesical (tissue) [91.3](#)
 pharynx [90.3](#)
 pineal gland [90.1](#)
 pituitary gland [90.1](#)
 placenta [91.4](#)
 pleura (fluid) [90.4](#)
 prostate [91.3](#)
 rectum [90.9](#)
 retroperitoneum [91.1](#)
 semen [91.3](#)
 seminal vesicle [91.3](#)
 sigmoid [90.9](#)
 skin [91.6](#)
 small intestine [90.9](#)
 specified site NEC [91.8](#)
 spinal fluid [90.0](#)
 spleen [90.6](#)
 sputum [90.4](#)
 stomach [90.8](#)
 stool [90.9](#)
 synovial membrane [91.5](#)

- tendon [91.5](#)
- thorax NEC [90.4](#)
- throat [90.3](#)
- thymus [90.1](#)
- thyroid gland [90.1](#)
- tonsil [90.3](#)
- trachea [90.4](#)
- ureter [91.2](#)
- urethra [91.3](#)
- urine [91.3](#)
- uterus [91.4](#)
- vagina [91.4](#)
- vas deferens [91.3](#)
- vomit [90.8](#)
- vulva [91.4](#)
- neurologic [89.13](#)
- neuro-ophthalmology [95.03](#)
- ophthalmoscopic [16.21](#)
- panorex, mandible [87.12](#)
- pelvic (manual) [89.26](#)
 - instrumental (by pelvimeter) [88.25](#)
 - pelvimetric [88.25](#)
- physical, general [89.7](#)
- postmortem [89.8](#)
- rectum (digital) [89.34](#)
 - endoscopic [48.23](#)
 - through stoma (artificial) [48.22](#)
 - transabdominal [48.21](#)
- retinal disease [95.03](#)
- specified type (manual) NEC [89.39](#)
- thyroid field, postoperative [06.02](#)
- uterus (digital) [68.11](#)
 - endoscopic [68.12](#)
- vagina [89.26](#)
 - endoscopic [70.21](#)
- visual field [95.05](#)
- exercise test (IM)
 - Cardio pulmonary exercise test [89.380](#) (IM)
- Exchange transfusion [99.01](#)
 - intrauterine [75.2](#)
- Excision
 - aberrant tissue -- see Excision, lesion, by site of tissue origin
 - abscess -- see Excision, lesion, by site
 - accessory tissue -- see *also* Excision, lesion, by site of tissue origin
 - lung [32.29](#)
 - endoscopic [32.28](#)
 - thoracoscopic [32.20](#)
 - spleen [41.93](#)
 - adenoids (tag) [28.6](#)
 - with tonsillectomy [28.3](#)
 - adenoma -- see Excision, lesion, by site
 - adrenal gland -- see *also* Adrenalectomy [07.22](#)
 - ampulla of Vater (with reimplantation of common duct) [51.62](#)
 - anal papilla [49.39](#)
 - endoscopic [49.31](#)
 - aneurysm (arteriovenous) -- see *also* Aneurysmectomy [38.60](#)

- coronary artery [36.91](#)
- heart [37.32](#)
- myocardium [37.32](#)
- sinus of Valsalva [35.39](#)
- ventricle (heart) [37.32](#)
- anus (complete) (partial) [49.6](#)
- aortic subvalvular ring [35.35](#)
- apocrine gland [86.3](#)
- aponeurosis [83.42](#)
 - hand [82.33](#)
- appendage, left atrial [37.36](#)
- appendiceal stump [47.09](#)
 - laparoscopic [47.01](#)
- appendices epiploicae [54.4](#)
- appendix -- see also Appendectomy
 - epididymis [63.3](#)
 - testis [62.2](#)
- arcuate ligament (spine) -- omit code
- arteriovenous fistula -- see also Aneurysmectomy [38.60](#)
- artery -- see also Arteriotomy [38.60](#)
- Baker's cyst, knee [83.39](#)
- Bartholin's gland [71.24](#)
- basal ganglion [01.59](#)
- bile duct [51.69](#)
 - endoscopic [51.64](#)
- bladder -- see also Cystectomy
- bleb (emphysematous), lung [32.29](#)
 - endoscopic [32.28](#)
 - thoracoscopic [32.20](#)
- blood vessel -- see also Angiotomy [38.60](#)
- bone (ends) (partial), except facial -- see category [77.8](#)
 - facial NEC [76.39](#)
 - total [76.45](#)
 - with reconstruction [76.44](#)
 - for graft (autograft) (homograft) -- see category [77.7](#)
 - fragments (chips) -- see also Incision, bone [77.10](#)
 - joint -- see also Arthrotomy [80.10](#)
 - necrotic -- see also Sequestrectomy, bone [77.00](#)
 - heterotopic, from
 - muscle [83.32](#)
 - hand [82.22](#)
 - skin [86.3](#)
 - tendon [83.31](#)
 - hand [82.21](#)
 - mandible [76.31](#)
 - with arthrodesis -- see Arthrodesis
 - total [76.42](#)
 - with reconstruction [76.41](#)
 - spur -- see Excision, lesion, bone
 - temporal [20.73](#) (IM)
 - total, except facial -- see category [77.9](#)
 - facial NEC [76.45](#)
 - with reconstruction [76.44](#)
 - mandible [76.42](#)
 - with reconstruction [76.41](#)
- brain [01.59](#)

- hemisphere [01.52](#)
- lobe [01.53](#)
- branchial cleft cyst or vestige [29.2](#)
- breast -- see also Mastectomy [85.41](#)
 - aberrant tissue [85.24](#)
 - accessory [85.24](#)
 - ectopic [85.24](#)
 - nipple [85.25](#)
 - accessory [85.24](#)
 - segmental [85.23](#)
 - supernumerary [85.24](#)
 - wedge [85.21](#)
- broad ligament [69.19](#)
- bronchogenic cyst [32.09](#)
 - endoscopic [32.01](#)
- bronchus (wide sleeve) NEC [32.1](#)
- buccal mucosa [27.49](#)
- bulbourethral gland [58.92](#)
- bulbous tuberosities (mandible) (maxilla) (fibrous) (osseous) [24.31](#)
- bunion -- see also Bunionectomy [77.59](#)
- bunionette (with osteotomy) [77.54](#)
- bursa [83.5](#)
 - hand [82.31](#)
- canal of Nuck [69.19](#)
- cardioma [37.33](#)
- carotid body (lesion) (partial) (total) [39.89](#)
- cartilage -- see also Chondrectomy [80.90](#)
 - intervertebral -- see category [80.5](#)
 - knee (semilunar) [80.6](#)
 - larynx [30.29](#)
 - nasal (submucous) [21.5](#)
- caruncle, urethra [58.39](#)
 - endoscopic [58.31](#)
- cataract -- see also Extraction, cataract [13.19](#)
 - secondary membrane (after cataract) [13.65](#)
- cervical
 - rib [77.91](#)
 - stump [67.4](#)
- cervix (stump) NEC [67.4](#)
 - cold (knife) [67.2](#)
 - conization [67.2](#)
 - cryoconization [67.33](#)
 - electroconization [67.32](#)
- chalazion (multiple) (single) [08.21](#)
- cholesteatoma -- see Excision, lesion, by site
- choroid plexus [02.14](#)
- cicatrix (skin) [86.3](#)
- cilia base [08.20](#)
- ciliary body, prolapsed [12.98](#)
- clavicle (head) (partial) [77.81](#)
 - total (complete) [77.91](#)
- clitoris [71.4](#)
- coarctation of aorta (end-to-end anastomosis) [38.64](#)
 - with
 - graft replacement (interposition) abdominal [38.44](#)
 - thoracic [38.45](#)

thoracoabdominal [38.45](#) [[38.44](#)]
 common
 duct [51.63](#)
 wall between posterior and coronary sinus (with roofing or resultant defect with patch graft) [35.82](#)
 condyle – see category [77.8](#)
 mandible [76.5](#)
 conjunctival ring [10.31](#)
 cornea [11.49](#)
 epithelium (with chemocauterization) [11.41](#)
 for smear or culture [11.21](#)
 costal cartilage [80.99](#)
 cul-de-sac (Douglas') [70.92](#)
 with graft or prosthesis [70.93](#)
 cusp, heart valve [35.10](#)
 aortic [35.11](#)
 mitral [35.12](#)
 tricuspid [35.14](#)
 cyst – see *also* Excision, lesion, by site
 apical (tooth) [23.73](#)
 with root canal therapy [23.72](#)
 Baker's (popliteal) [83.39](#)
 breast [85.21](#)
 broad ligament [69.19](#)
 bronchogenic [32.09](#)
 endoscopic [32.01](#)
 cervix [67.39](#)
 dental [24.4](#)
 dentigerous [24.4](#)
 epididymis [63.2](#)
 fallopian tube [66.61](#)
 Gartner's duct [70.33](#)
 hand [82.29](#)
 kidney (IM)
 laparoscopic excision [55.38](#) (IM)
 labia [71.3](#)
 lung [32.29](#)
 endoscopic [32.28](#)
 thoroscopic [32.20](#)
 mesonephric duct [69.19](#)
 Morgagni
 female [66.61](#)
 male [62.2](#)
 mullerian duct [60.73](#)
 nasolabial [27.49](#)
 nasopalatine [27.31](#)
 by wide excision [27.32](#)
 ovary [65.29](#)
 laparoscopic [65.25](#)
 parovarian [69.19](#)
 pericardium [37.31](#)
 periodontal (apical) (lateral) [24.4](#)
 popliteal (Baker's), knee [83.39](#)
 radicular [24.4](#)
 renal (IM)
 laparoscopic excision [55.38](#) (IM)
 spleen [41.42](#)

- synovial (membrane) [83.39](#)
- thyroglossal (with resection of hyoid bone) [06.7](#)
- urachal (bladder) [57.51](#)
 - abdominal wall [54.3](#)
- vagina (Gartner's duct) [70.33](#)
- cystic
 - duct remnant [51.61](#)
 - hygroma [40.29](#)
- dentinoma [24.4](#)
- diaphragm [34.81](#)
- disc, intervertebral NOS [80.50](#)
 - herniated (nucleus pulposus) [80.51](#)
 - other specified (disectomy) [80.51](#)
- diverticulum
 - ampulla of Vater [51.62](#)
 - anus [49.39](#)
 - endoscopic [49.31](#)
 - bladder [57.59](#)
 - transurethral [57.49](#)
 - duodenum [45.31](#)
 - endoscopic [45.30](#)
 - esophagus (local) [42.31](#)
 - endoscopic [42.33](#)
 - hypopharyngeal (by cricopharyngeal myotomy) [29.32](#)
 - intestine
 - large [45.41](#)
 - endoscopic [45.43](#)
 - small NEC [45.33](#)
 - Meckel's [45.33](#)
 - pharyngeal (by cricopharyngeal myotomy) [29.32](#)
 - pharyngoesophageal (by cricopharyngeal myotomy) [29.32](#)
 - stomach [43.42](#)
 - endoscopic [43.41](#)
 - urethra [58.39](#)
 - endoscopic [58.31](#)
 - ventricle, heart [37.33](#)
- duct
 - mullerian [69.19](#)
 - paramesonephric [69.19](#)
 - thyroglossal (with resection of hyoid bone) [06.7](#)
- ear, external (complete) NEC [18.39](#)
 - partial [18.29](#)
 - radical [18.31](#)
- ear, external cholesteatoma [18.22](#)
- ectopic
 - abdominal fetus [74.3](#)
 - tissue -- see *also* Excision, lesion, by site of tissue origin
 - bone, from muscle [83.32](#)
 - breast [85.24](#)
 - lung [32.29](#)
 - endoscopic [32.28](#)
 - thoracoscopic [32.20](#)
 - spleen [41.93](#)
- empyema pocket, lung [34.09](#)
- epididymis [63.4](#)
- epiglottis [30.21](#)

epithelial downgrowth, anterior chamber (eye) [12.93](#)
 epulis (gingiva) [24.31](#)
 esophagus -- see also Esophagectomy [42.40](#)
 exhaled substance breath test [89.391](#) (IM)
 exostosis -- see also Excision, lesion, bone [77.60](#)
 auditory canal, external [18.29](#)
 facial bone [76.2](#)
 first metatarsal (hallux valgus repair) -- see Bunionectomy
 eye [16.49](#)
 with implant (into Tenon's capsule) [16.42](#)
 with attachment of muscles [16.41](#)
 eyelid [08.20](#)
 redundant skin [08.86](#)
 falciform ligament [54.4](#)
 fallopian tube -- see Salpingectomy
 fascia [83.44](#)
 for graft [83.43](#)
 hand [82.34](#)
 hand [82.35](#)
 for graft [82.34](#)
 fat pad NEC [86.3](#)
 knee (infrapatellar) (prepatellar) [86.3](#)
 scalene [40.21](#)
 fibroadenoma, breast [85.21](#)
 fissure, anus [49.39](#)
 endoscopic [49.31](#)
 fistula -- see also Fistulectomy
 anal [49.12](#)
 arteriovenous -- see also Aneurysmectomy [38.60](#)
 ileorectal [46.74](#)
 lacrimal
 gland [09.21](#)
 sac [09.6](#)
 rectal [48.73](#)
 vesicovaginal [57.84](#)
 frenulum, frenum
 labial (lip) [27.41](#)
 lingual (tongue) [25.92](#)
 ganglion (hand) (tendon sheath) (wrist) [82.21](#)
 gasserian [04.05](#)
 site other than hand or nerve [83.31](#)
 sympathetic nerve [05.29](#)
 trigeminal nerve [04.05](#)
 gastrocolic ligament [54.4](#)
 gingiva [24.31](#)
 glomus jugulare tumor [20.51](#)
 goiter -- see Thyroidectomy
 gum [24.31](#)
 hallux valgus -- see also Bunionectomy
 with prosthetic implant [77.59](#)
 hamartoma, mammary [85.21](#)
 heart assist system - see Removal
 hematocele, tunica vaginalis [61.92](#)
 hematoma -- see Drainage, by site
 hemorrhoids (external) (internal) (tag) [49.46](#)
 heterotopic bone, from

- muscle [83.32](#)
 - hand [82.22](#)
- skin [86.3](#)
- tendon [83.31](#)
 - hand [82.21](#)
- hydatid of Morgagni
 - female [66.61](#)
 - male [62.2](#)
- hydatid cyst, liver [50.29](#)
- hydrocele
 - canal of Nuck (female) [69.19](#)
 - male [63.1](#)
 - Penile dorsal vein ligation [63.12](#) (IM)
 - round ligament [69.19](#)
 - spermatic cord [63.1](#)
 - Penile dorsal vein ligation [63.12](#) (IM)
 - tunica vaginalis [61.2](#)
- hygroma, cystic [40.29](#)
- hymen (tag) [70.31](#)
- hymeno-urethral fusion [70.31](#)
- intervertebral disc -- see Excision, disc, intervertebral (NOS) [80.50](#)
- intestine -- see also Resection, intestine
 - for interposition [45.50](#)
 - large [45.52](#)
 - small [45.51](#)
 - large (total)
 - for interposition [45.52](#)
 - laparoscopic [45.81](#)
 - local [45.41](#)
 - endoscopic [45.43](#)
 - open [45.82](#)
 - other [45.83](#)
 - segmental
 - laparoscopic [17.39](#)
 - multiple
 - laparoscopic [17.31](#)
 - open and other [45.71](#)
 - open and other [45.79](#)
 - unspecified [45.83](#)
 - small (total) [45.63](#)
 - for interposition [45.51](#)
 - local [45.33](#)
 - partial [45.62](#)
 - segmental [45.62](#)
 - multiple [45.61](#)
- intraductal papilloma [85.21](#)
- iris prolapse [12.13](#)
- joint -- see also Arthrorectomy [80.90](#)
- keloid (scar), skin [86.3](#)
- LAA [37.36](#)
- labia -- see Vulvectomy
- lacrimal
 - gland [09.20](#)
 - partial [09.22](#)
 - total [09.23](#)
 - passage [09.6](#)

- sac [09.6](#)
- left atrial appendage [37.36](#)
- lesion (local)
 - abdominal wall [54.3](#)
 - accessory sinus – see Excision, lesion, nasal sinus
 - adenoids [28.92](#)
 - adrenal gland(s) [07.21](#)
 - alveolus [24.4](#)
 - ampulla of Vater [51.62](#)
 - anterior chamber (eye) NEC [12.40](#)
 - anus [49.39](#)
 - endoscopic [49.31](#)
 - apocrine gland [86.3](#)
 - artery [38.60](#)
 - abdominal [38.66](#)
 - aorta (arch) (ascending) (descending thoracic) [38.64](#)
 - with end-to-end anastomosis [38.45](#)
 - abdominal [38.44](#)
 - thoracic [38.45](#)
 - thoracoabdominal [38.45](#) [[38.44](#)]
 - with graft interposition graft replacement [38.45](#)
 - abdominal [38.44](#)
 - thoracic [38.45](#)
 - thoracoabdominal [38.45](#) [[38.44](#)]
 - head and neck NEC [38.62](#)
 - intracranial NEC [38.61](#)
 - lower limb [38.68](#)
 - thoracic NEC [38.65](#)
 - upper limb [38.63](#)
 - atrium [37.33](#)
 - auditory canal or meatus, external [18.29](#)
 - radical [18.31](#)
 - auricle, ear [18.29](#)
 - radical [18.31](#)
 - biliary ducts [51.69](#)
 - endoscopic [51.64](#)
 - bladder (transurethral) [57.49](#)
 - open [57.59](#)
 - suprapubic [57.59](#)
 - blood vessel [38.60](#)
 - abdominal
 - artery [38.66](#)
 - vein [38.67](#)
 - aorta (arch) (ascending) (descending) [38.64](#)
 - head and neck NEC [38.62](#)
 - intracranial NEC [38.61](#)
 - lower limb
 - artery [38.68](#)
 - vein [38.69](#)
 - thoracic NEC [38.65](#)
 - upper limb (artery) (vein) [38.63](#)
 - bone [77.60](#)
 - carpal, metacarpal [77.64](#)
 - clavicle [77.61](#)
 - facial [76.2](#)
 - femur [77.65](#)

- fibula [77.67](#)
- humerus [77.62](#)
- jaw [76.2](#)
 - dental [24.4](#)
- patella [77.66](#)
- pelvic [77.69](#)
- phalanges (foot) (hand) [77.69](#)
- radius [77.63](#)
- scapula [77.61](#)
- skull [01.6](#)
- specified site NEC [77.69](#)
- tarsal, metatarsal [77.68](#)
- thorax (ribs) (sternum) [77.61](#)
- tibia [77.67](#)
- ulna [77.63](#)
- vertebrae [77.69](#)
- brain (transtemporal approach) NEC [01.59](#)
 - by stereotactic radiosurgery [92.30](#)
 - cobalt 60 [92.32](#)
 - linear accelerator (LINAC) [92.31](#)
 - multi-source [92.32](#)
 - particle beam [92.33](#)
 - particulate [92.33](#)
 - radiosurgery NEC [92.39](#)
 - single source photon [92.31](#)
- breast (segmental) (wedge) [85.21](#)
- broad ligament [69.19](#)
- bronchus NEC [32.09](#)
 - endoscopic [32.01](#)
- cerebral (cortex) NEC [01.59](#)
 - meninges [01.51](#)
- cervix (myoma) [67.39](#)
- chest wall [34.4](#)
- choroid plexus [02.14](#)
- ciliary body [12.44](#)
- colon [45.41](#)
 - endoscopic NEC [45.43](#)
 - polypectomy [45.42](#)
- conjunctiva [10.31](#)
- cornea [11.49](#)
- cranium [01.6](#)
- cul-de-sac (Douglas') [70.32](#)
- dental (jaw) [24.4](#)
- diaphragm [34.81](#)
- duodenum (local) [45.31](#)
 - endoscopic [45.30](#)
- ear, external [18.29](#)
 - radical [18.31](#)
- endometrium [68.29](#)
- epicardium [37.31](#)
- epididymis [63.3](#)
- epiglottis [30.09](#)
- esophagus NEC [42.32](#)
 - endoscopic [42.33](#)
- eye, eyeball [16.93](#)
 - anterior segment NEC [12.40](#)

- eyebrow (skin) [08.20](#)
- eyelid [08.20](#)
 - by
 - halving procedure [08.24](#)
 - wedge resection [08.24](#)
 - major
 - full-thickness [08.24](#)
 - partial-thickness [08.23](#)
 - minor [08.22](#)
- fallopian tube [66.61](#)
- fascia [83.39](#)
 - hand [82.29](#)
- groin region (abdominal wall) (inguinal) [54.3](#)
 - skin [86.3](#)
 - subcutaneous tissue [86.3](#)
- gum [24.31](#)
- heart [37.34](#)
 - Cox-maze, open [37.33](#)
 - maze, modified, endovascular [37.34](#)
 - maze, modified, open [37.33](#)
 - open [37.33](#)
 - other approach, closed [37.34](#)
- hepatic duct [51.69](#)
- inguinal canal [54.3](#)
- intestine
 - large [45.41](#)
 - endoscopic NEC [45.43](#)
 - polypectomy [45.42](#)
 - small NEC [45.33](#)
- intracranial NEC [01.59](#)
- intranasal [21.31](#)
- intraspinal [03.4](#)
- iris [12.42](#)
- jaw [76.2](#)
 - dental [24.4](#)
- joint [80.80](#)
 - ankle [80.87](#)
 - elbow [80.82](#)
 - foot and toe [80.88](#)
 - hand and finger [80.84](#)
 - hip [80.85](#)
 - knee [80.86](#)
 - shoulder [80.81](#)
 - specified site NEC [80.89](#)
 - spine [80.89](#)
 - wrist [80.83](#)
- kidney [55.39](#)
 - with partial nephrectomy [55.4](#)
 - laparoscopic excision [55.38](#) (IM)
- labia [71.3](#)
- lacrimal
 - gland (frontal approach) [09.21](#)
 - passage [09.6](#)
 - sac [09.6](#)
- larynx [30.09](#)
- ligament (joint) -- see also Excision, lesion, joint [80.80](#)

- broad [69.19](#)
- round [69.19](#)
- uterosacral [69.19](#)
- lip [27.43](#)
 - by wide excision [27.42](#)
- liver [50.29](#)
- lung NEC [32.29](#)
 - by lung volume reduction surgery [32.22](#)
 - by wide excision [32.39](#)
 - thoroscopic [32.30](#)
 - endoscopic [32.28](#)
 - thoroscopic [32.20](#)
- lymph structure(s) (channel) (vessel) NEC [40.29](#)
 - node -- see Excision, lymph, node
- mammary duct [85.21](#)
- mastoid (bone) [20.49](#)
- mediastinum [34.3](#)
- meninges (cerebral) [01.51](#)
 - spinal [03.4](#)
- mesentery [54.4](#)
- middle ear [20.51](#)
- mouth NEC [27.49](#)
- muscle [83.32](#)
 - hand [82.22](#)
 - ocular [15.13](#)
- myocardium [37.33](#)
- nail [86.23](#)
- nasal sinus [22.60](#)
 - antrum [22.62](#)
 - with Caldwell-Luc approach [22.61](#)
 - specified approach NEC [22.62](#)
 - ethmoid [22.63](#)
 - frontal [22.42](#)
 - maxillary [22.62](#)
 - with Caldwell-Luc approach [22.61](#)
 - specified approach NEC [22.62](#)
 - sphenoid [22.64](#)
- nasopharynx [29.3](#)
- nerve (cranial) (peripheral) [04.07](#)
 - sympathetic [05.29](#)
- nonodontogenic [24.31](#)
- nose [21.30](#)
 - intranasal [21.31](#)
 - polyp [21.31](#)
 - skin [21.32](#)
 - specified site NEC [21.32](#)
- odontogenic [24.4](#)
- omentum [54.4](#)
- orbit [16.92](#)
- ovary [65.29](#)
 - by wedge resection [65.22](#)
 - laparoscopic [65.24](#)
 - that by laparoscope [65.25](#)
- palate (bony) [27.31](#)
 - by wide excision [27.32](#)
 - soft [27.49](#)

- pancreas (local) [52.22](#)
 - endoscopic [52.21](#)
- parathyroid [06.89](#)
- parotid gland or duct NEC [26.29](#)
- pelvic wall [54.3](#)
- pelvirectal tissue [48.82](#)
- penis [64.2](#)
 - sclerofibromatosis penis [64.20](#) (IM)
- pericardium [37.31](#)
- perineum (female) [71.3](#)
 - male [86.3](#)
- periprostatic tissue [60.82](#)
- perirectal tissue [48.82](#)
- perirenal tissue [59.91](#)
- peritoneum [54.4](#)
- perivesical tissue [59.91](#)
- pharynx [29.39](#)
 - diverticulum [29.32](#)
- pineal gland [07.53](#)
- pinna [18.29](#)
 - radical [18.31](#)
- pituitary (gland) – see also Hypophysectomy, partial [07.63](#)
 - by stereotactic radiosurgery [92.30](#)
 - cobalt 60 [92.32](#)
 - linear accelerator (LINAC) [92.31](#)
 - multi-source [92.32](#)
 - particle beam [92.33](#)
 - particulate [92.33](#)
 - radiosurgery NEC [92.39](#)
 - single source photon [92.31](#)
- pleura [34.59](#)
- pouch of Douglas [70.32](#)
- preauricular (ear) [18.21](#)
- presacral [54.4](#)
- prostate (transurethral) [60.61](#)
- pulmonary (fibrosis) [32.29](#)
 - endoscopic [32.28](#)
 - thoroscopic [32.20](#)
- rectovaginal septum [48.82](#)
- rectum [48.35](#)
 - polyp (endoscopic) [48.36](#)
- retroperitoneum [54.4](#)
- salivary gland or duct NEC [26.29](#)
 - en bloc [26.32](#)
- sclera [12.84](#)
- scrotum [61.3](#)
- sinus (nasal) – see Excision, lesion, nasal sinus
- Skene's gland [71.3](#)
- skin [86.3](#)
 - breast [85.21](#)
 - nose [21.32](#)
 - radical (wide) (involving underlying or adjacent structure) (with flap closure) [86.4](#)
 - scrotum [61.3](#)
- skull [01.6](#)
- soft tissue NEC [83.39](#)
 - hand [82.29](#)

- spermatic cord [63.3](#)
- spermatocoele [63.04](#) (IM)
- sphincter of Oddi [51.62](#)
 - endoscopic [51.64](#)
- spinal cord (meninges) [03.4](#)
- spleen (cyst) [41.42](#)
- stomach NEC [43.42](#)
 - endoscopic [43.41](#)
 - polyp [43.41](#)
 - polyp (endoscopic) [43.41](#)
- subcutaneous tissue [86.3](#)
 - breast [85.21](#)
- subgingival [24.31](#)
- sweat gland [86.3](#)
- tendon [83.39](#)
 - hand [82.29](#)
 - ocular [15.13](#)
 - sheath [83.31](#)
 - hand [82.21](#)
- testis [62.2](#)
- thorax [34.4](#)
- thymus
 - partial (open) (other) [07.81](#)
 - thoracoscopic [07.83](#)
 - total (open) (other) [07.82](#)
 - thoracoscopic [07.84](#)
- thyroid [06.31](#)
 - with Endoscopic [06.32](#) (IM)
 - substernal or transsternal route [06.51](#)
- tongue [25.1](#)
- tonsil [28.92](#)
- trachea [31.5](#)
 - stenosis and anastomosis (IM)
 - cervical [31.50](#) (IM)
 - cervicothoracic [31.51](#) (IM)
 - tracheal tumor or carcinoma (IM)
 - cervical [31.52](#) (IM)
 - thoracic [31.53](#) (IM)
- tunica vaginalis [61.92](#)
- ureter [56.41](#)
- urethra [58.39](#)
 - endoscopic [58.31](#)
- urinary
 - with
 - continent valve formation [57.75](#) (IM)
 - formation of cutaneous uretero-ileostomy (incontinent intestinal urine reservoir formation) [57.72](#) (IM)
 - intestinal urinary diversion (continent intestinal urine reservoir formation) [57.74](#) (IM)
 - laparoscopic ureter transplantation into intestine [57.73](#) (IM)
 - orthotopic neobladder [54.76](#) (IM)
- uterine ligament [69.19](#)
- uterosacral ligament [69.19](#)
- uterus [68.29](#)
- vagina [70.33](#)
- vein [38.60](#)
 - abdominal [38.67](#)

- head and neck NEC [38.62](#)
- intracranial NEC [38.61](#)
- lower limb [38.69](#)
- thoracic NEC [38.65](#)
- upper limb [38.63](#)
- ventricle (heart) [37.33](#)
- vocal cords [30.09](#)
- vulva [71.3](#)
- ligament -- see also Arthroectomy [80.90](#)
 - broad [69.19](#)
 - round [69.19](#)
 - uterine [69.19](#)
 - uterosacral [69.19](#)
- ligamentum flavum (spine) -- omit code
- lingual tonsil [28.5](#)
- lip [27.43](#)
- liver (partial) [50.22](#)
- loose body
 - bone -- see Sequestrectomy, bone
 - joint [80.10](#)
- lung (with mediastinal dissection) [32.59](#)
 - accessory or ectopic tissue [32.29](#)
 - endoscopic [32.28](#)
 - thoracoscopic [32.20](#)
 - segmental [32.39](#)
 - thoracoscopic [32.30](#)
 - specified type NEC [32.29](#)
 - endoscopic [32.28](#)
 - thoracoscopic [32.20](#)
 - thoracoscopic [32.50](#)
 - diagnostic; mediastinal space, with biopsy [34.285](#) (IM)
 - surgical; with control of traumatic hemorrhage [34.284](#) (IM)
 - surgical; with excision of mediastinal cyst, tumor, or mass [34.286](#) (IM)
 - surgical; with pleurodesis (e.g., mechanical or chemical) [34.283](#) (IM)
 - surgical; with removal of intrapleural foreign body or fibrin deposit [34.281](#) (IM)
 - surgical; with thoracic sympathectomy [34.282](#) (IM)
 - volume reduction surgery [32.22](#)
 - biologic lung volume reduction (BLVR) - see category [33.7](#)
 - wedge [32.29](#)
 - thoracoscopic [32.20](#)
- lymph, lymphatic
 - drainage area [40.29](#)
 - radical -- see Excision, lymph, node, radical
 - regional (with lymph node, skin, subcutaneous tissue, and fat) [40.3](#)
 - node (simple) NEC [40.29](#)
 - with
 - lymphatic drainage area (including skin, subcutaneous tissue, and fat) [40.3](#)
 - mastectomy -- see Mastectomy, radical
 - muscle and deep fascia -- see Excision, lymph, node, radical
 - axillary [40.23](#)
 - radical [40.51](#)
 - regional (extended) [40.3](#)
 - cervical (deep) (with excision of scalene fat pad) [40.21](#)

- with laryngectomy [30.4](#)
- radical (including muscle and deep fascia) [40.40](#)
 - bilateral [40.42](#)
 - unilateral [40.41](#)
- regional (extended) [40.3](#)
- superficial [40.29](#)
- groin [40.24](#)
 - radical [40.54](#)
 - regional (extended) [40.3](#)
- iliac [40.29](#)
 - radical [40.53](#)
 - regional (extended) [40.3](#)
- inguinal (deep) (superficial) [40.24](#)
 - radical [40.54](#)
 - regional (extended) [40.3](#)
- jugular -- see Excision, lymph, node, cervical
- mammary (internal) [40.22](#)
 - external [40.29](#)
 - radical [40.59](#)
 - regional (extended) [40.3](#)
 - radical [40.59](#)
 - regional (extended) [40.3](#)
- paratracheal -- see Excision, lymph, node, cervical
- periaortic [40.29](#)
 - radical [40.52](#)
 - regional (extended) [40.3](#)
- radical [40.50](#)
 - with mastectomy -- see Mastectomy, radical
 - specified site NEC [40.59](#)
 - regional (extended) [40.3](#)
- sternal -- see Excision, lymph, node, mammary
- structure(s) (simple) NEC [40.29](#)
 - radical [40.59](#)
 - regional (extended) [40.3](#)
- lymphangioma (simple) - see also Excision, lymph, lymphatic, node, [40.29](#)
- lymphocele [40.29](#)
- mastoid -- see also Mastoidectomy [20.49](#)
- median bar, transurethral approach [60.29](#)
- meibomian gland [08.20](#)
- meniscus (knee) [80.6](#)
 - acromioclavicular [80.91](#)
 - jaw [76.5](#)
 - sternoclavicular [80.91](#)
 - temporomandibular (joint) [76.5](#)
 - wrist [80.93](#)
- mullerian duct cyst [60.73](#)
- muscle [83.45](#)
 - for graft [83.43](#)
 - hand [82.34](#)
 - hand [82.36](#)
 - for graft [82.34](#)
- myositis ossificans [83.32](#)
 - hand [82.22](#)
- nail (bed) (fold) [86.23](#)
- nasolabial cyst [27.49](#)
- nasopalatine cyst [27.31](#)

- by wide excision [27.32](#)
- neoplasm -- see Excision, lesion, by site
- nerve (cranial) (peripheral) NEC [04.07](#)
 - sympathetic [05.29](#)
- neuroma (Morton's) (peripheral nerve) [04.07](#)
 - acoustic
 - by craniotomy [04.01](#)
 - by stereotactic radiosurgery [92.30](#)
 - cobalt 60 [92.32](#)
 - linear accelerator (LINAC) [92.31](#)
 - multi-source [92.32](#)
 - particle beam [92.33](#)
 - particulate [92.33](#)
 - radiosurgery NEC [92.39](#)
 - single source photon [92.31](#)
 - sympathetic nerve [05.29](#)
- nipple [85.25](#)
 - accessory [85.24](#)
- odontoma [24.4](#)
- orbital contents -- see also Exenteration, orbit [16.59](#)
- osteochondritis dissecans -- see also Excision, lesion, joint [80.80](#)
- ovary -- see also Oophorectomy
 - partial [65.29](#)
 - by wedge resection [65.22](#)
 - laparoscopic [65.24](#)
 - that by laparoscope [65.25](#)
- Pancoast tumor (lung) [32.6](#)
- pancreas (total) (with synchronous duodenectomy) [52.6](#)
 - partial NEC [52.59](#)
 - distal (tail) (with part of body) [52.52](#)
 - proximal (head) (with part of body) (with synchronous duodenectomy) [52.51](#)
 - radical subtotal [52.53](#)
 - radical (one-stage) (two-stage) [52.7](#)
 - subtotal [52.53](#)
- paramesonephric duct [69.19](#)
- parathyroid gland (partial) (subtotal) NEC -- see also Parathyroidectomy [06.89](#)
- parotid gland -- see also Excision, salivary gland [26.30](#)
- parovarian cyst [69.19](#)
- patella (complete) [77.96](#)
 - partial [77.86](#)
- pelvirectal tissue [48.82](#)
- perianal tissue [49.04](#)
 - skin tags [49.03](#)
- pericardial adhesions [37.31](#)
- periprosthetic tissue [60.82](#)
- perirectal tissue [48.82](#)
- perirenal tissue [59.91](#)
- periurethral tissue [58.92](#)
- perivesical tissue [59.91](#)
- petrous apex cells [20.59](#)
- pharyngeal bands [29.54](#)
- pharynx (partial) [29.33](#)
- pilonidal cyst or sinus (open) (with partial closure) [86.21](#)
- pineal gland (complete) (total) [07.54](#)
 - partial [07.53](#)

pituitary gland (complete) (total) -- see also Hypophysectomy [07.69](#)

pleura NEC [34.59](#)

polyp -- see also Excision, lesion, by site

esophagus [42.32](#)

endoscopic [42.33](#)

large intestine [45.41](#)

endoscopic [45.42](#)

nose [21.31](#)

rectum (endoscopic) [48.36](#)

stomach (endoscopic) [43.41](#)

preauricular

appendage (remnant) [18.29](#)

cyst, fistula, or sinus (congenital) [18.21](#)

remnant [18.29](#)

prolapsed iris (in wound) [12.13](#)

prostate -- see Prostatectomy

pterygium (simple) [11.39](#)

with corneal graft [11.32](#)

radius (head) (partial) [77.83](#)

total [77.93](#)

ranula, salivary gland NEC [26.29](#)

rectal mucosa [48.35](#)

rectum -- see Resection, rectum

redundant mucosa

colostomy [45.41](#)

endoscopic [45.43](#)

duodenostomy [45.31](#)

endoscopic [45.30](#)

ileostomy [45.33](#)

jejunostomy [45.33](#)

perineum [71.3](#)

rectum [48.35](#)

vulva [71.3](#)

renal vessel, aberrant [38.66](#)

rib (cervical) [77.91](#)

ring of conjunctiva around cornea [10.31](#)

round ligament [69.19](#)

salivary gland [26.30](#)

complete [26.32](#)

partial [26.31](#)

radical [26.32](#)

scalene fat pad [40.21](#)

scar -- see also Excision, lesion, by site

epicardium [37.31](#)

mastoid [20.92](#)

pericardium [37.31](#)

pleura [34.59](#)

skin [86.3](#)

thorax [34.4](#)

secondary membrane, lens [13.65](#)

seminal vesicle [60.73](#)

with radical prostatectomy [60.5](#)

septum -- see also Excision, by site

uterus (congenital) [68.22](#)

vagina [70.33](#)

sinus -- see also Excision, lesion, by site

- nasal -- see Sinusectomy
- pilonidal [86.21](#)
- preauricular (ear) (radical) [18.21](#)
- tarsi [80.88](#)
- thyroglossal (with resection of hyoid bone) [06.7](#)
- urachal (bladder) [57.51](#)
 - abdominal wall [54.3](#)
- Skene's gland [71.3](#)
- skin (local) [86.3](#)
 - for graft (with closure of donor site) [86.91](#)
 - radical (wide) (involving underlying or adjacent structure) (with flap closure) [86.4](#)
- tags
 - perianal [49.03](#)
 - periauricular [18.29](#)
- soft tissue NEC [83.49](#)
 - hand [82.39](#)
- spermatocele [63.2](#)
- spinous process [77.89](#)
- spleen (total) [41.5](#)
 - accessory [41.93](#)
 - partial [41.43](#)
- stomach -- see Gastrectomy
- sublingual gland (salivary) -- see also Excision, salivary gland [26.30](#)
- submaxillary gland -- see also Excision, salivary gland [26.30](#)
- supernumerary
 - breast [85.24](#)
 - digits [86.26](#)
- sweat gland [86.3](#)
- synechiae -- see also Lysis, synechiae
 - endometrial [68.21](#)
- tarsal plate (eyelid) [08.20](#)
 - by wedge resection [08.24](#)
- tattoo [86.3](#)
 - by dermabrasion [86.25](#)
- tendon (sheath) [83.42](#)
 - for graft [83.41](#)
 - hand [82.32](#)
 - hand [82.33](#)
 - for graft [82.32](#)
- thymus -- see also Thymectomy [07.80](#)
- thyroglossal duct or tract (with resection of hyoid bone) [06.7](#)
- thyroid NEC -- see also Thyroidectomy [06.39](#)
- tongue (complete) (total) [25.3](#)
 - partial or subtotal [25.2](#)
 - radical [25.4](#)
- tonsil [28.2](#)
 - with adenoidectomy [28.3](#)
 - lingual [28.5](#)
 - tag [28.4](#)
- tooth NEC -- see also Removal, tooth, surgical [23.19](#)
 - from nasal sinus [22.60](#)
- torus
 - lingual [76.2](#)
 - mandible, mandibularis [76.2](#)
 - palate, palatinus [27.31](#)
 - by wide excision [27.32](#)

trabeculae carneae cordis (heart) [35.35](#)
 trochanteric lipomatosis [86.83](#)
 tumor -- see Excision, lesion, by site
 ulcer -- see also Excision, lesion, by site
 duodenum [45.31](#)
 endoscopic [45.30](#)
 stomach [43.42](#)
 endoscopic [43.41](#)
 umbilicus [54.3](#)
 urachus, urachal (cyst) (bladder) [57.51](#)
 abdominal wall [54.3](#)
 ureter, ureteral [56.40](#)
 with nephrectomy -- see Nephrectomy
 partial [56.41](#)
 stricture [56.41](#)
 total [56.42](#)
 ureterocele [56.41](#)
 urethra, urethral [58.39](#)
 endoscopic [58.31](#)
 with complete cystectomy [57.79](#)
 septum [58.0](#)
 stricture [58.39](#)
 endoscopic [58.31](#)
 valve (congenital) [58.39](#)
 endoscopic (transurethral) (transvesical) [58.31](#)
 urethrovaginal septum [70.33](#)
 uterus (corpus) -- see also Hysterectomy [68.9](#)
 cervix [67.4](#)
 lesion [67.39](#)
 lesion [68.29](#)
 septum [68.22](#)
 uvula [27.72](#)
 vagina (total) [70.4](#)
 varicocele, spermatic cord [63.1](#)
 vein -- see also Phlebectomy [38.60](#)
 varicose [38.50](#)
 abdominal [38.57](#)
 head and neck NEC [38.52](#)
 intracranial NEC [38.51](#)
 lower limb [38.59](#)
 ovarian [38.67](#)
 thoracic NEC [38.55](#)
 upper limb [38.53](#)
 verucca -- see also Excision, lesion, by site
 eyelid [08.22](#)
 vesicovaginal septum [70.33](#)
 vitreous opacity [14.74](#)
 anterior approach [14.73](#)
 vocal cord(s) (submucous) [30.22](#)
 vulva (bilateral) (simple) -- see also Vulvectomy [71.62](#)
 wart -- see also Excision, lesion, by site
 eyelid [08.22](#)
 wolffian duct [69.19](#)
 xanthoma (tendon sheath, hand) [82.21](#)
 site other than hand [83.31](#)
 Excisional biopsy -- see Biopsy

Exclusion

- left atrial appendage [37.36](#)
- pyloric
 - laparoscopic [44.38](#)
 - open [44.39](#)

Exenteration

- ethmoid air cells [22.63](#)
- orbit [16.59](#)
 - with
 - removal of adjacent structures [16.51](#)
 - temporalis muscle transplant [16.59](#)
 - therapeutic removal of bone [16.52](#)
- pelvic (organs) (female) [68.8](#)
 - male [57.71](#)
- petrous pyramid air cells [20.59](#)

Exercise (physical therapy) NEC [93.19](#)

- active musculoskeletal NEC [93.12](#)
- assisting [93.11](#)
 - in pool [93.31](#)
- breathing [93.18](#)
- musculoskeletal
 - active NEC [93.12](#)
 - passive NEC [93.17](#)
- neurologic [89.13](#)
- passive musculoskeletal NEC [93.17](#)
- resistive [93.13](#)

Exfoliation, skin, by chemical [86.24](#)

Exhaled substance breath test [89.391](#) (IM)

Exostectomy -- see also Excision, lesion, bone [77.60](#)

- first metatarsal (hallux valgus repair) -- see Bunionectomy
- hallux valgus repair (with wedge osteotomy) -- see Bunionectomy

Expiratory flow rate [89.38](#)

Explant, explantation - see Removal

Exploration -- see *also* Incision

- abdomen [54.11](#)
- abdominal wall [54.0](#)
- adrenal (gland) [07.41](#)
 - field [07.00](#)
 - bilateral [07.02](#)
 - unilateral [07.01](#)
- artery [38.00](#)
 - abdominal [38.06](#)
 - aorta (arch) (ascending) (descending) [38.04](#)
 - head and neck NEC [38.02](#)
 - intracranial NEC [38.01](#)
 - lower limb [38.08](#)
 - thoracic NEC [38.05](#)
 - upper limb [38.03](#)
- auditory canal, external [18.02](#)
- axilla [86.09](#)
- bile duct(s) [51.59](#)
 - common duct [51.51](#)
 - endoscopic [51.11](#)
 - for
 - relief of obstruction [51.42](#)
 - endoscopic [51.84](#)

- removal of calculus [51.41](#)
 - endoscopic [51.88](#)
 - laparoscopic [51.11](#)
 - for relief of obstruction [51.49](#)
 - endoscopic [51.84](#)
- bladder (by incision) [57.19](#)
 - endoscopic [57.32](#)
 - through stoma (artificial) [57.31](#)
- bone -- see also Incision, bone [77.10](#)
- brain (tissue) [01.39](#)
- breast [85.0](#)
- bronchus [33.0](#)
 - endoscopic -- see Bronchoscopy
- bursa [83.03](#)
 - hand [82.03](#)
- carotid body [39.89](#)
- carpal tunnel [04.43](#)
- choroid [14.9](#)
- ciliary body [12.44](#)
- colon [45.03](#)
- common bile duct [51.51](#)
 - endoscopic [51.11](#)
 - for
 - relief of obstruction [51.42](#)
 - endoscopic [51.84](#)
 - removal of calculus [51.41](#)
 - endoscopic [51.88](#)
- coronary artery [36.99](#)
- cranium [01.24](#)
- cul-de-sac [70.12](#)
 - endoscopic [70.22](#)
- disc space [03.09](#)
- duodenum [45.01](#)
 - endoscopic -- see Endoscopy, by site
- epididymis [63.92](#)
- esophagus (by incision) NEC [42.09](#)
 - endoscopic -- see Esophagoscopy
- ethmoid sinus [22.51](#)
- eyelid [08.09](#)
- fallopian tube [66.01](#)
- fascia [83.09](#)
 - hand [82.09](#)
- flank [54.0](#)
- fossa (superficial) NEC [86.09](#)
 - pituitary [07.71](#)
- frontal sinus [22.41](#)
- frontonasal duct [96.21](#)
- gallbladder [51.04](#)
- groin (region) (abdominal wall) (inguinal) [54.0](#)
 - skin and subcutaneous tissue [86.09](#)
- heart [37.11](#)
- hepatic duct [51.59](#)
- hypophysis [07.72](#)
- ileum [45.02](#)
- inguinal canal (groin) [54.0](#)
- intestine (by incision) NEC [45.00](#)

- large [45.03](#)
- small [45.02](#)
- intrathoracic [34.02](#)
- jejunum [45.02](#)
- joint structures -- *see also* Arthrotomy [80.10](#)
- kidney [55.01](#)
 - pelvis [55.11](#)
- labia [71.09](#)
- lacrimal
 - gland [09.0](#)
 - sac [09.53](#)
- laparotomy site [54.12](#)
- larynx (by incision) [31.3](#)
 - endoscopic [31.42](#)
- liver [50.0](#)
- lung (by incision) [33.1](#)
- lymphatic structure(s) (channel) (node) (vessel) [40.0](#)
- mastoid [20.21](#)
- maxillary antrum or sinus (Caldwell-Luc approach) [22.39](#)
- mediastinum [34.1](#)
 - endoscopic [34.22](#)
- middle ear (transtympanic) [20.23](#)
- muscle [83.02](#)
 - hand [82.02](#)
- neck -- *see also* Exploration, thyroid [06.09](#)
- nerve (cranial) (peripheral) NEC [04.04](#)
 - auditory [04.01](#)
 - root (spinal) [03.09](#)
- nose [21.1](#)
- orbit -- *see also* Orbitotomy [16.09](#)
- pancreas [52.09](#)
 - endoscopic [52.13](#)
- pancreatic duct [52.09](#)
 - endoscopic [52.13](#)
- pelvis (by laparotomy) [54.11](#)
 - by colpotomy [70.12](#)
- penis [64.92](#)
- perinephric area [59.09](#)
- perineum (female) [71.09](#)
 - male [86.09](#)
- peripheral vessels
 - lower limb
 - artery [38.08](#)
 - vein [38.09](#)
 - upper limb (artery) (vein) [38.03](#)
- periprosthetic tissue [60.81](#)
- perirenal tissue [59.09](#)
- perivesical tissue [59.19](#)
- petrous pyramid air cells [20.22](#)
- pilonidal sinus [86.03](#)
- pineal (gland) [07.52](#)
 - field [07.51](#)
- pituitary (gland) [07.72](#)
 - fossa [07.71](#)
- pleura [34.09](#)
- popliteal space [86.09](#)

prostate [60.0](#)
 rectum -- see *also* Proctoscopy [48.23](#)
 by incision [48.0](#)
 retroperitoneum [54.0](#)
 retropubic [59.19](#)
 salivary gland [26.0](#)
 sclera (by incision) [12.89](#)
 scrotum [61.0](#)
scrotal contents and testis, unilateral [62.00](#) (IM)
 shunt
 ventriculoperitoneal at
 peritoneal site [54.95](#)
 ventricular site [02.41](#)
 sinus
 ethmoid [22.51](#)
 frontal [22.41](#)
 maxillary (Caldwell-Luc approach) [22.39](#)
 sphenoid [22.52](#)
 tract, skin and subcutaneous tissue [86.09](#)
 skin [86.09](#)
 soft tissue NEC [83.09](#)
 hand [82.09](#)
 spermatic cord [63.93](#)
 sphenoidal sinus [22.52](#)
 spinal (canal) (nerve root) [03.09](#)
 spleen [41.2](#)
 stomach (by incision) [43.0](#)
 endoscopic -- see Gastrosocopy
 subcutaneous tissue [86.09](#)
 subdiaphragmatic space [54.11](#)
 superficial fossa [86.09](#)
 tarsal tunnel [04.44](#)
 tendon (sheath) [83.01](#)
 hand [82.01](#)
 testes [62.0](#)
testis and scrotal contents, unilateral [62.00](#) (IM)
 thymus (gland) [07.92](#)
 field [07.91](#)
 thorascopic [07.95](#)
 thyroid (field) (gland) (by incision) [06.09](#)
 postoperative [06.02](#)
 trachea (by incision) [31.3](#)
 endoscopic -- see Tracheoscopy
 tunica vaginalis [61.0](#)
 tympanum [20.09](#)
 transtympanic route [20.23](#)
 ureter (by incision) [56.2](#)
 endoscopic [56.31](#)
 flexible ureterorenoscopy without stone fragmentation [56.37](#) (IM)
 open ureteral exploration [56.22](#) (IM)
 semi rigid ureterorenoscopy without stone fragmentation [56.36](#) (IM)
 urethra (by incision) [58.0](#)
 endoscopic [58.22](#)
 uterus (corpus) [68.0](#)
 cervix [69.95](#)
 digital [68.11](#)

- postpartal, manual [75.7](#)
- vagina (by incision) [70.14](#)
 - endoscopic [70.21](#)
- vas deferens [63.6](#)
- vein [38.00](#)
 - abdominal [38.07](#)
 - head and neck NEC [38.02](#)
 - intracranial NEC [38.01](#)
 - lower limb [38.09](#)
 - thoracic NEC [38.05](#)
 - upper limb [38.03](#)
- vulva (by incision) [71.09](#)
- Exposure -- see also Incision, by site
 - tooth (for orthodontic treatment) [24.6](#)
- Expression, trachoma follicles [10.33](#)
- Exsanguination transfusion [99.01](#)
- Extension
 - buccolabial sulcus [24.91](#)
 - limb, forced [93.25](#)
 - lingual sulcus [24.91](#)
 - mandibular ridge [76.43](#)
- Exteriorization
 - esophageal pouch [42.12](#)
 - intestine [46.03](#)
 - large [46.03](#)
 - small [46.01](#)
 - maxillary sinus [22.9](#)
 - pilonidal cyst or sinus (open excision) (with partial closure) [86.21](#)
- Extirpation -- see also Excision, by site
 - aneurysm -- see Aneurysmectomy
 - arteriovenous fistula -- see Aneurysmectomy
 - lacrimal sac [09.6](#)
 - larynx [30.3](#)
 - with radical neck dissection (with synchronous thyroidectomy) (with synchronous tracheostomy) [30.4](#)
 - nerve, tooth -- see also Therapy, root canal [23.70](#)
 - varicose vein (peripheral) (lower limb) [38.59](#)
 - upper limb [38.53](#)
- Extracorporeal
 - circulation (regional), except hepatic [39.61](#)
 - hepatic [50.92](#)
 - percutaneous [39.66](#)
 - hemodialysis [39.95](#)
 - membrane oxygenation (ECMO) [39.65](#)
 - photopheresis, therapeutic [99.88](#)
 - shockwave lithotripsy (ESWL) NEC [98.59](#)
 - bile duct [98.52](#)
 - bladder [98.51](#)
 - gallbladder [98.52](#)
 - kidney [98.51](#)
 - renal pelvis [98.51](#)
 - specified site NEC [98.59](#)
 - ureter [98.51](#)
- Extracranial-intracranial bypass [EC-IC] [39.28](#)
- Extraction
 - breech (partial) [72.52](#)

- with forceps to aftercoming head [72.51](#)
- total [72.54](#)
 - with forceps to aftercoming head [72.53](#)
- cataract [13.19](#)
 - after cataract (by)
 - capsulectomy [13.65](#)
 - capsulotomy [13.64](#)
 - discission [13.64](#)
 - excision [13.65](#)
 - iridocapsulectomy [13.65](#)
 - mechanical fragmentation [13.66](#)
 - needling [13.64](#)
 - phacofragmentation (mechanical) [13.66](#)
 - aspiration (simple) (with irrigation) [13.3](#)
 - cryoextraction (intracapsular approach) [13.19](#)
 - temporal inferior route (in presence of fistulization bleb) [13.11](#)
 - curette evacuation (extracapsular approach) [13.2](#)
 - emulsification (and aspiration) [13.41](#)
 - erysiphake (intracapsular approach) [13.19](#)
 - temporal inferior route (in presence of fistulization bleb) [13.11](#)
 - extracapsular approach (with iridectomy) NEC [13.59](#)
 - by temporal inferior route (in presence of fistulization bleb) [13.51](#)
 - aspiration (simple) (with irrigation) [13.3](#)
 - curette evacuation [13.2](#)
 - emulsification (and aspiration) [13.41](#)
 - linear extraction [13.2](#)
 - mechanical fragmentation with aspiration by
 - posterior route [13.42](#)
 - specified route NEC [13.43](#)
 - phacoemulsification (ultrasonic) (with aspiration) [13.41](#)
 - phacofragmentation (mechanical) with aspiration by
 - posterior route [13.42](#)
 - specified route NEC [13.43](#)
 - ultrasonic (with aspiration) [13.41](#)
 - rotoextraction (mechanical) with aspiration by
 - posterior route [13.42](#)
 - specified route NEC [13.43](#)
 - intracapsular (combined) (simple) (with iridectomy) (with suction) (with zonulolysis) [13.19](#)
 - by temporal inferior route (in presence of fistulization bleb) [13.11](#)
 - linear extraction (extracapsular approach) [13.2](#)
 - phacoemulsification (and aspiration) [13.41](#)
 - phacofragmentation (mechanical)
 - with aspiration by
 - posterior route [13.42](#)
 - specified route NEC [13.43](#)
 - ultrasonic [13.41](#)
 - rotoextraction (mechanical)
 - with aspiration by
 - posterior route [13.42](#)
 - specified route NEC [13.43](#)
 - secondary membranous (after cataract) (by)
 - capsulectomy [13.65](#)
 - capsulotomy [13.64](#)
 - discission [13.64](#)
 - excision [13.65](#)
 - iridocapsulectomy [13.65](#)