

bowel anastomosis -- omit code
 continent ileostomy [46.22](#)
 cutaneous uretero-ileostomy [56.51](#)
 ESWL (electrocorporeal shockwave lithotripsy) [98.51](#)
 removal, calculus [57.19](#)
 revision, cutaneous uretero-ileostomy [56.52](#)
 urinary diversion procedure [56.51](#)
 Kockogram (ileal conduitogram) [87.78](#)
 Kockoscopy [45.12](#)
 Kondoleon operation (correction of lymphedema) [40.9](#)
 Krause operation (sympathetic denervation) [05.29](#)
 Kroener operation (partial salpingectomy) [66.69](#)
 Kroenlein operation (lateral orbitotomy) [16.01](#)
 Kronig operation (low cervical cesarean section) [74.1](#)
 Krunkenberg operation (reconstruction of below-elbow amputation) [82.89](#)
 Kuhnt-Szymanowski operation (ectropion repair with lid reconstruction) [08.44](#)
 Kyphoplasty [81.66](#)

L

Labbe operation (gastrotomy) [43.0](#)
 Labiectomy (bilateral) [71.62](#)
 unilateral [71.61](#)
 Labyrinthectomy (transtympanic) [20.79](#)
 Labyrinthotomy (transtympanic) [20.79](#)
 Ladd operation (mobilization of intestine) [54.95](#)
 Lagrange operation (iridosclerectomy) [12.65](#)
 Lambrinudi operation (triple arthrodesis) [81.12](#)
 Laminectomy (decompression) (for exploration) [03.09](#)
 as operative approach -- omit code
 with
 excision of herniated intervertebral disc (nucleus pulposus) [80.51](#)
 excision of other intraspinal lesion (tumor) [03.4](#)
 reopening of site [03.02](#)
 Laminography -- see Radiography
 Laminoplasty, expansile [03.09](#)
 Laminotomy (decompression) (for exploration) [03.09](#)
 as operative approach -- omit code
 reopening of site [03.02](#)
 Langenbeck operation (cleft palate repair) [27.62](#)
 Laparoamnioscopy [75.31](#)
 Laparorrhaphy [54.63](#)
 Laparoscopy [54.21](#)
 with
 biopsy (intra-abdominal) [54.24](#)
 uterine ligaments [68.15](#)
 uterus [68.16](#)
 destruction of fallopian tubes -- see Destruction, fallopian tube
 anterior resection of rectum [48.631](#) (IM)
 biopsy gonad [51.120](#) (IM)
 bladder enlargement [57.870](#) (IM)
 complete (radical) nephrectomy [55.511](#) (IM)
 complete ureterectomy [56.420](#) (IM)
 cutaneous vesical fistula closure [57.825](#) (IM)
 cystectomy [57.710](#) (IM)

cystostomy or cystolithotomy [57.190](#) (IM)
 divided ureteral repair [56.87](#) (IM)
 ligation of ureter [56.950](#) (IM)
 liver resection [50.40](#) (IM)
 low anterior resection of rectum [48.632](#) (IM)
 nephropexy [55.70](#) (IM)
 nephroureterectomy [55.510](#) (IM)
 orchidopexy [62.50](#) (IM)
 orchidopexy fowler stephen [62.52](#) (IM)
 orchiectomy [62.31](#) (IM)
 ovarian drilling [65.98](#) (IM)
 other total cystectomy [57.790](#) (IM)
 other diagnostic procedures on fallopian tubes [66.18](#) (IM)
 other partial salpingectomy [66.68](#) (IM)
 pancreaticoduodenectomy [52.70](#) (IM)
 partial cystectomy [57.60](#) (IM)
 partial nephrectomy [55.40](#) (IM)
 partial pancreatectomy [52.50](#) (IM)
 partial ureterectomy [56.410](#) (IM)
 pyeloplasty [55.88](#) (IM)
 radical prostatectomy [60.50](#) (IM)
 reconstructive surgery of pelvic floor [70.70](#) (IM)
 reconstructive surgery of uterus [69.40](#) (IM)
 repair inguinal hernia [17.25](#) (IM)
 replacement of indwelling peritoneal catheter for dialysis [54.981](#) (IM)
 ruptured bladder repair [57.890](#) (IM)
 total pancreatectomy [52.60](#) (IM)
 ureter transplantation into intestine [56.510](#) (IM)
 ureter transplantation into skin [56.610](#) (IM)
 ureteral re-implantation into bladder [56.751](#) (IM)
 with psoas hitch [56.753](#) (IM)
 ureteral transplantation into other ureter [56.750](#) (IM)
 ureterolithotomy or ureteral exploration [56.20](#) (IM)
 ureterolithotomy with previous ureteral surgery [56.21](#) (IM)
 ureteroneocystostomy [56.740](#) (IM)
 ureterostomy revision [56.620](#) (IM)
 varicocele ligation [63.11](#) (IM)
 vesicointestinal fistula closure [57.820](#) (IM)
 vesicovaginal fistula closure [57.821](#) (IM)
 salpingostomy [66.04](#) (IM)
 salpingotomy [66.03](#) (IM)
 removal of both fallopian tubes at same operative episode [66.50](#) (IM)
 salpingectomy with removal of tubal pregnancy [66.60](#) (IM)
 total unilateral salpingectomy [66.40](#) (IM)
 transposition of ovary [65.97](#) (IM)
 Laparotomy NEC [54.19](#)
 as operative approach -- omit code
 exploratory (pelvic) [54.11](#)
 reopening of recent operative site (for control of hemorrhage) (for exploration) (for incision of
 hematoma) [54.12](#)
 Laparotrachelotomy [74.1](#)
 Lapidus operation (bunionectomy with metatarsal osteotomy) [77.51](#)
 Lary operation (shoulder disarticulation) [84.08](#)
 Laryngectomy
 with radical neck dissection (with synchronous thyroidectomy) (with synchronous tracheostomy) [30.4](#)
 complete (with partial laryngectomy) (with synchronous tracheostomy) [30.3](#)

with radical neck dissection (with synchronous thyroidectomy) (with synchronous tracheostomy) [30.4](#)
 frontolateral partial (extended) [30.29](#)
 glottosupraglottic partial [30.29](#)
 lateral partial [30.29](#)
 partial (frontolateral) (glottosupraglottic) (lateral) (submucous) (supraglottic) (vertical) [30.29](#)
 radical (with synchronous thyroidectomy) (with synchronous tracheostomy) [30.4](#)
 submucous (partial) [30.29](#)
 supraglottic partial [30.29](#)
 total (with partial pharyngectomy) (with synchronous tracheostomy) [30.3](#)
 with radical neck dissection (with synchronous thyroidectomy) (with synchronous tracheostomy) [30.4](#)
 vertical partial [30.29](#)
 wide field [30.3](#)
 Laryngocentesis [31.3](#)
 Laryngoesophagectomy [30.4](#)
 Laryngofissure [30.29](#)
 Laryngogram [87.09](#)
 contrast [87.07](#)
 Laryngopharyngectomy (with synchronous tracheostomy) [30.3](#)
 radical (with synchronous thyroidectomy) [30.4](#)
 Laryngopharyngoesophagectomy (with synchronous tracheostomy) [30.3](#)
 with radical neck dissection (with synchronous thyroidectomy) [30.4](#)
 Laryngoplasty [31.69](#)
 Laryngorrhaphy [31.61](#)
 Laryngoscopy (suspension) (through artificial stoma) [31.42](#)
 Laryngostomy (permanent) [31.29](#)
 revision [31.63](#)
 temporary (emergency) [31.1](#)
 Laryngotomy [31.3](#)
 Laryngotracheobronchoscopy [33.23](#)
 with biopsy [33.24](#)
 Laryngotracheoscopy [31.42](#)
 Laryngotracheostomy (permanent) [31.29](#)
 temporary (emergency) [31.1](#)
 Laryngotracheotomy (temporary) [31.1](#)
 permanent [31.29](#)
 Laser -- see also Coagulation, Destruction, and Photocoagulation by site
 angioplasty, percutaneous transluminal [39.59](#)
 coronary -- see Angioplasty, coronary
 Laser interstitial thermal therapy (LITT) under guidance
 lesion
 brain [17.61](#)
 breast [17.69](#)
 head and neck [17.62](#)
 liver [17.63](#)
 lung [17.69](#)
 prostate [17.69](#)
 thyroid [17.62](#)
 Lash operation
 internal cervical os repair [67.59](#)
 laparoscopic supracervical hysterectomy [68.31](#)
 LASIK (Laser-assisted in situ keratomileusis) [11.71](#)
 Late latency auditory evoked potential (P300, N100) [95.464](#) (IM)
 Latzko operation
 cesarean section [74.2](#)
 colpocleisis [70.8](#)

Lavage

- antral [22.00](#)
- bronchus NEC [96.56](#)
 - diagnostic (endoscopic)
 - bronchoalveolar lavage (BAL) [33.24](#)
 - mini-bronchoalveolar lavage (mini-BAL) [33.29](#)
- endotracheal [96.56](#)
- gastric [96.33](#)
- lung (total)(whole) [33.99](#)
 - diagnostic (endoscopic) bronchoalveolar lavage (BAL) [33.24](#)
- nasal sinus(es) [22.00](#)
 - by puncture [22.01](#)
 - through natural ostium [22.02](#)
- peritoneal (diagnostic) [54.25](#)
- trachea NEC [96.56](#)

Leadbetter operation (urethral reconstruction) [58.46](#)

Leadbetter-Politano operation (ureteroneocystostomy) [56.74](#)

LEEP (loop electrosurgical excision procedure) of cervix [67.32](#)

Le Fort operation (colpocleisis) [70.8](#)

LeMesurier operation (cleft lip repair) [27.54](#)

Lengthening

- bone (with bone graft) [78.30](#)
 - femur [78.35](#)
 - for reconstruction of thumb [82.69](#)
 - specified site NEC -- see also category [78.3](#), [78.39](#)
 - tibia [78.37](#)
 - ulna [78.33](#)
- extraocular muscle NEC [15.21](#)
 - multiple (two or more muscles) [15.4](#)
- fascia [83.89](#)
 - hand [82.89](#)
- hamstring NEC [83.85](#)
- heel cord [83.85](#)
- leg
 - femur [78.35](#)
 - tibia [78.37](#)
- levator palpebrae muscle [08.38](#)
- muscle [83.85](#)
 - extraocular [15.21](#)
 - multiple (two or more muscles) [15.4](#)
 - hand [82.55](#)
- palate [27.62](#)
 - secondary or subsequent [27.63](#)
- tendon [83.85](#)
 - for claw toe repair [77.57](#)
 - hand [82.55](#)

Leriche operation (periarterial sympathectomy) [05.25](#)

Leucotomy, leukotomy [01.32](#)

Leukopheresis, therapeutic [99.72](#)

Lid suture operation (blepharoptosis) [08.31](#)

Ligation

- adrenal vessel (artery) (vein) [07.43](#)
- aneurysm [39.52](#)
- appendages, dermal [86.26](#)
- arteriovenous fistula [39.53](#)
- coronary artery [36.99](#)

- artery [38.80](#)
 - abdominal [38.86](#)
 - adrenal [07.43](#)
 - aorta (arch) (ascending) (descending) [38.84](#)
 - coronary (anomalous) [36.99](#)
 - ethmoidal [21.04](#)
 - external carotid [21.06](#)
 - for control of epistaxis -- see Control, epistaxis
 - head and neck NEC [38.82](#)
 - intracranial NEC [38.81](#)
 - lower limb [38.88](#)
 - maxillary (transantral) [21.05](#)
 - middle meningeal [02.13](#)
 - thoracic NEC [38.85](#)
 - thyroid [06.92](#)
 - upper limb [38.83](#)
- atrium, heart [37.99](#)
- auricle, heart [37.99](#)
- bleeding vessel -- see Control, hemorrhage
- blood vessel [38.80](#)
 - abdominal
 - artery [38.86](#)
 - vein [38.87](#)
 - adrenal [07.43](#)
 - aorta (arch) (ascending) (descending) [38.84](#)
 - esophagus [42.91](#)
 - endoscopic [42.33](#)
 - head and neck [38.82](#)
 - intracranial NEC [38.81](#)
 - lower limb
 - artery [38.88](#)
 - vein [38.89](#)
 - meningeal (artery) (longitudinal sinus) [02.13](#)
 - thoracic NEC [38.85](#)
 - thyroid [06.92](#)
 - upper limb (artery) (vein) [38.83](#)
- bronchus [33.92](#)
- cisterna chyli [40.64](#)
- coronary
 - artery (anomalous) [36.99](#)
 - sinus [36.39](#)
- dermal appendage [86.26](#)
- ductus arteriosus, patent [38.85](#)
- esophageal vessel [42.91](#)
 - endoscopic [42.33](#)
- ethmoidal artery [21.04](#)
- external carotid artery [21.06](#)
- fallopian tube (bilateral) (remaining) (solitary) [66.39](#)
 - by endoscopy (culdoscopy) (hysteroscopy) (laparoscopy) (peritoneoscopy) [66.29](#)
 - with
 - crushing [66.31](#)
 - by endoscopy (laparoscopy) [66.21](#)
 - division [66.32](#)
 - by endoscopy (culdoscopy) (laparoscopy) (peritoneoscopy) [66.22](#)
 - Falope ring [66.39](#)
 - by endoscopy (laparoscopy) [66.29](#)

- unilateral [66.92](#)
- fistula, arteriovenous [39.53](#)
- coronary artery [36.99](#)
- gastric
 - artery [38.86](#)
 - varices [44.91](#)
 - endoscopic [43.41](#)
- hemorrhoids [49.45](#)
- longitudinal sinus (superior) [02.13](#)
- lymphatic (channel) (peripheral) [40.9](#)
 - thoracic duct [40.64](#)
- maxillary artery [21.05](#)
- meningeal vessel [02.13](#)
- spermatic
 - cord [63.72](#)
 - varicocele [63.1](#)
 - vein (high) [63.1](#)
- splenic vessels [38.86](#)
- subclavian artery [38.85](#)
- superior longitudinal sinus [02.13](#)
- supernumerary digit [86.26](#)
- thoracic duct [40.64](#)
- thyroid vessel (artery) (vein) [06.92](#)
- toes (supernumerary) [86.26](#)
- tooth [93.55](#)
 - impacted [24.6](#)
- ulcer (peptic) (base) (bed) (bleeding vessel) [44.40](#)
 - duodenal [44.42](#)
 - gastric [44.41](#)
- ureter [56.95](#)
- varices
 - esophageal [42.91](#)
 - endoscopic [42.33](#)
 - gastric [44.91](#)
 - endoscopic [43.41](#)
 - peripheral vein (lower limb) [38.59](#)
 - upper limb [38.53](#)
- varicocele [63.1](#)
- vas deferens [63.71](#)
- vein [38.80](#)
 - abdominal [38.87](#)
 - adrenal [07.43](#)
 - head and neck NEC [38.82](#)
 - intracranial NEC [38.81](#)
 - lower limb [38.89](#)
 - spermatic, high [63.1](#)
 - thoracic NEC [38.85](#)
 - thyroid [06.92](#)
 - upper limb [38.83](#)
 - varicose [38.50](#)
 - abdominal [38.57](#)
 - esophagus [42.91](#)
 - endoscopic [42.33](#)
 - gastric [44.91](#)
 - endoscopic [43.41](#)
 - head and neck [38.52](#)

- intracranial NEC [38.51](#)
- lower limb [38.59](#)
- stomach [44.91](#)
- thoracic NEC [38.55](#)
- upper limb [38.53](#)
- vena cava, inferior [38.7](#)
- venous connection between anomalous vein to
 - left innominate vein [35.82](#)
 - superior vena cava [35.82](#)
- wart [86.26](#)
- Light coagulation -- see Photocoagulation
- Lindholm operation (repair of ruptured tendon) [83.88](#)
- Lingulectomy, lung [32.39](#)
- Linton operation (varicose vein) [38.59](#)
- Lipectomy (subcutaneous tissue) (abdominal) (submental) [86.83](#)
- Liposuction [86.83](#)
- Lip reading training [95.49](#)
- Lip shave [27.43](#)
- Lisfranc operation
 - foot amputation [84.12](#)
 - shoulder disarticulation [84.08](#)
- Litholapaxy, bladder [57.0](#)
 - by incision [57.19](#)
- Lithotomy
 - bile passage [51.49](#)
 - bladder (urinary) [57.19](#)
 - common duct [51.41](#)
 - percutaneous [51.96](#)
 - gallbladder [51.04](#)
 - hepatic duct [51.49](#)
 - kidney [55.01](#)
 - percutaneous [55.03](#)
 - ureter [56.2](#)
 - open ureteral exploration [56.22](#) (IM)
- Lithotripsy
 - bile duct NEC [51.49](#)
 - extracorporeal shockwave (ESWL) [98.52](#)
 - bladder [57.0](#)
 - with ultrasonic fragmentation [57.0](#) [[59.95](#)]
 - extracorporeal shockwave (ESWL) [98.51](#)
 - extracorporeal shockwave (ESWL) NEC [98.59](#)
 - bile duct [98.52](#)
 - bladder (urinary) [98.51](#)
 - gallbladder [98.52](#)
 - kidney [98.51](#)
 - Kock pouch [98.51](#)
 - renal pelvis [98.51](#)
 - specified site NEC [98.59](#)
 - ureter [98.51](#)
 - gallbladder NEC [51.04](#)
 - endoscopic [51.88](#)
 - extracorporeal [shockwave](#) (ESWL) [98.52](#)
 - kidney [56.0](#)
 - extracorporeal shockwave (ESWL) [98.51](#)
 - percutaneous nephrostomy with fragmentation (laser) (ultrasound) [55.04](#)
 - renal pelvis [56.0](#)

- extracorporeal shockwave (ESWL) [98.51](#)
- percutaneous nephrostomy with fragmentation (laser) (ultrasound) [55.04](#)
- ureter [56.0](#)
- extracorporeal shockwave (ESWL) [98.51](#)
- LITT (laser interstitial thermal therapy) under guidance
- lesion
 - brain [17.61](#)
 - breast [17.69](#)
 - head and neck [17.62](#)
 - liver [17.63](#)
 - lung [17.69](#)
 - prostate [17.69](#)
 - thyroid [17.62](#)
- Littlewood operation (forequarter amputation) [84.09](#)
- Living donor nephrectomy [55.520](#) (IM)
- LLETZ (large loop excision of the transformation zone) of cervix [67.32](#)
- Lloyd-Davies operation (abdominoperineal resection), NOS [48.50](#)
- laparoscopic [48.51](#)
- open [48.52](#)
- other [48.59](#)
- Lobectomy
 - brain [01.53](#)
 - partial [01.59](#)
 - liver (with partial excision of adjacent lobes) [50.3](#)
 - lung (complete) [32.49](#)
 - partial [32.39](#)
 - thoracoscopic [32.30](#)
 - segmental (with resection of adjacent lobes) [32.49](#)
 - thoracoscopic [32.41](#)
 - thoracoscopic [32.41](#)
 - thyroid (total) (unilateral) (with removal of isthmus) (with removal of portion of remaining lobe) [06.2](#)
 - partial -- see also Thyroidectomy, partial [06.39](#)
 - substernal [06.51](#)
 - subtotal -- see also Thyroidectomy, partial [06.39](#)
- Lobotomy, brain [01.32](#)
- Localization, placenta [88.78](#)
- by RISA injection [92.17](#)
- Longmire operation (bile duct anastomosis) [51.39](#)
- Loop ileal stoma (see also Ileostomy) [46.01](#)
- Loopogram [87.78](#)
- Looposcopy (ileal conduit) [56.35](#)
- Lord operation
 - dilation of anal canal for hemorrhoids [49.49](#)
 - hemorrhoidectomy [49.49](#)
 - orchidopexy [62.5](#)
 - revision orchidopexy for undescended testis [62.51](#) (IM)
- Lower GI series (x-ray) [87.64](#)
- Lucas and Murray operation (knee arthrodesis with plate) [81.22](#)
- Lung perfusion scan [92.150](#) (IM)
- Lumpectomy
 - breast [85.21](#)
 - specified site -- see Excision, lesion, by site
- Lymphadenectomy (simple) -- see also Excision, lymph, node [40.29](#)
- Lymphadenotomy [40.0](#)
- Lymphangiectomy (radical) -- see also Excision, lymph, node, by site, radical [40.50](#)
- Lymphangiogram

abdominal [88.04](#)
 cervical [87.08](#)
 intrathoracic [87.34](#)
 lower limb [88.36](#)
 pelvic [88.04](#)
 upper limb [88.34](#)
 Lymphangioplasty [40.9](#)
 Lymphangiorrhaphy [40.9](#)
 Lymphangiectomy [40.0](#)
 Lymphaticostomy [40.9](#)
 thoracic duct [40.62](#)
 Lysis
 adhesions

Note: blunt - omit code
 digital - omit code
 manual - omit code
 mechanical - omit code
 without instrumentation - omit code

abdominal [54.59](#)
 laparoscopic [54.51](#)
 appendiceal [54.59](#)
 laparoscopic [54.51](#)
 artery-vein-nerve bundle [39.91](#)
 biliary tract [54.59](#)
 laparoscopic [54.51](#)
 bladder (neck) (intraluminal) [57.12](#)
 external [59.11](#)
 laparoscopic [59.12](#)
 transurethral [57.41](#)
 blood vessels [39.91](#)
 bone -- see category [78.4](#)
 bursa [83.91](#)
 by stretching or manipulation [93.28](#)
 hand [82.91](#)
 cartilage of joint [93.26](#)
 chest wall [33.99](#)
 choanae (nasopharynx) [29.54](#)
 conjunctiva [10.5](#)
 corneovitreal [12.34](#)
 cortical (brain) [02.91](#)
 ear, middle [20.23](#)
 Eustachian tube [20.8](#)
 extraocular muscle [15.7](#)
 extrauterine [54.59](#)
 laparoscopic [54.51](#)
 eyelid [08.09](#)
 and conjunctiva [10.5](#)
 eye muscle [15.7](#)
 fallopian tube [65.89](#)
 laparoscopic [65.81](#)
 fascia [83.91](#)
 hand [82.91](#)
 by stretching or manipulation [93.26](#)
 gallbladder [54.59](#)
 laparoscopic [54.51](#)

- ganglion (peripheral) NEC [04.49](#)
 - cranial NEC [04.42](#)
 - Optic [04.420](#) (IM)
 - Facial [04.421](#) (IM)
- hand [82.91](#)
 - by stretching or manipulation [93.26](#)
- heart [37.10](#)
- intestines [54.59](#)
 - laparoscopic [54.51](#)
- iris (posterior) [12.33](#)
 - anterior [12.32](#)
- joint (capsule) (structure) -- see also Division, joint capsule [80.40](#)
- kidney [59.02](#)
 - laparoscopic [59.03](#)
- labia (vulva) [71.01](#)
- larynx [31.92](#)
- liver [54.59](#)
 - laparoscopic [54.51](#)
- lung (for collapse of lung) [33.39](#)
- mediastinum [34.99](#)
- meninges (spinal) [03.6](#)
 - cortical [02.91](#)
- middle ear [20.23](#)
- muscle [83.91](#)
 - by stretching or manipulation [93.27](#)
 - extraocular [15.7](#)
 - hand [82.91](#)
 - by stretching or manipulation [93.26](#)
- nasopharynx [29.54](#)
- nerve (peripheral) NEC [04.49](#)
 - cranial NEC [04.42](#)
 - facial [04.421](#) (IM)
 - optic [04.420](#) (IM)
 - roots, spinal [03.6](#)
 - trigeminal [04.41](#)
- nose, nasal [21.91](#)
- ocular muscle [15.7](#)
- ovary [65.89](#)
 - laparoscopic [65.81](#)
- pelvic [54.59](#)
 - laparoscopic [54.51](#)
- penile [64.93](#)
- pericardium [37.12](#)
- perineal (female) [71.01](#)
- peripheral vessels [39.91](#)
- perirectal [48.81](#)
- perirenal [59.02](#)
 - laparoscopic [59.03](#)
- peritoneum (pelvic) [54.59](#)
 - laparoscopic [54.51](#)
- periuireteral [59.02](#)
 - laparoscopic [59.03](#)
- perivesical [59.11](#)
 - laparoscopic [59.12](#)
- pharynx [29.54](#)
- pleura (for collapse of lung) [33.39](#)