

Rhytidectomy (facial) [86.82](#)
 eyelid
 lower [08.86](#)
 upper [08.87](#)
 Rhytidoplasty (facial) [86.82](#)
 Ripstein operation (repair of prolapsed rectum) [48.75](#)
 Robotic assisted surgery
 endoscopic [17.44](#)
 laparoscopic [17.42](#)
 open [17.41](#)
 other and unspecified [17.49](#)
 percutaneous [17.43](#)
 thoracoscopic [17.45](#)
 Rodney Smith operation (radical subtotal pancreatectomy) [52.53](#)
 Roentgenography -- see also Radiography cardiac, negative contrast [88.58](#)
 Rolling of conjunctiva [10.33](#)
 Root
 canal (tooth) (therapy) [23.70](#)
 with
 apicoectomy [23.72](#)
 irrigation [23.71](#)
 resection (tooth) (apex) [23.73](#)
 with root canal therapy [23.72](#)
 residual or retained [23.11](#)
 Rotation of fetal head
 forceps (instrumental) (Kielland) (Scanzoni) (key-in-lock) [72.4](#)
 manual [73.51](#)
 Routine
 chest x-ray [87.44](#)
 psychiatric visit [94.12](#)
 Roux-en-Y operation
 bile duct [51.36](#)
 cholecystojejunostomy [51.32](#)
 esophagus (intrathoracic) [42.54](#)
 gastroenterostomy [44.39](#)
 laparoscopic [44.38](#)
 gastrojejunostomy [44.39](#)
 laparoscopic [44.38](#)
 pancreaticojejunostomy [52.96](#)
 Roux-Goldthwait operation (repair of recurrent patellar dislocation) [81.44](#)
 Roux-Herzen-Judine operation (jejunal loop interposition) [42.63](#)
 Rubin test (insufflation of fallopian tube) [66.8](#)
 Ruiz-Mora operation (proximal phalangectomy for hammer toe) [77.99](#)
 Rupture
 esophageal web [42.01](#)
 joint adhesions, manual [93.26](#)
 membranes, artificial [73.09](#)
 for surgical induction of labor [73.01](#)
 ovarian cyst, manual [65.93](#)
 Russe operation (bone graft of scaphoid) [78.04](#)

S

Sacculotomy (tack) [20.79](#)
 Sacrectomy (partial) [77.89](#)

total [77.99](#)
 Saemisch operation (corneal section) [11.1](#)
 Salpingectomy (bilateral) (total) (transvaginal) [66.51](#)
 with oophorectomy [65.61](#)
 laparoscopic [65.63](#)
 partial (unilateral) [66.69](#)
 with removal of tubal pregnancy [66.62](#)
 bilateral [66.63](#)
 for sterilization [66.39](#)
 by endoscopy [66.29](#)
 remaining or solitary tube [66.52](#)
 with ovary [65.62](#)
 laparoscopic [65.64](#)
 unilateral (total) [66.4](#)
 with
 oophorectomy [65.49](#)
 laparoscopic [65.41](#)
 removal of tubal pregnancy [66.62](#)
 partial [66.69](#)
 Salpingography [87.85](#)
 Salpingohysterostomy [66.74](#)
 Salpingo-oophorectomy (unilateral) [65.49](#)
 that by laparoscope [65.41](#)
 bilateral (same operative episode) [65.61](#)
 laparoscopic [65.63](#)
 remaining or solitary tube and ovary [65.62](#)
 laparoscopic [65.64](#)
 Salpingo-oophoroplasty [65.73](#)
 laparoscopic [65.76](#)
 Salpingo-oophororrhaphy [65.79](#)
 Salpingo-oophorostomy [66.72](#)
 Salpingo-oophorotomy [65.09](#)
 laparoscopic [65.01](#)
 Salpingoplasty [66.79](#)
 Salpingorrhaphy [66.71](#)
 Salpingosalpingostomy [66.73](#)
 Salpingostomy (for removal of non-ruptured ectopic pregnancy) [66.02](#)
 Salpingotomy [66.01](#)
 Salpingo-uterostomy [66.74](#)
 Salter operation (innominate osteotomy) [77.39](#)
 Salvage (autologous blood) (intraoperative) (perioperative) (postoperative) [99.00](#)
 Sampling, blood for genetic determination of fetus [75.33](#)
 Sandpapering (skin) [86.25](#)
 Saucerization
 bone -- see also Excision, lesion, bone [77.60](#)
 rectum [48.99](#)
 Sauer-Bacon operation (abdominoperineal resection), NOS [48.50](#)
 laparoscopic [48.51](#)
 open [48.52](#)
 other [48.59](#)
 Scalenectiony [83.45](#)
 Scalenotomy [83.19](#)
 Scaling and polishing, dental [96.54](#)
 Scan, scanning
 C.A.T. (computerized axial tomography) [88.38](#)
 with computer assisted surgery (CAS) [00.31](#)

- abdomen [88.01](#)
- bone [88.38](#)
 - mineral density [88.98](#)
- brain [87.03](#)
- cardiac [87.41](#)
- coronary [87.41](#)
- head [87.03](#)
- kidney [87.71](#)
- skeletal [88.38](#)
 - mineral density [88.98](#)
- thorax [87.41](#)
- computerized axial tomography (C.A.T.) -- see also Scan, C.A.T. [88.38](#)
- C.T. -- see Scan, C.A.T.
- gallium -- see Scan, radioisotope
- liver [92.02](#)
- MUGA (multiple gated acquisition) - see Scan, radioisotope
- positron emission tomography (PET) -- see Scan, radioisotope
- radioisotope
 - adrenal [92.09](#)
 - bone [92.14](#)
 - marrow [92.05](#)
 - bowel [92.04](#)
 - cardiac output [92.05](#)
 - cardiovascular [92.05](#)
 - cerebral [92.11](#)
 - circulation time [92.05](#)
 - eye [95.16](#)
 - gastrointestinal [92.04](#)
 - head NEC [92.12](#)
 - hematopoietic [92.05](#)
 - intestine [92.04](#)
 - iodine-131 [92.01](#)
 - kidney [92.03](#)
 - liver [92.02](#)
 - lung [92.15](#)
 - lymphatic system [92.16](#)
 - myocardial infarction [92.05](#)
 - pancreatic [92.04](#)
 - parathyroid [92.13](#)
 - pituitary [92.11](#)
 - placenta [92.17](#)
 - protein-bound iodine [92.01](#)
 - pulmonary [92.15](#)
 - radio-iodine uptake [92.01](#)
 - renal [92.03](#)
 - specified site NEC [92.19](#)
 - spleen [92.05](#)
 - thyroid [92.01](#)
 - total body [92.18](#)
 - uterus [92.19](#)
- renal [92.03](#)
- thermal -- see Thermography
- Scapulectomy (partial) [77.81](#)
- total [77.91](#)
- Scapulopexy [78.41](#)
- Scarification

- conjunctiva [10.33](#)
- nasal veins (with packing) [21.03](#)
- pericardium [36.39](#)
- pleura [34.6](#)
 - chemical [34.92](#)
 - with cancer chemotherapy substance [34.92](#) [[99.25](#)]
 - tetracycline [34.92](#) [[99.21](#)]
- Schanz operation (femoral osteotomy) [77.35](#)
- Schauta (-Amreich) operation (radical vaginal hysterectomy) [68.79](#)
 - laparoscopic [68.71](#)
- Schede operation (thoracoplasty) [33.34](#)
- Scheie operation
 - cautery of sclera [12.62](#)
 - sclerostomy [12.62](#)
- Schlatter operation (total gastrectomy) [43.99](#)
- Schroeder operation (endocervical excision) [67.39](#)
- Schuchardt operation (nonobstetrical episiotomy) [71.09](#)
- Schwartz operation (simple mastoidectomy) [20.41](#)
- Scintiphotography -- see Scan, radioisotope
- Scintiscan -- see Scan, radioisotope
- Sclerectomy (punch) (scissors) [12.65](#)
 - for retinal reattachment [14.49](#)
- Holth's [12.65](#)
- trephine [12.61](#)
 - with implant [14.41](#)
- Scleroplasty [12.89](#)
- Sclerosis -- see Sclerotherapy
- Sclerostomy (Scheie's) [12.62](#)
- Sclerotherapy
 - esophageal varices (endoscopic) [42.33](#)
 - hemorrhoids [49.42](#)
 - pleura [34.92](#)
 - treatment of malignancy (cytotoxic agent) [34.92](#) [[99.25](#)]
 - with tetracycline [34.92](#) [[99.21](#)]
 - varicose vein [39.92](#)
 - vein NEC [39.92](#)
- Sclerotomy (exploratory) [12.89](#)
 - anterior [12.89](#)
 - with
 - iridectomy [12.65](#)
 - removal of vitreous [14.71](#)
 - posterior [12.89](#)
 - with
 - iridectomy [12.65](#)
 - removal of vitreous [14.72](#)
- Scott operation
 - intestinal bypass for obesity [45.93](#)
 - jejunocolostomy (bypass) [45.93](#)
- Scraping
 - corneal epithelium [11.41](#)
 - for smear or culture [11.21](#)
 - trachoma follicles [10.33](#)
- Scrotectomy (partial) [61.3](#)
- Scrotoplasty [61.49](#)
- Scrotorrhaphy [61.41](#)
- Scrototomy [61.0](#)

Scrub, posterior nasal (adhesions) [21.91](#)
Sculpturing, heart valve -- see Valvuloplasty, heart
Section -- see also Division and Incision
 cesarean -- see Cesarean section
 ganglion, sympathetic [05.0](#)
 hypophyseal stalk -- see also Hypophysectomy, partial [07.63](#)
 ligamentum flavum (spine) -- omit code
 nerve (cranial) (peripheral) NEC [04.03](#)
 acoustic [04.01](#)
 spinal root (posterior) [03.1](#)
 sympathetic [05.0](#)
 trigeminal tract [04.02](#)
 Saemisch (corneal) [11.1](#)
 spinal ligament [80.49](#)
 arcuate -- omit code
 flavum -- omit code
 tooth (impacted) [23.19](#)
Seddon-Brooks operation (transfer of pectoralis major tendon) [83.75](#)
Semb operation (apicolysis of lung) [33.39](#)
Senning operation (correction of transposition of great vessels) [35.91](#)
Separation
 twins (attached) (conjoined) (Siamese) [84.93](#)
 asymmetrical (unequal) [84.93](#)
 symmetrical (equal) [84.92](#)

Septectomy
 atrial (closed) [35.41](#)
 open [35.42](#)
 transvenous method (balloon) [35.41](#)
 submucous (nasal) [21.5](#)
Septoplasty NEC [21.88](#)
 Functional septoplasty [21.50](#) (IM)
 with submucous resection of septum [21.5](#)
Septorhinoplasty [21.84](#)
Septostomy (atrial) (balloon) [35.41](#)
Septotomy, nasal [21.1](#)
Sequestrectomy
 bone [77.00](#)
 carpals, metacarpals [77.04](#)
 clavicle [77.01](#)
 facial [76.01](#)
 femur [77.05](#)
 fibula [77.07](#)
 humerus [77.02](#)
 nose [21.32](#)
 patella [77.06](#)
 pelvic [77.09](#)
 phalanges (foot) (hand) [77.09](#)
 radius [77.09](#)
 scapula [77.01](#)
 skull [01.25](#)
 specified site NEC [77.09](#)
 tarsals, metatarsals [77.08](#)
 thorax (ribs) (sternum) [77.01](#)
 tibia [77.07](#)
 ulna [77.03](#)
 vertebrae [77.09](#)
 nose [21.32](#)
 skull [01.25](#)
Sesamoidectomy [77.98](#)
Setback, ear [18.5](#)
Sever operation (division of soft tissue of arm) [83.19](#)
Severing of blepharorrhaphy [08.02](#)
Sewell operation (heart) [36.2](#)
Sharrard operation (iliopsoas muscle transfer) [83.77](#)
Shaving
 bone -- see also Excision, lesion, bone [77.60](#)
 cornea (epithelium) [11.41](#)
 for smear or culture [11.21](#)
 patella [77.66](#)
Shelf operation (hip arthroplasty) [81.40](#)
Shirodkar operation (encirclement suture, cervix) [67.59](#)
Shock therapy
 chemical [94.24](#)
 electroconvulsive [94.27](#)
 electrotonic [94.27](#)
 insulin [94.24](#)
 subconvulsive [94.26](#)
Shortening
 bone (fusion) [78.20](#)
 femur [78.25](#)

- specified site NEC -- see category [78.2](#)
- tibia [78.27](#)
- ulna [78.23](#)
- endopelvic fascia [69.22](#)
- extraocular muscle NEC [15.22](#)
 - multiple (two or more muscles) [15.4](#)
- eyelid margin [08.71](#)
- eye muscle NEC [15.22](#)
 - multiple (two or more muscles) (with lengthening) [15.4](#)
- finger (macroductyly repair) [82.83](#)
- heel cord [83.85](#)
- levator palpebrae muscle [08.33](#)
- ligament -- see also Arthroplasty
 - round [69.22](#)
 - uterosacral [69.22](#)
- muscle [83.85](#)
 - extraocular [15.22](#)
 - multiple (two or more muscles) [15.4](#)
 - hand [82.55](#)
- sclera (for repair of retinal detachment) [14.59](#)
 - by scleral buckling -- see also Buckling, scleral [14.49](#)
- tendon [83.85](#)
 - hand [82.55](#)
- ureter (with reimplantation) [56.41](#)
- Shunt -- see also Anastomosis and Bypass, vascular
 - abdominovenous [54.94](#)
 - aorta-coronary sinus [36.39](#)
 - aortocoronary bypass for heart revascularization with IVS Rupture Repair [36.101](#) (IM)
 - aortocoronary bypass for heart revascularization with surgical ventricular restoration [36.100](#) (IM)
 - aortocoronary bypass for heart revascularization with valve procedure [36.18](#) (IM)
 - aorta (descending)-pulmonary (artery) [39.0](#)
 - aortocarotid [39.22](#)
 - aortoceliac [39.26](#)
 - aortofemoral [39.25](#)
 - aortoiliac [39.25](#)
 - aortoiliofemoral [39.25](#)
 - aortomesenteric [39.26](#)
 - aorto-myocardial (graft) [36.2](#)
 - aortorenal [39.24](#)
 - aortosubclavian [39.22](#)
 - apicoaortic [35.93](#)
 - arteriovenous NEC [39.29](#)
 - for renal dialysis (by)
 - anastomosis [39.27](#)
 - Insertion of permanent central dialysis catheter [39.271](#) (IM)
 - Insertion of temporary central dialysis catheter [39.270](#) (IM)
 - external cannula [39.93](#)
 - ascending aorta to pulmonary artery (Waterston) [39.0](#)
 - axillary-femoral [39.29](#)
 - carotid-carotid [39.22](#)
 - carotid-subclavian [39.22](#)
 - caval-mesenteric [39.1](#)
 - corpora cavernosa-corpora spongiosum [64.98](#)
 - corpora-saphenous [64.98](#)
 - descending aorta to pulmonary artery (Potts-Smith) [39.0](#)
 - endolymphatic (-subarachnoid) [20.71](#)

- endolymph-perilymph [20.71](#)
- extracranial-intracranial (EC-IC) [39.28](#)
- femoroperoneal [39.29](#)
- femoropopliteal [39.29](#)
- iliofemoral [39.25](#)
- ilioiliac [39.25](#)
- intestinal
 - large-to-large [45.94](#)
 - small-to-large [45.93](#)
 - small-to-small [45.91](#)
- left subclavian to descending aorta (Blalock-Park) [39.0](#)
- left-to-right (systemic-pulmonary artery) [39.0](#)
- left ventricle (heart) (apex) and aorta [35.93](#)
- lienorenal [39.1](#)
- lumbar-subarachnoid (with valve) NEC [03.79](#)
- mesocaval [39.1](#)
- peritoneal-jugular [54.94](#)
- peritoneo-vascular [54.94](#)
- peritoneovenous [54.94](#)
- pleuroperitoneal [34.05](#)
- pleurothecal (with valve) [03.79](#)
- portacaval (double) [39.1](#)
- portal-systemic [39.1](#)
- portal vein to vena cava [39.1](#)
- pulmonary-innominate [39.0](#)
- pulmonary vein to atrium [35.82](#)
- renoportal [39.1](#)
- right atrium and pulmonary artery [35.94](#)
- right ventricle and pulmonary artery (distal) [35.92](#)
 - in repair of
 - pulmonary artery atresia [35.92](#)
 - transposition of great vessels [35.92](#)
 - truncus arteriosus [35.83](#)
- salpingothecal (with valve) [03.79](#)
- semicircular subarachnoid [20.71](#)
- spinal (thecal) (with valve) NEC [03.79](#)
 - subarachnoid-peritoneal [03.71](#)
 - subarachnoid-ureteral [03.72](#)
- splenorenal (venous) [39.1](#)
 - arterial [39.26](#)
- subarachnoid-peritoneal (with valve) [03.71](#)
- subarachnoid-ureteral (with valve) [03.72](#)
- subclavian-pulmonary [39.0](#)
- subdural-peritoneal (with valve) [02.34](#)
- superior mesenteric-caval [39.1](#)
- systemic-pulmonary artery [39.0](#)
- transjugular intrahepatic portosystemic [TIPS] [39.1](#)
- vena cava to pulmonary artery (Green) [39.21](#)
- ventricular (cerebral) (with valve) [02.2](#)
 - to
 - abdominal cavity or organ [02.34](#)
 - bone marrow [02.39](#)
 - cervical subarachnoid space [02.2](#)
 - with [Endoscopic 02.20](#) (IM)
 - circulatory system [02.32](#)
 - cisterna magna [02.2](#)

- with [Endoscopic 02.20](#) (IM)
- extracranial site NEC [02.39](#)
- gallbladder [02.34](#)
- head or neck structure [02.31](#)
- intracerebral site NEC [02.2](#)
- with [Endoscopic 02.20](#) (IM)
- lumbar site [02.39](#)
- mastoid [02.31](#)
- nasopharynx [02.31](#)
- peritoneal [02.34](#)
- thoracic cavity [02.33](#)
- ureter [02.35](#)
- urinary system [02.35](#)
- venous system [02.32](#)
- ventriculoatrial (with valve) [02.32](#)
- ventriculocaval (with valve) [02.32](#)
- ventriculocisternal (with valve) [02.2](#)
- with [Endoscopic 02.20](#) (IM)
- ventriculolumbar (with valve) [02.39](#)
- ventriculomastoid (with valve) [02.31](#)
- ventriculonasopharyngeal [02.31](#)
- ventriculopleural (with valve) [02.33](#)
- Sialoadenectomy (parotid) (sublingual) (submaxillary) [26.30](#)
- complete [26.32](#)
- partial [26.31](#)
- radical [26.32](#)
- Sialoadenolithotomy [26.0](#)
- Sialadenotomy [26.0](#)
- Sialodochoplasty NEC [26.49](#)
- Sialogram [87.09](#)
- Sialolithotomy [26.0](#)
- Sieve, vena cava [38.7](#)
- Sigmoid bladder [57.87](#) [[45.52](#)]
- Sigmoidectomy
 - laparoscopic [17.36](#)
 - open and other [45.76](#)
- Sigmoidomyotomy [46.91](#)
- Sigmoidopexy (Moschowitz) [46.63](#)
- Sigmoidoproctectomy -- see also Resection, rectum [48.69](#)
- Sigmoidoproctostomy [45.94](#)
- Sigmoidorectostomy [45.94](#)
- Sigmoidorrhaphy [46.75](#)
- Sigmoidoscopy (rigid) [48.23](#)
 - with biopsy [45.25](#)
 - flexible [45.24](#)
 - through stoma (artificial) [45.22](#)
 - transabdominal [45.21](#)
- Sigmoidosigmoidostomy [45.94](#)
 - proximal to distal segment
 - laparoscopic [17.36](#)
 - open and other [45.76](#)
- Sigmoidostomy -- see also Colostomy [46.10](#)
- Sigmoidotomy [45.03](#)
- Sign language [93.75](#)
- Silver operation (bunionectomy) [77.59](#)
- Simple vestibular test [95.440](#) (IM)

Sinogram

abdominal wall [88.03](#)
 chest wall [87.38](#)
 retroperitoneum [88.14](#)

Sinusectomy (nasal) (complete) (partial) (with turbinectomy) [22.60](#)

antrum [22.62](#)
 with Caldwell-Luc approach [22.61](#)
 ethmoid [22.63](#)
 frontal [22.42](#)
 dextra [22.421](#) (IM)
 sinistra [22.420](#) (IM)
 maxillary [22.62](#)
 with Caldwell-Luc approach [22.61](#)
 sphenoid [22.64](#)

Sinusotomy (nasal) [22.50](#)

antrum (intranasal) [22.2](#)
 with external approach (Caldwell-Luc) [22.39](#)
 radical (with removal of membrane lining) [22.31](#)
 ethmoid [22.51](#)
 frontal [22.41](#)
 dextra [22.411](#) (IM)
 sinistra [22.410](#) (IM)
 maxillary (intranasal) [22.2](#)
 external approach (Caldwell-Luc) [22.39](#)
 radical (with removal of membrane lining) [22.31](#)
 multiple [22.53](#)
 perinasal [22.50](#)
 sphenoid [22.52](#)

Sistrunk operation (excision of thyroglossal cyst) [06.7](#)

Size reduction

abdominal wall (adipose) (pendulous) [86.83](#)
 arms (adipose) (batwing) [86.83](#)
 breast (bilateral) [85.32](#)
 unilateral [85.31](#)
 buttocks (adipose) [86.83](#)
 skin [86.83](#)
 subcutaneous tissue [86.83](#)
 thighs (adipose) [86.83](#)

Skeletal series (x-ray) [88.31](#)

SKyphoplasty [81.66](#)

Sling -- see also Operation, sling

fascial (fascia lata)
 for facial weakness (trigeminal nerve paralysis) [86.81](#)
 mouth [86.81](#)
 orbicularis (mouth) [86.81](#)
 tongue [25.59](#)
 levator muscle (urethrocystopexy) [59.71](#)
 pubococcygeal [59.71](#)
 rectum (puborectalis) [48.76](#)
 tongue (fascial) [25.59](#)

Slitting

canaliculus for
 passage of tube [09.42](#)
 removal of streptothrix [09.42](#)
 lens [13.2](#)
 prepuce (dorsal) (lateral) [64.91](#)

Slocum operation (pes anserinus transfer) [81.47](#)
 Sluder operation (tonsillectomy) [28.2](#)
 Small bowel series (x-ray) [87.63](#)
 Smell test [21.291](#) (IM)
 Smith operation (open osteotomy of mandible) [76.62](#)
 Smith-Peterson operation (radiocarpal arthrodesis) [81.25](#)
 Smithwick operation (sympathectomy) [05.29](#)
 Snaring, polyp, colon (endoscopic) [45.42](#)
 Snip, punctum (with dilation) [09.51](#)
 Soave operation (endorectal pull-through) [48.41](#)
 Somatotherapy, psychiatric NEC [94.29](#)
 Sonneberg operation (inferior maxillary neurectomy) [04.07](#)
 Sorondo-Ferré operation (hindquarter amputation) [84.19](#)
 Soutter operation (iliac crest fasciotomy) [83.14](#)
 Spaulding-Richardson operation (uterine suspension) [69.22](#)
 Spectrophotometry NEC [89.39](#)
 blood [89.39](#)
 placenta [89.29](#)
 urine [89.29](#)
 Spectroscopy
 intravascular [38.23](#)
 near infrared (NIR) [38.23](#)
 Speech therapy NEC [93.75](#)
 Speech audiometry [95.411](#) (IM)
 Spermatocectomy [63.2](#)
 Spermatocystectomy [60.73](#)
 Spermatocystotomy [60.72](#)
 Sphenoidectomy [22.64](#)
 Sphenoidectomy dextra [22.641](#) (IM)
 Sphenoidectomy sinistra [22.640](#) (IM)
 Sphenoidotomy [22.52](#)
 Sphenoidotomy dextra [22.521](#) (IM)
 Sphenoidotomy sinistra [22.520](#) (IM)
 Sphincterectomy, anal [49.6](#)
 Sphincteroplasty
 anal [49.79](#)
 obstetrical laceration (current) [75.62](#)
 old [49.79](#)
 bladder neck [57.85](#)
 laparoscopic bladder neck repair [57.850](#) (IM)
 pancreas [51.83](#)
 sphincter of Oddi [51.83](#)
 Sphincterorrhaphy, anal [49.71](#)
 obstetrical laceration (current) [75.62](#)
 old [49.79](#)
 Sphincterotomy
 anal (external) (internal) [49.59](#)
 left lateral [49.51](#)
 posterior [49.52](#)
 bladder (neck) (transurethral) [57.91](#)
 choledochal [51.82](#)
 endoscopic [51.85](#)
 iris [12.12](#)
 pancreatic [51.82](#)
 endoscopic [51.85](#)
 sphincter of Oddi [51.82](#)

- endoscopic [51.85](#)
 - transduodenal ampullary [51.82](#)
 - endoscopic [51.85](#)
- Spinal anesthesia -- omit code
- Spinelli operation (correction of inverted uterus) [75.93](#)
- Spineoplasty [81.66](#)
- Spirometry (incentive) (respiratory) [89.37](#)
- Spivack operation (permanent gastrostomy) [43.19](#)
- Splanchnicectomy [05.29](#)
- Splanchnicotomy [05.0](#)
- Splenectomy (complete) (total) [41.5](#)
 - partial [41.43](#)
- Splenogram [88.64](#)
 - radioisotope [92.05](#)
- Splenolysis [54.59](#)
 - laparoscopic [54.51](#)
- Splenopexy [41.95](#)
- Splenoplasty [41.95](#)
- Splenoportogram (by splenic arteriography) [88.64](#)
- Splenorrhaphy [41.95](#)
- Splenotomy [41.2](#)
- Splinting
 - dental (for immobilization) [93.55](#)
 - orthodontic [24.7](#)
 - musculoskeletal [93.54](#)
 - ureteral [56.2](#)
 - Open ureteral exploration [56.22](#) (IM)
- Splitting -- see also Division
 - canaliculus [09.52](#)
 - lacrimal papilla [09.51](#)
 - spinal cord tracts [03.29](#)
 - percutaneous [03.21](#)
 - tendon sheath [83.01](#)
 - hand [82.01](#)
- Spondylosyndesis -- see also Fusion, spinal [81.00](#)
- S.P. Rogers operation (knee disarticulation) [84.16](#)
- Ssabanejew-Frank operation (permanent gastrostomy) [43.19](#)
- Stab, intercostal [34.09](#)
- Stabilization, joint -- see also Arthrodesis
 - patella (for recurrent dislocation) [81.44](#)
- Stacke operation (simple mastoidectomy) [20.41](#)
- Stallard operation (conjunctivocystorhinostomy) [09.82](#)
 - with insertion of tube or stent [09.83](#)
- Stamm (-Kader) operation (temporary gastrostomy) [43.19](#)
- Stapedectomy [19.19](#)
 - with incus replacement (homograft) (prosthesis) [19.11](#)
 - revision [19.29](#)
 - with incus replacement [19.21](#)
- Stapediolysis [19.0](#)
- Stapedial reflex response [95.413](#) (IM)
- Stapling
 - artery [39.31](#)
 - blebs, lung (emphysematous) [32.21](#)
 - diaphysis -- see also Stapling, epiphyseal plate [78.20](#)
 - epiphyseal plate [78.20](#)
 - femur [78.25](#)

- fibula [78.27](#)
- humerus [78.22](#)
- radius [78.23](#)
- specified site NEC [78.29](#)
- tibia [78.27](#)
- ulna [78.23](#)
- gastric varices [44.91](#)
- graft -- see Graft
- left atrial appendage [48.74](#)
- vein [39.32](#)
- STARR (stapled transanal rectal resection) [48.74](#)
- StaXx® FX Structural Kyphoplasty System [81.66](#)
- Steinberg operation [44.5](#)
- Steindler operation
 - fascia stripping (for cavus deformity) [83.14](#)
 - flexorplasty (elbow) [83.77](#)
 - muscle transfer [83.77](#)
- Stereotactic radiosurgery [92.30](#)
 - cobalt 60 [92.32](#)
 - linear accelerator (LINAC) [92.31](#)
 - multi-source [92.32](#)
 - particle beam [92.33](#)
 - particulate [92.33](#)
 - radiosurgery NEC [92.39](#)
 - single source photon [92.31](#)
- Stereotactic head frame application [93.59](#)
- Sterilization
 - female -- see also specific operation [66.39](#)
 - male NEC -- see also Ligation, vas deferens [63.70](#)
- Sternotomy [77.31](#)
 - as operative approach -- omit code
 - for bone marrow biopsy [41.31](#)
- Stewart operation (renal plication with pyeloplasty) [55.87](#)
- Stimulation (electronic) -- see also Implant, electronic stimulator
 - Bladder (non-implant) [57.960](#) (IM)
 - bone growth (percutaneous) -- see category [78.9](#)
 - transcutaneous (surface) [99.86](#)
 - cardiac (external) [99.62](#)
 - internal [37.91](#)
 - carotid sinus [99.64](#)
 - CaverMap™ [89.58](#)
 - defibrillator
 - as part of intraoperative testing - omit code
 - catheter based invasive electrophysiologic testing [37.26](#)
 - device interrogation only without arrhythmia induction (bedside check) [89.45](#) - [89.49](#)
 - noninvasive programmed electrical stimulation (NIPS) [37.20](#)
 - electrophysiologic, cardiac
 - as part of intraoperative testing - omit code
 - catheter based invasive electrophysiologic testing [37.26](#)
 - device interrogation only without arrhythmia induction (bedside check) [89.45](#) - [89.49](#)
 - noninvasive programmed electrical stimulation (NIPS) [37.20](#)
 - nerve
 - CaverMap™ [89.58](#)
 - penile [89.58](#)
 - peripheral or spinal cord, transcutaneous [93.39](#)
- Stitch, Kelly-Stoeckel (urethra) [59.3](#)

- Stomatoplasty [27.59](#)
- Stomatorrhaphy [27.52](#)
- Stone operation (anoplasty) [49.79](#)
- Strapping (non-traction) [93.59](#)
- Strassman operation (metroplasty) [69.49](#)
- Strayer operation (gastrocnemius recession) [83.72](#)
- Stretching
 - eyelid (with elongation) [08.71](#)
 - fascia [93.28](#)
 - foreskin [99.95](#)
 - iris [12.63](#)
 - muscle [93.27](#)
 - nerve (cranial) (peripheral) [04.91](#)
 - tendon [93.27](#)
- Stripping
 - bone -- see also Incision, bone [77.10](#)
 - carotid sinus [39.89](#)
 - cranial suture [02.01](#)
 - fascia [83.14](#)
 - hand [82.12](#)
 - membranes for surgical induction of labor [73.1](#)
 - meninges (cerebral) [01.51](#)
 - spinal [03.4](#)
 - saphenous vein, varicose [38.59](#)
 - subdural membrane (cerebral) [01.51](#)
 - spinal [03.4](#)
 - varicose veins (lower limb) [38.59](#)
 - upper limb [38.53](#)
 - vocal cords [30.09](#)
- Stroboscopy [31.420](#) (IM)
- Stromeyer-Little operation (hepatotomy) [50.0](#)
- Strong operation (unbridling of celiac artery axis) [39.91](#)
- Stryker frame [93.59](#)
- Study
 - bone mineral density [88.98](#)
 - bundle of His [37.29](#)
 - color vision [95.06](#)
 - conduction, nerve (median) [89.15](#)
 - dark adaptation, eye [95.07](#)
 - electrophysiologic stimulation and recording, cardiac
 - as part of intraoperative testing - omit code
 - catheter based invasive electrophysiologic testing [37.26](#)
 - device interrogation only without arrhythmia induction (bedside check) [89.45](#) - [89.49](#)
 - noninvasive programmed electrical stimulation (NIPS) [37.20](#)
 - function -- see *also* Function, study
 - radioisotope -- see Scan, radioisotope
 - lacrimal flow (radiographic) [87.05](#)
 - ocular motility [95.15](#)
 - pulmonary
 - airway flow measurement, endoscopic [33.72](#)
 - function - see categories [89.37](#)
 - radiographic -- see Radiography
 - radio-iodinated triolein [92.04](#)
 - renal clearance [92.03](#)
 - spirometer [89.37](#)
 - tracer -- see also Scan, radioisotope eye (P32) [95.16](#)

- ultrasonic -- see Ultrasonography
- visual field [95.05](#)
- xenon flow NEC [92.19](#)
 - cardiovascular [92.05](#)
 - pulmonary [92.15](#)
- Sturmdorf operation (conization of cervix) [67.2](#)
- Submucous resection
 - larynx [30.29](#)
 - nasal septum [21.5](#)
- Summerskill operation (dacryocystorhinostomy by intubation) [09.81](#)
- [Surfactant administration 96.010 \(IM\)](#)
- Surgery
 - computer assisted (CAS) [00.39](#)
 - with robotics - see category [17.4](#)
 - CAS with CT/CTA [00.31](#)
 - CAS with fluoroscopy [00.33](#)
 - CAS with MR/MRA [00.32](#)
 - CAS with multiple datasets [00.35](#)
 - imageless [00.34](#)
 - other CAS [00.39](#)
 - IGS - see Surgery, computer assisted
 - image guided - see Surgery, computer assisted
 - navigation (CT-free, IGN image guided, imageless)- see Surgery, computer assisted
 - robotic assisted - see category [17.4](#)
- Surmay operation (jejunostomy) [46.39](#)
- Suspension
 - balanced, for traction [93.45](#)
 - bladder NEC [57.89](#)
 - diverticulum, pharynx [29.59](#)
 - kidney [55.7](#)
 - Olshausen (uterus) [69.22](#)
 - ovary [65.79](#)
 - paraurethral (Pereyra) [59.6](#)
 - periurethral [59.6](#)
 - urethra (retropubic) (sling) [59.5](#)
 - urethrovesical
 - Goebel-Frangenheim-Stoeckel [59.4](#)
 - gracilis muscle transplant [59.71](#)
 - levator muscle sling [59.71](#)
 - Marshall-Marchetti (-Krantz) [59.5](#)
 - Millin-Read [59.4](#)
 - suprapubic [59.4](#)
 - uterus (abdominal or vaginal approach) [69.22](#)
 - vagina [70.77](#)
 - with graft or prosthesis [70.78](#)
- Suture (laceration)
 - abdominal wall [54.63](#)
 - secondary [54.61](#)
 - adenoid fossa [28.7](#)
 - adrenal (gland) [07.44](#)
 - aneurysm (cerebral) (peripheral) [39.52](#)
 - anus [49.71](#)
 - obstetric laceration (current) [75.62](#)
 - old [49.79](#)
 - aorta [39.31](#)
 - aponeurosis -- see also Suture, tendon [83.64](#)

arteriovenous fistula [39.53](#)
 artery [39.31](#)
 percutaneous puncture closure - *omit code*
 bile duct [51.79](#)
 bladder [57.81](#)
 obstetric laceration (current) [75.61](#)
 blood vessel NEC [39.30](#)
 artery [39.31](#)
 percutaneous puncture closure - *omit code*
 vein [39.32](#)
 breast (skin) [85.81](#)
 bronchus [33.41](#)
 bursa [83.99](#)
 hand [82.99](#)
 canaliculus [09.73](#)
 cecum [46.75](#)
 cerebral meninges [02.11](#)
 cervix (traumatic laceration) [67.61](#)
 internal os, encirclement [67.59](#)
 obstetric laceration (current) [75.51](#)
 old [67.69](#)
 chest wall [34.71](#)
 cleft palate [27.62](#)
 clitoris [71.4](#)
 colon [46.75](#)
 common duct [51.71](#)
 conjunctiva [10.6](#)
 cornea [11.51](#)
 with conjunctival flap [11.53](#)
 corneoscleral [11.51](#)
 with conjunctival flap [11.53](#)
 diaphragm [34.82](#)
 duodenum [46.71](#)
 ulcer (bleeding) (perforated) [44.42](#)
 endoscopic [44.43](#)
 dura mater (cerebral) [02.11](#)
 spinal [03.59](#)
 ear, external [18.4](#)
 enterocele [70.92](#)
 with graft or prosthesis [70.93](#)
 entropion [08.42](#)
 epididymis (and)
 spermatic cord [63.51](#)
 vas deferens [63.81](#)
 episiotomy -- see Episiotomy
 esophagus [42.82](#)
 eyeball [16.89](#)
 eyebrow [08.81](#)
 eyelid [08.81](#)
 with entropion or ectropion repair [08.42](#)
 fallopian tube [66.71](#)
 fascia [83.65](#)
 hand [82.46](#)
 to skeletal attachment [83.89](#)
 hand [82.89](#)
 gallbladder [51.91](#)

- ganglion, sympathetic [05.81](#)
- gingiva [24.32](#)
- great vessel [39.30](#)
 - artery [39.31](#)
 - vein [39.32](#)
- gum [24.32](#)
- heart [37.49](#)
- hepatic duct [51.79](#)
- hymen [70.76](#)
- ileum [46.73](#)
- intestine [46.79](#)
 - large [46.75](#)
 - small [46.73](#)
- jejunum [46.73](#)
- joint capsule [81.96](#)
 - with arthroplasty -- see Arthroplasty
 - ankle [81.94](#)
 - foot [81.94](#)
 - lower extremity NEC [81.95](#)
 - upper extremity [81.93](#)
- kidney [55.81](#)
- labia [71.71](#)
- laceration -- see Suture, by site
- larynx [31.61](#)
- ligament [81.96](#)
 - with arthroplasty -- see Arthroplasty
 - ankle [81.94](#)
 - broad [69.29](#)
 - Cooper's [54.64](#)
 - foot and toes [81.94](#)
 - gastrocolic [54.73](#)
 - knee [81.95](#)
 - lower extremity NEC [81.95](#)
 - sacroterine [69.29](#)
 - upper extremity [81.93](#)
 - uterine [69.29](#)
- ligation -- see Ligation
- lip [27.51](#)
- liver [50.61](#)
- lung [33.43](#)
- meninges (cerebral) [02.11](#)
 - spinal [03.59](#)
- mesentery [54.75](#)
- mouth [27.52](#)
- muscle [83.65](#)
 - hand [82.46](#)
 - ocular (oblique) (rectus) [15.7](#)
- nerve (cranial) (peripheral) [04.3](#)
 - sympathetic [05.81](#)
- nose (external) (internal) [21.81](#)
 - for epistaxis [21.09](#)
- obstetric laceration NEC [75.69](#)
 - bladder [75.61](#)
 - cervix [75.51](#)
 - corpus uteri [75.52](#)
 - pelvic floor [75.69](#)

perineum [75.69](#)
 periurethral [75.69](#)
 rectum [75.62](#)
 sphincter ani [75.62](#)
 urethra [75.61](#)
 uterus [75.50](#)
 vagina [75.69](#)
 vulva [75.69](#)
 omentum [54.64](#)
 ovary [65.71](#)
 laparoscopic [65.74](#)
 palate [27.61](#)
 cleft [27.62](#)
 palpebral fissure [08.59](#)
 pancreas [52.95](#)
 pelvic floor [71.71](#)
 obstetric laceration (current) [75.69](#)
 penis [64.41](#)
 peptic ulcer (bleeding) (perforated) [44.40](#)
 pericardium [37.49](#)
 perineum (female) [71.71](#)
 after delivery [75.69](#)
 episiotomy repair – see Episiotomy
 male [86.59](#)
 periosteum [78.20](#)
 carpal, metacarpal [78.24](#)
 femur [78.25](#)
 fibula [78.27](#)
 humerus [78.22](#)
 pelvic [78.29](#)
 phalanges (foot) (hand) [78.29](#)
 radius [78.23](#)
 specified site NEC [78.29](#)
 tarsal, metatarsal [78.28](#)
 tibia [78.27](#)
 ulna [78.23](#)
 vertebrae [78.29](#)
 peritoneum [54.64](#)
 periurethral tissue to symphysis pubis [59.5](#)
 pharynx [29.51](#)
 pleura [34.93](#)
 rectum [48.71](#)
 obstetric laceration (current) [75.62](#)
 retina (for reattachment) [14.59](#)
 sacrouterine ligament [69.29](#)
 salivary gland [26.41](#)
 scalp [86.59](#)
 replantation [86.51](#)
 sclera (with repair of conjunctiva) [12.81](#)
 scrotum (skin) [61.41](#)
 secondary
 abdominal wall [54.61](#)
 episiotomy [75.69](#)
 peritoneum [54.64](#)
 sigmoid [46.75](#)
 skin (mucous membrane) (without graft) [86.59](#)

- with graft -- see Graft, skin
- breast [85.81](#)
- ear [18.4](#)
- eyebrow [08.81](#)
- eyelid [08.81](#)
- nose [21.81](#)
- penis [64.41](#)
- scalp [86.59](#)
 - replantation [86.51](#)
- scrotum [61.41](#)
- vulva [71.71](#)
- specified site NEC -- see Repair, by site
- spermatic cord [63.51](#)
- sphincter ani [49.71](#)
 - obstetric laceration (current) [75.62](#)
 - old [49.79](#)
- spinal meninges [03.59](#)
- spleen [41.95](#)
- stomach [44.61](#)
 - ulcer (bleeding) (perforated) [44.41](#)
 - endoscopic [44.43](#)
- subcutaneous tissue (without skin graft) [86.59](#)
 - with graft -- see Graft, skin
- tendon (direct) (immediate) (primary) [83.64](#)
 - delayed (secondary) [83.62](#)
 - hand NEC [82.43](#)
 - flexors [82.42](#)
 - hand NEC [82.45](#)
 - delayed (secondary) [82.43](#)
 - flexors [82.44](#)
 - delayed (secondary) [82.42](#)
 - ocular [15.7](#)
 - rotator cuff [83.63](#)
 - sheath [83.61](#)
 - hand [82.41](#)
 - supraspinatus (rotator cuff repair) [83.63](#)
 - to skeletal attachment [83.88](#)
 - hand [82.85](#)
- Tenon's capsule [15.7](#)
- testis [62.61](#)
- thymus [07.93](#)
- thyroid gland [06.93](#)
- tongue [25.51](#)
- tonsillar fossa [28.7](#)
- trachea [31.71](#)
 - cervical [31.711](#) (IM)
 - intrathoracic [31.712](#) (IM)
- tunica vaginalis [61.41](#)
- ulcer (bleeding) (perforated) (peptic) [44.40](#)
 - duodenum [44.42](#)
 - endoscopic [44.43](#)
 - gastric [44.41](#)
 - endoscopic [44.43](#)
 - intestine [46.79](#)
 - skin [86.59](#)
 - stomach [44.41](#)

- endoscopic [44.43](#)
- ureter [56.82](#)
- urethra [58.41](#)
 - obstetric laceration (current) [75.61](#)
- uterosacral ligament [69.29](#)
- uterus [69.41](#)
 - obstetric laceration (current) [75.50](#)
 - old [69.49](#)
 - uterine compression suture (B-Lynch) [69.90](#) (IM)
- uvula [27.73](#)
- vagina [70.71](#)
 - obstetric laceration (current) [75.69](#)
 - old [70.79](#)
- vas deferens [63.81](#)
- vein [39.32](#)
- vulva [71.71](#)
 - obstetric laceration (current) [75.69](#)
 - old [71.79](#)
- Suture-ligation -- see also Ligation
 - blood vessel -- see Ligation, blood vessel
- Sweep, anterior iris [12.97](#)
- Swenson operation
 - bladder reconstruction [57.87](#)
 - Open bladder enlargement [57.871](#) (IM)
 - proctectomy [48.49](#)
- Swinney operation (urethral reconstruction) [58.46](#)
- Switch, switching
 - coronary arteries [35.84](#)
 - great arteries, total [35.84](#)
- Syme operation
 - ankle amputation through malleoli of tibia and fibula [84.14](#)
 - urethrotomy, external [58.0](#)
- Sympathectomy NEC [05.29](#)
 - cervical [05.22](#)
 - cervicothoracic [05.22](#)
 - lumbar [05.23](#)
 - periarterial [05.25](#)
 - presacral [05.24](#)
 - renal [05.29](#)
 - thoracolumbar [05.23](#)
 - tympa-num [20.91](#)
- Sympatheticotripsy [05.0](#)
- Symphysiotomy [77.39](#)
 - assisting delivery (obstetrical) [73.94](#)
 - kidney (horseshoe) [55.85](#)
- Symphysis, pleural [34.6](#)
- Synchondrotomy -- see also Division, cartilage [80.40](#)
- Syndactylization [86.89](#)
- Syndesmotomy -- see also Division, ligament [80.40](#)
- Synechiotomy
 - endometrium [68.21](#)
 - iris (posterior) [12.33](#)
 - anterior [12.32](#)
- Synovectomy (joint) (complete) (partial) [80.70](#)
 - ankle [80.77](#)
 - elbow [80.72](#)