

foot and toe [80.78](#)
 hand and finger [80.74](#)
 hip [80.75](#)
 knee [80.76](#)
 shoulder [80.71](#)
 specified site NEC [80.79](#)
 spine [80.79](#)
 tendon sheath [83.42](#)
 hand [82.33](#)
 wrist [80.73](#)

Syringing

lacrimal duct or sac [09.43](#)
 nasolacrimal duct [09.43](#)
 with
 dilation [09.43](#)
 insertion of tube or stent [09.44](#)

T

Taarnhoj operation (trigeminal nerve root decompression) [04.41](#)

Tack operation (sacculotomy) [20.79](#)

Tactile Guidance System™ [TGS] - see category [17.4](#)

Take-down

anastomosis
 arterial [39.49](#)
 blood vessel [39.49](#)
 gastric, gastrointestinal [44.5](#)
 intestine [46.93](#)
 stomach [44.5](#)
 vascular [39.49](#)
 ventricular [02.43](#)
 arterial bypass [39.49](#)
 arteriovenous shunt [39.43](#)
 with creation of new shunt [39.42](#)
 cecostomy [46.52](#)
 colostomy [46.52](#)
 duodenostomy [46.51](#)
 enterostomy [46.50](#)
 esophagostomy [42.83](#)
 gastroduodenostomy [44.5](#)
 gastrojejunostomy [44.5](#)
 ileostomy [46.51](#)
 intestinal stoma [46.50](#)
 large [46.52](#)
 small [46.51](#)
 jejunioileal bypass [46.93](#)
 jejunostomy [46.51](#)
 laryngostomy [31.62](#)
 sigmoidostomy [46.52](#)
 stoma
 bile duct [51.79](#)
 bladder [57.82](#)
 bronchus [33.42](#)
 common duct [51.72](#)
 esophagus [42.83](#)

- gall bladder [51.92](#)
- hepatic duct [51.79](#)
- intestine [46.50](#)
 - large [46.52](#)
 - small [46.51](#)
- kidney [55.82](#)
- larynx [31.62](#)
- rectum [48.72](#)
- stomach [44.62](#)
- thorax [34.72](#)
- trachea [31.72](#)
- ureter [56.83](#)
- urethra [58.42](#)
- systemic-pulmonary artery anastomosis [39.49](#)
 - in total repair of tetralogy of Fallot [35.81](#)
- tracheostomy [31.72](#)
- vascular anastomosis or bypass [39.49](#)
- ventricular shunt (cerebral) [02.43](#)
- Talectomy [77.98](#)
- Talma-Morison operation (omentopexy) [54.74](#)
- Tamponade
 - esophageal [96.06](#)
 - intrauterine (nonobstetric) [69.91](#)
 - after delivery or abortion [75.8](#)
 - antepartum [73.1](#)
 - vagina [96.14](#)
 - after delivery or abortion [75.8](#)
 - antepartum [73.1](#)
- Tanner operation (devascularization of stomach) [44.99](#)
- Tap
 - abdomen [54.91](#)
 - chest [34.91](#)
 - cisternal [01.01](#)
 - cranial [01.09](#)
 - joint [81.91](#)
 - lumbar (diagnostic) (removal of dye) [03.31](#)
 - perilymphatic [20.79](#)
 - spinal (diagnostic) [03.31](#)
 - subdural (through fontanel) [01.09](#)
 - thorax [34.91](#)
- Tarsectomy [08.20](#)
 - de Grandmont [08.35](#)
- Tarsoplasty -- see also Reconstruction, eyelid [08.70](#)
- Tarsorrhaphy (lateral) [08.52](#)
 - division or severing [08.02](#)
- Tattooing
 - cornea [11.91](#)
 - skin [86.02](#)
- Tautening, eyelid for entropion [08.42](#)
- Telemetry (cardiac) [89.54](#)
- Teleradiotherapy
 - beta particles [92.25](#)
 - intra-operative [92.41](#)
 - Betatron [92.24](#)
 - cobalt-60 [92.23](#)
 - electrons [92.25](#)

- intra-operative [92.41](#)
- iodine-125 [92.23](#)
- linear accelerator [92.24](#)
- neutrons [92.26](#)
- particulate radiation NEC [92.26](#)
- photons [92.24](#)
- protons [92.26](#)
- radioactive cesium [92.23](#)
- radioisotopes NEC [92.23](#)
- Temperament assessment [94.02](#)
- Temperature gradient study -- see also Thermography [88.89](#)
- Tendinoplasty -- see Repair, tendon
- Tendinosuture (immediate) (primary) -- see also Suture, tendon [83.64](#)
 - hand -- see also Suture, tendon, hand [82.45](#)
- Tendolysis [83.91](#)
 - hand [82.91](#)
- Tendoplasty -- see Repair, tendon
- Tenectomy [83.39](#)
 - eye [15.13](#)
 - levator palpebrae [08.33](#)
 - multiple (two or more tendons) [15.3](#)
 - hand [82.29](#)
 - levator palpebrae [08.33](#)
 - tendon sheath [83.31](#)
 - hand [82.21](#)
- Tenodesis (tendon fixation to skeletal attachment) [83.88](#)
 - Fowler [82.85](#)
 - hand [82.85](#)
- Tenolysis [83.91](#)
 - hand [82.91](#)
- Tenomyoplasty -- see also Repair, tendon [83.88](#)
 - hand -- see also Repair, tendon, hand [82.86](#)
- Tenomyotomy -- see Tenonectomy
- Tenonectomy [83.42](#)
 - for graft [83.41](#)
 - hand [82.32](#)
 - hand [82.33](#)
 - for graft [82.32](#)
- Tenotomyoplasty -- see Repair, tendon
- Tenontoplasty -- see Repair, tendon
- Tenoplasty -- see also Repair, tendon [83.88](#)
 - hand -- see also Repair, tendon, hand [82.86](#)
- Tenorrhaphy -- see also Suture, tendon [83.64](#)
 - hand -- see also Suture, tendon, hand [82.45](#)
 - to skeletal attachment [83.88](#)
 - hand [82.85](#)
- Tenosuspension [83.88](#)
 - hand [82.86](#)
- Tenosuture -- see also Suture, tendon [83.64](#)
 - hand -- see also Suture, tendon, hand [82.45](#)
 - to skeletal attachment [83.88](#)
 - hand [82.85](#)
- Tenosynovectomy [83.42](#)
 - hand [82.33](#)
- Tenotomy [83.13](#)
 - Achilles tendon [83.11](#)

- adductor (hip) (subcutaneous) [83.12](#)
- eye [15.12](#)
 - levator palpebrae [08.38](#)
 - multiple (two or more tendons) [15.4](#)
- hand [82.11](#)
- levator palpebrae [08.38](#)
- pectoralis minor tendon (decompression thoracic outlet) [83.13](#)
- stapedius [19.0](#)
- tensor tympani [19.0](#)
- Tenovagotomy -- see Tenotomy
- Tensing, orbicularis oculi [08.59](#)
- Termination of pregnancy
 - by
 - aspiration curettage [69.51](#)
 - dilation and curettage [69.01](#)
 - hysterectomy -- see Hysterectomy
 - hysterotomy [74.91](#)
 - intra-amniotic injection (saline) [75.0](#)
- Test, testing (for)
 - 14 C-Urea breath [89.39](#)
 - auditory
 - steady state response (ASSR) [95.463](#) (IM)
 - potential (BERA/BAEP) for hearing assessment [95.462](#) (IM)
 - auditory function NEC [95.46](#)
 - automatic BERA [95.461](#) (IM)
 - Bender Visual-Motor Gestalt [94.02](#)
 - Benton Visual Retention [94.02](#)
 - Blue light fluorescein [21.292](#) (IM)
 - Blood (IM)
 - Molecular biological test-blood [90.57](#) (IM)
 - Bronchial provocation test [89.390](#) (IM)
 - Bronchodilator (reversibility) examination [89.383](#) (IM)
 - cardiac (vascular)
 - function NEC [89.59](#)
 - stress [89.44](#)
 - bicycle ergometer [89.43](#)
 - Cardio pulmonary exercise test [89.380](#) (IM)
 - Masters' two-step [89.42](#)
 - six minute walking test [89.370](#) (IM)
 - treadmill [89.41](#)
 - Denver developmental (screening) [94.02](#)
 - Difusion lung capacity test [89.381](#) (IM)
 - Eustachian tube function test [95.414](#) (IM)
 - Exhaled substance breath test [89.391](#) (IM)
- fetus, fetal
 - nonstress (fetal activity acceleration determinations) [75.34](#)
 - oxytocin challenge (contraction stress) [75.35](#)
 - sensitivity (to oxytocin) -- omit code
- Flexible endoscopic evaluation of swallowing (FEES) [29.13](#) (IM)
- function
 - cardiac NEC [89.59](#)
 - hearing NEC [95.46](#)
 - muscle (by)
 - electromyography [93.08](#)
 - manual [93.04](#)
 - neurologic NEC [89.15](#)

- vestibular [95.46](#)
 - clinical [95.44](#)
- glaucoma NEC [95.26](#)
- hearing [95.47](#)
 - clinical NEC [95.42](#)
- intelligence [94.01](#)
- internal jugular-subclavian venous reflux [89.62](#)
- intracarotid amobarbital (Wada) [89.10](#)
- Masters' two-step stress (cardiac) [89.42](#)
- muscle function (by)
 - electromyography [93.08](#)
 - manual [93.04](#)
- neurologic function NEC [89.15](#)
- neurophysiologic monitoring
 - intra-operative [00.94](#)
- nocturnal penile tumescence [89.29](#)
- provocative, for glaucoma [95.26](#)
- psychologic NEC [94.08](#)
- psychometric [94.01](#)
- radio-cobalt B12 Schilling [92.04](#)
- range of motion [93.05](#)
- rotation (Bárány chair) (hearing) [95.45](#)
- skin end-point titration [86.13](#) (IM)
- skin prick [86.12](#) (IM)
- sleep disorder function -- see categories [89.17](#)
- Stanford-Binet [94.01](#)
- Thallium stress (transesophageal pacing) [89.44](#)
- tuning fork (hearing) [95.42](#)
- Urea breath, (14 C) [89.39](#)
- vestibular function NEC [95.46](#)
 - thermal [95.44](#)
- Vestibular evoked myogenic potential [95.465](#) (IM)
- Vestibular rehabilitation therapy [93.390](#) (IM)
- visual head impulse test [95.442](#) (IM)
- Wada (hemispheric function) [89.10](#)
- whispered speech (hearing) [95.42](#)
- TEVAP (transurethral electrovaporization of prostate) [60.29](#) / [60.24](#) (IM)
- Thalamectomy [01.41](#)
- Thalamotomy [01.41](#)
 - by stereotactic radiosurgery [92.32](#)
 - cobalt 60 [92.32](#)
 - linear accelerator (LINAC) [92.31](#)
 - multi-source [92.32](#)
 - particle beam [92.33](#)
 - particulate [92.33](#)
 - radiosurgery NEC [92.39](#)
 - single source photon [92.31](#)
- Thal operation (repair of esophageal stricture) [42.85](#)
- Theleplasty [85.87](#)
- Therapy
 - Antabuse [94.25](#)
 - aqueous oxygen (AO) [00.49](#)
 - art [93.89](#)
 - aversion [94.33](#)
 - behavior [94.33](#)
 - Bennett respirator -- see category [96.7](#)

blind rehabilitation NEC [93.78](#)
 Byrd respirator -- see category [96.7](#)
 carbon dioxide [94.25](#)
 cobalt-60 [92.23](#)
 conditioning, psychiatric [94.33](#)
 continuous positive airway pressure (CPAP) [93.90](#)
 delivered by
 endotracheal tube - see category [96.7](#)
 tracheostomy - see category [96.7](#)
 croupette, croup tent [93.94](#)
 daily living activities [93.83](#)
 for the blind [93.78](#)
 dance [93.89](#)
 desensitization [94.33](#)
 detoxification [94.25](#)
 diversional [93.81](#)
 domestic tasks [93.83](#)
 for the blind [93.78](#)
 Downstream® system [00.49](#)
 educational (bed-bound children) (handicapped) [93.82](#)
 electroconvulsive (ECT) [94.27](#)
 electroshock (EST) [94.27](#)
 subconvulsive [94.26](#)
 electrotonic (ETT) [94.27](#)
 encounter group [94.44](#)
 extinction [94.33](#)
 family [94.42](#)
 fog (inhalation) [93.94](#)
 gamma ray [92.23](#)
 group NEC [94.44](#)
 for psychosexual dysfunctions [94.41](#)
 hearing NEC [95.49](#)
 heat NEC [93.35](#)
 for cancer treatment [99.85](#)
 helium [93.98](#)
 hot pack(s) [93.35](#)
 hyperbaric oxygen [93.95](#)
 wound [93.59](#)
 hyperthermia NEC [93.35](#)
 for cancer treatment [99.85](#)
 individual, psychiatric NEC [94.39](#)
 for psychosexual dysfunction [94.34](#)
 industrial [93.89](#)
 infrared irradiation [93.35](#)
 inhalation NEC [93.96](#)
 nitric oxide [00.12](#)
 insulin shock [94.24](#)
 intermittent positive pressure breathing (IPPB) [93.91](#)
 IPPB (intermittent positive pressure breathing) [93.91](#)
 leech [99.99](#)
 lithium [94.22](#)
 LITT (laser interstitial thermal therapy) under guidance
 lesion
 brain [17.61](#)
 breast [17.69](#)
 head and neck [17.62](#)

- liver [17.63](#)
- lung [17.69](#)
- prostate [17.69](#)
- thyroid [17.62](#)
- maggot [86.28](#)
- manipulative, osteopathic -- see also Manipulation, osteopathic [93.67](#)
- manual arts [93.81](#)
- methadone [94.25](#)
- mist (inhalation) [93.94](#)
- music [93.84](#)
- nebulizer [93.94](#)
- neuroleptic [94.23](#)
- nitric oxide [00.12](#)
- occupational [93.83](#)
- oxygen [93.96](#)
 - aqueous [00.49](#)
 - catalytic [93.96](#)
 - hyperbaric [93.95](#)
 - wound [93.59](#)
 - SuperSaturated [00.49](#)
 - wound (hyperbaric) [93.59](#)
- paraffin bath [93.35](#)
- physical NEC [93.39](#)
 - combined (without mention of components) [93.38](#)
 - diagnostic NEC [93.09](#)
- play [93.81](#)
 - psychotherapeutic [94.36](#)
- positive and expiratory pressure -- see category [96.7](#)
- psychiatric NEC [94.39](#)
 - drug NEC [94.25](#)
 - lithium [94.22](#)
- radiation [92.29](#)
 - contact (150 KVP or less) [92.21](#)
 - deep (200-300 KVP) [92.22](#)
 - electron, intra-operative [92.41](#)
 - high voltage (200-300 KVP) [92.22](#)
 - low voltage (150 KVP or less) [92.21](#)
 - megavoltage [92.24](#)
 - orthovoltage [92.22](#)
 - particle source NEC [92.26](#)
 - photon [92.24](#)
 - radioisotope (teleradiotherapy) [92.23](#)
 - retinal lesion [14.26](#)
 - superficial (150 KVP or less) [92.21](#)
 - supervoltage [92.24](#)
- radioisotope, radioisotopic NEC [92.29](#)
 - implantation or insertion [92.27](#)
 - injection or instillation [92.28](#)
 - teleradiotherapy [92.23](#)
- radium (radon) [92.23](#)
- recreational [93.81](#)
- rehabilitation NEC [93.89](#)
- respiratory NEC [93.99](#)
 - bi-level positive airway pressure [BiPAP] [93.90](#)
 - delivered by endotracheal tube - see category [96.7](#)

- tracheostomy - see category [96.7](#)
- continuous positive airway pressure [CPAP] [93.90](#)
 - delivered by
 - endotracheal tube - see category [96.7](#)
 - tracheostomy - see category [96.7](#)
 - endotracheal respiratory assistance -- see category [96.7](#)
 - intermittent positive pressure breathing [IPPB] [93.91](#)
 - negative pressure (continuous) [CNP] [93.99](#)
 - nitric oxide [00.12](#)
 - non-invasive positive pressure (NIPPV) [93.90](#)
 - other continuous invasive (unspecified duration) [96.70](#)
 - for less than 96 consecutive hours [96.71](#)
 - for 96 consecutive hours or more [96.72](#)
 - positive end expiratory pressure [PEEP]
 - invasive - see category [96.7](#)
 - non-invasive [93.90](#)
- root canal [23.70](#)
 - with
 - apicoectomy [23.72](#)
 - irrigation [23.71](#)
- shock
 - chemical [94.24](#)
 - electric [94.27](#)
 - subconvulsive [94.26](#)
 - insulin [94.24](#)
- speech [93.75](#)
 - for correction of defect [93.74](#)
- SuperOxygenation (SSO₂) [00.49](#)
- SuperSaturated oxygen [00.49](#)
- ultrasound
 - heat therapy [93.35](#)
 - hyperthermia for cancer treatment [99.85](#)
 - physical therapy [93.35](#)
 - therapeutic - see Ultrasound
- ultraviolet light [99.82](#)
- Thermocautery -- see Cauterization
- Thermography [88.89](#)
 - blood vessel [88.86](#)
 - bone [88.83](#)
 - breast [88.85](#)
 - cerebral [88.81](#)
 - eye [88.82](#)
 - lymph gland [88.89](#)
 - muscle [88.84](#)
 - ocular [88.82](#)
 - osteoarticular [88.83](#)
 - specified site NEC [88.89](#)
 - vein, deep [88.86](#)
- Thermokeratoplasty [11.74](#)
- Thermoplasty
 - bronchoscopic, bronchial (lung) [32.27](#)
- Thermosclerectomy [12.62](#)
- Thermotherapy (hot packs) (paraffin bath) NEC [93.35](#)
 - prostate
 - by
 - Microwave [60.96](#)

- Radiofrequency [60.97](#)
- transurethral microwave thermotherapy (TUMT) [60.96](#)
- transurethral needle ablation (TUNA) [60.97](#)
- TUMT (transurethral microwave thermotherapy) [60.96](#)
- TUNA (transurethral needle ablation) [60.97](#)
- Thiersch operation
 - anus [49.79](#)
 - skin graft [86.69](#)
 - hand [86.62](#)
- Thompson operation
 - cleft lip repair [27.54](#)
 - correction of lymphedema [40.9](#)
 - quadricepsplasty [83.86](#)
 - thumb apposition with bone graft [82.69](#)
- Thoracectomy [34.09](#)
 - for lung collapse [33.34](#)
- Thoracentesis [34.91](#)
- Thoracocentesis [34.91](#)
- Thoracolysis (for collapse of lung) [33.39](#)
- Thoracoplasty (anterior) (extrapleural) (paravertebral) (posterolateral) (complete) partial [33.34](#)
- Thoracoscopy, transpleural (for exploration) [34.21](#)
- Thoracostomy [34.09](#)
 - for lung collapse [33.32](#)
- Thoracotomy (with drainage) [34.09](#)
 - as operative approach -- omit code
 - exploratory [34.02](#)
- Thoratec® implantable ventricular assist device (IVAD™) [37.66](#)
- Thoratec® ventricular assist device (VAD) system [37.66](#)
- Three-snip operation, punctum [09.51](#)
- Thrombectomy [38.00](#)
 - with endarterectomy -- see Endarterectomy
 - abdominal
 - artery [38.06](#)
 - vein [38.07](#)
 - aorta (arch) (ascending) (descending) [38.04](#)
 - arteriovenous shunt or cannula [39.49](#)
 - bovine graft [39.49](#)
 - coronary artery [36.09](#)
 - head and neck vessel NEC [38.02](#)
 - intracranial vessel NEC [38.01](#)
 - lower limb
 - artery [38.08](#)
 - vein [38.09](#)
 - mechanical
 - endovascular
 - head and neck [39.74](#)
 - pulmonary vessel [38.05](#)
 - thoracic vessel NEC [38.05](#)
 - upper limb (artery) (vein) [38.03](#)
- Thromboendarterectomy [38.10](#)
 - abdominal [38.16](#)
 - aorta (arch) (ascending) (descending) [38.14](#)
 - coronary artery [36.09](#)
 - open chest approach [36.03](#)
 - head and neck NEC [38.12](#)
 - intracranial NEC [38.11](#)

- lower limb [38.18](#)
- thoracic NEC [38.15](#)
- upper limb [38.13](#)
- Thymectomy [07.80](#)
 - partial (open) (other) [07.81](#)
 - thoroscopic [07.83](#)
 - total (open) (other) [07.82](#)
 - thoroscopic [07.84](#)
 - transcervical [07.99](#)
- Thyrochondrotomy [31.3](#)
- Thyrocricoidectomy [30.29](#)
- Thyrocricotomy (for assistance in breathing) [31.1](#)
- Thyroidectomy NEC [06.39](#)
 - by mediastinotomy -- see also Thyroidectomy, substernal [06.50](#)
 - with endoscopic [06.32](#) (IM)
 - with laryngectomy -- see Laryngectomy
 - complete or total [06.4](#)
 - substernal (by mediastinotomy) (transsternal route) [06.52](#)
 - transoral route (lingual) [06.6](#)
 - lingual (complete) (partial) (subtotal) (total) [06.6](#)
 - partial or subtotal NEC [06.39](#)
 - with complete removal of remaining lobe [06.2](#)
 - submental route (lingual) [06.6](#)
 - substernal (by mediastinotomy) (transsternal route) [06.51](#)
 - remaining tissue [06.4](#)
 - submental route (lingual) [06.6](#)
 - substernal (by mediastinotomy) (transsternal route) [06.50](#)
 - complete or total [06.52](#)
 - partial or subtotal [06.51](#)
 - transoral route (lingual) [06.6](#)
 - transsternal route -- see also Thyroidectomy, substernal [06.50](#)
 - unilateral (with removal of isthmus) (with removal of portion of other lobe) [06.2](#)
- Thyroidorrhaphy [06.93](#)
- Thyroidotomy (field) (gland) NEC [06.09](#)
 - postoperative [06.02](#)
- Thyrotomy [31.3](#)
 - with tantalum plate [31.69](#)
- Tirofiban (HCL), infusion [99.20](#)
- Toilette
 - skin -- see Debridement, skin or subcutaneous tissue
 - tracheostomy [96.55](#)
- Token economy (behavior therapy) [94.33](#)
- Tomkins operation (metroplasty) [69.49](#)
- Tomography -- see also Radiography
 - abdomen NEC [88.02](#)
 - cardiac [87.42](#)
 - computerized axial NEC [88.38](#)
 - abdomen [88.01](#)
 - bone [88.38](#)
 - quantitative [88.98](#)
 - brain [87.03](#)
 - cardiac [87.41](#)
 - coronary [87.41](#)
 - head [87.03](#)
 - kidney [87.71](#)
 - skeletal [88.38](#)

- quantitative [88.98](#)
- thorax [87.41](#)
- head NEC [87.04](#)
- kidney NEC [87.72](#)
- lung [87.42](#)
- optical coherence (intravascular imaging)
 - coronary vessel(s) [38.24](#)
 - non-coronary vessel(s) [38.25](#)
- thorax NEC [87.42](#)
- Tongue tie operation [25.91](#)
- Tongue flap [86.710](#) (IM)
- Tonography [95.26](#)
- Tonometry [89.11](#)
- Tonsillectomy [28.2](#)
 - with adenoidectomy [28.3](#)
- Tonsillotomy [28.0](#)
- Topectomy [01.32](#)
- Torek (-Bevan) operation (orchidopexy) (first stage) (second stage) [62.5](#)
- revision orchidopexy for undescended testis [62.51](#) (IM)
- Torkildsen operation (ventriculocisternal shunt) [02.2](#)
 - With Endoscopic [02.20](#) (IM)
- Torpin operation (cul-de-sac resection) [70.92](#)
- Toti operation (dacryocystorhinostomy) [09.81](#)
- Touchas operation [86.83](#)
- Touroff operation (ligation of subclavian artery) [38.85](#)
- Toxicology -- see Examination, microscopic
- TPN (total parenteral nutrition) [99.15](#)
- Trabeculectomy ab externo [12.64](#)
- Trabeculodialysis [12.59](#)
- Trabeculotomy ab externo [12.54](#)
- Trachelectomy [67.4](#)
- Trachelopexy [69.22](#)
- Tracheloplasty [67.69](#)
- Trachelorrhaphy (Emmet) (suture) [67.61](#)
 - obstetrical [75.51](#)
- Trachelotomy [69.95](#)
 - obstetrical [73.93](#)
- Tracheocricotomy (for assistance in breathing) [31.1](#)
- Tracheofissure [31.1](#)
- Tracheography [87.32](#)
- Tracheolaryngotomy (emergency) [31.1](#)
 - permanent opening [31.29](#)
- Tracheoplasty [31.79](#)
 - with artificial larynx [31.75](#)
 - intrathoracic [31.76](#) (IM)
- Tracheorrhaphy [31.71](#)
 - cervical [31.711](#) (IM)
 - intrathoracic [31.712](#) (IM)
- Tracheoscopy NEC [31.42](#)
 - through tracheotomy (stoma) [31.41](#)
- Tracheostomy (emergency) (temporary) (for assistance in breathing) [31.1](#)
 - mediastinal [31.21](#)
 - percutaneous dilatational
 - other permanent [31.29](#)
 - temporary [31.1](#)
 - permanent NEC [31.29](#)

- revision [31.74](#)
- Tracheotomy (emergency) (temporary) (for assistance in breathing) [31.1](#)
 - percutaneous dilatational
 - other permanent [31.29](#)
 - temporary [31.1](#)
 - permanent [31.29](#)
- Tracing, carotid pulse with ECG lead [89.56](#)
- TRAM (transverse rectus abdominis musculocutaneous) flap of breast
 - free [85.73](#)
 - pedicled [85.72](#)
- Traction
 - with reduction of fracture or dislocation -- see Reduction, fracture and Reduction, dislocation
 - adhesive tape (skin) [93.46](#)
 - boot [93.46](#)
 - Bryant's (skeletal) [93.44](#)
 - Buck's [93.46](#)
 - caliper tongs [93.41](#)
 - with synchronous insertion of device [02.94](#)
 - Cortel's (spinal) [93.42](#)
 - Crutchfield tongs [93.41](#)
 - with synchronous insertion of device [02.94](#)
 - Dunlop's (skeletal) [93.44](#)
 - gallows [93.46](#)
 - Gardner Wells [93.41](#)
 - with synchronous insertion of device [02.94](#)
 - halo device, skull [93.41](#)
 - with synchronous insertion of device [02.94](#)
 - Lyman Smith (skeletal) [93.44](#)
 - manual, intermittent [93.21](#)
 - mechanical, intermittent [93.21](#)
 - Russell's (skeletal) [93.44](#)
 - skeletal NEC [93.44](#)
 - intermittent [93.43](#)
 - skin, limbs NEC [93.46](#)
 - spinal NEC [93.42](#)
 - with skull device (halo) (caliper) (Crutchfield) (Gardner Wells) (Vinke) (tongs) [93.41](#)
 - with synchronous insertion of device [02.94](#)
 - Thomas' splint [93.45](#)
 - Vinke tongs [93.41](#)
 - with synchronous insertion of device [02.94](#)
- Tractotomy
 - brain [01.32](#)
 - medulla oblongata [01.32](#)
 - mesencephalon [01.32](#)
 - percutaneous [03.21](#)
 - spinal cord (one-stage) (two-stage) [03.29](#)
 - trigeminal (percutaneous) (radiofrequency) [04.02](#)
- Training (for) (in)
 - ADL (activities of daily living) [93.83](#)
 - for the blind [93.78](#)
 - ambulation [93.22](#)
 - braille [93.77](#)
 - crutch walking [93.24](#)
 - dyslexia [93.71](#)
 - dysphasia [93.72](#)
 - esophageal speech (postlaryngectomy) [93.73](#)

- gait [93.22](#)
- joint movements [93.14](#)
- lip reading [93.75](#)
- Moon (blind reading) [93.77](#)
- orthoptic [95.35](#)
- prenatal (natural childbirth) [93.37](#)
- prosthetic or orthotic device usage [93.24](#)
- relaxation [94.33](#)
- speech NEC [93.75](#)
 - esophageal type [93.73](#)
 - for correction of defect [93.74](#)
- use of lead dog for the blind [93.76](#)
- vocational [93.85](#)
- Transactional analysis
 - group [94.44](#)
 - individual [94.39](#)
- Transcranial magnetic stimulation (TMS) [94.28](#) (IM)
- Transection -- see also Division
 - artery (with ligation) -- see also Division, artery [38.80](#)
 - renal, aberrant (with reimplantation) [39.55](#)
 - bone -- see also Osteotomy [77.30](#)
 - fallopian tube (bilateral) (remaining) (solitary) [66.39](#)
 - by endoscopy [66.22](#)
 - unilateral [66.92](#)
 - isthmus, thyroid [06.91](#)
 - muscle [83.19](#)
 - eye [15.13](#)
 - multiple (two or more muscles) [15.3](#)
 - hand [82.19](#)
 - nerve (cranial) (peripheral) NEC [04.03](#)
 - acoustic [04.01](#)
 - root (spinal) [03.1](#)
 - sympathetic [05.0](#)
 - tracts in spinal cord [03.29](#)
 - trigeminal [04.02](#)
 - vagus (transabdominal) -- see also Vagotomy [44.00](#)
 - pylorus (with wedge resection) [43.3](#)
 - renal vessel, aberrant (with reimplantation) [39.55](#)
 - spinal
 - cord tracts [03.29](#)
 - nerve root [03.1](#)
 - tendon [83.13](#)
 - hand [82.11](#)
 - uvula [27.71](#)
 - vas deferens [63.71](#)
 - vein (with ligation) -- see also Division, vein [38.80](#)
 - renal, aberrant (with reimplantation) [39.55](#)
 - varicose (lower limb) [38.59](#)
- Transfer, transference
 - bone shaft, fibula into tibia [78.47](#)
 - digital (to replace absent thumb) [82.69](#)
 - finger (to thumb) (same hand) [82.61](#)
 - to
 - finger, except thumb [82.81](#)
 - opposite hand (with amputation) [82.69](#) [[84.01](#)]
 - toe (to thumb) (with amputation) [82.69](#) [[84.11](#)]

- to finger, except thumb [82.81](#) [[84.11](#)]
- fat pad NEC [86.89](#)
 - with skin graft -- see Graft, skin, full-thickness
- finger (to replace absent thumb) (same hand) [82.61](#)
 - to
 - finger, except thumb [82.81](#)
 - opposite hand (with amputation) [82.69](#) [[84.01](#)]
- muscle origin [83.77](#)
 - hand [82.58](#)
- nerve (cranial) (peripheral) (radial anterior) (ulnar) [04.6](#)
- omental flap [86.742](#) (IM)
- pedicle graft [86.74](#)
- pes anserinus (tendon) (repair of knee) [81.47](#)
- simple & small local skin flap, genitals [86.743](#) (IM)
- tarsconjunctival flap, from opposing lid [08.64](#)
- tendon [83.75](#)
 - hand [82.56](#)
 - pes anserinus (repair of knee) [81.47](#)
 - toe-to-thumb (free) (pedicle) (with amputation) [82.69](#) [[84.11](#)]
- Transfixion -- see also Fixation
- iris (bombé) [12.11](#)
- Transfusion (of) [99.03](#)
 - antihemophilic factor [99.06](#)
 - antivenin [99.16](#)
 - autologous blood
 - collected prior to surgery [99.02](#)
 - intraoperative [99.00](#)
 - perioperative [99.00](#)
 - postoperative [99.00](#)
 - previously collected [99.02](#)
 - salvage [99.00](#)
 - blood (whole) NOS [99.03](#)
 - expander [99.08](#)
 - surrogate [99.09](#)
 - bone marrow [41.00](#)
 - allogeneic [41.03](#)
 - with purging [41.02](#)
 - allograft [41.03](#)
 - with purging [41.02](#)
 - autograft [41.01](#)
 - with purging [41.09](#)
 - autologous [41.01](#)
 - with purging [41.09](#)
 - coagulation factors [99.06](#)
 - Dextran [99.08](#)
 - exchange [99.01](#)
 - intrapertoneal [75.2](#)
 - in utero (with hysterotomy) [75.2](#)
 - exsanguination [99.01](#)
 - gamma globulin [99.14](#)
 - granulocytes [99.09](#)
 - hemodilution [99.03](#)
 - intrauterine [75.2](#)
 - packed cells [99.04](#)
 - plasma [99.07](#)
 - platelets [99.05](#)

- replacement, total [99.01](#)
- serum NEC [99.07](#)
- substitution [99.01](#)
- thrombocytes [99.05](#)
- Transillumination
 - nasal sinuses [89.35](#)
 - skull (newborn) [89.16](#)
- Translumbar aortogram [88.42](#)
- Transplant, transplantation
 - Note: To report donor source:
 - cadaver [00.93](#)
 - live non-related donor [00.92](#)
 - live related donor [00.91](#)
 - live unrelated donor [00.92](#)
 - artery [39.59](#)
 - renal, aberrant [39.55](#)
 - autotransplant -- see Reimplantation
 - blood vessel [39.59](#)
 - renal, aberrant [39.55](#)
 - bone -- see also Graft, bone [78.00](#)
 - marrow [41.00](#)
 - allogeneic [41.03](#)
 - with purging [41.02](#)
 - allograft [41.03](#)
 - with purging [41.02](#)
 - autograft [41.01](#)
 - with purging [41.09](#)
 - autologous [41.01](#)
 - with purging [41.09](#)
 - stem cell
 - allogeneic (hematopoietic) [41.05](#)
 - with purging [41.08](#)
 - autologous (hematopoietic) [41.04](#)
 - with purging [41.07](#)
 - cord blood [41.06](#)
 - stem cell
 - allogeneic (hematopoietic) [41.05](#)
 - with purging [41.08](#)
 - autologous (hematopoietic) [41.04](#)
 - with purging [41.07](#)
 - cord blood [41.06](#)
- combined heart-lung [33.6](#)
- conjunctiva, for pterygium [11.39](#)
- corneal -- see also Keratoplasty [11.60](#)
- dura [02.12](#)
- fascia [83.82](#)
 - hand [82.72](#)
- finger (replacing absent thumb) (same hand) [82.61](#)
 - to
 - finger, except thumb [82.81](#)
 - opposite hand (with amputation) [82.69](#) [[84.01](#)]
- gracilis muscle (for) [83.77](#)
 - anal incontinence [49.74](#)
 - urethrovesical suspension [59.71](#)
- hair follicles
 - eyebrow [08.63](#)

- eyelid [08.63](#)
- scalp [86.64](#)
- heart (orthotopic) [37.51](#)
 - combined with lung [33.6](#)
- ileal stoma to new site [46.23](#)
- intestine [46.97](#)
- Islets of Langerhans (cells) [52.86](#)
 - allotransplantation of cells [52.85](#)
 - autotransplantation of cells [52.84](#)
 - heterotransplantation [52.85](#)
 - homotransplantation [52.84](#)
- kidney NEC [55.69](#)
- liver [50.59](#)
 - auxiliary (permanent) (temporary) (recipient's liver in situ) [50.51](#)
 - cells into spleen via percutaneous catheterization [38.91](#)
- lung [33.50](#)
 - bilateral [33.50](#)
 - combined with heart [33.6](#)
 - double [33.52](#)
 - single [33.51](#)
 - unilateral [33.51](#)
- lymphatic structure(s) (peripheral) [40.9](#)
- mammary artery to myocardium or ventricular wall [36.2](#)
- muscle [83.77](#)
 - gracilis (for) [83.77](#)
 - anal incontinence [49.74](#)
 - urethrovesical suspension [59.71](#)
 - hand [82.58](#)
 - temporalis [83.77](#)
 - with orbital exenteration [16.59](#)
- nerve (cranial) (peripheral) [04.6](#)
- ovary [65.92](#)
- pancreas [52.80](#)
 - heterotransplant [52.83](#)
 - homotransplant [52.82](#)
 - Islets of Langerhans (cells) [52.86](#)
 - allotransplantation of cells [52.85](#)
 - autotransplantation of cells [52.84](#)
 - heterotransplantation [52.85](#)
 - homotransplantation [52.84](#)
 - reimplantation [52.81](#)
- pes anserinus (tendon) (repair of knee) [81.47](#)
- renal NEC [55.69](#)
 - vessel, aberrant [39.55](#)
- salivary duct opening [26.49](#)
- skin -- see Graft, skin
- spermatic cord [63.53](#)
- spleen [41.94](#)
- stem cells
 - allogeneic (hematopoietic) [41.05](#)
 - with purging [41.08](#)
 - autologous (hematopoietic) [41.04](#)
 - with purging [41.07](#)
 - cord blood [41.06](#)
- tendon [83.75](#)
 - hand [82.56](#)

- pes anserinus (repair of knee) [81.47](#)
 - superior rectus (blepharoptosis) [08.36](#)
- testis to scrotum [62.5](#)
- thymus [07.94](#)
- thyroid tissue [06.94](#)
- toe (replacing absent thumb) (with amputation) [82.69](#) [[84.11](#)]
- to finger, except thumb [82.81](#) [[84.11](#)]
- tooth [23.5](#)
- ureter to
 - bladder [56.74](#)
 - ileum (external diversion) [56.51](#)
 - internal diversion only
 - skin [56.71](#)
 - intestine [56.71](#)
 - skin [56.61](#)
- vein (peripheral) [39.59](#)
- renal, aberrant [39.55](#)
- vitreous [14.72](#)
- anterior approach [14.71](#)
- Transposition
 - extraocular muscles [15.5](#)
 - eyelash flaps [08.63](#)
 - eye muscle (oblique) (rectus) [15.5](#)
 - finger (replacing absent thumb) (same hand) [82.61](#)
 - to
 - finger, except thumb [82.81](#)
 - opposite hand (with amputation) [82.69](#) [[84.01](#)]
 - interatrial venous return [35.91](#)
 - jejunal (Henley) [43.81](#)
 - joint capsule -- see also Arthroplasty [81.96](#)
 - muscle NEC [83.79](#)
 - extraocular [15.5](#)
 - hand [82.59](#)
 - nerve (cranial) (peripheral) (radial anterior) (ulnar) [04.6](#)
 - nipple [85.86](#)
 - ovarium [65.96](#) (IM)
 - pterygium [11.31](#)
 - tendon NEC [83.76](#)
 - hand [82.57](#)
 - vocal cords [31.69](#)
- Transurethral resection of ejaculatory duct (TURED) [60.290](#) (IM)
- Transureteroureterostomy [56.75](#)
- Laparoscopic [56.750](#) (IM)
 - Open ureteral re-implantation into bladder [56.752](#) (IM)
- Transversostomy -- see also Colostomy [46.10](#)
- Trapping, aneurysm (cerebral) [39.52](#)
- Trauner operation (lingual sulcus extension) [24.91](#)
- Trephination, trephining
 - accessory sinus -- see Sinusotomy
 - corneoscleral [12.89](#)
 - cranium [01.24](#)
 - nasal sinus -- see Sinusotomy
 - sclera (with iridectomy) [12.61](#)
- Trial (failed) forceps [73.3](#)
- Trigonectomy [57.6](#)
- Trimming, amputation stump [84.3](#)

Triple arthrodesis [81.12](#)

Trochanterplasty [81.40](#)

Tsuge operation (macroductyly repair) [82.83](#)

TURED (Transurethral resection of ejaculatory duct) [60.290](#) (IM)