

# PERI INSTITUTE OF TECHNOLOGY

## (Autonomous)

*Mannivakkam, Chennai-600048*



NAME : .....

REGISTER No.: .....

YEAR/SEM. : .....

DEPARTMENT: .....

SUBJECT : .....

# PERI INSTITUTE OF TECHNOLOGY

(Autonomous)

Mannivakkam, Chennai-600048



## BONAFIDE CERTIFICATE

Certified that this is the bonafide record work done by

**Mr./Ms.**.....**Register No.**.....

of ..... **Department**

.....**Year/..... Semester** during the **academic year**.....in the

**Subject code/Subject name**.....

**Staff In-Charge**

**Head of the Department**

Submitted for Practical Examination held on.....

**Internal Examiner**

**External Examiner**

# **PERI INSTITUTE OF TECHNOLOGY**

## **DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING**

### **VISION AND MISSION OF THE INSTITUTION**

#### **VISION**

- To be an internationally recognized seat of higher learning in Engineering, Technology & Science in future.
- It also visualizes being a research incubator for academicians, industrialists and researchers from across the country/world.

#### **MISSION**

- It strives to provide quality technical education at affordable cost.
- Providing state-of-the-art infrastructure facilities to achieve excellence in teaching learning, Research & Development.
- Aligning with leading industries to create competent engineers through internships and placement focused training.
- Create an environment which is conducive to learn skills which will solve pressing issues along with foundation in moral values and ethics.

### **VISION AND MISSION OF THE DEPARTMENT**

#### **VISION**

- The vision of the department is to prepare industry-ready competent professionals with moral values by imparting scientific knowledge and skill-based education.

#### **MISSION**

- To provide exposure of latest tools and technologies in the broad area of computing.
- To promote research-based projects / activities in the emerging areas of technology.
- To enhance Industry Institute Interaction program to get acquainted with corporate culture and to develop entrepreneurship skills
- To induce ethical values and spirit of social commitment.

### **PROGRAM EDUCATIONAL OBJECTIVES (PEOs)**

- PEO1:** To enable graduates to pursue higher education and research, or a successful career in industries associated with Computer Science and Engineering, or as entrepreneurs.
- PEO2:** To ensure that graduates will have the ability and attitude to adapt to emerging technological changes.
- PEO3:** To exhibit professional attitude, teamwork and practice code of ethics in the area of specialization.

## **PROGRAM OUTCOMES (POs)**

1. **Engineering knowledge:** Apply the knowledge of Mathematics, Science, Engineering fundamentals, and an engineering specialization to the solution of complex engineering problems.
2. **Problem analysis:** Identify, formulate, review research literature, and analyze complex engineering problems reaching substantiated conclusions using first principles of Mathematics, Natural Sciences, and Engineering Sciences.
3. **Design/development of solutions:** Design solutions for complex engineering problems and design system components or processes that meet the specified needs with appropriate consideration for the public health and safety, and the cultural, societal, and environmental considerations.
4. **Conduct investigations of complex problems:** Use research-based knowledge and research methods including design of experiments, analysis and interpretation of data, and synthesis of the information to provide valid conclusions.
5. **Modern tool usage:** Create, select, and apply appropriate techniques, resources, and modern engineering and IT tools including prediction and modeling to complex engineering activities with an understanding of the limitations.
6. **The engineer and society:** Apply reasoning informed by the contextual knowledge to assess societal, health, safety, legal and cultural issues and the consequent responsibilities relevant to the professional engineering practice.
7. **Environment and sustainability:** Understand the impact of the professional engineering solutions in societal and environmental contexts, and demonstrate the knowledge of, and need for sustainable development.
8. **Ethics:** Apply ethical principles and commit to professional ethics and responsibilities and norms of the engineering practice.
9. **Individual and team work:** Function effectively as an individual, and as a member or leader in diverse teams, and in multidisciplinary settings.
10. **Communication:** Communicate effectively on complex engineering activities with the engineering community and with society at large, such as, being able to comprehend and write effective reports and design documentation, make effective presentations, and give and receive clear instructions.
11. **Project management and finance:** Demonstrate knowledge and understanding of the engineering and management principles and apply these to one's own work, as a member and leader in a team, to manage projects and in multidisciplinary environments.
12. **Life-long learning:** Recognize the need for, and have the preparation and ability to engage independent and life-long learning in the broadest context of technological change.

### **PROGRAMME SPECIFIC OUTCOMES (PSOs)**

1. To analyze, design and develop computing solutions by applying foundational concepts of Computer Science and Engineering.
2. To apply software engineering principles and practices for developing quality software for scientific and business applications
3. To adapt to emerging Information and Communication Technologies (ICT) to innovate ideas and solutions to existing/novel problems.

## **CCS372 VIRTUALIZATION**

### **COURSE OBJECTIVES:**

- To Learn the basics and types of Virtualization
- To understand the Hypervisors and its types
- To Explore the Virtualization Solutions
- To Experiment the virtualization platforms

### **LIST OF EXPERIMENTS**

1. Create type 2 virtualization in VMWARE or any equivalent Open Source Tool. Allocate memory and storage space as per requirement. Install Guest OS on that VMWARE.
2.
  - a. Shrink and extend virtual disk
  - b. Create, Manage, Configure and schedule snapshots
  - c. Create Spanned, Mirrored and Striped volume
  - d. Create RAID 5 volume
3.
  - a. Desktop Virtualization using VNC
  - b. Desktop Virtualization using Chrome Remote Desktop
4. Create type 2 virtualization on ESXI 6.5 server
5. Create a VLAN in CISCO packet tracer
6. Install KVM in Linux
7. Create Nested Virtual Machine (VM under another VM)

### **COURSE OUTCOMES:**

Upon completion of the course, the students will be able to

- CO1:** Analyze the virtualization concepts and Hypervisor  
**CO2:** Apply the Virtualization for real-world applications  
**CO3:** Install & Configure the different VM platforms  
**CO4:** Experiment with the VM with various software

<b>Ex. No.</b>	<b>Date</b>	<b>Title of the Experiment</b>	<b>Page No.</b>	<b>Marks Obtained</b>	<b>Signature</b>
<b>1</b>		Create type 2 virtualization in VMWARE or any equivalent Open Source Tool. Allocate memory and storage space as per requirement. Install Guest OS on that VMWARE			
<b>2</b>		a. Shrink and extend virtual disk b. Create, Manage, Configure and schedule snapshots c. Create Spanned, Mirrored and Striped volume d. Create RAID 5 volume			
<b>3</b>		a. Desktop Virtualization using VNC b. Desktop Virtualization using Chrome Remote Desktop			
<b>4</b>		Create type 2 virtualization on ESXI 6.5 server			
<b>5</b>		Create a VLAN in CISCO packet tracer			
<b>6</b>		Install KVM in Linux			
<b>7</b>		Create Nested Virtual Machine (VM under another VM)			

### Ex. No.1 :

**Create type 2 virtualization in VMWARE or any equivalent Open Source Tool. Allocate memory and storage space as per requirement. Install Guest OS on that VMWARE**

#### **Aim:**


To find the procedure to run VM of different configuration and Allocate memory and storage space as per requirement

#### **Procedure: Step 1:**

Download and install VMware Workstation Player

(Or) Download and install VMware Workstation Pro :

<https://vmware-workstation.en.softonic.com/download>




#### **Step 2:**

Create a New Virtual Machine Open VMware Workstation Player Click on "Create a New Virtual Machine" or go to File > New Virtual Machine

#### **Step 3:**

Virtual Machine Configuration Wizard




The Virtual machine configuration Wizard will appear. Choose "Typical" configuration and click "Next".



**Step 4:****Install Guest Operating System**

- Choose the installation method for the guest OS. You can either install from a disc or image file (ISO) or choose to install later. If you have the ISO file for your guest OS, select it during this step
- Click "Next"

**Step 5:****Enter Guest OS Details**

- Enter the name of your virtual machine and choose the location where you want to save it.
- Select the appropriate guest operating system and version. For example, if you are installing Ubuntu 18.04, choose "Ubuntu" as the guest OS and "Ubuntu 18.04" as the version.
- Click "Next."

New Virtual Machine Wizard

Guest Operating System Installation

A virtual machine is like a physical computer; it needs an operating system. How will you install the guest operating system?

Install from:

☐ Installer disc:

No drives available

☒ Installer disc image file (iso):

D:\MIN\Downloads\ubuntu-18.04.6-desktop-amd64.iso

Browse...

☐ Ubuntu 64-bit 18.04.6 detected.

This operating system will use Easy Install. [What's this?](#)

☐ I will install the operating system later.

The virtual machine will be created with a blank hard disk.

Help

< Back

Next >

Cancel

New Virtual Machine Wizard

Easy Install Information

This is used to install Ubuntu 64-bit.

Personalize Linux

Full name:

UBUNTU

User name:

periit

Password:

...

Confirm:

...

Help

< Back

Next >

Cancel

New Virtual Machine Wizard

**Name the Virtual Machine**  
What name would you like to use for this virtual machine?

Virtual machine name:  
Ubuntu 64-bit -18.04

Location:  
C:\Users\ADMIN\Documents\Virtual Machines\Ubuntu 64-bit -18 Browse...


The default location can be changed at Edit > Preferences.

< Back Next > Cancel

## Step 6:

### Configure Virtual Machine Hardware

- Allocate memory: Choose how much RAM you want to allocate to the virtual machine. Make sure to leave enough memory for your host OS to run smoothly as well.
- Allocate storage: Choose whether to store the virtual disk as a single file or split into multiple files. Specify the disk size, and you can also choose to allocate all disk space now or let it grow as needed.
- Click "Next."



### Step 8:

#### Customize Hardware (Optional)

- If needed, you can customize the virtual machine's hardware settings like CPU cores, network adapters, graphics memory, etc. Otherwise, you can leave them as default.
- Click "Finish" once you are satisfied with the settings.

### Step 8:

#### Install Guest OS

- Start the virtual machine you just created. The virtual machine will boot from the ISO or installation media you provided earlier.
- Follow the standard installation process for your guest OS.


### Step 9:

#### Install VMware Tools (Optional but Recommended)

- After installing the guest OS, it is advisable to install VMware Tools within the guest OS. VMware Tools provides better integration between the host and guest OS, enabling features like shared folders, improved graphics, and more. In the same way, we can install windows OS also. The output screens for the virtual machines of different configurations.

## OUTPUT

### (i)Ubuntu Operating System in Virtual Machine



### (ii)Windows7 Operating System in Virtual Machine



Program (3)	Output & Result (3)	Viva (4)	Total (10)

## RESULT:

Thus, various configurations of Virtual machines has been created and run.

## **Ex 2(a): Shrink and Extend Virtual Disk**

### **Aim:**

To find the procedure of Shrink a virtual disk involves reducing its size to reclaim unused space and extend a virtual disk allows you to increase its size to accommodate more data.

### **Procedure:**

#### **(a) Shrink a Virtual Disk:**

##### **Step1:**

Inside the virtual machine, delete unnecessary files and empty the recycle bin/trash to free up space.

##### **Step 2:**

Defragment the virtual machine's disk to move all the data to the beginning of the disk.

##### **Step 3:**

Shutdown the virtual machine

##### **Step 4:**

On the host system, open the virtualization software

##### **Step 5:**

Navigate to the virtual machine's settings or configuration

##### **Step 6:**

Select the virtual disk you want to shrink.

##### **Step 7:**

Look for an option to shrink or compact the disk and follow the prompts.

##### **Step 8:**

The process might take some time, and it's essential to back up your virtual machine before proceeding, as data loss can occur in some cases.

#### **(a) Extend Virtual Disk:**

##### **Step 1:**

Shutdown the virtual machine.

##### **Step 2:**

On the host system, open the virtualization software (e.g., VMware, VirtualBox).

##### **Step 3:**

Navigate to the virtual machine's settings or configuration.

##### **Step 4:**

Select the virtual disk you want to extend.

##### **Step 5:**

Look for an option to increase or extend the disk and follow the prompts.



##### **Step 6:**



Specify the new size for the virtual disk (make sure to allocate enough space for your needs).

##### **Step 7:**


The process might take some time, and it's crucial to back up your virtual machine before proceeding, as extending the disk involves modifying the underlying file system.

## OUTPUT:









Program (3)	Output & Result (3)	Viva (4)	Total (10)

### Result:

Thus, the shrink and extend of virtual disk has been created and run successfully.

## **Ex 2(b): Create, Manage, Configure and schedule snapshots.**

### **Aim:**

To find the procedure of Creating, managing, configuring, and scheduling snapshots is a fundamental part of virtual machine management.

### **Procedure:**

#### **Step 1:**

Creating a Snapshot: To create a snapshot, follow these steps:

- a. Select the virtual machine in the management interface (e.g., vSphere Client).
- b. Right-click on the virtual machine and choose "Snapshot" or "Take Snapshot."
- c. Provide a name and description for the snapshot.
- d. Optionally, select the memory state to capture the virtual machine's running state (requires the virtual machine to be powered off).
- e. Click "OK" to create the snapshot.

#### **Step 2:**

Managing Snapshots: Managing snapshots involves tasks such as viewing, reverting, deleting, and consolidating snapshots.

- a. Viewing Snapshots: To see the list of snapshots for a virtual machine, navigate to the "Snapshots" tab in the virtual machine's details.
- b. Reverting to a Snapshot: To revert a virtual machine to a specific snapshot, right-click on the snapshot and choose "Revert to Snapshot." This action will roll back the virtual machine to the state captured in the selected snapshot.
- c. Deleting Snapshots: To delete a snapshot, right-click on the snapshot and choose "Delete Snapshot." You can choose to delete the snapshot only or delete the snapshot and consolidate its changes into the base virtual machine disk.
- d. Consolidating Snapshots: If you have multiple snapshots, you can perform a "Snapshot Consolidation" to merge all snapshots into the base disk. This helps to reduce storage requirements and improves performance.

#### **Step 3:**

Configuring Snapshot Settings: The snapshot settings allow you to define how snapshots are managed and stored.




- a. Snapshot Location: Configure the location where snapshot files are stored, which can be on the same data store as the virtual machine or on a different storage location.
- b. Snapshot Quiescent: Enable or disable the use of VMware Tools to quiesce the file system inside the virtual machine before taking a snapshot. This helps ensure application consistency during the snapshot.



#### **Step 4:**

Scheduling Snapshots: Some virtualization platforms allow you to schedule snapshots to be taken automatically at specific intervals.

Scheduled Snapshots: Navigate to the virtual machine's settings, find the "Snapshot Schedule" option, and configure the frequency and retention policy for automatic snapshots.

## Output:





Program (3)	Output & Result (3)	Viva (4)	Total (10)

### Result:

Thus, Create, Manage, Configure and schedule snapshots and run successfully.

## **Ex.2(c) Create Spanned, Mirrored and striped volume.**

**Aim: To create spanned , mirrored and striped volume.**

### **Procedure:**

#### **Step 1: How to create a spanned volume:**

- a. Right-click on "This PC" or "My Computer" and select "Manage."
- b. In the Computer Management window, click on "Disk Management" under "Storage" in the left pane.
- c. Identify the disks you want to use in the spanned volume. They should be unallocated or have empty space available.
- d. Right-click on the first disk and choose "New Spanned Volume."
- e. Follow the on-screen instructions to select additional disks and allocate space for the spanned volume.
- f. Assign a drive letter or mount point to the new volume and format it with a file system.




#### **Step 2: How to create a mirrored volume:**

- a. Follow steps a to c from the spanned volume creation process to open Disk Management.
- b. Right-click on one of the disks you want to use in the mirror and choose "New Mirrored Volume."
- c. Select the additional disk(s) to mirror the first disk, and then allocate space for the mirrored volume.
- d. Assign a drive letter or mount point to the new volume and format it with a file system.
- e. Windows will start the synchronization process, where data is copied from the source disk to the mirror disk(s).

#### **Step 3: How to create a striped volume:**

- a. Follow steps a to c from the spanned volume creation process to open Disk Management.
- b. Right-click on one of the disks you want to use in the stripe and choose "New Striped Volume."
- c. Select the additional disk(s) to include in the stripe, and then allocate space for the striped volume.
- d. Assign a drive letter or mount point to the new volume and format it with a file system.

## Output:



Program (3)	Output & Result (3)	Viva (4)	Total (10)

## Result:

Thus, the Create Striped, Mirrored and striped volume have been completed successfully.

## **Ex.2(d): Create RAID 5 Volume**

**Aim: To create RAID 5 volume.**

### **Procedure:**

**Step 1:** Backup Data: Before creating the RAID 5 volume, back up all your critical data to ensure it is safe in case of any unforeseen issues.

**Step 2:** Initialize and Convert Disks to Dynamic: If your disks are currently basic disks, you need to convert them to dynamic disks to create a RAID 5 volume. Follow these steps:

- a. Right-click on "This PC" or "My Computer" and select "Manage."
- b. In the Computer Management window, click on "Disk Management" under "Storage" in the left pane.
- c. Identify the disks you want to use in the RAID 5 array. They should be unallocated or have empty space available.
- d. Right-click on each disk and select "Convert to Dynamic Disk." Repeat this for all the disks you want to include in the RAID 5 array.


**Step 3:** Create the RAID 5 Volume: Once you have converted the disks to dynamic, you can proceed to create the RAID 5 volume:

- a. Right-click on one of the disks you want to use in the RAID 5 array.
- b. Select "New Spanned Volume."
- c. Follow the on-screen instructions to select the other disks you want to include in the RAID 5 array. There should be at least three disks in total.
- d. Allocate the desired amount of space for the RAID 5 volume. RAID 5 requires a minimum of three disks, and the volume size will be the total capacity of all disks minus one disk's worth of space. For example, if you have three 1TB disks, the RAID 5 volume will have a total capacity of 2TB.
- e. Assign a drive letter or mount point to the new RAID 5 volume and format it with a file system.

**Step 4:** Initialize and Format the RAID 5 Volume: After creating the RAID 5 volume, you need to initialize and format it:

- a. When prompted, initialize the disks using the default partition style (usually GPT).
- b. Format the RAID 5 volume with your desired file system (e.g., NTFS) and assign a drive letter or mount point. Output:

## Output:



Program (3)	Output & Result (3)	Viva (4)	Total (10)

## Result:

Thus, the Create RAID 5 volume has been created successfully.



## Ex.3(a): Desktop Virtualization using VNC


### Aim:

To demonstrate desktop virtualization using Tight VNC.

### Procedure:

#### Step 1: Download TightVNC Server

<https://www.tightvnc.com/download.php>



The screenshot shows the TightVNC website's download page. At the top, there's a navigation bar with the TightVNC logo and the text "Download TightVNC". Below this, a green sidebar contains links for Highlights, TightVNC (Home, News, Download, Change Log, Report Bugs, F.A.Q.), Licensing / SDK (Products & SDKs, .NET Viewer SDK, Server for Windows, Server for Unix/Linux, Server for macOS), Information (Documentation, Mailing Lists, Privacy Policy), Historical Products (TightVNC v1.3 (old), TightVNC Java Viewer, RFB Player (Java), Tight Decoder (src), VNC Reflector (Unix)), and Feedback (Contact Us). The main content area features a section for "Download TightVNC for Windows (Version 2.8.85)", which lists three download options: "Installer for Windows (64-bit)" (2,531,328 bytes), "Installer for Windows (32-bit)" (2,101,248 bytes), and "download the GPL-licensed C++ source code" (3,017,746 bytes). Below this, there's a section for "Improved Viewer for Many Systems and Platforms" introducing "Remote Ripple" as a free, cross-platform remote desktop viewer. At the bottom, there's a section titled "Need Monitoring and Managing Many VNC Remote Desktops?" which promotes "MightyViewer" as a Multi VNC Viewer for Windows. The page also includes a "Verify it's you" button in the top right corner.

**Download TightVNC**  
Free, Lightweight, Fast and Reliable Remote Desktop Software

**Highlights:**

- [Try MightyViewer!](#)

**TightVNC:**

- [Home](#)
- [News](#)
- [Download](#)
- [Change Log](#)
- [Report Bugs](#)
- [F.A.Q.](#)

**Licensing / SDK:**

- [Products & SDKs](#)
- [.NET Viewer SDK](#)
- [Server for Windows](#)
- [Server for Unix/Linux](#)
- [Server for macOS](#)

**Information:**

- [Documentation](#)
- [Mailing Lists](#)
- [Privacy Policy](#)

**Historical Products:**

- [TightVNC v1.3 \(old\)](#)
- [TightVNC Java Viewer](#)
- [RFB Player \(Java\)](#)
- [Tight Decoder \(src\)](#)
- [VNC Reflector \(Unix\)](#)

**Feedback:**

- [Contact Us](#)

**Download TightVNC for Windows (Version 2.8.85)**


TightVNC 2.8.85 runs on Windows XP and all later versions (see [more details here](#)).

- [Installer for Windows \(64-bit\)](#) (2,531,328 bytes)
- [Installer for Windows \(32-bit\)](#) (2,101,248 bytes)
- [download the GPL-licensed C++ source code](#) (3,017,746 bytes)

See [What's New](#) in TightVNC 2.8.85 and all previous versions.


**Improved Viewer for Many Systems and Platforms**

**Remote Ripple** is a free, cross-platform remote desktop viewer designed with user-friendliness in mind and powered by our [Remote Core SDK](#). As a newly released software, it may not have all the features of TightVNC Viewer, such as listening mode. However, we are committed to actively developing and improving it. Give it a try and let us know how we can make it even better for you!

 [Download Remote Ripple](#), our modern VNC client for Windows, Mac, iOS and Android



**Need Monitoring and Managing Many VNC Remote Desktops?**

Try **MightyViewer**, our Multi VNC Viewer for Windows. It shows many live remote desktops together, allowing to take over one of them when needed. Use it for monitoring computer classes, controlling factory hardware, managing remote desktops, administering users' PCs, and so on.

 [Download MightyViewer for Windows](#) (free download, no registration, no obligations)


Click **Installer for Windows (64-bit)**

Install TightVNC Server.




### Step 2:


**Configure VNC Server:** After installing the VNC server, you'll need to configure it by setting a password or access control options to secure the remote access. Ensure that the VNC server is running and ready to accept incoming connections.




Click **Typical**




Click **Next**



Click **Install**



Type password  
Click **OK**



Click **Finish**

### **Step 3:**

Install VNC Viewer.

### **Step 4:**

**Connect to the Remote Desktop:** Launch the VNC viewer and enter the IP address or host name of the remote computer (the host) you want to connect to. If you have configured a password or access control options on the VNC server, you will be prompted to enter the credentials. Once authenticated, the VNC viewer establishes a connection to the remote desktop.

### **Step 5:**

**Control the Remote Desktop:** After the connection is established, you will see the remote desktop environment displayed in the VNC viewer. You can now interact with the remote desktop as if you were physically sitting in front of it. You can run applications, access files, and perform any tasks on the remote computer just as if you were using it directly.

## Output:



Program (3)	Output & Result (3)	Viva (4)	Total (10)

## Result:

Thus Desktop Virtualization using VNC run successfully.

## Ex.3(b)


### Desktop Virtualization using Chrome Remote Desktop

**Aim:** To demonstrate desktop virtualization using Chrome Remote Desktop.

#### Procedure:

##### Step 1:

**Install Chrome Remote Desktop Extension:** Make sure you have the Google Chrome web browser installed on both the computer you want to access remotely (the host) and the computer or device you want to use for remote access (the client). Install the "Chrome Remote Desktop" extension from the Chrome Web Store on both devices.



Choose an account



DURAI S


Signed out




Use another account




Remove an account



Click **Download** button






Click **Accept & Install**




Click **OK**






Click **Turn on**



Click **Next**



Click **Start**

## Step 2:

Set Up Host Computer (Computer to be Accessed):

- Open Google Chrome on the host computer.
- In the address bar, type "chrome://apps" and press Enter.
- Click on the "Chrome Remote Desktop" icon to open the application.
- Follow the on-screen instructions to grant necessary permissions and set up remote access for the host computer.
- Create a secure PIN to use for remote access authentication.

### **Step 3:**

Access Host Computer (Client Device):

- a. Open Google Chrome on the client device (the computer or device from which you want to access the host computer remotely).
- b. In the address bar, type "remotedesktop.google.com/access" and press Enter.
- c. Click on the "Access" button under the "Remote Access" section.
- d. Sign in with your Google Account (the same account used on the host computer).

### **Step 4:**

Choose the Host Computer:

After signing in, you should see a list of available computers set up for remote access. Choose the host computer you want to access.

### **Step 5:**

Authenticate and Connect:

- a. If you have set up a PIN for the host computer, you will be prompted to enter it to authenticate the remote access.
- b. Once authenticated, the remote connection will be established, and you will see the host computer's desktop in the Chrome browser window.

### **Step 6:**


Control the Host Computer:

- a. You can now interact with the host computer's desktop through the Chrome browser on your client device. Use your mouse and keyboard to control the remote desktop.
- b. To switch between full-screen and windowed mode, click the "Toggle full screen" button on the top right corner of the remote desktop window.

### **Step 7:**

End the Remote Session: To end the remote session, click the "Stop Sharing" button at the bottom of the remote desktop window.

## Output:



Program (3)	Output & Result (3)	Viva (4)	Total (10)

## Result:

Thus Desktop Virtualization using Chrome Remote Desktop run successfully.

## **Ex.4 Create type 2 virtualization on ESXI 6.5 server**

### **Aim:**

To Create type 2 virtualization on ESXI 6.5 server.

### **Procedure:**

#### **Step 1:**

Install ESXi 6.5: First, you need to install VMware ESXi 6.5 on your server.

#### **Step 2:**

Access ESXi Web Client: Once ESXi is installed and running, access the ESXi Web Client through a web browser on a separate computer. Enter the IP address or hostname of your ESXi server to log in to the management interface.

#### **Step 3:**

Create a Virtual Machine: To create a virtual machine within ESXi, follow these steps:

- a. In the ESXi Web Client, navigate to the "Hosts and Clusters" view.
- b. Select your ESXi server from the list of hosts.
- c. Click on the "Create/Register VM" button or right-click on the host and choose "New Virtual Machine."
- d. The "Create New Virtual Machine" wizard will appear. Follow the steps in the wizard to configure the virtual machine, including providing a name, selecting the guest operating system, setting the desired resources (CPU, memory, disk space, etc.), and selecting a storage location for the virtual machine files.
- e. Finish the wizard, and the virtual machine will be created.

#### **Step 4:**

Install Guest Operating System: Once the virtual machine is created, you can power it on and install the guest operating system of your choice (e.g., Windows, Linux, etc.) using an ISO image or CD/DVD.

#### **Step 5:**

Access and Manage the Virtual Machine: After the guest operating system is installed, you can access the virtual machine through the VMware Remote Console (VMRC) or use remote access tools like VNC or RDP to interact with the guest operating system.

## Output:

New virtual machine - OVH US Example (ESXi 6.5 virtual machine)

1 Select creation type

2 Select a name and guest OS

3 Select storage

4 Customize settings

5 Ready to complete

Select a name and guest OS

Specify a unique name and OS

Name

OVH US Example

Virtual machine names can contain up to 80 characters and they must be unique within each ESXi instance.

Identifying the guest operating system here allows the wizard to provide the appropriate defaults for the operating system installation.

Compatibility

ESXi 6.5 virtual machine

Guest OS family

Linux

Guest OS version

Ubuntu Linux (64-bit)

Back

Next

Finish

Cancel

New virtual machine - ovh (this virtual local (ESXi) 6.5 virtual machine)

1 Select creation type

2 Select a name and guest OS

3 Select storage

4 Customize settings

5 Ready to complete

Select storage

Select the locations in which to store the configuration and disk files.

The following destinations are accessible from the destination resources that you selected. Select the destination destinations for the virtual-machine configuration files and all of the virtual disks.

Name	Capacity	Free	Type	Thin provision	Access
datastore1 (C:)	400.14 GB	90.62 GB	vVolFS	Thickdisk	Simple

vmware

New virtual machine - OVH US Example (ESXi 6.5 virtual machine)

- ✓ 1 Select creation type
- ✓ 2 Select a name and guest OS
- ✓ 3 Select storage
- ✓ **4 Customize settings**
- 5 Ready to complete

### Customize settings

Configure the virtual machine hardware and virtual machine additional options

CPU	1	
Memory	1024	MB
Hard disk 1	16	GB
SCSI Controller 0	LSI Logic Parallel	
SATA Controller 0		
USB controller 1	USB 2.0	
Network Adapter 1	VM Network	<input checked="" type="checkbox"/> Connect
CD/DVD Drive 1	Host device	<input checked="" type="checkbox"/> Connect
Video Card	Specify custom settings	

Back Next Finish Cancel

New virtual machine - OVH US Example (ESXi 6.5 virtual machine)


- ✓ 1 Select creation type
- ✓ 2 Select a name and guest OS
- ✓ 3 Select storage
- ✓ 4 Customize settings
- ✓ **5 Ready to complete**

### Ready to complete

Review your settings (click on a section before finishing the wizard)

Processing type	new
Name	ovh-01a-vm001-locat
Description	Deployment 1 (1)
Guest OS name	VMware ESXi 6.5
Compatibility	ESXi 6.5 virtual machine
vCPUs	2
Memory	4096 MB
Network adapters	1
Network adapter 1 network	private-nic01-network
Network adapter 1 type	VMXNET 3
IDE controller 0	IDE 0
IDE controller 1	IDE 1
SCSI controller 0	VMware Paravirtual
SATA controller 0	new SATA controller
Hard disk 1	
Capacity	100GB

Back Next Finish Cancel



Program (3)	Output & Result (3)	Viva (4)	Total (10)

## Result:

Thus create type 2 virtualization on ESXI 6.5 server run successfully.



**Ex.5:**

**Create a VLAN in CISCO packet tracer.**

**Aim:**

**To demonstrate create a VLAN in CISCO packet tracer.**

**Procedure:**

**Step 1:**

Launch Cisco Packet Tracer: Start Cisco Packet Tracer and open a new or existing project.

**Step 2:** Add Switches: Drag and drop switches from the "Switches" section of the "Devices" pane onto the workspace. You can use any Cisco switch model available in Packet Tracer.

**Step 3:**

Connect Switches: Connect the switches using Ethernet cables. Click on the Ethernet interfaces of the switches and then click on the other switch's Ethernet interfaces of the switches and then click on the other switch's Ethernet interfaces to create connections.

**Step 4:** Access the CLI: Double-click on the first switch to access its CLI (Command Line Interface). The CLI window will open.

**Step 5:** Configure VLANs: Enter the configuration mode by typing the following command:

```
enable
```

```
configure terminal
```

**Step 6:** Create VLANs: To create VLANs, use the `vlan` command followed by the VLAN number. For example, to create VLAN 10 and VLAN 20, you would do:

```
vlan 10
```

```
vlan 20
```

**Step 7:** Assign Ports to VLANs: To assign ports to VLANs, use the

`interface` command followed by the port number and then the `switchport access vlan` command. For example, to assign port 1 to VLAN 10 and port 2 to VLAN 20, you would do:

```
interface FastEthernet0/1
```

```
switchport mode access
```

```
switchport access vlan 10
```

```
interface FastEthernet0/2
```

```
switchport mode access
```





```
switchport access vlan 20
```

**Step 8:** Exit Configuration Mode: After assigning VLANs to the desired ports, exit the configuration mode by typing `exit`.

**Step 9:** Save Configuration: Save the configuration by typing `write` or `copy running-config startup-config` to make sure the changes are saved.

**Step 10:** Test VLANs: Now that you have created VLANs and assigned ports, you can test the connectivity between devices connected to the switches. Devices in the same VLAN should be able to communicate with each other, while devices in different VLANs should not have direct communication unless you configure inter-VLAN routing.

Output:



Program (3)	Output & Result (3)	Viva (4)	Total (10)

**Result:**

Thus create a VLAN in CISCO packet tracer has been executed successfully.

## Ex.No.6 Install KVM in Linux.

**Aim:**

**Procedure:**

**Step 1:** Check Hardware Support: Before installing KVM, ensure that your system's CPU supports hardware virtualization extensions (Intel VT-x or AMD-V). You can check this by running the following command:

```
egrep -c '(vmx|svm)' /proc/cpuinfo
```

If the output is greater than zero (1 or more), it means your CPU supports hardware virtualization.

**Step 2:** Install KVM Packages: The package names may vary depending on your Linux distribution. Here are the package names for some popular distributions:

For Ubuntu/Debian:

```
sudo apt update
```

```
sudo apt install qemu-kvm libvirt-daemon-system libvirt-clients bridge-utils virt-manager
```

For CentOS/RHEL:

```
sudo yum install qemu-kvm libvirt virt-install bridge-utils
```

```
sudo systemctl enable libvirtd
```

```
sudo systemctl start libvirtd
```

For Fedora:

```
sudo dnf install @virtualization
```

```
sudo systemctl enable libvirtd
```

```
sudo systemctl start libvirtd
```

**Step 3:** Verify Installation: After installing the required packages, check if KVM kernel modules are loaded correctly:

```
lsmod | grep kvm
```

The output should show `kvm` and `kvm_intel` or `kvm_amd` modules loaded, depending on your CPU.

**Step 4:** Configure Permissions: For non-root users to manage virtual machines using KVM, add them to the `libvirt` group:

```
sudo usermod -aG libvirt <username>
```

Remember to log out and log back in for the changes to take effect.

**Step 5:** Enable Nested Virtualization (Optional): If you plan to run virtual machines with nested virtualization (e.g., running KVM inside a KVM guest), you may need to enable nested virtualization on the host. This step is only required if you intend to run virtual machines with KVM as guests.

For Intel CPUs:

```
echo "options kvm-intel nested=1" | sudo tee /etc/modprobe.d/kvm-intel.conf
```

```
sudo modprobe -r kvm_intel
```

```
sudo modprobe kvm_intel
```

For AMD CPUs:

```
echo "options kvm-amd nested=1" | sudo tee /etc/modprobe.d/kvm-amd.conf
```

```
sudo modprobe -r kvm_amd
```

```
sudo modprobe kvm_amd
```

**Step 6:** Install and Configure Virt-Manager (Optional): Virt-Manager is a graphical user interface tool to manage virtual machines using KVM. If you prefer a GUI interface, you can install Virt-Manager:

For Ubuntu/Debian:

```
sudo apt install virt-manager
```



For CentOS/RHEL:

```
sudo yum install virt-manager
```

### **sudo dnf install virt-manager**

Once the installation is complete, you can start creating and managing virtual machines using KVM. You can use command-line tools like `virsh` or a graphical interface like Virt-Manager to interact with KVM.

#### **Output:**



**Result:** Thus, Installed KVM in Linux (UBUNTU) successfully.

## **Ex.7: Create Nested Virtual Machine (VM under another VM)**

### **Aim:**

To Create Nested Virtual Machine (VM under another VM).

### **Procedure:**

#### **Step 1:**

Enable Nested Virtualization: Before creating a nested VM, ensure nested virtualization is enabled on the host VM (the VM that will run other VMs).

For VirtualBox:

Open VirtualBox and select the host VM from the list. Go to "Settings" > "System" > "Processor" and check the "Enable Nested VT-x/AMD-V" option.

#### **Step 2 :**

Install an Operating System in the Host VM: Ensure you have an operating system installed in the host VM. This will be the environment in which you'll run the nested VMs.

#### **Step 3:**

Install VirtualBox within the Host VM: Inside the host VM, download and install VirtualBox (or any other virtualization software you prefer) as if you were installing it on a physical machine.

#### **Step 4:**

Create the Nested VM: Now that you have VirtualBox installed within the host VM, you can create a new VM inside it.

- a. Open VirtualBox within the host VM.
- b. Click on "New" to create a new VM.
- c. Follow the VM creation wizard to set up the nested VM, including selecting the guest operating system, allocating memory, creating a virtual hard disk, etc.

#### **Step 4:**

Install the Guest Operating System in the Nested VM: With the nested VM created, start it and install the guest operating system, just as you would with any regular VM installation.

#### **Step 5 ;**



Configure Networking (Optional): Depending on your requirements, you may need to configure the networking of the nested VM to allow communication with other VMs or external networks.

#### **Step 6 :**

Use the Nested VM: Once the nested VM is set up and the guest operating system is installed, you can use it just like any other VM. Install applications, run tests, or perform any tasks within the nested VM.

### **Using Hyper – V**

## Output:



## Result:

Thus, create nested Virtual Machine using Hyper -V (VM under another VM) has been executed successfully.